

X(3940)

$I^G(J^{PC}) = ?^?(???)$

OMMITTED FROM SUMMARY TABLE

Reported by ABE 07, observed in $e^+ e^- \rightarrow J/\psi X$.

X(3940) MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
3942$^{+7}_{-6} \pm 6$	52	PAKHLOV	08	BELL $e^+ e^- \rightarrow J/\psi X$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
3943 $\pm 6 \pm 6$	25	¹ ABE	07	BELL $e^+ e^- \rightarrow J/\psi X$
3936 ± 14	266	² ABE	07	BELL $e^+ e^- \rightarrow J/\psi(c\bar{c})$

¹ From a fit to $D^{*+} D^-$ and $D^{*0} \bar{D}^0$ events.

² From the inclusive fit. Not independent of the exclusive measurement by ABE 07.

X(3940) WIDTH

VALUE (MeV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
37$^{+26}_{-15} \pm 8$	52	PAKHLOV	08	BELL	$e^+ e^- \rightarrow J/\psi X$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<52	90	25	ABE	07	BELL $e^+ e^- \rightarrow J/\psi X$

X(3940) DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 D \bar{D}^* + c.c.$	seen
$\Gamma_2 D \bar{D}$	not seen
$\Gamma_3 J/\psi \omega$	not seen

X(3940) BRANCHING RATIOS

VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT	Γ_1/Γ
• • • We do not use the following data for averages, fits, limits, etc. • • •						
>0.45	90	25	^{3,4} ABE	07	BELL $e^+ e^- \rightarrow J/\psi X$	
³ For $X(3940)$ decaying to final states with more than two tracks.						
⁴ PAKHLOV 08 finds that the inclusive peak near $3940 \text{ MeV}/c^2$ may consist of several states.						

$\Gamma(D\bar{D})/\Gamma_{\text{total}}$

Γ_2/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.41	90	^{5,6} ABE	07	BELL $e^+ e^- \rightarrow J/\psi X$

⁵ For $X(3940)$ decaying to final states with more than two tracks.

⁶ PAKHLOV 08 finds that the inclusive peak near $3940 \text{ MeV}/c^2$ may consist of several states.

$\Gamma(J/\psi\omega)/\Gamma_{\text{total}}$

Γ_3/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.26	90	^{7,8} ABE	07	BELL $e^+ e^- \rightarrow J/\psi X$
⁷ For $X(3940)$ decaying to final states with more than two tracks.				
⁸ PAKHLOV 08 finds that the inclusive peak near $3940 \text{ MeV}/c^2$ may consist of several states.				

X(3940) REFERENCES

PAKHLOV ABE	08 07	PRL 100 202001 PRL 98 082001	P. Pakhlov <i>et al.</i> K. Abe <i>et al.</i>	(BELLE Collab.) (BELLE Collab.)
----------------	----------	---------------------------------	--	------------------------------------