


$\omega(782)$ 

$$I^G(J^{PC}) = 0^-(1^{--})$$

 **$\omega(782)$  MASS**

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>782.65±0.12 OUR AVERAGE</b>		Error includes scale factor of 1.9. See the ideogram below.		
783.20±0.13±0.16	18680	AKHMETSHIN 05	CMD2	0.60-1.38 $e^+e^- \rightarrow \pi^0\gamma$
782.68±0.09±0.04	11200	<sup>1</sup> AKHMETSHIN 04	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
782.79±0.08±0.09	1.2M	<sup>2</sup> ACHASOV 03D	RVUE	0.44-2.00 $e^+e^- \rightarrow \pi^+\pi^-\pi^0$
782.7 ±0.1 ±1.5	19500	WURZINGER 95	SPEC	1.33 $pd \rightarrow {}^3\text{He}\omega$
781.96±0.17±0.80	11k	<sup>3</sup> AMSLER 94C	CBAR	0.0 $\bar{p}p \rightarrow \omega\eta\pi^0$
782.08±0.36±0.82	3463	<sup>4</sup> AMSLER 94C	CBAR	0.0 $\bar{p}p \rightarrow \omega\eta\pi^0$
781.96±0.13±0.17	15k	AMSLER 93B	CBAR	0.0 $\bar{p}p \rightarrow \omega\pi^0\pi^0$
782.4 ±0.2	270k	WEIDENAUER 93	ASTE	$\bar{p}p \rightarrow 2\pi^+2\pi^-\pi^0$
782.2 ±0.4	1488	KURDADZE 83B	OLYA	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
782.4 ±0.5	7000	<sup>5</sup> KEYNE 76	CNTR	$\pi^-p \rightarrow \omega n$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
781.91±0.24		<sup>6</sup> LEES 12G	BABR	$e^+e^- \rightarrow \pi^+\pi^-\gamma$
781.78±0.10		<sup>7</sup> BARKOV 87	CMD	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
783.3 ±0.4	433	CORDIER 80	DM1	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
782.5 ±0.8	33260	ROOS 80	RVUE	0.0-3.6 $\bar{p}p$
782.6 ±0.8	3000	BENKHEIRI 79	OMEG	9-12 $\pi^\pm p$
781.8 ±0.6	1430	COOPER 78B	HBC	0.7-0.8 $\bar{p}p \rightarrow 5\pi$
782.7 ±0.9	535	VANAPEL... 78	HBC	7.2 $\bar{p}p \rightarrow \bar{p}p\omega$
783.5 ±0.8	2100	GESSAROLI 77	HBC	11 $\pi^-p \rightarrow \omega n$
782.5 ±0.8	418	AGUILAR-... 72B	HBC	3.9,4.6 $K^-p$
783.4 ±1.0	248	BIZZARRI 71	HBC	0.0 $p\bar{p} \rightarrow K^+K^-\omega$
781.0 ±0.6	510	BIZZARRI 71	HBC	0.0 $p\bar{p} \rightarrow K_1^+K_1^-\omega$
783.7 ±1.0	3583	<sup>8</sup> COYNE 71	HBC	3.7 $\pi^+p \rightarrow p\pi^+\pi^+\pi^-\pi^0$
784.1 ±1.2	750	ABRAMOVI... 70	HBC	3.9 $\pi^-p$
783.2 ±1.6		<sup>9</sup> BIGGS 70B	CNTR	<4.1 $\gamma C \rightarrow \pi^+\pi^-C$
782.4 ±0.5	2400	BIZZARRI 69	HBC	0.0 $\bar{p}p$

<sup>1</sup> Update of AKHMETSHIN 00C.<sup>2</sup> From the combined fit of ANTONELLI 92, ACHASOV 01E, ACHASOV 02E, and ACHASOV 03D data on the  $\pi^+\pi^-\pi^0$  and ANTONELLI 92 on the  $\omega\pi^+\pi^-$  final states. Supersedes ACHASOV 99E and ACHASOV 02E.<sup>3</sup> From the  $\eta \rightarrow \gamma\gamma$  decay.<sup>4</sup> From the  $\eta \rightarrow 3\pi^0$  decay.<sup>5</sup> Observed by threshold-crossing technique. Mass resolution = 4.8 MeV FWHM.<sup>6</sup> From the  $\rho-\omega$  interference in the  $\pi^+\pi^-$  mass spectrum using the Breit-Wigner for the  $\omega$  and leaving its mass and width as free parameters of the fit.<sup>7</sup> Systematic uncertainties underestimated.<sup>8</sup> From best-resolution sample of COYNE 71.<sup>9</sup> From  $\omega$ - $\rho$  interference in the  $\pi^+\pi^-$  mass spectrum assuming  $\omega$  width 12.6 MeV.



### $\omega(782)$ WIDTH

VALUE (MeV)	EVTs	DOCUMENT ID	TECN	COMMENT
<b>8.49±0.08 OUR AVERAGE</b>				
8.68±0.23±0.10	11200	1 AKHMETSHIN 04	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
8.68±0.04±0.15	1.2M	2 ACHASOV 03D	RVUE	0.44–2.00 $e^+e^- \rightarrow \pi^+\pi^-\pi^0$
8.2 ±0.3	19500	WURZINGER 95	SPEC	1.33 $pd \rightarrow {}^3\text{He}\omega$
8.4 ±0.1		3 AULCHENKO 87	ND	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
8.30±0.40		BARKOV 87	CMD	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
9.8 ±0.9	1488	KURDADZE 83B	OLYA	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
9.0 ±0.8	433	CORDIER 80	DM1	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
9.1 ±0.8	451	BENAKSAS 72B	OSPK	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
8.13±0.45		4 LEES 12G	BABR	$e^+e^- \rightarrow \pi^+\pi^-\gamma$
12 ±2	1430	COOPER 78B	HBC	0.7–0.8 $\bar{p}p \rightarrow 5\pi$
9.4 ±2.5	2100	GESSAROLI 77	HBC	11 $\pi^-p \rightarrow \omega n$
10.22±0.43	20000	5 KEYNE 76	CNTR	$\pi^-p \rightarrow \omega n$
13.3 ±2	418	AGUILAR-... 72B	HBC	3.9,4.6 $K^-p$
10.5 ±1.5		BORENSTEIN 72	HBC	2.18 $K^-p$
7.70±0.9 ±1.15	940	BROWN 72	MMS	2.5 $\pi^-p \rightarrow nMM$
10.3 ±1.4	510	BIZZARRI 71	HBC	0.0 $p\bar{p} \rightarrow K_1^+K_1^-\omega$
12.8 ±3.0	248	BIZZARRI 71	HBC	0.0 $p\bar{p} \rightarrow K^+K^-\omega$
9.5 ±1.0	3583	COYNE 71	HBC	3.7 $\pi^+p \rightarrow p\pi^+\pi^+\pi^-\pi^0$

<sup>1</sup> Update of AKHMETSHIN 00C.

<sup>2</sup> From the combined fit of ANTONELLI 92, ACHASOV 01E, ACHASOV 02E, and ACHASOV 03D data on the  $\pi^+\pi^-\pi^0$  and ANTONELLI 92 on the  $\omega\pi^+\pi^-$  final states. Supersedes ACHASOV 99E and ACHASOV 02E.

<sup>3</sup> Relativistic Breit-Wigner includes radiative corrections.

<sup>4</sup> From the  $\rho-\omega$  interference in the  $\pi^+\pi^-$  mass spectrum using the Breit-Wigner for the  $\omega$  and leaving its mass and width as free parameters of the fit.

<sup>5</sup> Observed by threshold-crossing technique. Mass resolution = 4.8 MeV FWHM.

### $\omega(782)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/ Confidence level
$\Gamma_1$ $\pi^+\pi^-\pi^0$	(89.2 ± 0.7) %	
$\Gamma_2$ $\pi^0\gamma$	( 8.28 ± 0.28) %	S=2.1
$\Gamma_3$ $\pi^+\pi^-$	( 1.53 <sup>+0.11</sup> <sub>-0.13</sub> ) %	S=1.2
$\Gamma_4$ neutrals (excluding $\pi^0\gamma$ )	( 8 <sup>+8</sup> <sub>-5</sub> ) × 10 <sup>-3</sup>	S=1.1
$\Gamma_5$ $\eta\gamma$	( 4.6 ± 0.4) × 10 <sup>-4</sup>	S=1.1
$\Gamma_6$ $\pi^0e^+e^-$	( 7.7 ± 0.6) × 10 <sup>-4</sup>	
$\Gamma_7$ $\pi^0\mu^+\mu^-$	( 1.3 ± 0.4) × 10 <sup>-4</sup>	S=2.1
$\Gamma_8$ $\eta e^+e^-$		
$\Gamma_9$ $e^+e^-$	( 7.28 ± 0.14) × 10 <sup>-5</sup>	S=1.3
$\Gamma_{10}$ $\pi^+\pi^-\pi^0\pi^0$	< 2 × 10 <sup>-4</sup>	CL=90%
$\Gamma_{11}$ $\pi^+\pi^-\gamma$	< 3.6 × 10 <sup>-3</sup>	CL=95%
$\Gamma_{12}$ $\pi^+\pi^-\pi^+\pi^-$	< 1 × 10 <sup>-3</sup>	CL=90%
$\Gamma_{13}$ $\pi^0\pi^0\gamma$	( 6.6 ± 1.1) × 10 <sup>-5</sup>	
$\Gamma_{14}$ $\eta\pi^0\gamma$	< 3.3 × 10 <sup>-5</sup>	CL=90%
$\Gamma_{15}$ $\mu^+\mu^-$	( 9.0 ± 3.1) × 10 <sup>-5</sup>	
$\Gamma_{16}$ $3\gamma$	< 1.9 × 10 <sup>-4</sup>	CL=95%
<b>Charge conjugation (C) violating modes</b>		
$\Gamma_{17}$ $\eta\pi^0$	C < 2.1 × 10 <sup>-4</sup>	CL=90%
$\Gamma_{18}$ $2\pi^0$	C < 2.1 × 10 <sup>-4</sup>	CL=90%
$\Gamma_{19}$ $3\pi^0$	C < 2.3 × 10 <sup>-4</sup>	CL=90%

## CONSTRAINED FIT INFORMATION

An overall fit to 15 branching ratios uses 51 measurements and one constraint to determine 10 parameters. The overall fit has a  $\chi^2 = 51.8$  for 42 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$ , in percent, from the fit to the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

$x_2$	22								
$x_3$	-18	-4							
$x_4$	-92	-56	1						
$x_5$	7	7	-1	-9					
$x_6$	-1	0	0	0	0				
$x_7$	-1	0	0	0	0	0			
$x_9$	-38	-33	7	44	-21	0	0		
$x_{13}$	1	4	0	-2	0	0	0	-1	
$x_{15}$	0	0	0	0	0	0	0	0	0
	$x_1$	$x_2$	$x_3$	$x_4$	$x_5$	$x_6$	$x_7$	$x_9$	$x_{13}$

## $\omega(782)$ PARTIAL WIDTHS

### $\Gamma(\pi^0 \gamma)$ $\Gamma_2$

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$880 \pm 50$	7815	<sup>1</sup> ACHASOV 13	SND	$1.05\text{--}2.00 e^+ e^- \rightarrow \pi^0 \pi^0 \gamma$
$788 \pm 12 \pm 27$	36500	<sup>2</sup> ACHASOV 03	SND	$0.60\text{--}0.97 e^+ e^- \rightarrow \pi^0 \gamma$
$764 \pm 51$	10625	DOLINSKY 89	ND	$e^+ e^- \rightarrow \pi^0 \gamma$

<sup>1</sup> Systematic uncertainty not estimated.

<sup>2</sup> Using  $\Gamma_\omega = 8.44 \pm 0.09$  MeV and  $B(\omega \rightarrow \pi^0 \gamma)$  from ACHASOV 03.

### $\Gamma(\eta \gamma)$ $\Gamma_5$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$6.1 \pm 2.5$	<sup>1</sup> DOLINSKY 89	ND	$e^+ e^- \rightarrow \eta \gamma$

<sup>1</sup> Using  $\Gamma_\omega = 8.4 \pm 0.1$  MeV and  $B(\omega \rightarrow \eta \gamma)$  from DOLINSKY 89.

### $\Gamma(e^+ e^-)$ $\Gamma_9$

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.60 ± 0.02 OUR EVALUATION</b>				
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$0.591 \pm 0.015$	11200	<sup>1,2</sup> AKHMETSHIN 04	CMD2	$e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
$0.653 \pm 0.003 \pm 0.021$	1.2M	<sup>3</sup> ACHASOV 03D	RVUE	$0.44\text{--}2.00 e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
$0.600 \pm 0.031$	10625	DOLINSKY 89	ND	$e^+ e^- \rightarrow \pi^0 \gamma$

<sup>1</sup> Using  $B(\omega \rightarrow \pi^+ \pi^- \pi^0) = 0.891 \pm 0.007$  and  $\Gamma_{\text{total}} = 8.44 \pm 0.09$  MeV.

<sup>2</sup> Update of AKHMETSHIN 00C.

<sup>3</sup> Using ACHASOV 03, ACHASOV 03D and  $B(\omega \rightarrow \pi^+ \pi^-) = (1.70 \pm 0.28)\%$ .

### $\omega(782) \Gamma(e^+ e^-) \Gamma(i) / \Gamma^2(\text{total})$

$\Gamma(e^+ e^-) / \Gamma_{\text{total}} \times \Gamma(\pi^+ \pi^- \pi^0) / \Gamma_{\text{total}}$   $\Gamma_g / \Gamma \times \Gamma_1 / \Gamma$

VALUE (units  $10^{-5}$ )    EVTS    DOCUMENT ID    TECN    COMMENT

**6.49 ± 0.11 OUR FIT** Error includes scale factor of 1.3.

**6.38 ± 0.10 OUR AVERAGE** Error includes scale factor of 1.1.

6.24 ± 0.11 ± 0.08    11.2k    <sup>1</sup> AKHMETSHIN 04    CMD2     $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$

6.70 ± 0.06 ± 0.27          AUBERT,B    04N    BABR     $10.6 e^+ e^- \rightarrow \pi^+ \pi^- \pi^0 \gamma$

6.74 ± 0.04 ± 0.24    1.2M    <sup>2,3</sup> ACHASOV    03D    RVUE     $0.44-2.00 e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$

6.37 ± 0.35          <sup>2</sup> DOLINSKY    89    ND     $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$

6.45 ± 0.24          <sup>2</sup> BARKOV    87    CMD     $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$

5.79 ± 0.42    1488    <sup>2</sup> KURDADZE    83B    OLYA     $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$

5.89 ± 0.54    433    <sup>2</sup> CORDIER    80    DM1     $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$

7.54 ± 0.84    451    <sup>2</sup> BENAKSAS    72B    OSPK     $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

6.20 ± 0.13          <sup>4</sup> BENAYOUN    10    RVUE     $0.4-1.05 e^+ e^-$

<sup>1</sup> Update of AKHMETSHIN 00C.

<sup>2</sup> Recalculated by us from the cross section in the peak.

<sup>3</sup> From the combined fit of ANTONELLI 92, ACHASOV 01E, ACHASOV 02E, and ACHASOV 03D data on the  $\pi^+ \pi^- \pi^0$  and ANTONELLI 92 on the  $\omega \pi^+ \pi^-$  final states. Supersedes ACHASOV 99E and ACHASOV 02E.

<sup>4</sup> A simultaneous fit of  $e^+ e^- \rightarrow \pi^+ \pi^-, \pi^+ \pi^- \pi^0, \pi^0 \gamma, \eta \gamma$  data.

$\Gamma(e^+ e^-) / \Gamma_{\text{total}} \times \Gamma(\pi^0 \gamma) / \Gamma_{\text{total}}$   $\Gamma_g / \Gamma \times \Gamma_2 / \Gamma$

VALUE (units  $10^{-6}$ )    EVTS    DOCUMENT ID    TECN    COMMENT

**6.02 ± 0.20 OUR FIT** Error includes scale factor of 1.9.

**6.45 ± 0.17 OUR AVERAGE**

6.47 ± 0.14 ± 0.39    18680    AKHMETSHIN 05    CMD2     $0.60-1.38 e^+ e^- \rightarrow \pi^0 \gamma$

6.50 ± 0.11 ± 0.20    36500    <sup>1</sup> ACHASOV    03    SND     $0.60-0.97 e^+ e^- \rightarrow \pi^0 \gamma$

6.34 ± 0.21 ± 0.21    10625    <sup>2</sup> DOLINSKY    89    ND     $e^+ e^- \rightarrow \pi^0 \gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

6.80 ± 0.13          <sup>3</sup> BENAYOUN    10    RVUE     $0.4-1.05 e^+ e^-$

<sup>1</sup> Using  $\sigma_{\phi \rightarrow \pi^0 \gamma}$  from ACHASOV 00 and  $m_\omega = 782.57$  MeV in the model with the energy-independent phase of  $\rho$ - $\omega$  interference equal to  $(-10.2 \pm 7.0)^\circ$ .

<sup>2</sup> Recalculated by us from the cross section in the peak.

<sup>3</sup> A simultaneous fit of  $e^+ e^- \rightarrow \pi^+ \pi^-, \pi^+ \pi^- \pi^0, \pi^0 \gamma, \eta \gamma$  data.

$\Gamma(e^+e^-)/\Gamma_{\text{total}} \times \Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$   $\Gamma_9/\Gamma \times \Gamma_3/\Gamma$

VALUE (units $10^{-6}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

<b>1.225±0.058±0.041</b>	800k	<sup>1</sup> ACHASOV	06	SND $e^+e^- \rightarrow \pi^+\pi^-$
1.166±0.036		<sup>2</sup> BENAYOUN	13	RVUE 0.4–1.05 $e^+e^-$
1.05 ±0.08		<sup>3</sup> DAVIER	13	RVUE $e^+e^- \rightarrow \pi^+\pi^-(\gamma)$

- • • We do not use the following data for averages, fits, limits, etc. • • •
- <sup>1</sup>Supersedes ACHASOV 05A.
- <sup>2</sup>A simultaneous fit to  $e^+e^- \rightarrow \pi^+\pi^-, \pi^+\pi^-\pi^0, \pi^0\gamma, \eta\gamma, K\bar{K}$ , and  $\tau^- \rightarrow \pi^-\pi^0\nu_\tau$  data. Supersedes BENAYOUN 10.
- <sup>3</sup>From  $e^+e^- \rightarrow \pi^+\pi^-(\gamma)$  data of LEES 12G.

$\Gamma(e^+e^-)/\Gamma_{\text{total}} \times \Gamma(\eta\gamma)/\Gamma_{\text{total}}$   $\Gamma_9/\Gamma \times \Gamma_5/\Gamma$

VALUE (units $10^{-8}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

<b>3.32±0.28 OUR FIT</b>	Error includes scale factor of 1.1.			
<b>3.18±0.28 OUR AVERAGE</b>				
3.10±0.31±0.11	33k	<sup>1</sup> ACHASOV	07B	SND 0.6–1.38 $e^+e^- \rightarrow \eta\gamma$
3.17 <sup>+1.85</sup> <sub>-1.31</sub> ±0.21	17.4k	<sup>2</sup> AKHMETSHIN	05	CMD2 0.60–1.38 $e^+e^- \rightarrow \eta\gamma$
3.41±0.52±0.21	23k	<sup>3,4</sup> AKHMETSHIN	01B	CMD2 $e^+e^- \rightarrow \eta\gamma$

- • • We do not use the following data for averages, fits, limits, etc. • • •
- <sup>5</sup>BENAYOUN 10 RVUE 0.4–1.05  $e^+e^-$
- <sup>1</sup>From a combined fit of  $\sigma(e^+e^- \rightarrow \eta\gamma)$  with  $\eta \rightarrow 3\pi^0$  and  $\eta \rightarrow \pi^+\pi^-\pi^0$ , and fixing  $B(\eta \rightarrow 3\pi^0) / B(\eta \rightarrow \pi^+\pi^-\pi^0) = 1.44 \pm 0.04$ . Recalculated by us from the cross section at the peak. Supersedes ACHASOV 00D and ACHASOV 06A.
- <sup>2</sup>From the  $\eta \rightarrow 2\gamma$  decay and using  $B(\eta \rightarrow \gamma\gamma) = 39.43 \pm 0.26\%$ .
- <sup>3</sup>From the  $\eta \rightarrow 3\pi^0$  decay and using  $B(\eta \rightarrow 3\pi^0) = (32.24 \pm 0.29) \times 10^{-2}$ .
- <sup>4</sup>The combined fit from 600 to 1380 MeV taking into account  $\rho(770), \omega(782), \phi(1020)$ , and  $\rho(1450)$  (mass and width fixed at 1450 MeV and 310 MeV respectively).
- <sup>5</sup>A simultaneous fit of  $e^+e^- \rightarrow \pi^+\pi^-, \pi^+\pi^-\pi^0, \pi^0\gamma, \eta\gamma$  data.

**$\omega(782)$  BRANCHING RATIOS**

$\Gamma(\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$   $\Gamma_1/\Gamma$

NIECKNIG 12 describes final-state interactions between the three pions in a dispersive framework using data on the  $\pi\pi$  *P*-wave scattering phase shift.

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-------	------	-------------	------	---------

0.9024±0.0019		<sup>1</sup> AMBROSINO	08G	KLOE 1.0–1.03 $e^+e^- \rightarrow \pi^+\pi^-2\pi^0, 2\pi^0\gamma$
0.8965±0.0016±0.0048	1.2M	<sup>2,3</sup> ACHASOV	03D	RVUE 0.44–2.00 $e^+e^- \rightarrow \pi^+\pi^-\pi^0$
0.880 ±0.020 ±0.032	11200	<sup>3,4</sup> AKHMETSHIN	00C	CMD2 $e^+e^- \rightarrow \pi^+\pi^-\pi^0$
0.8942±0.0062		<sup>3</sup> DOLINSKY	89	ND $e^+e^- \rightarrow \pi^+\pi^-\pi^0$

- • • We do not use the following data for averages, fits, limits, etc. • • •
- <sup>1</sup>Not independent of  $\Gamma(\pi^0\gamma) / \Gamma(\pi^+\pi^-\pi^0)$  from AMBROSINO 08G.
- <sup>2</sup>Using ACHASOV 03, ACHASOV 03D and  $B(\omega \rightarrow \pi^+\pi^-) = (1.70 \pm 0.28)\%$ .
- <sup>3</sup>Not independent of the corresponding  $\Gamma(e^+e^-) \times \Gamma(\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}^2$ .
- <sup>4</sup>Using  $\Gamma(e^+e^-) = 0.60 \pm 0.02$  keV.

$\Gamma(\pi^0\gamma)/\Gamma_{\text{total}}$   $\Gamma_2/\Gamma$

VALUE (units $10^{-2}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
8.09±0.14		<sup>1</sup> AMBROSINO 08G	KLOE	$e^+e^- \rightarrow \pi^+\pi^-2\pi^0, 2\pi^0\gamma$
9.06±0.20±0.57	18680	<sup>2,3</sup> AKHMETSHIN 05	CMD2	0.60-1.38 $e^+e^- \rightarrow \pi^0\gamma$
9.34±0.15±0.31	36500	<sup>3</sup> ACHASOV 03	SND	0.60-0.97 $e^+e^- \rightarrow \pi^0\gamma$
8.65±0.16±0.42	1.2M	<sup>4,5</sup> ACHASOV 03D	RVUE	0.44-2.00 $e^+e^- \rightarrow \pi^+\pi^-\pi^0$
8.39±0.24	9975	<sup>6</sup> BENAYOUN 96	RVUE	$e^+e^- \rightarrow \pi^0\gamma$
8.88±0.62	10625	<sup>3</sup> DOLINSKY 89	ND	$e^+e^- \rightarrow \pi^0\gamma$

- • • We do not use the following data for averages, fits, limits, etc. • • •
- <sup>1</sup> Not independent of  $\Gamma(\pi^0\gamma) / \Gamma(\pi^+\pi^-\pi^0)$  from AMBROSINO 08G.
- <sup>2</sup> Using  $B(\omega \rightarrow e^+e^-) = (7.14 \pm 0.13) \times 10^{-5}$ .
- <sup>3</sup> Not independent of the corresponding  $\Gamma(e^+e^-) \times \Gamma(\pi^0\gamma)/\Gamma_{\text{total}}^2$ .
- <sup>4</sup> Using ACHASOV 03, ACHASOV 03D and  $B(\omega \rightarrow \pi^+\pi^-) = (1.70 \pm 0.28)\%$ .
- <sup>5</sup> Not independent of the corresponding  $\Gamma(e^+e^-) \times \Gamma(\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}^2$ .
- <sup>6</sup> Reanalysis of DRUZHININ 84, DOLINSKY 89, DOLINSKY 91 taking into account the triangle anomaly contributions.

$\Gamma(\pi^0\gamma)/\Gamma(\pi^+\pi^-\pi^0)$   $\Gamma_2/\Gamma_1$

VALUE (units $10^{-2}$ )	DOCUMENT ID	TECN	COMMENT
<b>9.28±0.31 OUR FIT</b>	Error includes scale factor of 2.3.		
<b>9.05±0.27 OUR AVERAGE</b>	Error includes scale factor of 1.8.		
8.97±0.16	AMBROSINO 08G	KLOE	$e^+e^- \rightarrow \pi^+\pi^-2\pi^0, 2\pi^0\gamma$
9.94±0.36±0.38	<sup>1</sup> AULCHENKO 00A	SND	$e^+e^- \rightarrow \pi^+\pi^-2\pi^0, 2\pi^0\gamma$
8.4 ±1.3	KEYNE 76	CNTR	$\pi^-p \rightarrow \omega n$
10.9 ±2.5	BENAKSAS 72C	OSPK	$e^+e^- \rightarrow \pi^0\gamma$
8.1 ±2.0	BALDIN 71	HLBC	2.9 $\pi^+p$
13 ±4	JACQUET 69B	HLBC	2.05 $\pi^+p \rightarrow \pi^+p\omega$

- • • We do not use the following data for averages, fits, limits, etc. • • •
- 9.7 ±0.2 ±0.5 <sup>2,3</sup> ACHASOV 03D RVUE 0.44-2.00  $e^+e^- \rightarrow \pi^+\pi^-\pi^0$
- 9.9 ±0.7 <sup>2</sup> DOLINSKY 89 ND  $e^+e^- \rightarrow \pi^0\gamma$
- <sup>1</sup> From  $\sigma_0^{\omega\pi^0 \rightarrow \pi^0\pi^0\gamma}(m_\phi)/\sigma_0^{\omega\pi^0 \rightarrow \pi^+\pi^-\pi^0}(m_\phi)$  with a phase-space correction factor of 1/1.023.
- <sup>2</sup> Not independent of the corresponding  $\Gamma(e^+e^-) \times \Gamma(\pi^0\gamma)/\Gamma_{\text{total}}^2$ .
- <sup>3</sup> Using ACHASOV 03. Based on 1.2M events.

$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$   $\Gamma_3/\Gamma$

See also  $\Gamma(\pi^+\pi^-)/\Gamma(\pi^+\pi^-\pi^0)$ .


VALUE (units $10^{-2}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>1.53<sup>+0.11</sup><sub>-0.13</sub> OUR FIT</b>	Error includes scale factor of 1.2.			
<b>1.49±0.13 OUR AVERAGE</b>	Error includes scale factor of 1.3. See the ideogram below.			
1.46±0.12±0.02	900k	<sup>1</sup> AKHMETSHIN 07		$e^+e^- \rightarrow \pi^+\pi^-$
1.30±0.24±0.05	11.2k	<sup>2</sup> AKHMETSHIN 04	CMD2	$e^+e^- \rightarrow \pi^+\pi^-$
2.38 <sup>+1.77</sup> <sub>-0.90</sub> ±0.18	5.4k	<sup>3</sup> ACHASOV 02E	SND	1.1-1.38 $e^+e^- \rightarrow \pi^+\pi^-\pi^0$
2.3 ±0.5		BARKOV 85	OLYA	$e^+e^- \rightarrow \pi^+\pi^-$
1.6 <sup>+0.9</sup> <sub>-0.7</sub>		QUENZER 78	DM1	$e^+e^- \rightarrow \pi^+\pi^-$
3.6 ±1.9		BENAKSAS 72	OSPK	$e^+e^- \rightarrow \pi^+\pi^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.75±0.11	4.5M	4	ACHASOV	05A	SND	$e^+e^- \rightarrow \pi^+\pi^-$
2.01±0.29		5	BENAYOUN	03	RVUE	$e^+e^- \rightarrow \pi^+\pi^-$
1.9 ±0.3		6	GARDNER	99	RVUE	$e^+e^- \rightarrow \pi^+\pi^-$
2.3 ±0.4		7	BENAYOUN	98	RVUE	$e^+e^- \rightarrow \pi^+\pi^-, \mu^+\mu^-$
1.0 ±0.11		8	WICKLUND	78	ASPK	3,4,6 $\pi^\pm N$
1.22±0.30			ALVENSLEB...	71C	CNTR	Photoproduction
1.3 <sup>+1.2</sup> <sub>-0.9</sub>			MOFFEIT	71	HBC	2.8,4.7 $\gamma p$
0.80 <sup>+0.28</sup> <sub>-0.20</sub>		9	BIGGS	70B	CNTR	4.2 $\gamma C \rightarrow \pi^+\pi^- C$

- <sup>1</sup> A combined fit of AKHMETSHIN 07, AULCHENKO 06, and AULCHENKO 05.
- <sup>2</sup> Update of AKHMETSHIN 02.
- <sup>3</sup> From the  $m_{\pi^+\pi^-}$  spectrum taking into account the interference of the  $\rho\pi$  and  $\omega\pi$  amplitudes.
- <sup>4</sup> Using  $\Gamma(\omega \rightarrow e^+e^-)$  from the 2004 Edition of this Review (PDG 04).
- <sup>5</sup> Using the data of AKHMETSHIN 02 in the hidden local symmetry model.
- <sup>6</sup> Using the data of BARKOV 85.
- <sup>7</sup> Using the data of BARKOV 85 in the hidden local symmetry model.
- <sup>8</sup> From a model-dependent analysis assuming complete coherence.
- <sup>9</sup> Re-evaluated under  $\Gamma(\pi^+\pi^-)/\Gamma(\pi^+\pi^-\pi^0)$  by BEHREND 71 using more accurate  $\omega \rightarrow \rho$  photoproduction cross-section ratio.

WEIGHTED AVERAGE  
1.49±0.13 (Error scaled by 1.3)



$\Gamma(\pi^+\pi^-)/\Gamma(\pi^+\pi^-\pi^0)$   $\Gamma_3/\Gamma_1$

See also  $\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$ .

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.0172±0.0014 OUR FIT</b>	Error includes scale factor of 1.2.		
<b>0.026 ±0.005 OUR AVERAGE</b>			
0.021 <sup>+0.028</sup> <sub>-0.009</sub>	1,2 RATCLIFF	72	ASPK 15 $\pi^- p \rightarrow n2\pi$
0.028 ±0.006	1 BEHREND	71	ASPK Photoproduction
0.022 <sup>+0.009</sup> <sub>-0.01</sub>	3 ROOS	70	RVUE

<sup>1</sup>The fitted width of these data is 160 MeV in agreement with present average, thus the  $\omega$  contribution is overestimated. Assuming  $\rho$  width 145 MeV.

<sup>2</sup>Significant interference effect observed. NB of  $\omega \rightarrow 3\pi$  comes from an extrapolation.

<sup>3</sup>ROOS 70 combines ABRAMOVICH 70 and BIZZARRI 70.

$\Gamma(\pi^+\pi^-)/\Gamma(\pi^0\gamma)$   $\Gamma_3/\Gamma_2$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.20±0.04</b>	1.98M	1 ALOISIO	03	KLOE 1.02 $e^+e^- \rightarrow \pi^+\pi^-\pi^0$

<sup>1</sup>Using the data of ALOISIO 02D.

$\Gamma(\text{neutrals})/\Gamma_{\text{total}}$   $(\Gamma_2+\Gamma_4)/\Gamma$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.091±0.006 OUR FIT</b>				
<b>0.081±0.011 OUR AVERAGE</b>				
0.075±0.025		BIZZARRI	71	HBC 0.0 $p\bar{p}$
0.079±0.019		DEINET	69B	OSPK 1.5 $\pi^- p$
0.084±0.015		BOLLINI	68C	CNTR 2.1 $\pi^- p$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.073±0.018	42	BASILE	72B	CNTR 1.67 $\pi^- p$

$\Gamma(\text{neutrals})/\Gamma(\pi^+\pi^-\pi^0)$   $(\Gamma_2+\Gamma_4)/\Gamma_1$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.102±0.008 OUR FIT</b>				
<b>0.103<sup>+0.011</sup><sub>-0.010</sub> OUR AVERAGE</b>				
0.15 ±0.04	46	AGUILAR-...	72B	HBC 3.9,4.6 $K^- p$
0.10 ±0.03	19	BARASH	67B	HBC 0.0 $\bar{p}p$
0.134±0.026	850	DIGIUGNO	66B	CNTR 1.4 $\pi^- p$
0.097±0.016	348	FLATTE	66	HBC 1.4 – 1.7 $K^- p \rightarrow \Lambda MM$
0.06 <sup>+0.05</sup> <sub>-0.02</sub>		JAMES	66	HBC 2.1 $\pi^+ p$
0.08 ±0.03	35	KRAEMER	64	DBC 1.2 $\pi^+ d$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.11 ±0.02	20	BUSCHBECK	63	HBC 1.5 $K^- p$

$\Gamma(\pi^0\gamma)/\Gamma(\text{neutrals})$   $\Gamma_2/(\Gamma_2+\Gamma_4)$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

- • • We do not use the following data for averages, fits, limits, etc. • • •
- 0.78±0.07 <sup>1</sup> DAKIN 72 OSPK 1.4  $\pi^- p \rightarrow nMM$
- >0.81 90 DEINET 69B OSPK

<sup>1</sup> Error statistical only. Authors obtain good fit also assuming  $\pi^0\gamma$  as the only neutral decay.

$\Gamma(\text{neutrals})/\Gamma(\text{charged particles})$   $(\Gamma_2+\Gamma_4)/(\Gamma_1+\Gamma_3)$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

- 0.100±0.008 OUR FIT**
- 0.124±0.021** FELDMAN 67C OSPK 1.2  $\pi^- p$

$\Gamma(\eta\gamma)/\Gamma_{\text{total}}$   $\Gamma_5/\Gamma$

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

- 4.6 ±0.4 OUR FIT** Error includes scale factor of 1.1.
- 6.3 ±1.3 OUR AVERAGE** Error includes scale factor of 1.2.
- 6.6 ±1.7 <sup>1</sup> ABELE 97E CBAR 0.0  $\bar{p}p \rightarrow 5\gamma$
- 8.3 ±2.1 ALDE 93 GAM2 38  $\pi^- p \rightarrow \omega n$
- 3.0 <sup>+2.5</sup>/<sub>-1.8</sub> <sup>2</sup> ANDREWS 77 CNTR 6.7–10  $\gamma Cu$

- • • We do not use the following data for averages, fits, limits, etc. • • •
- 4.3 ±0.5 ±0.1 33k <sup>3</sup> ACHASOV 07B SND 0.6–1.38  $e^+e^- \rightarrow \eta\gamma$
- 4.44 <sup>+2.59</sup>/<sub>-1.83</sub> ±0.28 17.4k <sup>4,5</sup> AKHMETSHIN 05 CMD2 0.60-1.38  $e^+e^- \rightarrow \eta\gamma$
- 5.10±0.72±0.34 23k <sup>6</sup> AKHMETSHIN 01B CMD2  $e^+e^- \rightarrow \eta\gamma$
- 0.7 to 5.5 <sup>7</sup> CASE 00 CBAR 0.0  $p\bar{p} \rightarrow \eta\eta\gamma$
- 6.56 <sup>+2.41</sup>/<sub>-2.55</sub> 3525 <sup>2,8</sup> BENAYOUN 96 RVUE  $e^+e^- \rightarrow \eta\gamma$
- 7.3 ±2.9 <sup>2,4</sup> DOLINSKY 89 ND  $e^+e^- \rightarrow \eta\gamma$

<sup>1</sup> No flat  $\eta\eta\gamma$  background assumed.  
<sup>2</sup> Solution corresponding to constructive  $\omega$ - $\rho$  interference.  
<sup>3</sup> ACHASOV 07B reports  $[\Gamma(\omega(782) \rightarrow \eta\gamma)/\Gamma_{\text{total}}] \times [B(\omega(782) \rightarrow e^+e^-)] = (3.10 \pm 0.31 \pm 0.11) \times 10^{-8}$  which we divide by our best value  $B(\omega(782) \rightarrow e^+e^-) = (7.28 \pm 0.14) \times 10^{-5}$ . Our first error is their experiment's error and our second error is the systematic error from using our best value. Supersedes ACHASOV 00D and ACHASOV 06A.  
<sup>4</sup> Not independent of the corresponding  $\Gamma(e^+e^-) \times \Gamma(\eta\gamma)/\Gamma_{\text{total}}^2$ .  
<sup>5</sup> Using  $B(\omega \rightarrow e^+e^-) = (7.14 \pm 0.13) \times 10^{-5}$  and  $B(\eta \rightarrow \gamma\gamma) = 39.43 \pm 0.26\%$ .  
<sup>6</sup> Using  $B(\omega \rightarrow e^+e^-) = (7.07 \pm 0.19) \times 10^{-5}$  and using  $B(\eta \rightarrow 3\pi^0) = (32.24 \pm 0.29) \times 10^{-2}$ . Solution corresponding to constructive  $\omega$ - $\rho$  interference. The combined fit from 600 to 1380 MeV taking into account  $\rho(770)$ ,  $\omega(782)$ ,  $\phi(1020)$ , and  $\rho(1450)$  (mass and width fixed at 1450 MeV and 310 MeV respectively). Not independent of the corresponding  $\Gamma(e^+e^-) \times \Gamma(\eta\gamma)/\Gamma_{\text{total}}^2$ .  
<sup>7</sup> Depending on the degree of coherence with the flat  $\eta\eta\gamma$  background and using  $B(\omega \rightarrow \pi^0\gamma) = (8.5 \pm 0.5) \times 10^{-2}$ .  
<sup>8</sup> Reanalysis of DRUZHININ 84, DOLINSKY 89, DOLINSKY 91 taking into account the triangle anomaly contributions.

$\Gamma(\eta\gamma)/\Gamma(\pi^0\gamma)$

$\Gamma_5/\Gamma_2$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0098 ± 0.0024	<sup>1</sup> ALDE	93	GAM2 38π <sup>-</sup> p → ω n
0.0082 ± 0.0033	<sup>2</sup> DOLINSKY	89	ND e <sup>+</sup> e <sup>-</sup> → ηγ
0.010 ± 0.045	APEL	72B	OSPK 4–8 π <sup>-</sup> p → n3γ

• • • We do not use the following data for averages, fits, limits, etc. • • •

<sup>1</sup> Model independent determination.

<sup>2</sup> Solution corresponding to constructive ω-ρ interference.

$\Gamma(\pi^0 e^+ e^-)/\Gamma_{\text{total}}$

$\Gamma_6/\Gamma$

<u>VALUE (units 10<sup>-4</sup>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>7.7 ± 0.6 OUR FIT</b>				
<b>7.7 ± 0.6 OUR AVERAGE</b>				
7.61 ± 0.53 ± 0.64		ACHASOV 08	SND	0.36–0.97 e <sup>+</sup> e <sup>-</sup> → π <sup>0</sup> e <sup>+</sup> e <sup>-</sup>
8.19 ± 0.71 ± 0.62		AKHMETSHIN 05A	CMD2	0.72–0.84 e <sup>+</sup> e <sup>-</sup>
5.9 ± 1.9	43	DOLINSKY 88	ND	e <sup>+</sup> e <sup>-</sup> → π <sup>0</sup> e <sup>+</sup> e <sup>-</sup>

$\Gamma(\pi^0 \mu^+ \mu^-)/\Gamma_{\text{total}}$

$\Gamma_7/\Gamma$

<u>VALUE (units 10<sup>-4</sup>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1.3 ± 0.4 OUR FIT</b>				Error includes scale factor of 2.1.
<b>1.3 ± 0.4 OUR AVERAGE</b>				Error includes scale factor of 2.1.
1.72 ± 0.25 ± 0.14	3k	ARNALDI 09	NA60	158A ln–ln collisions
0.96 ± 0.23		DZHELYADIN 81B	CNTR	25–33 π <sup>-</sup> p → ω n

$\Gamma(\eta e^+ e^-)/\Gamma_{\text{total}}$

$\Gamma_8/\Gamma$

<u>VALUE (units 10<sup>-5</sup>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<1.1	AKHMETSHIN 05A	CMD2	0.72–0.84 e <sup>+</sup> e <sup>-</sup>

$\Gamma(e^+ e^-)/\Gamma_{\text{total}}$

$\Gamma_9/\Gamma$

<u>VALUE (units 10<sup>-4</sup>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.728 ± 0.014 OUR FIT</b>				Error includes scale factor of 1.3.

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.700 ± 0.016	11200	<sup>1,2</sup> AKHMETSHIN 04	CMD2	e <sup>+</sup> e <sup>-</sup> → π <sup>+</sup> π <sup>-</sup> π <sup>0</sup>
0.752 ± 0.004 ± 0.024	1.2M	<sup>2,3</sup> ACHASOV 03D	RVUE	0.44–2.00 e <sup>+</sup> e <sup>-</sup> → π <sup>+</sup> π <sup>-</sup> π <sup>0</sup>
0.714 ± 0.036		<sup>2</sup> DOLINSKY 89	ND	e <sup>+</sup> e <sup>-</sup> → π <sup>+</sup> π <sup>-</sup> π <sup>0</sup>
0.72 ± 0.03		<sup>2</sup> BARKOV 87	CMD	e <sup>+</sup> e <sup>-</sup> → π <sup>+</sup> π <sup>-</sup> π <sup>0</sup>
0.64 ± 0.04	1488	<sup>2</sup> KURDADZE 83B	OLYA	e <sup>+</sup> e <sup>-</sup> → π <sup>+</sup> π <sup>-</sup> π <sup>0</sup>
0.675 ± 0.069	433	<sup>2</sup> CORDIER 80	DM1	e <sup>+</sup> e <sup>-</sup> → π <sup>+</sup> π <sup>-</sup> π <sup>0</sup>
0.83 ± 0.10	451	<sup>2</sup> BENAKSAS 72B	OSPK	e <sup>+</sup> e <sup>-</sup> → π <sup>+</sup> π <sup>-</sup> π <sup>0</sup>
0.77 ± 0.06		<sup>4</sup> AUGUSTIN 69D	OSPK	e <sup>+</sup> e <sup>-</sup> → π <sup>+</sup> π <sup>-</sup> π <sup>0</sup>
0.65 ± 0.13	33	<sup>5</sup> ASTVACAT...	68	OSPK Assume SU(3)+mixing

<sup>1</sup> Using B(ω → π<sup>+</sup>π<sup>-</sup>π<sup>0</sup>) = 0.891 ± 0.007. Update of AKHMETSHIN 00C.

<sup>2</sup> Not independent of the corresponding  $\Gamma(e^+ e^-) \times \Gamma(\pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}^2$ .

<sup>3</sup> Using ACHASOV 03, ACHASOV 03D and B(ω → π<sup>+</sup>π<sup>-</sup>) = (1.70 ± 0.28)%.

<sup>4</sup> Rescaled by us to correspond to ω width 8.4 MeV. Systematic errors underestimated.

<sup>5</sup> Not resolved from ρ decay. Error statistical only.

$\Gamma(\pi^+\pi^-\pi^0\pi^0)/\Gamma_{\text{total}}$   $\Gamma_{10}/\Gamma$

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
< 2	90	ACHASOV 09A	SND	$e^+e^- \rightarrow \pi^+\pi^-\pi^0\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<200	90	KURDADZE 86	OLYA	$e^+e^- \rightarrow \pi^+\pi^-\pi^0\pi^0$

$\Gamma(\pi^+\pi^-\gamma)/\Gamma_{\text{total}}$   $\Gamma_{11}/\Gamma$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.0036	95	WEIDENAUER 90	ASTE	$\rho\bar{p} \rightarrow \pi^+\pi^-\pi^+\pi^-\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.004	95	BITYUKOV 88B	SPEC	$32 \pi^-p \rightarrow \pi^+\pi^-\gamma X$

$\Gamma(\pi^+\pi^-\gamma)/\Gamma(\pi^+\pi^-\pi^0)$   $\Gamma_{11}/\Gamma_1$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.066	90	KALBFLEISCH 75	HBC	$2.18 K^-p \rightarrow \Lambda\pi^+\pi^-\gamma$
<0.05	90	FLATTE 66	HBC	$1.2 - 1.7 K^-p \rightarrow \Lambda\pi^+\pi^-\gamma$

$\Gamma(\pi^+\pi^-\pi^+\pi^-)/\Gamma_{\text{total}}$   $\Gamma_{12}/\Gamma$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<1 × 10 <sup>-3</sup>	90	KURDADZE 88	OLYA	$e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^-$

$\Gamma(\pi^0\pi^0\gamma)/\Gamma_{\text{total}}$   $\Gamma_{13}/\Gamma$

VALUE (units $10^{-5}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>6.6 ± 1.1 OUR FIT</b>				
<b>6.5 ± 1.2 OUR AVERAGE</b>				
$6.4^{+2.4}_{-2.0} \pm 0.8$	190	<sup>1</sup> AKHMETSHIN 04B	CMD2	$0.6-0.97 e^+e^- \rightarrow \pi^0\pi^0\gamma$
$6.6^{+1.4}_{-1.3} \pm 0.6$	295	ACHASOV 02F	SND	$0.36-0.97 e^+e^- \rightarrow \pi^0\pi^0\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$11.8^{+2.1}_{-1.9} \pm 1.4$	190	<sup>2</sup> AKHMETSHIN 04B	CMD2	$0.6-0.97 e^+e^- \rightarrow \pi^0\pi^0\gamma$
$7.8 \pm 2.7 \pm 2.0$	63	<sup>1,3</sup> ACHASOV 00G	SND	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
$12.7 \pm 2.3 \pm 2.5$	63	<sup>2,3</sup> ACHASOV 00G	SND	$e^+e^- \rightarrow \pi^0\pi^0\gamma$

<sup>1</sup> In the model assuming the  $\rho \rightarrow \pi^0\pi^0\gamma$  decay via the  $\omega\pi$  and  $f_0(500)\gamma$  mechanisms.

<sup>2</sup> In the model assuming the  $\rho \rightarrow \pi^0\pi^0\gamma$  decay via the  $\omega\pi$  mechanism only.

<sup>3</sup> Superseded by ACHASOV 02F.

$\Gamma(\pi^0\pi^0\gamma)/\Gamma(\pi^+\pi^-\pi^0)$   $\Gamma_{13}/\Gamma_1$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.00045	90	DOLINSKY 89	ND	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.08	95	JACQUET 69B	HLBC	$2.05 \pi^+p \rightarrow \pi^+p\omega$

$\Gamma(\pi^0\pi^0\gamma)/\Gamma(\pi^0\gamma)$   $\Gamma_{13}/\Gamma_2$

VALUE (units $10^{-4}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>8.0±1.3 OUR FIT</b>					
<b>8.5±2.9</b>		40 ± 14	ALDE	94B	GAM2 $38\pi^- p \rightarrow \pi^0\pi^0\gamma n$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
< 50	90		DOLINSKY	89	ND $e^+e^- \rightarrow \pi^0\pi^0\gamma$
<1800	95		KEYNE	76	CNTR $\pi^- p \rightarrow \omega n$
<1500	90		BENAKSAS	72C	OSPK $e^+e^-$
<1400			BALDIN	71	HLBC $2.9\pi^+ p$
<1000	90		BARMIN	64	HLBC $1.3-2.8\pi^- p$

$\Gamma(\pi^0\pi^0\gamma)/\Gamma(\text{neutrals})$   $\Gamma_{13}/(\Gamma_2+\Gamma_4)$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.22±0.07		<sup>1</sup> DAKIN	72	OSPK $1.4\pi^- p \rightarrow nMM$
<0.19	90	DEINET	69B	OSPK
<sup>1</sup> See $\Gamma(\pi^0\gamma)/\Gamma(\text{neutrals})$ .				

$\Gamma(\eta\pi^0\gamma)/\Gamma_{\text{total}}$   $\Gamma_{14}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;3.3</b>	90	AKHMETSHIN 04B	CMD2	$0.6-0.97 e^+e^- \rightarrow \eta\pi^0\gamma$

$\Gamma(\mu^+\mu^-)/\Gamma_{\text{total}}$   $\Gamma_{15}/\Gamma$

VALUE (units $10^{-5}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>9.0±3.1 OUR FIT</b>				
<b>9.0±2.9±1.1</b>	18	HEISTER	02C	ALEP $Z \rightarrow \mu^+\mu^- + X$

$\Gamma(\mu^+\mu^-)/\Gamma(\pi^+\pi^-\pi^0)$   $\Gamma_{15}/\Gamma_1$

VALUE (units $10^{-3}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.2</b>	90	WILSON	69	OSPK $12\pi^- C \rightarrow Fe$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
<1.7	74	FLATTE	66	HBC $1.2 - 1.7 K^- p \rightarrow \Lambda\mu^+\mu^-$
<1.2		BARBARO-...	65	HBC $2.7 K^- p$

$\Gamma(\pi^0\mu^+\mu^-)/\Gamma(\mu^+\mu^-)$   $\Gamma_7/\Gamma_{15}$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
1.2±0.6	30	<sup>1</sup> DZHELYADIN	79	CNTR $25-33\pi^- p$
<sup>1</sup> Superseded by DZHELYADIN 81B result above.				

$\Gamma(3\gamma)/\Gamma_{\text{total}}$   $\Gamma_{16}/\Gamma$

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;1.9</b>	95	<sup>1</sup> ABELE	97E	CBAR $0.0\bar{p}p \rightarrow 5\gamma$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
<2	90	<sup>1</sup> PROKOSHKIN	95	GAM2 $38\pi^- p \rightarrow 3\gamma n$
<sup>1</sup> From direct $3\gamma$ decay search.				

$\Gamma(\eta\pi^0)/\Gamma_{\text{total}}$   $\Gamma_{17}/\Gamma$   
 Violates *C* conservation.

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.001</b>	90	ALDE	94B	GAM2 $38\pi^- p \rightarrow \eta\pi^0 n$

$[\Gamma(\eta\gamma) + \Gamma(\eta\pi^0)]/\Gamma(\pi^+\pi^-\pi^0)$   $(\Gamma_5+\Gamma_{17})/\Gamma_1$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.016</b>	90	<sup>1</sup> FLATTE	66	HBC $1.2 - 1.7 K^- p \rightarrow \Lambda\pi^+\pi^- MM$

• • • We do not use the following data for averages, fits, limits, etc. • • •  
 <0.045 95 JACQUET 69B HLBC  $2.05 \pi^+ p \rightarrow \pi^+ p\omega$

<sup>1</sup>Restated by us using  $B(\eta \rightarrow \text{charged modes}) = 29.2\%$ .

$\Gamma(\eta\pi^0)/\Gamma(\pi^0\gamma)$   $\Gamma_{17}/\Gamma_2$   
 Violates *C* conservation.

VALUE (units $10^{-3}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;2.6</b>	90	<sup>1</sup> STAROSTIN	09	CRYM $\gamma p \rightarrow \eta\pi^0 p$

<sup>1</sup>STAROSTIN 09 reports  $[\Gamma(\omega(782) \rightarrow \eta\pi^0)/\Gamma(\omega(782) \rightarrow \pi^0\gamma)] \times [B(\eta \rightarrow 2\gamma)] < 1.01 \times 10^{-3}$  which we divide by our best value  $B(\eta \rightarrow 2\gamma) = 39.41 \times 10^{-2}$ .

$\Gamma(2\pi^0)/\Gamma(\pi^0\gamma)$   $\Gamma_{18}/\Gamma_2$   
 Violates *C* conservation and Bose-Einstein statistics.

VALUE (units $10^{-3}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;2.59</b>	90	STAROSTIN	09	CRYM $\gamma p \rightarrow 2\pi^0 p$

$\Gamma(3\pi^0)/\Gamma_{\text{total}}$   $\Gamma_{19}/\Gamma$   
 Violates *C* conservation.

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$<3 \times 10^{-4}$	90	PROKOSHKIN	95	GAM2 $38 \pi^- p \rightarrow 3\pi^0 n$

$\Gamma(3\pi^0)/\Gamma(\pi^0\gamma)$   $\Gamma_{19}/\Gamma_2$   
 Violates *C* conservation.

VALUE (units $10^{-3}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;2.72</b>	90	STAROSTIN	09	CRYM $\gamma p \rightarrow 3\pi^0 p$

$\Gamma(3\pi^0)/\Gamma(\pi^+\pi^-\pi^0)$   $\Gamma_{19}/\Gamma_1$   
 Violates *C* conservation.

VALUE	CL%	DOCUMENT ID	COMMENT
<b>&lt;0.009</b>	90	BARBERIS	01 450 $pp \rightarrow p_f 3\pi^0 p_s$

**PARAMETER  $\Lambda$  IN  $\omega \rightarrow \pi^0 \mu^+ \mu^-$  DECAY**

In the pole approximation the electromagnetic transition form factor for a resonance of mass  $M$  is given by the expression:

$$|F|^2 = (1 - M^2/\Lambda^2)^{-2},$$

where for the parameter  $\Lambda$  vector dominance predicts  $\Lambda = M_p \approx 0.770$  GeV. The ARNALDI 09 measurement is in obvious conflict with this expectation. Note that for  $\eta \rightarrow \mu^+ \mu^- \gamma$  decay ARNALDI 09 and DZHELYADIN 80 obtain the value of  $\Lambda$  consistent with vector dominance.

VALUE (GeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.668 ± 0.009 ± 0.003</b>	3k	ARNALDI 09	NA60	158A In-In collisions
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.65 ± 0.03		DZHELYADIN 81B	CNTR	25–33 $\pi^- p \rightarrow \omega n$

 **$\omega(782)$  REFERENCES**

ACHASOV	13	PR D88 054013	M.N. Achasov <i>et al.</i>	(SND Collab.)
BENAYOUN	13	EPJ C73 2453	M. Benayoun, P. David, L. DelBuono (PARIN, BERLIN+)	
DAVIER	13	EPJ C73 2597	M. Davier <i>et al.</i>	
LEES	12G	PR D86 032013	J.P. Lees <i>et al.</i>	(BABAR Collab.)
NIECKNIG	12	EPJ C72 2014	F. Niecknig, B. Kubis, S.P. Schneider	(BONN)
BENAYOUN	10	EPJ C65 211	M. Benayoun <i>et al.</i>	
ACHASOV	09A	JETP 109 379	M.N. Achasov <i>et al.</i>	(SND Collab.)
		Translated from ZETF 136 442.		
ARNALDI	09	PL B677 260	R. Arnaldi <i>et al.</i>	(NA60 Collab.)
STAROSTIN	09	PR C79 065201	A. Starostin <i>et al.</i>	(Crystal Ball Collab. at MAMI)
ACHASOV	08	JETP 107 61	M.N. Achasov <i>et al.</i>	(SND Collab.)
		Translated from ZETF 134 80.		
AMBROSINO	08G	PL B669 223	F. Ambrosino <i>et al.</i>	(KLOE Collab.)
ACHASOV	07B	PR D76 077101	M.N. Achasov <i>et al.</i>	(SND Collab.)
AKHMETSHIN	07	PL B648 28	R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
ACHASOV	06	JETP 103 380	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETF 130 437.		
ACHASOV	06A	PR D74 014016	M.N. Achasov <i>et al.</i>	(SND Collab.)
AULCHENKO	06	JETPL 84 413	V.M. Aulchenko <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
		Translated from ZETFP 84 491.		
ACHASOV	05A	JETP 101 1053	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETF 128 1201.		
AKHMETSHIN	05	PL B605 26	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	05A	PL B613 29	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AULCHENKO	05	JETPL 82 743	V.M. Aulchenko <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
		Translated from ZETFP 82 841.		
AKHMETSHIN	04	PL B578 285	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	04B	PL B580 119	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AUBERT,B	04N	PR D70 072004	B. Aubert <i>et al.</i>	(BABAR Collab.)
PDG	04	PL B592 1	S. Eidelman <i>et al.</i>	(PDG Collab.)
ACHASOV	03	PL B559 171	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	03D	PR D68 052006	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ALOISIO	03	PL B561 55	A. Aloisio <i>et al.</i>	(KLOE Collab.)
BENAYOUN	03	EPJ C29 397	M. Benayoun <i>et al.</i>	
ACHASOV	02E	PR D66 032001	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	02F	PL B537 201	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
AKHMETSHIN	02	PL B527 161	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
ALOISIO	02D	PL B537 21	A. Aloisio <i>et al.</i>	(KLOE Collab.)
HEISTER	02C	PL B528 19	A. Heister <i>et al.</i>	(ALEPH Collab.)
ACHASOV	01E	PR D63 072002	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
AKHMETSHIN	01B	PL B509 217	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
BARBERIS	01	PL B507 14	D. Barberis <i>et al.</i>	
ACHASOV	00	EPJ C12 25	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	00D	JETPL 72 282	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETFP 72 411.		
ACHASOV	00G	JETPL 71 355	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETFP 71 519.		
AKHMETSHIN	00C	PL B476 33	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AULCHENKO	00A	JETP 90 927	V.M. Aulchenko <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETF 117 1067.		

CASE	00	PR D61 032002	T. Case <i>et al.</i>	(Crystal Barrel Collab.)
ACHASOV	99E	PL B462 365	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
GARDNER	99	PR D59 076002	S. Gardner, H.B. O'Connell	
BENAYOUN	98	EPJ C2 269	M. Benayoun <i>et al.</i>	(IPNP, NOVO, ADLD+)
ABELE	97E	PL B411 361	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
BENAYOUN	96	ZPHY C72 221	M. Benayoun <i>et al.</i>	(IPNP, NOVO)
PROKOSHKIN	95	SPD 40 273	Y.D. Prokoshkin, V.D. Samoilenko	(SERP)
		Translated from DANS 342 610.		
WURZINGER	95	PR C51 443	R. Wurzinger <i>et al.</i>	(BONN, ORSAY, SACL+)
ALDE	94B	PL B340 122	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP+)
AMSLER	94C	PL B327 425	C. AMSler <i>et al.</i>	(Crystal Barrel Collab.)
ALDE	93	PAN 56 1229	D.M. Alde <i>et al.</i>	(SERP, LAPP, LANL, BELG+)
		Translated from YAF 56 137.		
Also		ZPHY C61 35	D.M. Alde <i>et al.</i>	(SERP, LAPP, LANL, BELG+)
AMSLER	93B	PL B311 362	C. AMSler <i>et al.</i>	(Crystal Barrel Collab.)
WEIDENAUER	93	ZPHY C59 387	P. Weidenauer <i>et al.</i>	(ASTERIX Collab.)
ANTONELLI	92	ZPHY C56 15	A. Antonelli <i>et al.</i>	(DM2 Collab.)
DOLINSKY	91	PRPL 202 99	S.I. Dolinsky <i>et al.</i>	(NOVO)
WEIDENAUER	90	ZPHY C47 353	P. Weidenauer <i>et al.</i>	(ASTERIX Collab.)
DOLINSKY	89	ZPHY C42 511	S.I. Dolinsky <i>et al.</i>	(NOVO)
BITYUKOV	88B	SJNP 47 800	S.I. Bityukov <i>et al.</i>	(SERP)
		Translated from YAF 47 1258.		
DOLINSKY	88	SJNP 48 277	S.I. Dolinsky <i>et al.</i>	(NOVO)
		Translated from YAF 48 442.		
KURDADZE	88	JETPL 47 512	L.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from ZETFP 47 432.		
AULCHENKO	87	PL B186 432	V.M. Aulchenko <i>et al.</i>	(NOVO)
BARKOV	87	JETPL 46 164	L.M. Barkov <i>et al.</i>	(NOVO)
		Translated from ZETFP 46 132.		
KURDADZE	86	JETPL 43 643	L.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from ZETFP 43 497.		
BARKOV	85	NP B256 365	L.M. Barkov <i>et al.</i>	(NOVO)
DRUZHININ	84	PL 144B 136	V.P. Druzhinin <i>et al.</i>	(NOVO)
KURDADZE	83B	JETPL 36 274	A.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from ZETFP 36 221.		
DZHELADIN	81B	PL 102B 296	R.I. Dzhelezhadine <i>et al.</i>	(SERP)
CORDIER	80	NP B172 13	A. Cordier <i>et al.</i>	(LALO)
DZHELADIN	80	PL 94B 548	R.I. Dzhelezhadine <i>et al.</i>	(SERP)
ROOS	80	LNC 27 321	M. Roos, A. Pellinen	(HELS)
BENKHEIRI	79	NP B150 268	P. Benkheiri <i>et al.</i>	(EPOL, CERN, CDEF+)
DZHELADIN	79	PL 84B 143	R.I. Dzhelezhadine <i>et al.</i>	(SERP)
COOPER	78B	NP B146 1	A.M. Cooper <i>et al.</i>	(TATA, CERN, CDEF+)
QUENZER	78	PL 76B 512	A. Quenzer <i>et al.</i>	(LALO)
VANAPEL...	78	NP B133 245	G.W. van Apeldoorn <i>et al.</i>	(ZEEM)
WICKLUND	78	PR D17 1197	A.B. Wicklund <i>et al.</i>	(ANL)
ANDREWS	77	PRL 38 198	D.E. Andrews <i>et al.</i>	(ROCH)
GESSAROLI	77	NP B126 382	R. Gessaroli <i>et al.</i>	(BGNA, FIRZ, GENO+)
KEYNE	76	PR D14 28	J. Keyne <i>et al.</i>	(LOIC, SHMP)
Also		PR D8 2789	D.M. Binnie <i>et al.</i>	(LOIC, SHMP)
KALBFLEISCH	75	PR D11 987	G.R. Kalbfleisch, R.C. Strand, J.W. Chapman	(BNL+)
AGUILAR-...	72B	PR D6 29	M. Aguilar-Benitez <i>et al.</i>	(BNL)
APEL	72B	PL 41B 234	W.D. Apel <i>et al.</i>	(KARLK, KARLE, PISA)
BASILE	72B	Phil. Conf. 153	M. Basile <i>et al.</i>	(CERN)
BENAKSAS	72	PL 39B 289	D. Benaksas <i>et al.</i>	(ORSAY)
BENAKSAS	72B	PL 42B 507	D. Benaksas <i>et al.</i>	(ORSAY)
BENAKSAS	72C	PL 42B 511	D. Benaksas <i>et al.</i>	(ORSAY)
BORENSTEIN	72	PR D5 1559	S.R. Borenstein <i>et al.</i>	(BNL, MICH)
BROWN	72	PL 42B 117	R.M. Brown <i>et al.</i>	(ILL, ILLC)
DAKIN	72	PR D6 2321	J.T. Dakin <i>et al.</i>	(PRIN)
RATCLIFF	72	PL 38B 345	B.N. Ratcliff <i>et al.</i>	(SLAC)
ALVENSLEB...	71C	PRL 27 888	H. Alvensleben <i>et al.</i>	(DESY)
BALDIN	71	SJNP 13 758	A.B. Baldin <i>et al.</i>	(ITEP)
		Translated from YAF 13 1318.		
BEHREND	71	PRL 27 61	H.J. Behrend <i>et al.</i>	(ROCH, CORN, FNAL)
BIZZARRI	71	NP B27 140	R. Bizzarri <i>et al.</i>	(CERN, CDEF)
COYNE	71	NP B32 333	D.G. Coyne <i>et al.</i>	(LRL)
MOFFEIT	71	NP B29 349	K.C. Moffeit <i>et al.</i>	(LRL, UCB, SLAC+)
ABRAMOVI...	70	NP B20 209	M. Abramovich <i>et al.</i>	(CERN)
BIGGS	70B	PRL 24 1201	P.J. Biggs <i>et al.</i>	(DARE)
BIZZARRI	70	PRL 25 1385	R. Bizzarri <i>et al.</i>	(ROMA, SYRA)
ROOS	70	DNPL/R7 173	M. Roos	(CERN)
Proc. Daresbury Study Weekend No. 1.				
AUGUSTIN	69D	PL 28B 513	J.E. Augustin <i>et al.</i>	(ORSAY)

BIZZARRI	69	NP B14 169	R. Bizzarri <i>et al.</i>	(CERN, CDEF)
DEINET	69B	PL 30B 426	W. Deinet <i>et al.</i>	(KARL, CERN)
JACQUET	69B	NC 63A 743	F. Jacquet <i>et al.</i>	(EPOL, BERG)
WILSON	69	Private Comm.	R. Wilson	(HARV)
Also		PR 178 2095	A.A. Wehmann <i>et al.</i>	(HARV, CASE, SLAC+)
ASTVACAT...	68	PL 27B 45	R.G. Astvatsaturov <i>et al.</i>	(JINR, MOSU)
BOLLINI	68C	NC 56A 531	D. Bollini <i>et al.</i>	(CERN, BGNA, STRB)
BARASH	67B	PR 156 1399	N. Barash <i>et al.</i>	(COLU)
FELDMAN	67C	PR 159 1219	M. Feldman <i>et al.</i>	(PENN)
DIGIUGNO	66B	NC 44A 1272	G. Di Giugno <i>et al.</i>	(NAPL, FRAS, TRST)
FLATTE	66	PR 145 1050	S.M. Flatte <i>et al.</i>	(LRL)
JAMES	66	PR 142 896	F.E. James, H.L. Kraybill	(YALE, BNL)
BARBARO-...	65	PRL 14 279	A. Barbaro-Galtieri, R.D. Tripp	(LRL)
BARMIN	64	JETP 18 1289	V.V. Barmin <i>et al.</i>	(ITEP)
		Translated from ZETF 45	1879.	
KRAEMER	64	PR 136 B496	R.W. Kraemer <i>et al.</i>	(JHU, NWES, WOOD)
BUSCHBECK	63	Siena Conf. 1 166	B. Buschbeck <i>et al.</i>	(VIEN, CERN, ANIK)

---