

$\Delta(1600) \ 3/2^+$ $I(J^P) = \frac{3}{2}(\frac{3}{2}^+)$ Status: ***

Older and obsolete values are listed and referenced in the 2014 edition, *Chinese Physics C* **38** 070001 (2014).

 $\Delta(1600)$ POLE POSITION**REAL PART**

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|--|
| 1460 to 1560 (\approx 1510) OUR ESTIMATE | | | |
| 1515 \pm 20 | SOKHOYAN | 15A | DPWA Multichannel |
| 1469 \pm 10 \pm 5 | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| 1457 | ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 1550 | HOEHLER | 93 | SPED $\pi N \rightarrow \pi N$ |
| 1550 \pm 40 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 1498 \pm 25 | ANISOVICH | 12A | DPWA Multichannel |
| 1599 | SHRESTHA | 12A | DPWA Multichannel |
| 1599 | VRANA | 00 | DPWA Multichannel |

–2×IMAGINARY PART

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|--|
| 200 to 350 (\approx 275) OUR ESTIMATE | | | |
| 250 \pm 30 | SOKHOYAN | 15A | DPWA Multichannel |
| 314 \pm 18 \pm 8 | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| 400 | ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 200 \pm 60 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 230 \pm 50 | ANISOVICH | 12A | DPWA Multichannel |
| 211 | SHRESTHA | 12A | DPWA Multichannel |
| 312 | VRANA | 00 | DPWA Multichannel |

 $\Delta(1600)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|--|
| 10 to 40 (\approx 25) OUR ESTIMATE | | | |
| 13 \pm 3 | SOKHOYAN | 15A | DPWA Multichannel |
| 38 \pm 2 \pm 2 | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| 44 | ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 17 \pm 4 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 11 \pm 6 | ANISOVICH | 12A | DPWA Multichannel |

PHASE θ

| <u>VALUE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|-------------------|
| 150 to 210 (\approx 180) OUR ESTIMATE | | | |
| –155 \pm 20 | SOKHOYAN | 15A | DPWA Multichannel |

| | | | | |
|---|--------------------|-----|------|-----------------------------------|
| $173 \pm 5 \pm 5$ | ¹ SVARC | 14 | L+P | $\pi N \rightarrow \pi N$ |
| +147 | ARNDT | 06 | DPWA | $\pi N \rightarrow \pi N, \eta N$ |
| -150 ± 30 | CUTKOSKY | 80 | IPWA | $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| -160 ± 33 | ANISOVICH | 12A | DPWA | Multichannel |

$\Delta(1600)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow \Delta(1600) \rightarrow \Delta\pi$, P-wave

| MODULUS (%) | PHASE (°) | DOCUMENT ID | TECN | COMMENT |
|---|--------------|-------------|------|-------------------|
| 15 ± 4 | 30 ± 35 | SOKHOYAN | 15A | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 14 ± 10 | 154 ± 40 | ANISOVICH | 12A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow \Delta(1600) \rightarrow \Delta\pi$, F-wave

| MODULUS (%) | DOCUMENT ID | TECN | COMMENT |
|---|---------------|------|--------------|
| 1.0 ± 0.5 | SOKHOYAN 15A | DPWA | Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 1.0 ± 0.5 | ANISOVICH 12A | DPWA | Multichannel |

$\Delta(1600)$ BREIT-WIGNER MASS

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|-------------|------|--------------------------------|
| 1500 to 1700 (≈ 1600) OUR ESTIMATE | | | |
| 1520 ± 20 | SOKHOYAN | 15A | DPWA Multichannel |
| 1600 ± 50 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| 1522 ± 13 | HOEHLER | 79 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 1510 ± 20 | ANISOVICH | 12A | DPWA Multichannel |
| 1626 ± 8 | SHRESTHA | 12A | DPWA Multichannel |
| 1667 ± 1 | PENNER | 02C | DPWA Multichannel |
| 1687 ± 44 | VRANA | 00 | DPWA Multichannel |

$\Delta(1600)$ BREIT-WIGNER WIDTH

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|-------------|------|--------------------------------|
| 220 to 420 (≈ 320) OUR ESTIMATE | | | |
| 235 ± 30 | SOKHOYAN | 15A | DPWA Multichannel |
| 300 ± 100 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| 220 ± 40 | HOEHLER | 79 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 220 ± 45 | ANISOVICH | 12A | DPWA Multichannel |
| 225 ± 18 | SHRESTHA | 12A | DPWA Multichannel |
| 397 ± 10 | PENNER | 02C | DPWA Multichannel |
| 493 ± 75 | VRANA | 00 | DPWA Multichannel |

$\Delta(1600)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

| Mode | Fraction (Γ_i/Γ) |
|---|--------------------------------|
| Γ_1 $N\pi$ | 10–25 % |
| Γ_2 $N\pi\pi$ | 75–90 % |
| Γ_3 $\Delta(1232)\pi$ | 73–83 % |
| Γ_4 $\Delta(1232)\pi$, <i>P</i> -wave | 72–82 % |
| Γ_5 $\Delta(1232)\pi$, <i>F</i> -wave | <2 % |
| Γ_6 $N(1440)\pi$ | |
| Γ_7 $N(1440)\pi$, <i>P</i> -wave | seen |
| Γ_8 $N\gamma$ | 0.001–0.035 % |
| Γ_9 $N\gamma$, helicity=1/2 | 0.0–0.02 % |
| Γ_{10} $N\gamma$, helicity=3/2 | 0.001–0.015 % |

 $\Delta(1600)$ BRANCHING RATIOS **$\Gamma(N\pi)/\Gamma_{\text{total}}$ Γ_1/Γ**

| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|--------------------------------|
| 10 to 25 OUR ESTIMATE | | | |
| 14±4 | SOKHOYAN | 15A | DPWA Multichannel |
| 18±4 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| 21±6 | HOEHLER | 79 | IPWA $\pi N \rightarrow \pi N$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 12±5 | ANISOVICH | 12A | DPWA Multichannel |
| 8±2 | SHRESTHA | 12A | DPWA Multichannel |
| 13±1 | PENNER | 02C | DPWA Multichannel |
| 28±5 | VRANA | 00 | DPWA Multichannel |

 $\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$ Γ_4/Γ

| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|-------------------|
| 77±5 | SOKHOYAN | 15A | DPWA Multichannel |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 78±6 | ANISOVICH | 12A | DPWA Multichannel |
| 70±3 | SHRESTHA | 12A | DPWA Multichannel |
| 59±10 | VRANA | 00 | DPWA Multichannel |

 $\Gamma(\Delta(1232)\pi, F\text{-wave})/\Gamma_{\text{total}}$ Γ_5/Γ

| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|------------------|--------------------|-------------|-------------------|
| <2 | SOKHOYAN | 15A | DPWA Multichannel |

 $\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$ Γ_6/Γ

| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|-------------------|
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 22±3 | SHRESTHA | 12A | DPWA Multichannel |
| 13±4 | VRANA | 00 | DPWA Multichannel |

$\Delta(1600)$ PHOTON DECAY AMPLITUDES AT THE POLE **$\Delta(1600) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$**

| <u>MODULUS ($\text{GeV}^{-1/2}$)</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|------------------------------------|--------------------|-------------|----------------|
| 0.053 ± 0.010 | 130 ± 15 | SOKHOYAN | 15A DPWA | Multichannel |

 $\Delta(1600) \rightarrow N\gamma$, helicity-3/2 amplitude $A_{3/2}$

| <u>MODULUS ($\text{GeV}^{-1/2}$)</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|------------------------------------|--------------------|-------------|----------------|
| 0.055 ± 0.010 | 152 ± 15 | SOKHOYAN | 15A DPWA | Multichannel |

 $\Delta(1600)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES **$\Delta(1600) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$**

| <u>VALUE ($\text{GeV}^{-1/2}$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|------------------------------|
| -0.045 ± 0.015 OUR ESTIMATE | | | |
| -0.051 ± 0.010 | SOKHOYAN | 15A DPWA | Multichannel |
| -0.018 ± 0.015 | ARNDT | 96 IPWA | $\gamma N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| -0.050 ± 0.009 | ANISOVICH | 12A DPWA | Multichannel |
| 0.006 ± 0.005 | SHRESTHA | 12A DPWA | Multichannel |
| 0.0 | PENNER | 02D DPWA | Multichannel |

 $\Delta(1600) \rightarrow N\gamma$, helicity-3/2 amplitude $A_{3/2}$

| <u>VALUE ($\text{GeV}^{-1/2}$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|------------------------------|
| -0.035 ± 0.015 OUR ESTIMATE | | | |
| -0.055 ± 0.010 | SOKHOYAN | 15A DPWA | Multichannel |
| -0.025 ± 0.015 | ARNDT | 96 IPWA | $\gamma N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| -0.040 ± 0.012 | ANISOVICH | 12A DPWA | Multichannel |
| 0.052 ± 0.008 | SHRESTHA | 12A DPWA | Multichannel |
| -0.024 | PENNER | 02D DPWA | Multichannel |

 $\Delta(1600)$ FOOTNOTES

¹ Fit to the amplitudes of HOEHLER 79.

 $\Delta(1600)$ REFERENCES

For early references, see *Physics Letters* **111B** 1 (1982).

| | | | | |
|-----------|-----|------------------------|---|-----------------------|
| SOKHOYAN | 15A | EPJ A51 95 | V. Sokhoyan <i>et al.</i> | (CBELSA/TAPS Collab.) |
| PDG | 14 | CPC 38 070001 | K. Olive <i>et al.</i> | (PDG Collab.) |
| SVARC | 14 | PR C89 045205 | A. Svarc <i>et al.</i> | |
| ANISOVICH | 12A | EPJ A48 15 | A.V. Anisovich <i>et al.</i> | (BONN, PNPI) |
| SHRESTHA | 12A | PR C86 055203 | M. Shrestha, D.M. Manley | (KSU) |
| ARNDT | 06 | PR C74 045205 | R.A. Arndt <i>et al.</i> | (GWU) |
| PENNER | 02C | PR C66 055211 | G. Penner, U. Mosel | (GIES) |
| PENNER | 02D | PR C66 055212 | G. Penner, U. Mosel | (GIES) |
| VRANA | 00 | PRPL 328 181 | T.P. Vrana, S.A. Dytman, T.-S.H. Lee | (PITT, ANL) |
| ARNDT | 96 | PR C53 430 | R.A. Arndt, I.I. Strakovsky, R.L. Workman | (VPI) |
| HOEHLER | 93 | πN Newsletter 9 1 | G. Hohler | (KARL) |
| CUTKOSKY | 80 | Toronto Conf. 19 | R.E. Cutkosky <i>et al.</i> | (CMU, LBL) IJP |
| Also | | PR D20 2839 | R.E. Cutkosky <i>et al.</i> | (CMU, LBL) IJP |
| HOEHLER | 79 | PDAT 12-1 | G. Hohler <i>et al.</i> | (KARLT) IJP |
| Also | | Toronto Conf. 3 | R. Koch | (KARLT) IJP |