

$\Delta(1700) \ 3/2^-$  $I(J^P) = \frac{3}{2}(\frac{3}{2}^-)$  Status: \*\*\*\*

Older and obsolete values are listed and referenced in the 2014 edition, *Chinese Physics C* **38** 070001 (2014).

 **$\Delta(1700)$  POLE POSITION****REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1620 to 1680 (<math>\approx</math> 1650) OUR ESTIMATE</b>			
1685 $\pm$ 10	SOKHOYAN	15A	DPWA Multichannel
1643 $\pm$ 6 $\pm$ 3	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
1632	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1651	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
1675 $\pm$ 25	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1685 $\pm$ 10	GUTZ	14	DPWA Multichannel
1680 $\pm$ 10	ANISOVICH	12A	DPWA Multichannel
1656	SHRESTHA	12A	DPWA Multichannel
1726	VRANA	00	DPWA Multichannel

**-2 $\times$ IMAGINARY PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>160 to 300 (<math>\approx</math> 230) OUR ESTIMATE</b>			
300 $\pm$ 15	SOKHOYAN	15A	DPWA Multichannel
217 $\pm$ 10 $\pm$ 8	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
253	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
159	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
220 $\pm$ 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
300 $\pm$ 15	GUTZ	14	DPWA Multichannel
305 $\pm$ 15	ANISOVICH	12A	DPWA Multichannel
226	SHRESTHA	12A	DPWA Multichannel
118	VRANA	00	DPWA Multichannel

 **$\Delta(1700)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>10 to 40 (<math>\approx</math> 25) OUR ESTIMATE</b>			
40 $\pm$ 6	SOKHOYAN	15A	DPWA Multichannel
13 $\pm$ 1 $\pm$ 1	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
18	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
10	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
13 $\pm$ 3	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
40 $\pm$ 6	GUTZ	14	DPWA Multichannel
42 $\pm$ 7	ANISOVICH	12A	DPWA Multichannel

**PHASE  $\theta$** 

<u>VALUE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>-40 to 0 (<math>\approx -20</math>) OUR ESTIMATE</b>			
- $1 \pm 10$	SOKHOYAN	15A	DPWA Multichannel
- $30 \pm 4 \pm 3$	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
-40	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
- $20 \pm 25$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
- $1 \pm 10$	GUTZ	14	DPWA Multichannel
- $3 \pm 15$	ANISOVICH	12A	DPWA Multichannel

 **$\Delta(1700)$  INELASTIC POLE RESIDUE**

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

**Normalized residue in  $N\pi \rightarrow \Delta(1700) \rightarrow \Delta\eta$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.12 \pm 0.02$	- $60 \pm 12$	GUTZ	14	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$0.12 \pm 0.03$	- $60 \pm 15$	ANISOVICH	12A	DPWA Multichannel

**Normalized residue in  $N\pi \rightarrow \Delta(1700) \rightarrow N(1535)\pi$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.035 \pm 0.015$	- $75 \pm 30$	GUTZ	14	DPWA Multichannel

**Normalized residue in  $N\pi \rightarrow \Delta(1700) \rightarrow \Delta(1232)\pi$ , S-wave**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.25 \pm 0.12$	$135 \pm 45$	SOKHOYAN	15A	DPWA Multichannel

**Normalized residue in  $N\pi \rightarrow \Delta(1700) \rightarrow \Delta(1232)\pi$ , D-wave**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.12 \pm 0.06$	- $160 \pm 30$	SOKHOYAN	15A	DPWA Multichannel

**Normalized residue in  $N\pi \rightarrow \Delta(1700) \rightarrow N(1520)\pi$ , P-wave**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.10 \pm 0.03$	- $10 \pm 20$	SOKHOYAN	15A	DPWA Multichannel

 **$\Delta(1700)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1670 to 1750 (<math>\approx 1700</math>) OUR ESTIMATE</b>			
$1715 \pm 20$	SOKHOYAN	15A	DPWA Multichannel
$1695.0 \pm 1.3$	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
$1710 \pm 30$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
$1680 \pm 70$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$1715 \pm 20$	GUTZ	14	DPWA Multichannel
$1715 \begin{smallmatrix} +30 \\ -15 \end{smallmatrix}$	ANISOVICH	12A	DPWA Multichannel
$1691 \pm 4$	SHRESTHA	12A	DPWA Multichannel

1678 $\pm$ 1	PENNER	02C	DPWA	Multichannel
1732 $\pm$ 23	VRANA	00	DPWA	Multichannel

### $\Delta(1700)$ BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>200 to 400 (<math>\approx</math> 300) OUR ESTIMATE</b>			
300 $\pm$ 25	SOKHOYAN	15A	DPWA Multichannel
375.5 $\pm$ 7.0	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
280 $\pm$ 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
230 $\pm$ 80	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
300 $\pm$ 25	GUTZ	14	DPWA Multichannel
310 $+40$ $-15$	ANISOVICH	12A	DPWA Multichannel
248 $\pm$ 9	SHRESTHA	12A	DPWA Multichannel
606 $\pm$ 15	PENNER	02C	DPWA Multichannel
119 $\pm$ 70	VRANA	00	DPWA Multichannel

### $\Delta(1700)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\pi$	10–20 %
$\Gamma_2$ $N\pi\pi$	10–55 %
$\Gamma_3$ $\Delta(1232)\pi$	10–50 %
$\Gamma_4$ $\Delta(1232)\pi$ , <i>S</i> -wave	5–35 %
$\Gamma_5$ $\Delta(1232)\pi$ , <i>D</i> -wave	4–16 %
$\Gamma_6$ $N\rho$	
$\Gamma_7$ $N\rho$ , <i>S</i> =3/2, <i>S</i> -wave	seen
$\Gamma_8$ $N(1520)\pi$ , <i>P</i> -wave	1–5 %
$\Gamma_9$ $N(1535)\pi$	0.5–1.5 %
$\Gamma_{10}$ $\Delta(1232)\eta$	3–7 %
$\Gamma_{11}$ $N\gamma$	0.22–0.60 %
$\Gamma_{12}$ $N\gamma$ , helicity=1/2	0.12–0.30 %
$\Gamma_{13}$ $N\gamma$ , helicity=3/2	0.10–0.30 %

### $\Delta(1700)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	DOCUMENT ID	TECN	COMMENT	$\Gamma_1/\Gamma$
<b>10 to 20 OUR ESTIMATE</b>				
22 $\pm$ 4	SOKHOYAN	15A	DPWA Multichannel	
15.6 $\pm$ 0.1	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$	
12 $\pm$ 3	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$	
20 $\pm$ 3	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$	

• • • We do not use the following data for averages, fits, limits, etc. • • •

22 ± 4	GUTZ	14	DPWA	Multichannel
22 ± 4	ANISOVICH	12A	DPWA	Multichannel
14 ± 1	SHRESTHA	12A	DPWA	Multichannel
14 ± 1	PENNER	02C	DPWA	Multichannel
5 ± 1	VRANA	00	DPWA	Multichannel

### $\Gamma(\Delta(1232)\pi, S\text{-wave})/\Gamma_{\text{total}}$

 $\Gamma_4/\Gamma$ 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
20 ± 15	SOKHOYAN	15A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

20 <sup>+25</sup> <sub>-13</sub>	ANISOVICH	12A	DPWA	Multichannel
54 ± 3	SHRESTHA	12A	DPWA	Multichannel
90 ± 2	VRANA	00	DPWA	Multichannel

### $\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$

 $\Gamma_5/\Gamma$ 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
10 ± 6	SOKHOYAN	15A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

12 <sup>+14</sup> <sub>-7</sub>	ANISOVICH	12A	DPWA	Multichannel
1 ± 1	SHRESTHA	12A	DPWA	Multichannel
4 ± 1	VRANA	00	DPWA	Multichannel

### $\Gamma(N\rho, S=3/2, S\text{-wave})/\Gamma_{\text{total}}$

 $\Gamma_7/\Gamma$ 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
30 ± 3	SHRESTHA	12A	DPWA Multichannel
1 ± 1	VRANA	00	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

### $\Gamma(N(1520)\pi, P\text{-wave})/\Gamma_{\text{total}}$

 $\Gamma_8/\Gamma$ 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3 ± 2	SOKHOYAN	15A	DPWA Multichannel

### $\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$

 $\Gamma_9/\Gamma$ 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.0 ± 0.5	GUTZ	14	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

4 ± 2	HORN	08A	DPWA	Multichannel
-------	------	-----	------	--------------

### $\Gamma(\Delta(1232)\eta)/\Gamma_{\text{total}}$

 $\Gamma_{10}/\Gamma$ 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
5 ± 2	GUTZ	14	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

5 ± 2	ANISOVICH	12A	DPWA	Multichannel
-------	-----------	-----	------	--------------

$\Gamma(N(1535)\pi)/\Gamma(\Delta(1232)\eta)$  $\Gamma_9/\Gamma_{10}$ 

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.67	KASHEVAROV 09	CBAL	$\gamma p \rightarrow p\pi^0\eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

 $\Delta(1700)$  PHOTON DECAY AMPLITUDES AT THE POLE $\Delta(1700) \rightarrow N\gamma$ , helicity-1/2 amplitude  $A_{1/2}$ 

<u>MODULUS (GeV<sup>-1/2</sup>)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.175±0.020	50 ± 10	SOKHOYAN	15A	DPWA Multichannel

 $\Delta(1700) \rightarrow N\gamma$ , helicity-3/2 amplitude  $A_{3/2}$ 

<u>MODULUS (GeV<sup>-1/2</sup>)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.180±0.020	45 ± 10	SOKHOYAN	15A	DPWA Multichannel

 $\Delta(1700)$  BREIT-WIGNER PHOTON DECAY AMPLITUDES $\Delta(1700) \rightarrow N\gamma$ , helicity-1/2 amplitude  $A_{1/2}$ 

<u>VALUE (GeV<sup>-1/2</sup>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.140±0.030 OUR ESTIMATE</b>			
0.165±0.020	SOKHOYAN	15A	DPWA Multichannel
0.132±0.005	DUGGER	13	DPWA $\gamma N \rightarrow \pi N$
0.105±0.005	WORKMAN	12A	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.165±0.020	GUTZ	14	DPWA Multichannel
0.160±0.020	ANISOVICH	12A	DPWA Multichannel
0.058±0.010	SHRESTHA	12A	DPWA Multichannel
0.226	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
0.125±0.003	DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
0.096	PENNER	02D	DPWA Multichannel

 $\Delta(1700) \rightarrow N\gamma$ , helicity-3/2 amplitude  $A_{3/2}$ 

<u>VALUE (GeV<sup>-1/2</sup>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.140±0.030 OUR ESTIMATE</b>			
0.170±0.025	SOKHOYAN	15A	DPWA Multichannel
0.108±0.005	DUGGER	13	DPWA $\gamma N \rightarrow \pi N$
0.092±0.004	WORKMAN	12A	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.170±0.025	GUTZ	14	DPWA Multichannel
0.165±0.025	ANISOVICH	12A	DPWA Multichannel
0.097±0.008	SHRESTHA	12A	DPWA Multichannel
0.210	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
0.105±0.003	DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
0.154	PENNER	02D	DPWA Multichannel

 $\Delta(1700)$  FOOTNOTES

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

**$\Delta(1700)$  REFERENCES**For early references, see *Physics Letters* **111B** 1 (1982).

SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CPC 38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	
DUGGER	13	PR C88 065203	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
KASHEVAROV	09	EPJ A42 141	V.L. Kashevarov <i>et al.</i>	(MAMI Crystal Ball/TAPS)
HORN	08A	EPJ A38 173	I. Horn <i>et al.</i>	(CB-ELSA Collab.)
Also		PRL 101 202002	I. Horn <i>et al.</i>	(CB-ELSA Collab.)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP

---