

$N(1680) 5/2^+$ $I(J^P) = \frac{1}{2}(\frac{5}{2}^+)$ Status: ****Older and obsolete values are listed and referenced in the 2014 edition, *Chinese Physics C* **38** 070001 (2014). **$N(1680)$ POLE POSITION****REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1665 to 1680 (≈ 1675) OUR ESTIMATE			
1678 \pm 5	SOKHOYAN	15A	DPWA Multichannel
1674 \pm 2 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
1674	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1673	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
1667 \pm 5	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1660	SHKLYAR	13	DPWA Multichannel
1676 \pm 6	ANISOVICH	12A	DPWA Multichannel
1669	SHRESTHA	12A	DPWA Multichannel
1666 \pm 8	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1667	VRANA	00	DPWA Multichannel

-2×IMAGINARY PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
110 to 135 (≈ 120) OUR ESTIMATE			
113 \pm 4	SOKHOYAN	15A	DPWA Multichannel
129 \pm 3 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
115	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
135	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
110 \pm 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
98	SHKLYAR	13	DPWA Multichannel
113 \pm 4	ANISOVICH	12A	DPWA Multichannel
119	SHRESTHA	12A	DPWA Multichannel
135 \pm 6	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
122	VRANA	00	DPWA Multichannel

 $N(1680)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
40\pm5 OUR ESTIMATE			
45 \pm 4	SOKHOYAN	15A	DPWA Multichannel
44 \pm 1 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
42	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
44	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
34 \pm 2	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
33	SHKLYAR	13	DPWA Multichannel
43 \pm 4	ANISOVICH	12A	DPWA Multichannel
44	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

PHASE θ

<u>VALUE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
–10\pm10 OUR ESTIMATE			
5 \pm 10	SOKHOYAN	15A	DPWA Multichannel
–16 \pm 1 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
– 4	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
–17	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
–25 \pm 5	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
–32	SHKLYAR	13	DPWA Multichannel
– 2 \pm 10	ANISOVICH	12A	DPWA Multichannel
–19	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

 $N(1680)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1680) \rightarrow \Delta\pi, P$ -wave

<u>MODULUS (%)</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
15 \pm 3	–60 \pm 30	SOKHOYAN	15A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
15 \pm 3	–70 \pm 45	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1680) \rightarrow \Delta\pi, F$ -wave

<u>MODULUS (%)</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
23 \pm 4	90 \pm 12	SOKHOYAN	15A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
23 \pm 4	85 \pm 15	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1680) \rightarrow N(\pi\pi)_{S=0}^{I=0}$ -wave

<u>MODULUS (%)</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
29 \pm 6	–45 \pm 15	SOKHOYAN	15A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
26 \pm 4	–56 \pm 15	ANISOVICH	12A	DPWA Multichannel

 $N(1680)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1680 to 1690 (\approx 1685) OUR ESTIMATE			
1690 \pm 5	SOKHOYAN	15A	DPWA Multichannel
1676 \pm 2	SHKLYAR	13	DPWA Multichannel
1680.1 \pm 0.2	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1680 \pm 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1684 \pm 3	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1689 \pm 6	ANISOVICH	12A	DPWA Multichannel
1682.7 \pm 0.5	SHRESTHA	12A	DPWA Multichannel
1680 \pm 7	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1679 \pm 3	VRANA	00	DPWA Multichannel

$N(1680)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
120 to 140 (≈ 130) OUR ESTIMATE			
119 \pm 4	SOKHOYAN	15A	DPWA Multichannel
115 \pm 1	SHKLYAR	13	DPWA Multichannel
128.0 \pm 1.1	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
120 \pm 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
128 \pm 8	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
118 \pm 6	ANISOVICH	12A	DPWA Multichannel
126 \pm 1	SHRESTHA	12A	DPWA Multichannel
142 \pm 7	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
128 \pm 9	VRANA	00	DPWA Multichannel

 $N(1680)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	65–70 %
Γ_2 $N\eta$	<1 %
Γ_3 $N\pi\pi$	20–40 %
Γ_4 $\Delta(1232)\pi$	11–23 %
Γ_5 $\Delta(1232)\pi$, P -wave	4–10 %
Γ_6 $\Delta(1232)\pi$, F -wave	7–13 %
Γ_7 $N\sigma$	9–19 %
Γ_8 $p\gamma$	0.21–0.32 %
Γ_9 $p\gamma$, helicity=1/2	0.001–0.011 %
Γ_{10} $p\gamma$, helicity=3/2	0.20–0.32 %
Γ_{11} $n\gamma$	0.021–0.046 %
Γ_{12} $n\gamma$, helicity=1/2	0.004–0.029 %
Γ_{13} $n\gamma$, helicity=3/2	0.01–0.024 %

 $N(1680)$ BRANCHING RATIOS

<u>$\Gamma(N\pi)/\Gamma_{\text{total}}$</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_1/Γ
65 to 70 OUR ESTIMATE				
62 \pm 4	SOKHOYAN	15A	DPWA Multichannel	
68 \pm 1	SHKLYAR	13	DPWA Multichannel	
70.1 \pm 0.1	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$	
62 \pm 5	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$	
65 \pm 2	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
64 \pm 5	ANISOVICH	12A	DPWA Multichannel	
68.0 \pm 0.5	SHRESTHA	12A	DPWA Multichannel	
67 \pm 3	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$	
69 \pm 2	VRANA	00	DPWA Multichannel	

$\Gamma(N\eta)/\Gamma_{\text{total}}$					Γ_2/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
0 ±1	SHKLYAR	13	DPWA	Multichannel	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
1.0 ±0.3	SHRESTHA	12A	DPWA	Multichannel	
0.4 ±0.2	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$	
<1	THOMA	08	DPWA	Multichannel	
0 ±1	VRANA	00	DPWA	Multichannel	
0.15 ^{+0.35} _{-0.10}	TIATOR	99	DPWA	$\gamma p \rightarrow p\eta$	

$\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$					Γ_5/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
7 ±3	SOKHOYAN	15A	DPWA	Multichannel	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
5 ±3	ANISOVICH	12A	DPWA	Multichannel	
10.5±0.9	SHRESTHA	12A	DPWA	Multichannel	
14 ±3	VRANA	00	DPWA	Multichannel	

$\Gamma(\Delta(1232)\pi, F\text{-wave})/\Gamma_{\text{total}}$					Γ_6/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
10 ±3	SOKHOYAN	15A	DPWA	Multichannel	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
10 ±3	ANISOVICH	12A	DPWA	Multichannel	
1.0±0.1	SHRESTHA	12A	DPWA	Multichannel	
1 ±1	VRANA	00	DPWA	Multichannel	

$\Gamma(N\sigma)/\Gamma_{\text{total}}$					Γ_7/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
14 ±5	SOKHOYAN	15A	DPWA	Multichannel	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
14 ±7	ANISOVICH	12A	DPWA	Multichannel	
9.4±0.8	SHRESTHA	12A	DPWA	Multichannel	
9 ±1	VRANA	00	DPWA	Multichannel	

$N(1680)$ PHOTON DECAY AMPLITUDES AT THE POLE

$N(1680) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT	
-0.013±0.003	-20 ± 17	SOKHOYAN	15A	DPWA	Multichannel

$N(1680) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT	
0.135±0.005	1 ± 3	SOKHOYAN	15A	DPWA	Multichannel

$N(1680)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES **$N(1680) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.015±0.006 OUR ESTIMATE			
-0.015±0.002	SOKHOYAN	15A	DPWA Multichannel
-0.007±0.002	WORKMAN	12A	DPWA $\gamma N \rightarrow N\pi$
-0.017±0.001	DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.003±0.001	SHKLYAR	13	DPWA Multichannel
-0.013±0.003	ANISOVICH	12A	DPWA Multichannel
-0.017±0.001	SHRESTHA	12A	DPWA Multichannel
-0.025	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$

 $N(1680) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
+0.133±0.012 OUR ESTIMATE			
0.136±0.005	SOKHOYAN	15A	DPWA Multichannel
0.140±0.002	WORKMAN	12A	DPWA $\gamma N \rightarrow N\pi$
0.134±0.002	DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.116±0.001	SHKLYAR	13	DPWA Multichannel
0.135±0.006	ANISOVICH	12A	DPWA Multichannel
0.136±0.001	SHRESTHA	12A	DPWA Multichannel
0.134	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$

 $N(1680) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
+0.029±0.010 OUR ESTIMATE			
0.034±0.006	ANISOVICH	13B	DPWA Multichannel
0.026±0.004	CHEN	12A	DPWA $\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.029±0.002	SHRESTHA	12A	DPWA Multichannel
0.028	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$

 $N(1680) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.033±0.009 OUR ESTIMATE			
-0.044±0.009	ANISOVICH	13B	DPWA Multichannel
-0.029±0.002	CHEN	12A	DPWA $\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-0.059±0.002	SHRESTHA	12A	DPWA Multichannel
-0.038	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$

 $N(1680)$ FOOTNOTES

¹ Fit to the amplitudes of HOEHLER 79.

N(1680) REFERENCES

For early references, see *Physics Letters* **111B** 1 (1982). For very early references, see *Reviews of Modern Physics* **37** 633 (1965).

SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CPC 38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
CHEN	12A	PR C86 015206	W. Chen <i>et al.</i>	(DUKE, GWU, MSST, ITEP+)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
THOMA	08	PL B659 87	U. Thoma <i>et al.</i>	(CB-ELSA Collab.)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
TIATOR	99	PR C60 035210	L. Tiator <i>et al.</i>	
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
