

N(1710) 1/2⁺ $I(J^P) = \frac{1}{2}(\frac{1}{2}^+)$ Status: ***

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics C **38** 070001 (2014).

N(1710) POLE POSITION**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

1670 to 1770 (\approx 1720) OUR ESTIMATE

1690 \pm 15	SOKHOYAN	15A	DPWA Multichannel
1770 \pm 5 \pm 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
1690	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
1698	CUTKOSKY	90	IPWA $\pi N \rightarrow \pi N$
1690 \pm 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1690 \pm 15	GUTZ	14	DPWA Multichannel
1670	SHKLYAR	13	DPWA Multichannel
1687 \pm 17	ANISOVICH	12A	DPWA Multichannel
1644	SHRESTHA	12A	DPWA Multichannel
1711 \pm 15	² BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1679	VRANA	00	DPWA Multichannel

-2xIMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

80 to 380 (\approx 230) OUR ESTIMATE

170 \pm 20	SOKHOYAN	15A	DPWA Multichannel
98 \pm 8 \pm 5	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
200	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
88	CUTKOSKY	90	IPWA $\pi N \rightarrow \pi N$
80 \pm 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
170 \pm 20	GUTZ	14	DPWA Multichannel
159	SHKLYAR	13	DPWA Multichannel
200 \pm 25	ANISOVICH	12A	DPWA Multichannel
104	SHRESTHA	12A	DPWA Multichannel
174 \pm 16	² BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
132	VRANA	00	DPWA Multichannel

N(1710) ELASTIC POLE RESIDUE**MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

5 to 15 (\approx 8) OUR ESTIMATE

6 \pm 3	SOKHOYAN	15A	DPWA Multichannel
5 \pm 1 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
15	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
9	CUTKOSKY	90	IPWA $\pi N \rightarrow \pi N$
8 \pm 2	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

6 ± 3	GUTZ	14	DPWA	Multichannel
11	SHKLYAR	13	DPWA	Multichannel
6 ± 4	ANISOVICH	12A	DPWA	Multichannel
24	² BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$

PHASE θ

VALUE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
130 ± 35	SOKHOYAN	15A	DPWA Multichannel
$-104 \pm 7 \pm 3$	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
-167	CUTKOSKY	90	IPWA $\pi N \rightarrow \pi N$
175 ± 35	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
120 ± 45	GUTZ	14	DPWA Multichannel
9	SHKLYAR	13	DPWA Multichannel
120 ± 70	ANISOVICH	12A	DPWA Multichannel
20	² BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

$N(1710)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1710) \rightarrow N\eta$

MODULUS (%)	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
12 ± 4	0 ± 45	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1710) \rightarrow \Lambda K$

MODULUS (%)	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
17 ± 6	-110 ± 20	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1710) \rightarrow N(1535)\pi$

MODULUS (%)	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
10 ± 4	140 ± 40	GUTZ	14	DPWA Multichannel

$N(1710)$ BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1680 to 1740 (≈ 1710) OUR ESTIMATE			
1715 ± 20	SOKHOYAN	15A	DPWA Multichannel
1737 ± 17	SHKLYAR	13	DPWA Multichannel
1700 ± 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1723 ± 9	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1715 ± 20	GUTZ	14	DPWA Multichannel
1710 ± 20	ANISOVICH	12A	DPWA Multichannel
1662 ± 7	SHRESTHA	12A	DPWA Multichannel
1729 ± 16	² BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1752 ± 3	PENNER	02C	DPWA Multichannel
1699 ± 65	VRANA	00	DPWA Multichannel

N(1710) BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
50 to 250 (≈ 100) OUR ESTIMATE			
175 \pm 15	SOKHOYAN	15A	DPWA Multichannel
368 \pm 120	SHKLYAR	13	DPWA Multichannel
93 \pm 30	CUTKOSKY	90	IPWA $\pi N \rightarrow \pi N$
90 \pm 30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
120 \pm 15	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
175 \pm 15	GUTZ	14	DPWA Multichannel
200 \pm 18	ANISOVICH	12A	DPWA Multichannel
116 \pm 17	SHRESTHA	12A	DPWA Multichannel
180 \pm 17	10	DPWA $\pi N \rightarrow N\pi, N\eta$	
386 \pm 59	PENNER	02C	DPWA Multichannel
143 \pm 100	VRANA	00	DPWA Multichannel

N(1710) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\pi$	5–20 %
$\Gamma_2 N\eta$	10–50 %
$\Gamma_3 N\omega$	1–5 %
$\Gamma_4 \Lambda K$	5–25 %
$\Gamma_5 \Sigma K$	seen
$\Gamma_6 N\pi\pi$	seen
$\Gamma_7 \Delta(1232)\pi$	
$\Gamma_8 \Delta(1232)\pi, P\text{-wave}$	seen
$\Gamma_9 N(1535)\pi$	9–21 %
$\Gamma_{10} N\rho$	
$\Gamma_{11} N\rho, S=1/2, P\text{-wave}$	seen
$\Gamma_{12} p\gamma, \text{helicity}=1/2$	0.002–0.08 %
$\Gamma_{13} n\gamma, \text{helicity}=1/2$	0.0–0.02%

N(1710) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	Γ_1/Γ
<i>VALUE (%)</i>	
5 \pm 3	SOKHOYAN 15A DPWA Multichannel
2 \pm 2	SHKLYAR 13 PWA Multichannel
20 \pm 4	CUTKOSKY 80 IPWA $\pi N \rightarrow \pi N$
12 \pm 4	HOEHLER 79 IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •	
5 \pm 3	GUTZ 14 DPWA Multichannel

5± 4
15± 4
22±24
14± 8
27±13

ANISOVICH	12A	DPWA	Multichannel
SHRESTHA	12A	DPWA	Multichannel
² BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
PENNER	02C	DPWA	Multichannel
VRANA	00	DPWA	Multichannel

 $\Gamma(N\eta)/\Gamma_{\text{total}}$ VALUE (%)

45± 4
17±10
• • • We do not use the following data for averages, fits, limits, etc. • • •
11± 7
6± 8
36±11
6± 1

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
SHKLYAR	13	DPWA Multichannel
ANISOVICH	12A	DPWA Multichannel
SHRESTHA	12A	DPWA Multichannel
² BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
PENNER	02C	DPWA Multichannel
VRANA	00	DPWA Multichannel

 Γ_2/Γ $\Gamma(N\omega)/\Gamma_{\text{total}}$ VALUE (%)

3±2
• • • We do not use the following data for averages, fits, limits, etc. • • •
13±2

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
SHKLYAR	13	DPWA Multichannel
PENNER	02C	DPWA Multichannel

 Γ_3/Γ $\Gamma(\Lambda K)/\Gamma_{\text{total}}$ VALUE (%)**5 to 25 OUR ESTIMATE**

23± 7
5± 3
• • • We do not use the following data for averages, fits, limits, etc. • • •
8± 4
5± 2
10±10

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
ANISOVICH	12A	DPWA Multichannel
SHKLYAR	05	DPWA Multichannel
SHRESTHA	12A	DPWA Multichannel
PENNER	02C	DPWA Multichannel
VRANA	00	DPWA Multichannel

 Γ_4/Γ $\Gamma(\Sigma K)/\Gamma_{\text{total}}$ VALUE (%)

• • • We do not use the following data for averages, fits, limits, etc. • • •
7±7

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
PENNER	02C	DPWA Multichannel

 Γ_5/Γ $\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$ VALUE (%)

• • • We do not use the following data for averages, fits, limits, etc. • • •
6±3
39±8

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
SHRESTHA	12A	DPWA Multichannel
VRANA	00	DPWA Multichannel

 Γ_8/Γ $\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$ VALUE (%)

15±6

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
GUTZ	14	DPWA Multichannel

 Γ_9/Γ

$\Gamma(N\rho, S=1/2, P\text{-wave})/\Gamma_{\text{total}}$	Γ_{11}/Γ
---	----------------------

VALUE (%)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
17±6	SHRESTHA 12A	DPWA	Multichannel
17±1	VRANA 00	DPWA	Multichannel

N(1710) BREIT-WIGNER PHOTON DECAY AMPLITUDES

$N(1710) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.050±0.010	SOKHOYAN 15A	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.05 ± 0.01	GUTZ 14	DPWA	Multichannel
-0.050±0.001	SHKLYAR 13	DPWA	Multichannel
0.052±0.015	ANISOVICH 12A	DPWA	Multichannel
-0.008±0.003	SHRESTHA 12A	DPWA	Multichannel
0.044	PENNER 02D	DPWA	Multichannel

$N(1710) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.040±0.020	ANISOVICH 13B	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.017±0.003	SHRESTHA 12A	DPWA	Multichannel
-0.024	PENNER 02D	DPWA	Multichannel

N(1710) FOOTNOTES

¹ Fit to the amplitudes of HOEHLER 79.

² BATINIC 10 finds evidence for a second P_{11} state with all parameters except for the phase of the pole residue very similar to the parameters we give here.

N(1710) REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CPC 38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
SHKLYAR	05	PR C72 015210	V. Shklyar, H. Lenske, U. Mosel	(GIES)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	90	PR D42 235	R.E. Cutkosky, S. Wang	(CMU)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP