

**$N(2120) 3/2^-$**  $I(J^P) = \frac{1}{2}(3/2^-)$  Status: \*\*

## OMITTED FROM SUMMARY TABLE

Before the 2012 *Review*, all the evidence for a  $J^P = 3/2^-$  state with a mass above 1800 MeV was filed under a two-star  $N(2080)$ .

There is now evidence from ANISOVICH 12A for two  $3/2^-$  states in this region, so we have split the older data (according to mass) between a three-star  $N(1875)$  and a two-star  $N(2120)$ .

 **$N(2120)$  POLE POSITION****REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2115 ± 40	SOKHOYAN 15A	DPWA	Multichannel
2050 ± 70	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$ (higher $m$ )
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2115 ± 40	GUTZ 14	DPWA	Multichannel
2110 ± 50	ANISOVICH 12A	DPWA	Multichannel

**−2×IMAGINARY PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
345 ± 35	SOKHOYAN 15A	DPWA	Multichannel
200 ± 80	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$ (higher $m$ )
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
345 ± 35	GUTZ 14	DPWA	Multichannel
340 ± 45	ANISOVICH 12A	DPWA	Multichannel

 **$N(2120)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
11 ± 6	SOKHOYAN 15A	DPWA	Multichannel
30 ± 20	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$ (higher $m$ )
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
11 ± 6	GUTZ 14	DPWA	Multichannel
13 ± 3	ANISOVICH 12A	DPWA	Multichannel

**PHASE  $\theta$** 

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
−30 ± 20	SOKHOYAN 15A	DPWA	Multichannel
0 ± 100	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$ (higher $m$ )
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
−30 ± 20	GUTZ 14	DPWA	Multichannel
−20 ± 10	ANISOVICH 12A	DPWA	Multichannel

**$N(2120)$  INELASTIC POLE RESIDUE**The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .**Normalized residue in  $N\pi \rightarrow N(2120) \rightarrow \Lambda K$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.03±0.01	100 ± 30	ANISOVICH	12A DPWA	Multichannel

**Normalized residue in  $N\pi \rightarrow N(2120) \rightarrow \Sigma K$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.02±0.015	−50 ± 40	ANISOVICH	12A DPWA	Multichannel

**Normalized residue in  $N\pi \rightarrow N(2120) \rightarrow N(1535)\pi$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.15±0.08	−90 ± 40	GUTZ	14 DPWA	Multichannel

**Normalized residue in  $N\pi \rightarrow N(2120) \rightarrow \Delta(1232)\pi$ , S-wave**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.25±0.10	undefined	SOKHOYAN	15A DPWA	Multichannel

**Normalized residue in  $N\pi \rightarrow N(2120) \rightarrow \Delta(1232)\pi$ , D-wave**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.15±0.06	−35 ± 30	SOKHOYAN	15A DPWA	Multichannel

**Normalized residue in  $N\pi \rightarrow N(2120) \rightarrow N\sigma$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.09±0.05	−80 ± 50	SOKHOYAN	15A DPWA	Multichannel

 **$N(2120)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2120 OUR ESTIMATE</b>			
2120±45	SOKHOYAN	15A DPWA	Multichannel
2060±80	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
2081±20	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2120±35	GUTZ	14 DPWA	Multichannel
2150±60	ANISOVICH	12A DPWA	Multichannel

 **$N(2120)$  BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
340 ± 35	SOKHOYAN	15A DPWA	Multichannel
300±100	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$ (higher $m$ )
265 ± 40	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
340 ± 35	GUTZ	14 DPWA	Multichannel
330 ± 45	ANISOVICH	12A DPWA	Multichannel

**$N(2120)$  DECAY MODES**

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\pi$	5–15 %
$\Gamma_2$ $N\pi\pi$	50–95 %
$\Gamma_3$ $\Delta(1232)\pi$	40–90 %
$\Gamma_4$ $\Delta(1232)\pi$ , <i>S</i> -wave	30–70 %
$\Gamma_5$ $\Delta(1232)\pi$ , <i>D</i> -wave	8–32 %
$\Gamma_6$ $N\sigma$	7–15 %
$\Gamma_7$ $N(1535)\pi$	7–23 %
$\Gamma_8$ $p\gamma$	0.16–2.1 %
$\Gamma_9$ $p\gamma$ , helicity=1/2	0.07–0.80 %
$\Gamma_{10}$ $p\gamma$ , helicity=3/2	0.09–1.3 %
$\Gamma_{11}$ $n\gamma$	0.04–0.72 %
$\Gamma_{12}$ $n\gamma$ , helicity=1/2	0.04–0.60 %
$\Gamma_{13}$ $n\gamma$ , helicity=3/2	0.001–0.12 %

 **$N(2120)$  BRANCHING RATIOS** **$\Gamma(N\pi)/\Gamma_{\text{total}}$   $\Gamma_1/\Gamma$** 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
5±3	SOKHOYAN	15A	DPWA Multichannel
14±7	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$ (higher <i>m</i> )
6±2	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
5±3	GUTZ	14	DPWA Multichannel
6±2	ANISOVICH	12A	DPWA Multichannel

 **$\Gamma(\Delta(1232)\pi, S\text{-wave})/\Gamma_{\text{total}}$   $\Gamma_4/\Gamma$** 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
50±20	SOKHOYAN	15A	DPWA Multichannel

 **$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$   $\Gamma_5/\Gamma$** 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
20±12	SOKHOYAN	15A	DPWA Multichannel

 **$\Gamma(N\sigma)/\Gamma_{\text{total}}$   $\Gamma_6/\Gamma$** 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
11±4	SOKHOYAN	15A	DPWA Multichannel

 **$\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$   $\Gamma_7/\Gamma$** 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
15±8	GUTZ	14	DPWA Multichannel

**$N(2120)$  PHOTON DECAY AMPLITUDES AT THE POLE** **$N(2120) \rightarrow p\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

<u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.130 \pm 0.045$	$-40 \pm 25$	SOKHOYAN	15A	DPWA Multichannel

 **$N(2120) \rightarrow p\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

<u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.160 \pm 0.060$	$-30 \pm 15$	SOKHOYAN	15A	DPWA Multichannel

 **$N(2120)$  BREIT-WIGNER PHOTON DECAY AMPLITUDES** **$N(2120) \rightarrow p\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

<u>VALUE (<math>\text{GeV}^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.130 \pm 0.050$	SOKHOYAN	15A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.130 \pm 0.050$	GUTZ	14	DPWA Multichannel
-------------------	------	----	-------------------

 **$N(2120) \rightarrow p\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

<u>VALUE (<math>\text{GeV}^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.160 \pm 0.065$	SOKHOYAN	15A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.160 \pm 0.065$	GUTZ	14	DPWA Multichannel
-------------------	------	----	-------------------

 **$N(2120) \rightarrow n\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

<u>VALUE (<math>\text{GeV}^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.110 \pm 0.045$	ANISOVICH	13B	DPWA Multichannel

 **$N(2120) \rightarrow n\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

<u>VALUE (<math>\text{GeV}^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.040 \pm 0.030$	ANISOVICH	13B	DPWA Multichannel

 **$N(2120)$  REFERENCES**

SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT)