

# **$c\bar{c}$ MESONS**

**$\eta_c(1S)$**

$I^G(J^{PC}) = 0^+(0^-+)$

Mass  $m = 2983.4 \pm 0.5$  MeV (S = 1.2)

Full width  $\Gamma = 31.8 \pm 0.8$  MeV

<b><math>\eta_c(1S)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	Confidence level	$p$ (MeV/c)
--	--------------------------------	------------------	----------------

### **Decays involving hadronic resonances**

$\eta'(958)\pi\pi$	( 4.1 $\pm 1.7$ ) %		1323
$\rho\rho$	( 1.8 $\pm 0.5$ ) %		1274
$K^*(892)^0 K^- \pi^+ + \text{c.c.}$	( 2.0 $\pm 0.7$ ) %		1277
$K^*(892) \overline{K}^*(892)$	( 7.0 $\pm 1.3$ ) $\times 10^{-3}$		1196
$K^*(892)^0 \overline{K}^*(892)^0 \pi^+ \pi^-$	( 1.1 $\pm 0.5$ ) %		1073
$\phi K^+ K^-$	( 2.9 $\pm 1.4$ ) $\times 10^{-3}$		1104
$\phi\phi$	( 1.75 $\pm 0.20$ ) $\times 10^{-3}$		1089
$\phi 2(\pi^+ \pi^-)$	< 4 $\times 10^{-3}$	90%	1251
$a_0(980)\pi$	< 2 %	90%	1327
$a_2(1320)\pi$	< 2 %	90%	1196
$K^*(892) \overline{K} + \text{c.c.}$	< 1.28 %	90%	1309
$f_2(1270)\eta$	< 1.1 %	90%	1145
$\omega\omega$	< 3.1 $\times 10^{-3}$	90%	1270
$\omega\phi$	< 1.7 $\times 10^{-3}$	90%	1185
$f_2(1270)f_2(1270)$	( 9.8 $\pm 2.5$ ) $\times 10^{-3}$		774
$f_2(1270)f'_2(1525)$	( 9.7 $\pm 3.2$ ) $\times 10^{-3}$		513
$f_0(980)\eta$	seen		1264
$f_0(1500)\eta$	seen		1026
$f_0(2200)\eta$	seen		496
$a_0(980)\pi$	seen		1327
$a_0(1320)\pi$	seen		—
$a_0(1450)\pi$	seen		1123
$a_0(1950)\pi$	seen		859
$a_2(1950)\pi$	not seen		—
$K_0^*(1430) \overline{K}$	seen		—
$K_2^*(1430) \overline{K}$	seen		—
$K_0^*(1950) \overline{K}$	seen		—

### **Decays into stable hadrons**

$K \overline{K} \pi$	( 7.3 $\pm 0.5$ ) %	1381
$K \overline{K} \eta$	( 1.35 $\pm 0.16$ ) %	1265
$\eta \pi^+ \pi^-$	( 1.7 $\pm 0.5$ ) %	1427
$\eta 2(\pi^+ \pi^-)$	( 4.4 $\pm 1.3$ ) %	1385

$K^+ K^- \pi^+ \pi^-$	( 6.9 $\pm$ 1.1 ) $\times 10^{-3}$	1345
$K^+ K^- \pi^+ \pi^- \pi^0$	( 3.5 $\pm$ 0.6 ) %	1304
$K^0 K^- \pi^+ \pi^- \pi^+ + c.c.$	( 5.6 $\pm$ 1.5 ) %	—
$K^+ K^- 2(\pi^+ \pi^-)$	( 7.5 $\pm$ 2.4 ) $\times 10^{-3}$	1253
$2(K^+ K^-)$	( 1.46 $\pm$ 0.30 ) $\times 10^{-3}$	1055
$\pi^+ \pi^- \pi^0 \pi^0$	( 4.7 $\pm$ 1.0 ) %	1460
$2(\pi^+ \pi^-)$	( 9.7 $\pm$ 1.2 ) $\times 10^{-3}$	1459
$2(\pi^+ \pi^- \pi^0)$	( 17.4 $\pm$ 3.3 ) %	1409
$3(\pi^+ \pi^-)$	( 1.8 $\pm$ 0.4 ) %	1406
$p\bar{p}$	( 1.50 $\pm$ 0.16 ) $\times 10^{-3}$	1160
$p\bar{p}\pi^0$	( 3.6 $\pm$ 1.3 ) $\times 10^{-3}$	1101
$\Lambda\bar{\Lambda}$	( 1.09 $\pm$ 0.24 ) $\times 10^{-3}$	990
$\Sigma^+ \bar{\Sigma}^-$	( 2.1 $\pm$ 0.6 ) $\times 10^{-3}$	900
$\Xi^- \bar{\Xi}^+$	( 8.9 $\pm$ 2.7 ) $\times 10^{-4}$	692
$\pi^+ \pi^- p\bar{p}$	( 5.3 $\pm$ 1.8 ) $\times 10^{-3}$	1027

**Radiative decays**

$\gamma\gamma$	( 1.59 $\pm$ 0.13 ) $\times 10^{-4}$	1492
----------------	--------------------------------------	------

**Charge conjugation (*C*), Parity (*P*),  
Lepton family number (*LF*) violating modes**

$\pi^+ \pi^-$	$P, CP < 1.1$	$\times 10^{-4}$	90%	1485
$\pi^0 \pi^0$	$P, CP < 4$	$\times 10^{-5}$	90%	1486
$K^+ K^-$	$P, CP < 6$	$\times 10^{-4}$	90%	1408
$K_S^0 K_S^0$	$P, CP < 3.1$	$\times 10^{-4}$	90%	1406

**J/ $\psi$ (1S)** $I^G(J^{PC}) = 0^-(1^{--})$ Mass  $m = 3096.900 \pm 0.006$  MeVFull width  $\Gamma = 92.9 \pm 2.8$  keV (S = 1.1) $\Gamma_{ee} = 5.55 \pm 0.14 \pm 0.02$  keV

<b>J/<math>\psi</math>(1S) DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/	<i>p</i> Confidence level(MeV/c)
		Confidence level(MeV/c)	
hadrons	(87.7 $\pm$ 0.5 ) %	—	—
virtual $\gamma \rightarrow$ hadrons	(13.50 $\pm$ 0.30 ) %	—	—
$ggg$	(64.1 $\pm$ 1.0 ) %	—	—
$\gamma gg$	( 8.8 $\pm$ 1.1 ) %	—	—
$e^+ e^-$	( 5.971 $\pm$ 0.032 ) %	1548	—
$e^+ e^- \gamma$	[a] ( 8.8 $\pm$ 1.4 ) $\times 10^{-3}$	1548	—
$\mu^+ \mu^-$	( 5.961 $\pm$ 0.033 ) %	1545	—

### Decays involving hadronic resonances

$\rho\pi$	( 1.69 $\pm$ 0.15 ) %	S=2.4	1448
$\rho^0\pi^0$	( 5.6 $\pm$ 0.7 ) $\times 10^{-3}$		1448
$a_2(1320)\rho$	( 1.09 $\pm$ 0.22 ) %		1123
$\omega\pi^+\pi^+\pi^-\pi^-$	( 8.5 $\pm$ 3.4 ) $\times 10^{-3}$		1392
$\omega\pi^+\pi^-\pi^0$	( 4.0 $\pm$ 0.7 ) $\times 10^{-3}$		1418
$\omega\pi^+\pi^-$	( 8.6 $\pm$ 0.7 ) $\times 10^{-3}$	S=1.1	1435
$\omega f_2(1270)$	( 4.3 $\pm$ 0.6 ) $\times 10^{-3}$		1142
$K^*(892)^0\bar{K}^*(892)^0$	( 2.3 $\pm$ 0.7 ) $\times 10^{-4}$		1266
$K^*(892)^\pm K^*(892)^\mp$	( 1.00 $\pm$ 0.22 ) $\times 10^{-3}$		1266
$K^*(892)^\pm K^*(800)^\mp$	( 1.1 $\pm$ 1.0 ) $\times 10^{-3}$		-
$\eta K^*(892)^0\bar{K}^*(892)^0$	( 1.15 $\pm$ 0.26 ) $\times 10^{-3}$		1003
$K^*(892)^0\bar{K}_2^*(1430)^0 + \text{c.c.}$	( 6.0 $\pm$ 0.6 ) $\times 10^{-3}$		1012
$K^*(892)^0\bar{K}_2^*(1770)^0 + \text{c.c.} \rightarrow$	( 6.9 $\pm$ 0.9 ) $\times 10^{-4}$		-
$K^*(892)^0 K^- \pi^+ + \text{c.c.}$			
$\omega K^*(892)\bar{K} + \text{c.c.}$	( 6.1 $\pm$ 0.9 ) $\times 10^{-3}$		1097
$K^+ K^*(892)^- + \text{c.c.}$	( 5.12 $\pm$ 0.30 ) $\times 10^{-3}$		1373
$K^+ K^*(892)^- + \text{c.c.} \rightarrow$	( 1.97 $\pm$ 0.20 ) $\times 10^{-3}$		-
$K^+ K^- \pi^0$			
$K^+ K^*(892)^- + \text{c.c.} \rightarrow$	( 3.0 $\pm$ 0.4 ) $\times 10^{-3}$		-
$K^0 K^\pm \pi^\mp + \text{c.c.}$			
$K^0 \bar{K}^*(892)^0 + \text{c.c.}$	( 4.39 $\pm$ 0.31 ) $\times 10^{-3}$		1373
$K^0 \bar{K}^*(892)^0 + \text{c.c.} \rightarrow$	( 3.2 $\pm$ 0.4 ) $\times 10^{-3}$		-
$K^0 K^\pm \pi^\mp + \text{c.c.}$			
$K_1(1400)^\pm K^\mp$	( 3.8 $\pm$ 1.4 ) $\times 10^{-3}$		1170
$\bar{K}^*(892)^0 K^+ \pi^- + \text{c.c.}$	seen		1343
$\omega\pi^0\pi^0$	( 3.4 $\pm$ 0.8 ) $\times 10^{-3}$		1436
$b_1(1235)^\pm \pi^\mp$	[b] ( 3.0 $\pm$ 0.5 ) $\times 10^{-3}$		1300
$\omega K^\pm K_S^0 \pi^\mp$	[b] ( 3.4 $\pm$ 0.5 ) $\times 10^{-3}$		1210
$b_1(1235)^0\pi^0$	( 2.3 $\pm$ 0.6 ) $\times 10^{-3}$		1300
$\eta K^\pm K_S^0 \pi^\mp$	[b] ( 2.2 $\pm$ 0.4 ) $\times 10^{-3}$		1278
$\phi K^*(892)\bar{K} + \text{c.c.}$	( 2.18 $\pm$ 0.23 ) $\times 10^{-3}$		969
$\omega K\bar{K}$	( 1.70 $\pm$ 0.32 ) $\times 10^{-3}$		1268
$\omega f_0(1710) \rightarrow \omega K\bar{K}$	( 4.8 $\pm$ 1.1 ) $\times 10^{-4}$		878
$\phi 2(\pi^+\pi^-)$	( 1.66 $\pm$ 0.23 ) $\times 10^{-3}$		1318
$\Delta(1232)^{++}\bar{p}\pi^-$	( 1.6 $\pm$ 0.5 ) $\times 10^{-3}$		1030
$\omega\eta$	( 1.74 $\pm$ 0.20 ) $\times 10^{-3}$	S=1.6	1394
$\phi K\bar{K}$	( 1.83 $\pm$ 0.24 ) $\times 10^{-3}$	S=1.5	1179
$\phi f_0(1710) \rightarrow \phi K\bar{K}$	( 3.6 $\pm$ 0.6 ) $\times 10^{-4}$		875
$\phi f_2(1270)$	( 7.2 $\pm$ 1.3 ) $\times 10^{-4}$		1036
$\Delta(1232)^{++}\bar{\Delta}(1232)^{--}$	( 1.10 $\pm$ 0.29 ) $\times 10^{-3}$		938
$\Sigma(1385)^-\bar{\Sigma}(1385)^+ (\text{or c.c.})$	[b] ( 1.10 $\pm$ 0.12 ) $\times 10^{-3}$		697
$\phi f'_2(1525)$	( 8 $\pm$ 4 ) $\times 10^{-4}$	S=2.7	871

$\phi\pi^+\pi^-$	( 9.4 $\pm$ 0.9 ) $\times 10^{-4}$	S=1.2	1365
$\phi\pi^0\pi^0$	( 5.6 $\pm$ 1.6 ) $\times 10^{-4}$		1366
$\phi K^\pm K_S^0 \pi^\mp$	[b] ( 7.2 $\pm$ 0.8 ) $\times 10^{-4}$		1114
$\omega f_1(1420)$	( 6.8 $\pm$ 2.4 ) $\times 10^{-4}$		1062
$\phi\eta_{\Xi^0\Xi^0}$	( 7.5 $\pm$ 0.8 ) $\times 10^{-4}$	S=1.5	1320
$\Xi(1530)^-\Xi^+$	( 1.20 $\pm$ 0.24 ) $\times 10^{-3}$		818
$\rho K^-\bar{\Sigma}(1385)^0$	( 5.9 $\pm$ 1.5 ) $\times 10^{-4}$		600
$\omega\pi^0$	( 5.1 $\pm$ 3.2 ) $\times 10^{-4}$		646
$\phi\eta'(958)$	( 4.5 $\pm$ 0.5 ) $\times 10^{-4}$	S=1.4	1446
$\phi f_0(980)$	( 4.0 $\pm$ 0.7 ) $\times 10^{-4}$	S=2.1	1192
$\phi f_0(980) \rightarrow \phi\pi^+\pi^-$	( 3.2 $\pm$ 0.9 ) $\times 10^{-4}$	S=1.9	1178
$\phi f_0(980) \rightarrow \phi\pi^0\pi^0$	( 1.8 $\pm$ 0.4 ) $\times 10^{-4}$		-
$\phi\pi^0 f_0(980) \rightarrow \phi\pi^0\pi^+\pi^-$	( 1.7 $\pm$ 0.7 ) $\times 10^{-4}$		-
$\phi\pi^0 f_0(980) \rightarrow \phi\pi^0\rho^0\pi^0$	( 4.5 $\pm$ 1.0 ) $\times 10^{-6}$		-
$\eta\phi f_0(980) \rightarrow \eta\phi\pi^+\pi^-$	( 1.7 $\pm$ 0.6 ) $\times 10^{-6}$		1045
$\eta\phi f_0(980) \rightarrow \eta\phi\pi^+\pi^-$	( 3.2 $\pm$ 1.0 ) $\times 10^{-4}$		-
$\phi a_0(980)^0 \rightarrow \phi\eta\pi^0$	( 5 $\pm$ 4 ) $\times 10^{-6}$		-
$\Xi(1530)^0\Xi^0$	( 3.2 $\pm$ 1.4 ) $\times 10^{-4}$		608
$\Sigma(1385)^-\bar{\Sigma}^+(\text{or c.c.})$	[b] ( 3.1 $\pm$ 0.5 ) $\times 10^{-4}$		855
$\phi f_1(1285)$	( 2.6 $\pm$ 0.5 ) $\times 10^{-4}$		1032
$\phi f_1(1285) \rightarrow \phi\pi^0 f_0(980) \rightarrow \phi\pi^0\pi^+\pi^-$	( 9.4 $\pm$ 2.8 ) $\times 10^{-7}$		952
$\phi f_1(1285) \rightarrow \phi\pi^0 f_0(980) \rightarrow \phi\pi^0\pi^0\pi^0$	( 2.1 $\pm$ 2.2 ) $\times 10^{-7}$		955
$\eta\pi^+\pi^-$	( 4.0 $\pm$ 1.7 ) $\times 10^{-4}$		1487
$\eta\rho$	( 1.93 $\pm$ 0.23 ) $\times 10^{-4}$		1396
$\omega\eta'(958)$	( 1.82 $\pm$ 0.21 ) $\times 10^{-4}$		1279
$\omega f_0(980)$	( 1.4 $\pm$ 0.5 ) $\times 10^{-4}$		1267
$\rho\eta'(958)$	( 1.05 $\pm$ 0.18 ) $\times 10^{-4}$		1281
$a_2(1320)^\pm\pi^\mp$	[b] < 4.3 $\times 10^{-3}$	CL=90%	1263
$K\bar{K}_2^*(1430) + \text{c.c.}$	< 4.0 $\times 10^{-3}$	CL=90%	1159
$K_1(1270)^\pm K^\mp$	< 3.0 $\times 10^{-3}$	CL=90%	1231
$K_2^*(1430)^0\bar{K}_2^*(1430)^0$	< 2.9 $\times 10^{-3}$	CL=90%	604
$\phi\pi^0$	$3 \times 10^{-6}$ or $1 \times 10^{-7}$		1377
$\phi\eta(1405) \rightarrow \phi\eta\pi^+\pi^-$	( 2.0 $\pm$ 1.0 ) $\times 10^{-5}$		946
$\omega f'_2(1525)$	< 2.2 $\times 10^{-4}$	CL=90%	1003
$\omega X(1835) \rightarrow \omega p\bar{p}$	< 3.9 $\times 10^{-6}$	CL=95%	-
$\phi X(1835) \rightarrow \phi\eta\pi^+\pi^-$	< 2.8 $\times 10^{-4}$	CL=90%	578
$\phi X(1870) \rightarrow \phi\eta\pi^+\pi^-$	< 6.13 $\times 10^{-5}$	CL=90%	-
$\eta\phi(2170) \rightarrow \eta\phi f_0(980) \rightarrow \eta\phi\pi^+\pi^-$	( 1.2 $\pm$ 0.4 ) $\times 10^{-4}$		628

$\eta\phi(2170) \rightarrow$	<	2.52	$\times 10^{-4}$	CL=90%	-
$\eta K^*(892)^0 \bar{K}^*(892)^0$					
$\Sigma(1385)^0 \bar{\Lambda} + \text{c.c.}$	<	8.2	$\times 10^{-6}$	CL=90%	912
$\Delta(1232)^+ \bar{p}$	<	1	$\times 10^{-4}$	CL=90%	1100
$\Lambda(1520) \bar{\Lambda} + \text{c.c.} \rightarrow \gamma \Lambda \bar{\Lambda}$	<	4.1	$\times 10^{-6}$	CL=90%	-
$\Theta(1540) \bar{\Theta}(1540) \rightarrow$	<	1.1	$\times 10^{-5}$	CL=90%	-
$K_S^0 p K^- \bar{n} + \text{c.c.}$					
$\Theta(1540) K^- \bar{n} \rightarrow K_S^0 p K^- \bar{n}$	<	2.1	$\times 10^{-5}$	CL=90%	-
$\Theta(1540) K_S^0 \bar{p} \rightarrow K_S^0 \bar{p} K^+ n$	<	1.6	$\times 10^{-5}$	CL=90%	-
$\bar{\Theta}(1540) K^+ n \rightarrow K_S^0 \bar{p} K^+ n$	<	5.6	$\times 10^{-5}$	CL=90%	-
$\bar{\Theta}(1540) K_S^0 p \rightarrow K_S^0 p K^- \bar{n}$	<	1.1	$\times 10^{-5}$	CL=90%	-
$\Sigma^0 \bar{\Lambda}$	<	9	$\times 10^{-5}$	CL=90%	1032

**Decays into stable hadrons**

$2(\pi^+ \pi^-) \pi^0$	( 4.1 $\pm 0.5$ ) %	S=2.4	1496
$3(\pi^+ \pi^-) \pi^0$	( 2.9 $\pm 0.6$ ) %		1433
$\pi^+ \pi^- \pi^0$	( 2.11 $\pm 0.07$ ) %	S=1.5	1533
$\pi^+ \pi^- \pi^0 K^+ K^-$	( 1.79 $\pm 0.29$ ) %	S=2.2	1368
$4(\pi^+ \pi^-) \pi^0$	( 9.0 $\pm 3.0$ ) $\times 10^{-3}$		1345
$\pi^+ \pi^- K^+ K^-$	( 6.6 $\pm 0.5$ ) $\times 10^{-3}$		1407
$\pi^+ \pi^- K^+ K^- \eta$	( 1.84 $\pm 0.28$ ) $\times 10^{-3}$		1221
$\pi^0 \pi^0 K^+ K^-$	( 2.45 $\pm 0.31$ ) $\times 10^{-3}$		1410
$K \bar{K} \pi$	( 6.1 $\pm 1.0$ ) $\times 10^{-3}$		1442
$2(\pi^+ \pi^-)$	( 3.57 $\pm 0.30$ ) $\times 10^{-3}$		1517
$3(\pi^+ \pi^-)$	( 4.3 $\pm 0.4$ ) $\times 10^{-3}$		1466
$2(\pi^+ \pi^- \pi^0)$	( 1.62 $\pm 0.21$ ) %		1468
$2(\pi^+ \pi^-) \eta$	( 2.29 $\pm 0.24$ ) $\times 10^{-3}$		1446
$3(\pi^+ \pi^-) \eta$	( 7.2 $\pm 1.5$ ) $\times 10^{-4}$		1379
$p \bar{p}$	( 2.120 $\pm 0.029$ ) $\times 10^{-3}$		1232
$p \bar{p} \pi^0$	( 1.19 $\pm 0.08$ ) $\times 10^{-3}$	S=1.1	1176
$p \bar{p} \pi^+ \pi^-$	( 6.0 $\pm 0.5$ ) $\times 10^{-3}$	S=1.3	1107
$p \bar{p} \pi^+ \pi^- \pi^0$	[c] ( 2.3 $\pm 0.9$ ) $\times 10^{-3}$	S=1.9	1033
$p \bar{p} \eta$	( 2.00 $\pm 0.12$ ) $\times 10^{-3}$		948
$p \bar{p} \rho$	< 3.1 $\times 10^{-4}$	CL=90%	774
$p \bar{p} \omega$	( 9.8 $\pm 1.0$ ) $\times 10^{-4}$	S=1.3	768
$p \bar{p} \eta'(958)$	( 2.1 $\pm 0.4$ ) $\times 10^{-4}$		596
$p \bar{p} a_0(980) \rightarrow p \bar{p} \pi^0 \eta$	( 6.8 $\pm 1.8$ ) $\times 10^{-5}$		-
$p \bar{p} \phi$	( 4.5 $\pm 1.5$ ) $\times 10^{-5}$		527
$n \bar{n}$	( 2.09 $\pm 0.16$ ) $\times 10^{-3}$		1231
$n \bar{n} \pi^+ \pi^-$	( 4 $\pm 4$ ) $\times 10^{-3}$		1106
$\Sigma^+ \bar{\Sigma}^-$	( 1.50 $\pm 0.24$ ) $\times 10^{-3}$		992
$\Sigma^0 \bar{\Sigma}^0$	( 1.29 $\pm 0.09$ ) $\times 10^{-3}$		988
$2(\pi^+ \pi^-) K^+ K^-$	( 4.7 $\pm 0.7$ ) $\times 10^{-3}$	S=1.3	1320
$p \bar{n} \pi^-$	( 2.12 $\pm 0.09$ ) $\times 10^{-3}$		1174

$nN(1440)$	seen	984
$nN(1520)$	seen	928
$nN(1535)$	seen	914
$\Xi^-\Xi^+$	( 8.6 $\pm$ 1.1 ) $\times$ 10 <sup>-4</sup>	S=1.2 807
$\Lambda\bar{\Lambda}$	( 1.61 $\pm$ 0.15 ) $\times$ 10 <sup>-3</sup>	S=1.9 1074
$\Lambda\bar{\Sigma}^-\pi^+$ (or c.c.)	[b] ( 8.3 $\pm$ 0.7 ) $\times$ 10 <sup>-4</sup>	S=1.2 950
$pK^-\bar{\Lambda}$	( 8.9 $\pm$ 1.6 ) $\times$ 10 <sup>-4</sup>	876
$2(K^+K^-)$	( 7.6 $\pm$ 0.9 ) $\times$ 10 <sup>-4</sup>	1131
$pK^-\bar{\Sigma}^0$	( 2.9 $\pm$ 0.8 ) $\times$ 10 <sup>-4</sup>	819
$K^+K^-$	( 2.86 $\pm$ 0.21 ) $\times$ 10 <sup>-4</sup>	1468
$K_S^0K_L^0$	( 2.1 $\pm$ 0.4 ) $\times$ 10 <sup>-4</sup>	S=3.2 1466
$\Lambda\bar{\Lambda}\pi^+\pi^-$	( 4.3 $\pm$ 1.0 ) $\times$ 10 <sup>-3</sup>	903
$\Lambda\bar{\Lambda}\eta$	( 1.62 $\pm$ 0.17 ) $\times$ 10 <sup>-4</sup>	672
$\Lambda\bar{\Lambda}\pi^0$	( 3.8 $\pm$ 0.4 ) $\times$ 10 <sup>-5</sup>	998
$\bar{\Lambda}nK_S^0 + \text{c.c.}$	( 6.5 $\pm$ 1.1 ) $\times$ 10 <sup>-4</sup>	872
$\pi^+\pi^-$	( 1.47 $\pm$ 0.14 ) $\times$ 10 <sup>-4</sup>	1542
$\Lambda\bar{\Sigma}^+ + \text{c.c.}$	( 2.83 $\pm$ 0.23 ) $\times$ 10 <sup>-5</sup>	1034
$K_S^0K_S^0$	< 1 $\times$ 10 <sup>-6</sup>	CL=95% 1466

**Radiative decays**

$3\gamma$	( 1.16 $\pm$ 0.22 ) $\times$ 10 <sup>-5</sup>	1548
$4\gamma$	< 9 $\times$ 10 <sup>-6</sup>	CL=90% 1548
$5\gamma$	< 1.5 $\times$ 10 <sup>-5</sup>	CL=90% 1548
$\gamma\pi^0\pi^0$	( 1.15 $\pm$ 0.05 ) $\times$ 10 <sup>-3</sup>	1543
$\gamma\eta_c(1S)$	( 1.7 $\pm$ 0.4 ) %	S=1.5 111
$\gamma\eta_c(1S) \rightarrow 3\gamma$	( 3.8 $\pm$ 1.3 ) $\times$ 10 <sup>-6</sup>	S=1.1 -
$\gamma\pi^+\pi^-2\pi^0$	( 8.3 $\pm$ 3.1 ) $\times$ 10 <sup>-3</sup>	1518
$\gamma\eta\pi\pi$	( 6.1 $\pm$ 1.0 ) $\times$ 10 <sup>-3</sup>	1487
$\gamma\eta_2(1870) \rightarrow \gamma\eta\pi^+\pi^-$	( 6.2 $\pm$ 2.4 ) $\times$ 10 <sup>-4</sup>	-
$\gamma\eta(1405/1475) \rightarrow \gamma K\bar{K}\pi$	[d] ( 2.8 $\pm$ 0.6 ) $\times$ 10 <sup>-3</sup>	S=1.6 1223
$\gamma\eta(1405/1475) \rightarrow \gamma\gamma\rho^0$	( 7.8 $\pm$ 2.0 ) $\times$ 10 <sup>-5</sup>	S=1.8 1223
$\gamma\eta(1405/1475) \rightarrow \gamma\eta\pi^+\pi^-$	( 3.0 $\pm$ 0.5 ) $\times$ 10 <sup>-4</sup>	-
$\gamma\eta(1405/1475) \rightarrow \gamma\gamma\phi$	< 8.2 $\times$ 10 <sup>-5</sup>	CL=95% -
$\gamma\rho\rho$	( 4.5 $\pm$ 0.8 ) $\times$ 10 <sup>-3</sup>	1340
$\gamma\rho\omega$	< 5.4 $\times$ 10 <sup>-4</sup>	CL=90% 1338
$\gamma\rho\phi$	< 8.8 $\times$ 10 <sup>-5</sup>	CL=90% 1258
$\gamma\eta'(958)$	( 5.15 $\pm$ 0.16 ) $\times$ 10 <sup>-3</sup>	S=1.2 1400
$\gamma 2\pi^+ 2\pi^-$	( 2.8 $\pm$ 0.5 ) $\times$ 10 <sup>-3</sup>	S=1.9 1517
$\gamma f_2(1270) f_2(1270)$	( 9.5 $\pm$ 1.7 ) $\times$ 10 <sup>-4</sup>	878
$\gamma f_2(1270) f_2(1270)$ (non resonant)	( 8.2 $\pm$ 1.9 ) $\times$ 10 <sup>-4</sup>	-
$\gamma K^+K^-\pi^+\pi^-$	( 2.1 $\pm$ 0.6 ) $\times$ 10 <sup>-3</sup>	1407
$\gamma f_4(2050)$	( 2.7 $\pm$ 0.7 ) $\times$ 10 <sup>-3</sup>	891
$\gamma\omega\omega$	( 1.61 $\pm$ 0.33 ) $\times$ 10 <sup>-3</sup>	1336

$\gamma\eta(1405/1475) \rightarrow \gamma\rho^0\rho^0$	( 1.7 $\pm$ 0.4 ) $\times 10^{-3}$	S=1.3	1223
$\gamma f_2(1270)$	( 1.64 $\pm$ 0.12 ) $\times 10^{-3}$	S=1.3	1286
$\gamma f_0(1370) \rightarrow \gamma K\bar{K}$	( 4.2 $\pm$ 1.5 ) $\times 10^{-4}$		-
$\gamma f_0(1710) \rightarrow \gamma K\bar{K}$	( 1.00 $\pm$ 0.11 ) $\times 10^{-3}$	S=1.5	1075
$\gamma f_0(1710) \rightarrow \gamma\pi\pi$	( 3.8 $\pm$ 0.5 ) $\times 10^{-4}$		-
$\gamma f_0(1710) \rightarrow \gamma\omega\omega$	( 3.1 $\pm$ 1.0 ) $\times 10^{-4}$		-
$\gamma f_0(1710) \rightarrow \gamma\eta\eta$	( 2.4 $\pm$ 1.2 ) $\times 10^{-4}$		-
$\gamma\eta$	( 1.104 $\pm$ 0.034 ) $\times 10^{-3}$		1500
$\gamma f_1(1420) \rightarrow \gamma K\bar{K}\pi$	( 7.9 $\pm$ 1.3 ) $\times 10^{-4}$		1220
$\gamma f_1(1285)$	( 6.1 $\pm$ 0.8 ) $\times 10^{-4}$		1283
$\gamma f_1(1510) \rightarrow \gamma\eta\pi^+\pi^-$	( 4.5 $\pm$ 1.2 ) $\times 10^{-4}$		-
$\gamma f'_2(1525)$	( 5.7 $\pm$ 0.8 ) $\times 10^{-4}$	S=1.5	1173
$\gamma f'_2(1525) \rightarrow \gamma\eta\eta$	( 3.4 $\pm$ 1.4 ) $\times 10^{-5}$		-
$\gamma f_2(1640) \rightarrow \gamma\omega\omega$	( 2.8 $\pm$ 1.8 ) $\times 10^{-4}$		-
$\gamma f_2(1910) \rightarrow \gamma\omega\omega$	( 2.0 $\pm$ 1.4 ) $\times 10^{-4}$		-
$\gamma f_0(1800) \rightarrow \gamma\omega\phi$	( 2.5 $\pm$ 0.6 ) $\times 10^{-4}$		-
$\gamma f_2(1810) \rightarrow \gamma\eta\eta$	( 5.4 $\pm$ 3.5 ) $\times 10^{-5}$		-
$\gamma f_2(1950) \rightarrow \gamma K^*(892)\bar{K}^*(892)$	( 7.0 $\pm$ 2.2 ) $\times 10^{-4}$		-
$\gamma K^*(892)\bar{K}^*(892)$	( 4.0 $\pm$ 1.3 ) $\times 10^{-3}$		1266
$\gamma\phi\phi$	( 4.0 $\pm$ 1.2 ) $\times 10^{-4}$	S=2.1	1166
$\gamma p\bar{p}$	( 3.8 $\pm$ 1.0 ) $\times 10^{-4}$		1232
$\gamma\eta(2225)$	( 3.3 $\pm$ 0.5 ) $\times 10^{-4}$		749
$\gamma\eta(1760) \rightarrow \gamma\rho^0\rho^0$	( 1.3 $\pm$ 0.9 ) $\times 10^{-4}$		1048
$\gamma\eta(1760) \rightarrow \gamma\omega\omega$	( 1.98 $\pm$ 0.33 ) $\times 10^{-3}$		-
$\gamma X(1835) \rightarrow \gamma\pi^+\pi^-\eta'$	( 2.6 $\pm$ 0.4 ) $\times 10^{-4}$		1006
$\gamma X(1835) \rightarrow \gamma p\bar{p}$	( 7.7 $\pm$ 1.5 ) $\times 10^{-5}$		-
$\gamma X(1835) \rightarrow \gamma K_S^0 K_S^0\eta$	( 3.3 $\pm$ 2.0 ) $\times 10^{-5}$		-
$\gamma X(1840) \rightarrow \gamma 3(\pi^+\pi^-)$	( 2.4 $\pm$ 0.7 ) $\times 10^{-5}$		-
$\gamma(K\bar{K}\pi) [J^{PC} = 0^-+]$	( 7 $\pm$ 4 ) $\times 10^{-4}$	S=2.1	1442
$\gamma\pi^0$	( 3.49 $\pm$ 0.33 ) $\times 10^{-5}$		1546
$\gamma p\bar{p}\pi^+\pi^-$	< 7.9 $\times 10^{-4}$	CL=90%	1107
$\gamma\Lambda\bar{\Lambda}$	< 1.3 $\times 10^{-4}$	CL=90%	1074
$\gamma f_0(2100) \rightarrow \gamma\eta\eta$	( 1.13 $\pm$ 0.60 ) $\times 10^{-4}$		-
$\gamma f_0(2100) \rightarrow \gamma\pi\pi$	( 6.2 $\pm$ 1.0 ) $\times 10^{-4}$		-
$\gamma f_0(2200) \rightarrow \gamma K\bar{K}$	( 5.9 $\pm$ 1.3 ) $\times 10^{-4}$		-
$\gamma f_J(2220) \rightarrow \gamma\pi\pi$	< 3.9 $\times 10^{-5}$	CL=90%	-
$\gamma f_J(2220) \rightarrow \gamma K\bar{K}$	< 4.1 $\times 10^{-5}$	CL=90%	-

$\gamma f_J(2220) \rightarrow \gamma p\bar{p}$	( 1.5 $\pm$ 0.8 ) $\times 10^{-5}$	-
$\gamma f_2(2340) \rightarrow \gamma\eta\eta$	( 5.6 $\pm$ 2.4 ) $\times 10^{-5}$	-
$\gamma f_0(1500) \rightarrow \gamma\pi\pi$	( 1.09 $\pm$ 0.24 ) $\times 10^{-4}$	1183
$\gamma f_0(1500) \rightarrow \gamma\eta\eta$	( 1.7 $\pm$ 0.6 ) $\times 10^{-5}$	-
$\gamma A \rightarrow \gamma$ invisible	[e] < 6.3 $\times 10^{-6}$	CL=90%
$\gamma A^0 \rightarrow \gamma\mu^+\mu^-$	[f] < 2.1 $\times 10^{-5}$	CL=90%

**Dalitz decays**

$\pi^0 e^+ e^-$	( 7.6 $\pm$ 1.4 ) $\times 10^{-7}$	1546
$\eta e^+ e^-$	( 1.16 $\pm$ 0.09 ) $\times 10^{-5}$	1500
$\eta'(958) e^+ e^-$	( 5.81 $\pm$ 0.35 ) $\times 10^{-5}$	1400

**Weak decays**

$D^- e^+ \nu_e + \text{c.c.}$	< 1.2	$\times 10^{-5}$	CL=90%	984
$\overline{D}^0 e^+ e^- + \text{c.c.}$	< 1.1	$\times 10^{-5}$	CL=90%	987
$D_s^- e^+ \nu_e + \text{c.c.}$	< 1.3	$\times 10^{-6}$	CL=90%	923
$D_s^{*-} e^+ \nu_e + \text{c.c.}$	< 1.8	$\times 10^{-6}$	CL=90%	828
$D^- \pi^+ + \text{c.c.}$	< 7.5	$\times 10^{-5}$	CL=90%	977
$\overline{D}^0 \overline{K}^0 + \text{c.c.}$	< 1.7	$\times 10^{-4}$	CL=90%	898
$\overline{D}^0 \overline{K}^{*0} + \text{c.c.}$	< 2.5	$\times 10^{-6}$	CL=90%	670
$D_s^- \pi^+ + \text{c.c.}$	< 1.3	$\times 10^{-4}$	CL=90%	916
$D_s^- \rho^+ + \text{c.c.}$	< 1.3	$\times 10^{-5}$	CL=90%	663

**Charge conjugation ( $C$ ), Parity ( $P$ ), Lepton Family number ( $LF$ ) violating modes**

$\gamma\gamma$	$C$	< 2.7	$\times 10^{-7}$	CL=90%	1548
$\gamma\phi$	$C$	< 1.4	$\times 10^{-6}$	CL=90%	1381
$e^\pm \mu^\mp$	$LF$	< 1.6	$\times 10^{-7}$	CL=90%	1547
$e^\pm \tau^\mp$	$LF$	< 8.3	$\times 10^{-6}$	CL=90%	1039
$\mu^\pm \tau^\mp$	$LF$	< 2.0	$\times 10^{-6}$	CL=90%	1035

**Other decays**

invisible	< 7	$\times 10^{-4}$	CL=90%	-
-----------	-----	------------------	--------	---

 **$\chi_{c0}(1P)$**  $I^G(J^{PC}) = 0^+(0^{++})$ Mass  $m = 3414.75 \pm 0.31$  MeVFull width  $\Gamma = 10.5 \pm 0.6$  MeV

<b><math>\chi_{c0}(1P)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/ Confidence level	$p$ (MeV/c)
---	--------------------------------	-----------------------------------	----------------

**Hadronic decays**

$2(\pi^+ \pi^-)$	(2.24 $\pm$ 0.18) %	1679
$\rho^0 \pi^+ \pi^-$	(8.7 $\pm$ 2.8) $\times 10^{-3}$	1607

$f_0(980) f_0(980)$	$(6.5 \pm 2.1) \times 10^{-4}$	1391
$\pi^+ \pi^- \pi^0 \pi^0$	$(3.3 \pm 0.4) \%$	1680
$\rho^+ \pi^- \pi^0 + \text{c.c.}$	$(2.8 \pm 0.4) \%$	1607
$4\pi^0$	$(3.2 \pm 0.4) \times 10^{-3}$	1681
$\pi^+ \pi^- K^+ K^-$	$(1.75 \pm 0.14) \%$	1580
$K_0^*(1430)^0 \bar{K}_0^*(1430)^0 \rightarrow \pi^+ \pi^- K^+ K^-$	$(9.6 \pm 3.5) \times 10^{-4}$	—
$K_0^*(1430)^0 \bar{K}_2^*(1430)^0 + \text{c.c.} \rightarrow \pi^+ \pi^- K^+ K^-$	$(7.8 \pm 1.9) \times 10^{-4}$	—
$K_1(1270)^+ K^- + \text{c.c.} \rightarrow \pi^+ \pi^- K^+ K^-$	$(6.1 \pm 1.9) \times 10^{-3}$	—
$K_1(1400)^+ K^- + \text{c.c.} \rightarrow \pi^+ \pi^- K^+ K^-$	$< 2.6 \times 10^{-3}$	CL=90% —
$f_0(980) f_0(980)$	$(1.6 \pm 1.0) \times 10^{-4}$	1391
$f_0(980) f_0(2200)$	$(7.8 \pm 2.0) \times 10^{-4}$	584
$f_0(1370) f_0(1370)$	$< 2.7 \times 10^{-4}$	CL=90% 1019
$f_0(1370) f_0(1500)$	$< 1.7 \times 10^{-4}$	CL=90% 921
$f_0(1370) f_0(1710)$	$(6.6 \pm 3.5) \times 10^{-4}$	720
$f_0(1500) f_0(1370)$	$< 1.3 \times 10^{-4}$	CL=90% 921
$f_0(1500) f_0(1500)$	$< 5 \times 10^{-5}$	CL=90% 807
$f_0(1500) f_0(1710)$	$< 7 \times 10^{-5}$	CL=90% 557
$K^+ K^- \pi^+ \pi^- \pi^0$	$(8.6 \pm 0.9) \times 10^{-3}$	1545
$K_S^0 K^\pm \pi^\mp \pi^+ \pi^-$	$(4.2 \pm 0.4) \times 10^{-3}$	1544
$K^+ K^- \pi^0 \pi^0$	$(5.4 \pm 0.9) \times 10^{-3}$	1582
$K^+ \pi^- \bar{K}^0 \pi^0 + \text{c.c.}$	$(2.44 \pm 0.33) \%$	1581
$\rho^+ K^- K^0 + \text{c.c.}$	$(1.18 \pm 0.21) \%$	1458
$K^*(892)^- K^+ \pi^0 \rightarrow K^+ \pi^- \bar{K}^0 \pi^0 + \text{c.c.}$	$(4.5 \pm 1.1) \times 10^{-3}$	—
$K_S^0 K_S^0 \pi^+ \pi^-$	$(5.6 \pm 1.0) \times 10^{-3}$	1579
$K^+ K^- \eta \pi^0$	$(3.0 \pm 0.7) \times 10^{-3}$	1468
$3(\pi^+ \pi^-)$	$(1.20 \pm 0.18) \%$	1633
$K^+ \bar{K}^*(892)^0 \pi^- + \text{c.c.}$	$(7.2 \pm 1.6) \times 10^{-3}$	1523
$K^*(892)^0 \bar{K}^*(892)^0$	$(1.7 \pm 0.6) \times 10^{-3}$	1456
$\pi \pi$	$(8.33 \pm 0.35) \times 10^{-3}$	1702
$\pi^0 \eta$	$< 1.8 \times 10^{-4}$	1661
$\pi^0 \eta'$	$< 1.1 \times 10^{-3}$	1570
$\pi^0 \eta_c$	$< 1.6 \times 10^{-3}$	CL=90% 384
$\eta \eta$	$(2.95 \pm 0.19) \times 10^{-3}$	1617
$\eta \eta'$	$< 2.3 \times 10^{-4}$	CL=90% 1521
$\eta' \eta'$	$(1.96 \pm 0.21) \times 10^{-3}$	1413
$\omega \omega$	$(9.5 \pm 1.1) \times 10^{-4}$	1517
$\omega \phi$	$(1.16 \pm 0.21) \times 10^{-4}$	1447

$\omega K^+ K^-$	$(1.94 \pm 0.21) \times 10^{-3}$		1457
$K^+ K^-$	$(5.91 \pm 0.32) \times 10^{-3}$		1634
$K_S^0 K_S^0$	$(3.10 \pm 0.18) \times 10^{-3}$		1633
$\pi^+ \pi^- \eta$	$< 1.9 \times 10^{-4}$	CL=90%	1651
$\pi^+ \pi^- \eta'$	$< 3.5 \times 10^{-4}$	CL=90%	1560
$\bar{K}^0 K^+ \pi^- + \text{c.c.}$	$< 9 \times 10^{-5}$	CL=90%	1610
$K^+ K^- \pi^0$	$< 6 \times 10^{-5}$	CL=90%	1611
$K^+ K^- \eta$	$< 2.2 \times 10^{-4}$	CL=90%	1512
$K^+ K^- K_S^0 K_S^0$	$(1.4 \pm 0.5) \times 10^{-3}$		1331
$K^+ K^- K^+ K^-$	$(2.75 \pm 0.28) \times 10^{-3}$		1333
$K^+ K^- \phi$	$(9.5 \pm 2.4) \times 10^{-4}$		1381
$\bar{K}^0 K^+ \pi^- \phi + \text{c.c.}$	$(3.7 \pm 0.6) \times 10^{-3}$		1326
$K^+ K^- \pi^0 \phi$	$(1.90 \pm 0.35) \times 10^{-3}$		1329
$\phi \pi^+ \pi^- \pi^0$	$(1.18 \pm 0.15) \times 10^{-3}$		1525
$\phi \phi$	$(7.7 \pm 0.7) \times 10^{-4}$		1370
$p \bar{p}$	$(2.25 \pm 0.09) \times 10^{-4}$		1426
$p \bar{p} \pi^0$	$(6.8 \pm 0.7) \times 10^{-4}$	S=1.3	1379
$p \bar{p} \eta$	$(3.5 \pm 0.4) \times 10^{-4}$		1187
$p \bar{p} \omega$	$(5.1 \pm 0.6) \times 10^{-4}$		1043
$p \bar{p} \phi$	$(5.9 \pm 1.4) \times 10^{-5}$		876
$p \bar{p} \pi^+ \pi^-$	$(2.1 \pm 0.7) \times 10^{-3}$	S=1.4	1320
$p \bar{p} \pi^0 \pi^0$	$(1.02 \pm 0.27) \times 10^{-3}$		1324
$p \bar{p} K^+ K^- (\text{non-resonant})$	$(1.19 \pm 0.26) \times 10^{-4}$		890
$p \bar{p} K_S^0 K_S^0$	$< 8.8 \times 10^{-4}$	CL=90%	884
$p \bar{n} \pi^-$	$(1.24 \pm 0.11) \times 10^{-3}$		1376
$\bar{p} n \pi^+$	$(1.34 \pm 0.12) \times 10^{-3}$		1376
$p \bar{n} \pi^- \pi^0$	$(2.29 \pm 0.21) \times 10^{-3}$		1321
$\bar{p} n \pi^+ \pi^0$	$(2.16 \pm 0.18) \times 10^{-3}$		1321
$\Lambda \bar{\Lambda}$	$(3.21 \pm 0.25) \times 10^{-4}$		1292
$\Lambda \bar{\Lambda} \pi^+ \pi^-$	$(1.15 \pm 0.13) \times 10^{-3}$		1153
$\Lambda \bar{\Lambda} \pi^+ \pi^- (\text{non-resonant})$	$< 5 \times 10^{-4}$	CL=90%	1153
$\Sigma(1385)^+ \bar{\Lambda} \pi^- + \text{c.c.}$	$< 5 \times 10^{-4}$	CL=90%	1083
$\Sigma(1385)^- \bar{\Lambda} \pi^+ + \text{c.c.}$	$< 5 \times 10^{-4}$	CL=90%	1083
$K^+ \bar{p} \Lambda + \text{c.c.}$	$(1.22 \pm 0.12) \times 10^{-3}$	S=1.3	1132
$K^+ \bar{p} \Lambda(1520) + \text{c.c.}$	$(2.9 \pm 0.7) \times 10^{-4}$		858
$\Lambda(1520) \bar{\Lambda}(1520)$	$(3.1 \pm 1.2) \times 10^{-4}$		779
$\Sigma^0 \bar{\Sigma}^0$	$(4.4 \pm 0.4) \times 10^{-4}$		1222
$\Sigma^+ \bar{\Sigma}^-$	$(3.9 \pm 0.7) \times 10^{-4}$	S=1.7	1225
$\Sigma(1385)^+ \bar{\Sigma}(1385)^-$	$(1.6 \pm 0.6) \times 10^{-4}$		1001
$\Sigma(1385)^- \bar{\Sigma}(1385)^+$	$(2.3 \pm 0.6) \times 10^{-4}$		1001
$K^- \Lambda \bar{\Xi}^+ + \text{c.c.}$	$(1.90 \pm 0.34) \times 10^{-4}$		873
$\Xi^0 \bar{\Xi}^0$	$(3.1 \pm 0.8) \times 10^{-4}$		1089
$\Xi^- \bar{\Xi}^+$	$(4.7 \pm 0.7) \times 10^{-4}$		1081
$\eta_c \pi^+ \pi^-$	$< 7 \times 10^{-4}$	CL=90%	308

**Radiative decays**

$\gamma J/\psi(1S)$	( $1.27 \pm 0.06$ ) %		303
$\gamma\rho^0$	$< 9 \times 10^{-6}$	CL=90%	1619
$\gamma\omega$	$< 8 \times 10^{-6}$	CL=90%	1618
$\gamma\phi$	$< 6 \times 10^{-6}$	CL=90%	1555
$\gamma\gamma$	$(2.23 \pm 0.13) \times 10^{-4}$		1707

 **$\chi_{c1}(1P)$** 

$I^G(JPC) = 0^+(1^{++})$

Mass  $m = 3510.66 \pm 0.07$  MeV ( $S = 1.5$ )Full width  $\Gamma = 0.84 \pm 0.04$  MeV

<b><math>\chi_{c1}(1P)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/ Confidence level	$p$ (MeV/c)
<b>Hadronic decays</b>			
$3(\pi^+\pi^-)$	$(5.8 \pm 1.4) \times 10^{-3}$	S=1.2	1683
$2(\pi^+\pi^-)$	$(7.6 \pm 2.6) \times 10^{-3}$		1728
$\pi^+\pi^-\pi^0\pi^0$	$(1.22 \pm 0.16) \%$		1729
$\rho^+\pi^-\pi^0 + \text{c.c.}$	$(1.48 \pm 0.25) \%$		1658
$\rho^0\pi^+\pi^-$	$(3.9 \pm 3.5) \times 10^{-3}$		1657
$4\pi^0$	$(5.5 \pm 0.8) \times 10^{-4}$		1729
$\pi^+\pi^-K^+K^-$	$(4.5 \pm 1.0) \times 10^{-3}$		1632
$K^+K^-\pi^0\pi^0$	$(1.14 \pm 0.28) \times 10^{-3}$		1634
$K^+K^-\pi^+\pi^-\pi^0$	$(1.15 \pm 0.13) \%$		1598
$K_S^0K^\pm\pi^\mp\pi^+\pi^-$	$(7.5 \pm 0.8) \times 10^{-3}$		1596
$K^+\pi^-\bar{K}^0\pi^0 + \text{c.c.}$	$(8.7 \pm 1.4) \times 10^{-3}$		1632
$\rho^-\bar{K}^+\bar{K}^0 + \text{c.c.}$	$(5.1 \pm 1.2) \times 10^{-3}$		1514
$K^*(892)^0\bar{K}^0\pi^0 \rightarrow K^+\pi^-\bar{K}^0\pi^0 + \text{c.c.}$	$(2.4 \pm 0.7) \times 10^{-3}$		—
$K^+K^-\eta\pi^0$	$(1.14 \pm 0.35) \times 10^{-3}$		1523
$\pi^+\pi^-K_S^0K_S^0$	$(7.0 \pm 3.0) \times 10^{-4}$		1630
$K^+K^-\eta$	$(3.2 \pm 1.0) \times 10^{-4}$		1566
$\bar{K}^0K^+\pi^- + \text{c.c.}$	$(7.1 \pm 0.6) \times 10^{-3}$		1661
$K^*(892)^0\bar{K}^0 + \text{c.c.}$	$(1.0 \pm 0.4) \times 10^{-3}$		1602
$K^*(892)^+K^- + \text{c.c.}$	$(1.5 \pm 0.7) \times 10^{-3}$		1602
$K_J^*(1430)^0\bar{K}^0 + \text{c.c.} \rightarrow K_S^0K^+\pi^- + \text{c.c.}$	$< 8 \times 10^{-4}$	CL=90%	—
$K_J^*(1430)^+K^- + \text{c.c.} \rightarrow K_S^0K^+\pi^- + \text{c.c.}$	$< 2.2 \times 10^{-3}$	CL=90%	—
$K^+K^-\pi^0$	$(1.85 \pm 0.25) \times 10^{-3}$		1662
$\eta\pi^+\pi^-$	$(4.9 \pm 0.5) \times 10^{-3}$		1701
$a_0(980)^+\pi^- + \text{c.c.} \rightarrow \eta\pi^+\pi^-$	$(1.8 \pm 0.6) \times 10^{-3}$		—
$f_2(1270)\eta$	$(2.7 \pm 0.8) \times 10^{-3}$		1467

$\pi^+ \pi^- \eta'$	( 2.3 $\pm$ 0.5 ) $\times 10^{-3}$	1612
$K^+ K^- \eta'(958)$	( 8.8 $\pm$ 0.9 ) $\times 10^{-4}$	1461
$K_0^*(1430)^+ K^- + \text{c.c.}$	( 6.4 $\pm$ 2.2 ) $\times 10^{-4}$	—
$f_0(980) \eta'(958)$	( 1.6 $\pm$ 1.4 ) $\times 10^{-4}$	1460
$f_0(1710) \eta'(958)$	( 7 $\pm$ 7 ) $\times 10^{-5}$	1106
$f'_2(1525) \eta'(958)$	( 9 $\pm$ 6 ) $\times 10^{-5}$	1225
$\pi^0 f_0(980) \rightarrow \pi^0 \pi^+ \pi^-$	< 6 $\times 10^{-6}$	CL=90% —
$K^+ \bar{K}^*(892)^0 \pi^- + \text{c.c.}$	( 3.2 $\pm$ 2.1 ) $\times 10^{-3}$	1577
$K^*(892)^0 \bar{K}^*(892)^0$	( 1.5 $\pm$ 0.4 ) $\times 10^{-3}$	1512
$K^+ K^- K_S^0 K_S^0$	< 4 $\times 10^{-4}$	CL=90% 1390
$K^+ K^- K^+ K^-$	( 5.5 $\pm$ 1.1 ) $\times 10^{-4}$	1393
$K^+ K^- \phi$	( 4.2 $\pm$ 1.6 ) $\times 10^{-4}$	1440
$\bar{K}^0 K^+ \pi^- \phi + \text{c.c.}$	( 3.3 $\pm$ 0.5 ) $\times 10^{-3}$	1387
$K^+ K^- \pi^0 \phi$	( 1.62 $\pm$ 0.30 ) $\times 10^{-3}$	1390
$\phi \pi^+ \pi^- \pi^0$	( 7.5 $\pm$ 1.0 ) $\times 10^{-4}$	1578
$\omega \omega$	( 5.8 $\pm$ 0.7 ) $\times 10^{-4}$	1571
$\omega K^+ K^-$	( 7.8 $\pm$ 0.9 ) $\times 10^{-4}$	1513
$\omega \phi$	( 2.1 $\pm$ 0.6 ) $\times 10^{-5}$	1503
$\phi \phi$	( 4.2 $\pm$ 0.5 ) $\times 10^{-4}$	1429
$p \bar{p}$	( 7.72 $\pm$ 0.35 ) $\times 10^{-5}$	1484
$p \bar{p} \pi^0$	( 1.59 $\pm$ 0.19 ) $\times 10^{-4}$	1438
$p \bar{p} \eta$	( 1.48 $\pm$ 0.25 ) $\times 10^{-4}$	1254
$p \bar{p} \omega$	( 2.16 $\pm$ 0.31 ) $\times 10^{-4}$	1117
$p \bar{p} \phi$	< 1.8 $\times 10^{-5}$	CL=90% 962
$p \bar{p} \pi^+ \pi^-$	( 5.0 $\pm$ 1.9 ) $\times 10^{-4}$	1381
$p \bar{p} K^+ K^- (\text{non-resonant})$	( 1.30 $\pm$ 0.23 ) $\times 10^{-4}$	974
$p \bar{p} K_S^0 K_S^0$	< 4.5 $\times 10^{-4}$	CL=90% 968
$p \bar{n} \pi^-$	( 3.9 $\pm$ 0.5 ) $\times 10^{-4}$	1435
$\bar{p} n \pi^+$	( 4.0 $\pm$ 0.5 ) $\times 10^{-4}$	1435
$p \bar{n} \pi^- \pi^0$	( 1.05 $\pm$ 0.12 ) $\times 10^{-3}$	1383
$\bar{p} n \pi^+ \pi^0$	( 1.03 $\pm$ 0.12 ) $\times 10^{-3}$	1383
$\Lambda \bar{\Lambda}$	( 1.16 $\pm$ 0.12 ) $\times 10^{-4}$	1355
$\Lambda \bar{\Lambda} \pi^+ \pi^-$	( 3.0 $\pm$ 0.5 ) $\times 10^{-4}$	1223
$\Lambda \bar{\Lambda} \pi^+ \pi^- (\text{non-resonant})$	( 2.5 $\pm$ 0.6 ) $\times 10^{-4}$	1223
$\Sigma(1385)^+ \bar{\Lambda} \pi^- + \text{c.c.}$	< 1.3 $\times 10^{-4}$	CL=90% 1157
$\Sigma(1385)^- \bar{\Lambda} \pi^+ + \text{c.c.}$	< 1.3 $\times 10^{-4}$	CL=90% 1157
$K^+ \bar{p} \Lambda$	( 4.2 $\pm$ 0.4 ) $\times 10^{-4}$	S=1.1 1203
$K^+ \bar{p} \Lambda(1520) + \text{c.c.}$	( 1.7 $\pm$ 0.5 ) $\times 10^{-4}$	950
$\Lambda(1520) \bar{\Lambda}(1520)$	< 1.0 $\times 10^{-4}$	CL=90% 879
$\Sigma^0 \bar{\Sigma}^0$	< 4 $\times 10^{-5}$	CL=90% 1288
$\Sigma^+ \bar{\Sigma}^-$	< 6 $\times 10^{-5}$	CL=90% 1291
$\Sigma(1385)^+ \bar{\Sigma}(1385)^-$	< 1.0 $\times 10^{-4}$	CL=90% 1081

$\Sigma(1385)^-\bar{\Sigma}(1385)^+$	< 5	$\times 10^{-5}$	CL=90%	1081
$K^-\Lambda\Xi^+ + \text{c.c.}$	( $1.38 \pm 0.25$ )	$\times 10^{-4}$		963
$\Xi^0\Xi^0$	< 6	$\times 10^{-5}$	CL=90%	1163
$\Xi^-\Xi^+$	( $8.2 \pm 2.2$ )	$\times 10^{-5}$		1155
$\pi^+\pi^- + K^+K^-$	< 2.1	$\times 10^{-3}$		-
$K_S^0K_S^0$	< 6	$\times 10^{-5}$	CL=90%	1683
$\eta_c\pi^+\pi^-$	< 3.2	$\times 10^{-3}$	CL=90%	413

**Radiative decays**

$\gamma J/\psi(1S)$	( $33.9 \pm 1.2$ ) %		389
$\gamma\rho^0$	( $2.20 \pm 0.18$ ) $\times 10^{-4}$		1670
$\gamma\omega$	( $6.9 \pm 0.8$ ) $\times 10^{-5}$		1668
$\gamma\phi$	( $2.5 \pm 0.5$ ) $\times 10^{-5}$		1607

 **$h_c(1P)$** 

$I^G(J^{PC}) = ?^?(1+-)$

Mass  $m = 3525.38 \pm 0.11$  MeVFull width  $\Gamma = 0.7 \pm 0.4$  MeV

<b><math>h_c(1P)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	Confidence level	$p$ (MeV/c)
$J/\psi(1S)\pi\pi$	not seen		312
$p\bar{p}$	< 1.5 $\times 10^{-4}$	90%	1492
$\eta_c(1S)\gamma$	( $51 \pm 6$ ) %		500
$\pi^+\pi^-\pi^0$	< 2.2 $\times 10^{-3}$		1749
$2\pi^+2\pi^-\pi^0$	( $2.2 \pm 0.8$ ) %		1716
$3\pi^+3\pi^-\pi^0$	< 2.9 %		1661

 **$\chi_{c2}(1P)$** 

$I^G(J^{PC}) = 0^+(2++)$

Mass  $m = 3556.20 \pm 0.09$  MeVFull width  $\Gamma = 1.93 \pm 0.11$  MeV

<b><math>\chi_{c2}(1P)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	Confidence level	$p$ (MeV/c)
<b>Hadronic decays</b>			
$2(\pi^+\pi^-)$	( $1.07 \pm 0.10$ ) %		1751
$\pi^+\pi^-\pi^0\pi^0$	( $1.91 \pm 0.25$ ) %		1752
$\rho^+\pi^-\pi^0 + \text{c.c.}$	( $2.3 \pm 0.4$ ) %		1682
$4\pi^0$	( $1.16 \pm 0.16$ ) $\times 10^{-3}$		1752
$K^+K^-\pi^0\pi^0$	( $2.2 \pm 0.4$ ) $\times 10^{-3}$		1658
$K^+\pi^-\bar{K}^0\pi^0 + \text{c.c.}$	( $1.44 \pm 0.21$ ) %		1657
$\rho^-\bar{K}^0\bar{K}^0 + \text{c.c.}$	( $4.3 \pm 1.3$ ) $\times 10^{-3}$		1540

$K^*(892)^0 K^- \pi^+ \rightarrow$	$( 3.1 \pm 0.8 ) \times 10^{-3}$	-
$K^- \pi^+ K^0 \pi^0 + \text{c.c.}$		
$K^*(892)^0 \bar{K}^0 \pi^0 \rightarrow$	$( 4.0 \pm 0.9 ) \times 10^{-3}$	-
$K^+ \pi^- \bar{K}^0 \pi^0 + \text{c.c.}$		
$K^*(892)^- K^+ \pi^0 \rightarrow$	$( 3.9 \pm 0.9 ) \times 10^{-3}$	-
$K^+ \pi^- \bar{K}^0 \pi^0 + \text{c.c.}$		
$K^*(892)^+ \bar{K}^0 \pi^- \rightarrow$	$( 3.1 \pm 0.8 ) \times 10^{-3}$	-
$K^+ \pi^- \bar{K}^0 \pi^0 + \text{c.c.}$		
$K^+ K^- \eta \pi^0$	$( 1.3 \pm 0.5 ) \times 10^{-3}$	1549
$K^+ K^- \pi^+ \pi^-$	$( 8.9 \pm 1.0 ) \times 10^{-3}$	1656
$K^+ K^- \pi^+ \pi^- \pi^0$	$( 1.17 \pm 0.13 ) \%$	1623
$K_S^0 K^\pm \pi^\mp \pi^+ \pi^-$	$( 7.3 \pm 0.8 ) \times 10^{-3}$	1621
$K^+ \bar{K}^*(892)^0 \pi^- + \text{c.c.}$	$( 2.2 \pm 1.1 ) \times 10^{-3}$	1602
$K^*(892)^0 \bar{K}^*(892)^0$	$( 2.4 \pm 0.5 ) \times 10^{-3}$	1538
$3(\pi^+ \pi^-)$	$( 8.6 \pm 1.8 ) \times 10^{-3}$	1707
$\phi \phi$	$( 1.12 \pm 0.10 ) \times 10^{-3}$	1457
$\omega \omega$	$( 8.8 \pm 1.1 ) \times 10^{-4}$	1597
$\omega K^+ K^-$	$( 7.3 \pm 0.9 ) \times 10^{-4}$	1540
$\pi \pi$	$( 2.33 \pm 0.12 ) \times 10^{-3}$	1773
$\rho^0 \pi^+ \pi^-$	$( 3.8 \pm 1.6 ) \times 10^{-3}$	1682
$\pi^+ \pi^- \eta$	$( 5.0 \pm 1.3 ) \times 10^{-4}$	1724
$\pi^+ \pi^- \eta'$	$( 5.2 \pm 1.9 ) \times 10^{-4}$	1636
$\eta \eta$	$( 5.7 \pm 0.5 ) \times 10^{-4}$	1692
$K^+ K^-$	$( 1.05 \pm 0.07 ) \times 10^{-3}$	1708
$K_S^0 K_S^0$	$( 5.5 \pm 0.4 ) \times 10^{-4}$	1707
$\bar{K}^0 K^+ \pi^- + \text{c.c.}$	$( 1.34 \pm 0.19 ) \times 10^{-3}$	1685
$K^+ K^- \pi^0$	$( 3.2 \pm 0.8 ) \times 10^{-4}$	1686
$K^+ K^- \eta$	$< 3.4 \times 10^{-4}$	90% 1592
$K^+ K^- \eta'(958)$	$( 1.94 \pm 0.34 ) \times 10^{-4}$	1488
$\eta \eta'$	$< 6 \times 10^{-5}$	90% 1600
$\eta' \eta'$	$< 1.0 \times 10^{-4}$	90% 1498
$\pi^+ \pi^- K_S^0 K_S^0$	$( 2.3 \pm 0.6 ) \times 10^{-3}$	1655
$K^+ K^- K_S^0 K_S^0$	$< 4 \times 10^{-4}$	90% 1418
$K^+ K^- K^+ K^-$	$( 1.73 \pm 0.21 ) \times 10^{-3}$	1421
$K^+ K^- \phi$	$( 1.48 \pm 0.31 ) \times 10^{-3}$	1468
$\bar{K}^0 K^+ \pi^- \phi + \text{c.c.}$	$( 4.8 \pm 0.7 ) \times 10^{-3}$	1416
$K^+ K^- \pi^0 \phi$	$( 2.7 \pm 0.5 ) \times 10^{-3}$	1419
$\phi \pi^+ \pi^- \pi^0$	$( 9.3 \pm 1.2 ) \times 10^{-4}$	1603
$p \bar{p}$	$( 7.5 \pm 0.4 ) \times 10^{-5}$	1510
$p \bar{p} \pi^0$	$( 4.9 \pm 0.4 ) \times 10^{-4}$	1465
$p \bar{p} \eta$	$( 1.82 \pm 0.26 ) \times 10^{-4}$	1285
$p \bar{p} \omega$	$( 3.8 \pm 0.5 ) \times 10^{-4}$	1152
$p \bar{p} \phi$	$( 2.9 \pm 0.9 ) \times 10^{-5}$	1002
$p \bar{p} \pi^+ \pi^-$	$( 1.32 \pm 0.34 ) \times 10^{-3}$	1410

$p\bar{p}\pi^0\pi^0$	$(8.2 \pm 2.5) \times 10^{-4}$		1414
$p\bar{p}K^+K^-$ (non-resonant)	$(2.00 \pm 0.34) \times 10^{-4}$		1013
$p\bar{p}K_S^0K_S^0$	$< 7.9 \times 10^{-4}$	90%	1007
$p\bar{n}\pi^-$	$(8.9 \pm 1.0) \times 10^{-4}$		1463
$\bar{p}n\pi^+$	$(9.3 \pm 0.9) \times 10^{-4}$		1463
$p\bar{n}\pi^-\pi^0$	$(2.27 \pm 0.19) \times 10^{-3}$		1411
$\bar{p}n\pi^+\pi^0$	$(2.21 \pm 0.20) \times 10^{-3}$		1411
$\Lambda\bar{\Lambda}$	$(1.92 \pm 0.16) \times 10^{-4}$		1385
$\Lambda\bar{\Lambda}\pi^+\pi^-$	$(1.31 \pm 0.17) \times 10^{-3}$		1255
$\Lambda\bar{\Lambda}\pi^+\pi^-$ (non-resonant)	$(6.9 \pm 1.6) \times 10^{-4}$		1255
$\Sigma(1385)^+\bar{\Lambda}\pi^- + \text{c.c.}$	$< 4 \times 10^{-4}$	90%	1192
$\Sigma(1385)^-\bar{\Lambda}\pi^+ + \text{c.c.}$	$< 6 \times 10^{-4}$	90%	1192
$K^+\bar{p}\Lambda + \text{c.c.}$	$(8.1 \pm 0.6) \times 10^{-4}$		1236
$K^+\bar{p}\Lambda(1520) + \text{c.c.}$	$(2.9 \pm 0.7) \times 10^{-4}$		992
$\Lambda(1520)\bar{\Lambda}(1520)$	$(4.8 \pm 1.5) \times 10^{-4}$		923
$\Sigma^0\bar{\Sigma}^0$	$< 6 \times 10^{-5}$	90%	1319
$\Sigma^+\bar{\Sigma}^-$	$< 7 \times 10^{-5}$	90%	1322
$\Sigma(1385)^+\bar{\Sigma}(1385)^-$	$< 1.6 \times 10^{-4}$	90%	1118
$\Sigma(1385)^-\bar{\Sigma}(1385)^+$	$< 8 \times 10^{-5}$	90%	1118
$K^-\Lambda\bar{\Xi}^+ + \text{c.c.}$	$(1.84 \pm 0.34) \times 10^{-4}$		1004
$\Xi^0\bar{\Xi}^0$	$< 1.1 \times 10^{-4}$	90%	1197
$\Xi^-\bar{\Xi}^+$	$(1.48 \pm 0.33) \times 10^{-4}$		1189
$J/\psi(1S)\pi^+\pi^-\pi^0$	$< 1.5 \%$	90%	185
$\pi^0\eta_c$	$< 3.2 \times 10^{-3}$	90%	512
$\eta_c(1S)\pi^+\pi^-$	$< 5.4 \times 10^{-3}$	90%	459

**Radiative decays**

$\gamma J/\psi(1S)$	$(19.2 \pm 0.7) \%$		430
$\gamma\rho^0$	$< 2.0 \times 10^{-5}$	90%	1694
$\gamma\omega$	$< 6 \times 10^{-6}$	90%	1692
$\gamma\phi$	$< 8 \times 10^{-6}$	90%	1632
$\gamma\gamma$	$(2.74 \pm 0.14) \times 10^{-4}$		1778

 **$\eta_c(2S)$**  $I^G(J^{PC}) = 0^+(0^-+)$ 

Quantum numbers are quark model predictions.

Mass  $m = 3639.2 \pm 1.2$  MeVFull width  $\Gamma = 11.3^{+3.2}_{-2.9}$  MeV

<b><math>\eta_c(2S)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	Confidence level	$\frac{p}{(\text{MeV}/c)}$
hadrons	not seen		—
$K\bar{K}\pi$	$(1.9 \pm 1.2) \%$		1730
$K\bar{K}\eta$	$(5 \pm 4) \times 10^{-3}$		1638

$2\pi^+ 2\pi^-$	not seen	1793
$\rho^0 \rho^0$	not seen	1646
$3\pi^+ 3\pi^-$	not seen	1750
$K^+ K^- \pi^+ \pi^-$	not seen	1701
$K^{*0} \bar{K}^{*0}$	not seen	1586
$K^+ K^- \pi^+ \pi^- \pi^0$	( $1.4 \pm 1.0$ ) %	1668
$K^+ K^- 2\pi^+ 2\pi^-$	not seen	1628
$K_S^0 K^- 2\pi^+ \pi^- + \text{c.c.}$	seen	1667
$2K^+ 2K^-$	not seen	1471
$\phi \phi$	not seen	1507
$p\bar{p}$	$< 2.0 \times 10^{-3}$	90% 1559
$\gamma\gamma$	( $1.9 \pm 1.3$ ) $\times 10^{-4}$	1820
$\pi^+ \pi^- \eta$	not seen	1767
$\pi^+ \pi^- \eta'$	not seen	1681
$\pi^+ \pi^- \eta_c(1S)$	$< 25$ %	90% 539

 **$\psi(2S)$**  $J^G(J^{PC}) = 0^-(1^{--})$ Mass  $m = 3686.097 \pm 0.025$  MeV ( $S = 2.6$ )Full width  $\Gamma = 296 \pm 8$  keV $\Gamma_{ee} = 2.34 \pm 0.04$  keV

<b><math>\psi(2S)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/ Confidence level	$p$ (MeV/c)
hadrons	(97.85 $\pm 0.13$ ) %	—	—
virtual $\gamma \rightarrow$ hadrons	( $1.73 \pm 0.14$ ) %	S=1.5	—
$ggg$	(10.6 $\pm 1.6$ ) %	—	—
$\gamma gg$	( $1.03 \pm 0.29$ ) %	—	—
light hadrons	(15.4 $\pm 1.5$ ) %	—	—
$e^+ e^-$	( $7.89 \pm 0.17$ ) $\times 10^{-3}$	1843	—
$\mu^+ \mu^-$	( $7.9 \pm 0.9$ ) $\times 10^{-3}$	1840	—
$\tau^+ \tau^-$	( $3.1 \pm 0.4$ ) $\times 10^{-3}$	489	—

**Decays into  $J/\psi(1S)$  and anything**

$J/\psi(1S)$ anything	(61.0 $\pm 0.6$ ) %	—
$J/\psi(1S)$ neutrals	(25.14 $\pm 0.33$ ) %	—
$J/\psi(1S) \pi^+ \pi^-$	(34.49 $\pm 0.30$ ) %	477
$J/\psi(1S) \pi^0 \pi^0$	(18.16 $\pm 0.31$ ) %	481
$J/\psi(1S) \eta$	( $3.36 \pm 0.05$ ) %	199
$J/\psi(1S) \pi^0$	( $1.268 \pm 0.032$ ) $\times 10^{-3}$	528

**Hadronic decays**

$\pi^0 h_c(1P)$	( 8.6 $\pm$ 1.3 ) $\times 10^{-4}$	85
$3(\pi^+ \pi^-) \pi^0$	( 3.5 $\pm$ 1.6 ) $\times 10^{-3}$	1746
$2(\pi^+ \pi^-) \pi^0$	( 2.9 $\pm$ 1.0 ) $\times 10^{-3}$	S=4.7 1799
$\rho a_2(1320)$	( 2.6 $\pm$ 0.9 ) $\times 10^{-4}$	1500
$p\bar{p}$	( 2.88 $\pm$ 0.09 ) $\times 10^{-4}$	1586
$\Delta^{++} \bar{\Delta}^{--}$	( 1.28 $\pm$ 0.35 ) $\times 10^{-4}$	1371
$\Lambda \bar{\Lambda} \pi^0$	< 2.9 $\times 10^{-6}$ CL=90%	1412
$\Lambda \bar{\Lambda} \eta$	( 2.5 $\pm$ 0.4 ) $\times 10^{-5}$	1197
$\Lambda \bar{\rho} K^+$	( 1.00 $\pm$ 0.14 ) $\times 10^{-4}$	1327
$\Lambda \bar{\rho} K^+ \pi^+ \pi^-$	( 1.8 $\pm$ 0.4 ) $\times 10^{-4}$	1167
$\Lambda \bar{\Lambda} \pi^+ \pi^-$	( 2.8 $\pm$ 0.6 ) $\times 10^{-4}$	1346
$\Lambda \bar{\Lambda}$	( 3.57 $\pm$ 0.18 ) $\times 10^{-4}$	1467
$\Lambda \bar{\Sigma}^+ \pi^- + \text{c.c.}$	( 1.40 $\pm$ 0.13 ) $\times 10^{-4}$	1376
$\Lambda \bar{\Sigma}^- \pi^+ + \text{c.c.}$	( 1.54 $\pm$ 0.14 ) $\times 10^{-4}$	1379
$\Sigma^0 \bar{\rho} K^+ + \text{c.c.}$	( 1.67 $\pm$ 0.18 ) $\times 10^{-5}$	1291
$\Sigma^+ \bar{\Sigma}^-$	( 2.51 $\pm$ 0.21 ) $\times 10^{-4}$	1408
$\Sigma^0 \bar{\Sigma}^0$	( 2.32 $\pm$ 0.16 ) $\times 10^{-4}$	1405
$\Sigma(1385)^+ \bar{\Sigma}(1385)^-$	( 1.1 $\pm$ 0.4 ) $\times 10^{-4}$	1218
$\Xi^- \bar{\Xi}^+$	( 2.64 $\pm$ 0.18 ) $\times 10^{-4}$	1284
$\Xi^0 \bar{\Xi}^0$	( 2.07 $\pm$ 0.23 ) $\times 10^{-4}$	1291
$\Xi(1530)^0 \bar{\Xi}(1530)^0$	( 5.2 $\pm$ 3.2 ) $\times 10^{-5}$	1025
$K^- \Lambda \bar{\Xi}^+ + \text{c.c.}$	( 3.9 $\pm$ 0.4 ) $\times 10^{-5}$	1114
$\Xi(1690)^- \bar{\Xi}^+ \rightarrow K^- \Lambda \bar{\Xi}^+ +$	( 5.2 $\pm$ 1.6 ) $\times 10^{-6}$	-
$\Xi(1820)^- \bar{\Xi}^+ \rightarrow K^- \Lambda \bar{\Xi}^+ +$	( 1.20 $\pm$ 0.32 ) $\times 10^{-5}$	-
$K^- \Sigma^0 \bar{\Xi}^+ + \text{c.c.}$	( 3.7 $\pm$ 0.4 ) $\times 10^{-5}$	1060
$\Omega^- \bar{\Omega}^+$	( 4.7 $\pm$ 1.0 ) $\times 10^{-5}$	774
$\pi^0 p\bar{p}$	( 1.53 $\pm$ 0.07 ) $\times 10^{-4}$	1543
$N(940)\bar{p} + \text{c.c.} \rightarrow \pi^0 p\bar{p}$	( 6.4 $\pm$ 1.8 ) $\times 10^{-5}$	-
$N(1440)\bar{p} + \text{c.c.} \rightarrow \pi^0 p\bar{p}$	( 7.3 $\pm$ 1.7 ) $\times 10^{-5}$	S=2.5 -
$N(1520)\bar{p} + \text{c.c.} \rightarrow \pi^0 p\bar{p}$	( 6.4 $\pm$ 2.3 ) $\times 10^{-6}$	-
$N(1535)\bar{p} + \text{c.c.} \rightarrow \pi^0 p\bar{p}$	( 2.5 $\pm$ 1.0 ) $\times 10^{-5}$	-
$N(1650)\bar{p} + \text{c.c.} \rightarrow \pi^0 p\bar{p}$	( 3.8 $\pm$ 1.4 ) $\times 10^{-5}$	-
$N(1720)\bar{p} + \text{c.c.} \rightarrow \pi^0 p\bar{p}$	( 1.79 $\pm$ 0.26 ) $\times 10^{-5}$	-
$N(2300)\bar{p} + \text{c.c.} \rightarrow \pi^0 p\bar{p}$	( 2.6 $\pm$ 1.2 ) $\times 10^{-5}$	-
$N(2570)\bar{p} + \text{c.c.} \rightarrow \pi^0 p\bar{p}$	( 2.13 $\pm$ 0.40 ) $\times 10^{-5}$	-
$\pi^0 f_0(2100) \rightarrow \pi^0 p\bar{p}$	( 1.1 $\pm$ 0.4 ) $\times 10^{-5}$	-
$\eta p\bar{p}$	( 6.0 $\pm$ 0.4 ) $\times 10^{-5}$	1373

$\eta f_0(2100) \rightarrow \eta p\bar{p}$	( 1.2 $\pm$ 0.4 ) $\times 10^{-5}$	-
$N(1535)\bar{p} \rightarrow \eta p\bar{p}$	( 4.4 $\pm$ 0.7 ) $\times 10^{-5}$	-
$\omega p\bar{p}$	( 6.9 $\pm$ 2.1 ) $\times 10^{-5}$	1247
$\phi p\bar{p}$	< 2.4 $\times 10^{-5}$ CL=90%	1109
$\pi^+ \pi^- p\bar{p}$	( 6.0 $\pm$ 0.4 ) $\times 10^{-4}$	1491
$p\bar{n}\pi^-$ or c.c.	( 2.48 $\pm$ 0.17 ) $\times 10^{-4}$	-
$p\bar{n}\pi^- \pi^0$	( 3.2 $\pm$ 0.7 ) $\times 10^{-4}$	1492
$2(\pi^+ \pi^- \pi^0)$	( 4.8 $\pm$ 1.5 ) $\times 10^{-3}$	1776
$\eta \pi^+ \pi^-$	< 1.6 $\times 10^{-4}$ CL=90%	1791
$\eta \pi^+ \pi^- \pi^0$	( 9.5 $\pm$ 1.7 ) $\times 10^{-4}$	1778
$2(\pi^+ \pi^-) \eta$	( 1.2 $\pm$ 0.6 ) $\times 10^{-3}$	1758
$\eta' \pi^+ \pi^- \pi^0$	( 4.5 $\pm$ 2.1 ) $\times 10^{-4}$	1692
$\omega \pi^+ \pi^-$	( 7.3 $\pm$ 1.2 ) $\times 10^{-4}$	S=2.1
$b_1^\pm \pi^\mp$	( 4.0 $\pm$ 0.6 ) $\times 10^{-4}$	S=1.1
$b_1^0 \pi^0$	( 2.4 $\pm$ 0.6 ) $\times 10^{-4}$	-
$\omega f_2(1270)$	( 2.2 $\pm$ 0.4 ) $\times 10^{-4}$	1515
$\pi^+ \pi^- K^+ K^-$	( 7.5 $\pm$ 0.9 ) $\times 10^{-4}$	S=1.9
$\rho^0 K^+ K^-$	( 2.2 $\pm$ 0.4 ) $\times 10^{-4}$	1616
$K^*(892)^0 \bar{K}_2^*(1430)^0$	( 1.9 $\pm$ 0.5 ) $\times 10^{-4}$	1418
$K^+ K^- \pi^+ \pi^- \eta$	( 1.3 $\pm$ 0.7 ) $\times 10^{-3}$	1574
$K^+ K^- 2(\pi^+ \pi^-) \pi^0$	( 1.00 $\pm$ 0.31 ) $\times 10^{-3}$	1611
$K^+ K^- 2(\pi^+ \pi^-)$	( 1.9 $\pm$ 0.9 ) $\times 10^{-3}$	1654
$K_1(1270)^\pm K^\mp$	( 1.00 $\pm$ 0.28 ) $\times 10^{-3}$	1581
$K_S^0 K_S^0 \pi^+ \pi^-$	( 2.2 $\pm$ 0.4 ) $\times 10^{-4}$	1724
$\rho^0 p\bar{p}$	( 5.0 $\pm$ 2.2 ) $\times 10^{-5}$	1252
$K^+ \bar{K}^*(892)^0 \pi^-$ + c.c.	( 6.7 $\pm$ 2.5 ) $\times 10^{-4}$	1674
$2(\pi^+ \pi^-)$	( 2.4 $\pm$ 0.6 ) $\times 10^{-4}$	S=2.2
$\rho^0 \pi^+ \pi^-$	( 2.2 $\pm$ 0.6 ) $\times 10^{-4}$	S=1.4
$K^+ K^- \pi^+ \pi^- \pi^0$	( 1.26 $\pm$ 0.09 ) $\times 10^{-3}$	1694
$\omega f_0(1710) \rightarrow \omega K^+ K^-$	( 5.9 $\pm$ 2.2 ) $\times 10^{-5}$	-
$K^*(892)^0 K^- \pi^+ \pi^0$ + c.c.	( 8.6 $\pm$ 2.2 ) $\times 10^{-4}$	-
$K^*(892)^+ K^- \pi^+ \pi^-$ + c.c.	( 9.6 $\pm$ 2.8 ) $\times 10^{-4}$	-
$K^*(892)^+ K^- \rho^0$ + c.c.	( 7.3 $\pm$ 2.6 ) $\times 10^{-4}$	-
$K^*(892)^0 K^- \rho^+$ + c.c.	( 6.1 $\pm$ 1.8 ) $\times 10^{-4}$	-
$\eta K^+ K^-$ , no $\eta \phi$	( 3.1 $\pm$ 0.4 ) $\times 10^{-5}$	1664
$\omega K^+ K^-$	( 1.62 $\pm$ 0.11 ) $\times 10^{-4}$	S=1.1
$\omega K^*(892)^+ K^-$ + c.c.	( 2.07 $\pm$ 0.26 ) $\times 10^{-4}$	1482
$\omega K_2^*(1430)^+ K^-$ + c.c.	( 6.1 $\pm$ 1.2 ) $\times 10^{-5}$	1253
$\omega \bar{K}^*(892)^0 K^0$	( 1.68 $\pm$ 0.30 ) $\times 10^{-4}$	1481
$\omega \bar{K}_2^*(1430)^0 K^0$	( 5.8 $\pm$ 2.2 ) $\times 10^{-5}$	1251
$\omega X(1440) \rightarrow \omega K_S^0 K^- \pi^+$ + c.c.	( 1.6 $\pm$ 0.4 ) $\times 10^{-5}$	-
$\omega X(1440) \rightarrow \omega K^+ K^- \pi^0$	( 1.09 $\pm$ 0.26 ) $\times 10^{-5}$	-

$\omega f_1(1285) \rightarrow \omega K_S^0 K^- \pi^+$	( 3.0 $\pm$ 1.0 ) $\times 10^{-6}$	-
c.c.		
$\omega f_1(1285) \rightarrow \omega K^+ K^- \pi^0$	( 1.2 $\pm$ 0.7 ) $\times 10^{-6}$	-
$3(\pi^+ \pi^-)$	( 3.5 $\pm$ 2.0 ) $\times 10^{-4}$	S=2.8
$p\bar{p} \pi^+ \pi^- \pi^0$	( 7.3 $\pm$ 0.7 ) $\times 10^{-4}$	1435
$K^+ K^-$	( 7.5 $\pm$ 0.5 ) $\times 10^{-5}$	1776
$K_S^0 K_L^0$	( 5.34 $\pm$ 0.33 ) $\times 10^{-5}$	1775
$\pi^+ \pi^- \pi^0$	( 2.01 $\pm$ 0.17 ) $\times 10^{-4}$	S=1.7
$\rho(2150)\pi \rightarrow \pi^+ \pi^- \pi^0$	( 1.9 $\pm$ 1.2 ) $\times 10^{-4}$	-
$\rho(770)\pi \rightarrow \pi^+ \pi^- \pi^0$	( 3.2 $\pm$ 1.2 ) $\times 10^{-5}$	S=1.8
$\pi^+ \pi^-$	( 7.8 $\pm$ 2.6 ) $\times 10^{-6}$	1838
$K_1(1400)^{\pm} K^{\mp}$	< 3.1 $\times 10^{-4}$ CL=90%	1532
$K_2^*(1430)^{\pm} K^{\mp}$	( 7.1 $\pm$ 1.3 ) $\times 10^{-5}$	-
$K^+ K^- \pi^0$	( 4.07 $\pm$ 0.31 ) $\times 10^{-5}$	1754
$K^+ K^*(892)^- +$ c.c.	( 2.9 $\pm$ 0.4 ) $\times 10^{-5}$	S=1.2
$K^*(892)^0 \bar{K}^0 +$ c.c.	( 1.09 $\pm$ 0.20 ) $\times 10^{-4}$	1697
$\phi \pi^+ \pi^-$	( 1.17 $\pm$ 0.29 ) $\times 10^{-4}$	S=1.7
$\phi f_0(980) \rightarrow \pi^+ \pi^-$	( 6.8 $\pm$ 2.5 ) $\times 10^{-5}$	S=1.2
$2(K^+ K^-)$	( 6.0 $\pm$ 1.4 ) $\times 10^{-5}$	1499
$\phi K^+ K^-$	( 7.0 $\pm$ 1.6 ) $\times 10^{-5}$	1546
$2(K^+ K^-) \pi^0$	( 1.10 $\pm$ 0.28 ) $\times 10^{-4}$	1440
$\phi \eta$	( 3.10 $\pm$ 0.31 ) $\times 10^{-5}$	1654
$\phi \eta'$	( 3.1 $\pm$ 1.6 ) $\times 10^{-5}$	1555
$\omega \eta'$	( 3.2 $\pm$ 2.5 ) $\times 10^{-5}$	1623
$\omega \pi^0$	( 2.1 $\pm$ 0.6 ) $\times 10^{-5}$	1757
$\rho \eta'$	( 1.9 $\pm$ 1.7 ) $\times 10^{-5}$	1625
$\rho \eta$	( 2.2 $\pm$ 0.6 ) $\times 10^{-5}$	S=1.1
$\omega \eta$	< 1.1 $\times 10^{-5}$ CL=90%	1715
$\phi \pi^0$	< 4 $\times 10^{-7}$ CL=90%	1699
$\eta_c \pi^+ \pi^- \pi^0$	< 1.0 $\times 10^{-3}$ CL=90%	513
$p\bar{p} K^+ K^-$	( 2.7 $\pm$ 0.7 ) $\times 10^{-5}$	1118
$\Lambda n K_S^0 +$ c.c.	( 8.1 $\pm$ 1.8 ) $\times 10^{-5}$	1324
$\phi f'_2(1525)$	( 4.4 $\pm$ 1.6 ) $\times 10^{-5}$	1321
$\Theta(1540) \bar{\Theta}(1540) \rightarrow$	< 8.8 $\times 10^{-6}$ CL=90%	-
$K_S^0 p K^- \bar{n} +$ c.c.		
$\Theta(1540) K^- \bar{n} \rightarrow K_S^0 p K^- \bar{n}$	< 1.0 $\times 10^{-5}$ CL=90%	-
$\Theta(1540) K_S^0 \bar{p} \rightarrow K_S^0 \bar{p} K^+ n$	< 7.0 $\times 10^{-6}$ CL=90%	-
$\bar{\Theta}(1540) K^+ n \rightarrow K_S^0 \bar{p} K^+ n$	< 2.6 $\times 10^{-5}$ CL=90%	-
$\bar{\Theta}(1540) K_S^0 p \rightarrow K_S^0 p K^- \bar{n}$	< 6.0 $\times 10^{-6}$ CL=90%	-
$K_S^0 K_S^0$	< 4.6 $\times 10^{-6}$	1775

**Radiative decays**

$\gamma\chi_{c0}(1P)$	( 9.99 $\pm$ 0.27 ) %	261	
$\gamma\chi_{c1}(1P)$	( 9.55 $\pm$ 0.31 ) %	171	
$\gamma\chi_{c2}(1P)$	( 9.11 $\pm$ 0.31 ) %	128	
$\gamma\eta_c(1S)$	( 3.4 $\pm$ 0.5 ) $\times$ 10 <sup>-3</sup>	S=1.3	636
$\gamma\eta_c(2S)$	( 7 $\pm$ 5 ) $\times$ 10 <sup>-4</sup>	47	
$\gamma\pi^0$	( 1.6 $\pm$ 0.4 ) $\times$ 10 <sup>-6</sup>	1841	
$\gamma\eta'(958)$	( 1.23 $\pm$ 0.06 ) $\times$ 10 <sup>-4</sup>	1719	
$\gamma f_2(1270)$	( 2.73 $\pm$ 0.29 ) $\times$ 10 <sup>-4</sup>	S=1.8	1622
$\gamma f_0(1370) \rightarrow \gamma K\bar{K}$	( 3.1 $\pm$ 1.7 ) $\times$ 10 <sup>-5</sup>	1588	
$\gamma f_0(1500)$	( 9.2 $\pm$ 1.9 ) $\times$ 10 <sup>-5</sup>	1536	
$\gamma f'_2(1525)$	( 3.3 $\pm$ 0.8 ) $\times$ 10 <sup>-5</sup>	1528	
$\gamma f_0(1710) \rightarrow \gamma\pi\pi$	( 3.5 $\pm$ 0.6 ) $\times$ 10 <sup>-5</sup>	—	
$\gamma f_0(1710) \rightarrow \gamma K\bar{K}$	( 6.6 $\pm$ 0.7 ) $\times$ 10 <sup>-5</sup>	—	
$\gamma f_0(2100) \rightarrow \gamma\pi\pi$	( 4.8 $\pm$ 1.0 ) $\times$ 10 <sup>-6</sup>	1244	
$\gamma f_0(2200) \rightarrow \gamma K\bar{K}$	( 3.2 $\pm$ 1.0 ) $\times$ 10 <sup>-6</sup>	1193	
$\gamma f_J(2220) \rightarrow \gamma\pi\pi$	< 5.8 $\times$ 10 <sup>-6</sup> CL=90%	1168	
$\gamma f_J(2220) \rightarrow \gamma K\bar{K}$	< 9.5 $\times$ 10 <sup>-6</sup> CL=90%	1168	
$\gamma\gamma$	< 1.5 $\times$ 10 <sup>-4</sup> CL=90%	1843	
$\gamma\eta$	( 1.4 $\pm$ 0.5 ) $\times$ 10 <sup>-6</sup>	1802	
$\gamma\eta\pi^+\pi^-$	( 8.7 $\pm$ 2.1 ) $\times$ 10 <sup>-4</sup>	1791	
$\gamma\eta(1405) \rightarrow \gamma K\bar{K}\pi$	< 9 $\times$ 10 <sup>-5</sup> CL=90%	1569	
$\gamma\eta(1405) \rightarrow \eta\pi^+\pi^-$	( 3.6 $\pm$ 2.5 ) $\times$ 10 <sup>-5</sup>	—	
$\gamma\eta(1475) \rightarrow K\bar{K}\pi$	< 1.4 $\times$ 10 <sup>-4</sup> CL=90%	—	
$\gamma\eta(1475) \rightarrow \eta\pi^+\pi^-$	< 8.8 $\times$ 10 <sup>-5</sup> CL=90%	—	
$\gamma 2(\pi^+\pi^-)$	( 4.0 $\pm$ 0.6 ) $\times$ 10 <sup>-4</sup>	1817	
$\gamma K^{*0} K^+ \pi^- + \text{c.c.}$	( 3.7 $\pm$ 0.9 ) $\times$ 10 <sup>-4</sup>	1674	
$\gamma K^{*0} \bar{K}^{*0}$	( 2.4 $\pm$ 0.7 ) $\times$ 10 <sup>-4</sup>	1613	
$\gamma K_S^0 K^+ \pi^- + \text{c.c.}$	( 2.6 $\pm$ 0.5 ) $\times$ 10 <sup>-4</sup>	1753	
$\gamma K^+ K^- \pi^+ \pi^-$	( 1.9 $\pm$ 0.5 ) $\times$ 10 <sup>-4</sup>	1726	
$\gamma p\bar{p}$	( 3.9 $\pm$ 0.5 ) $\times$ 10 <sup>-5</sup>	S=2.0	1586
$\gamma f_2(1950) \rightarrow \gamma p\bar{p}$	( 1.20 $\pm$ 0.22 ) $\times$ 10 <sup>-5</sup>	—	
$\gamma f_2(2150) \rightarrow \gamma p\bar{p}$	( 7.2 $\pm$ 1.8 ) $\times$ 10 <sup>-6</sup>	—	
$\gamma X(1835) \rightarrow \gamma p\bar{p}$	( 4.6 $\pm$ 1.8 ) $\times$ 10 <sup>-6</sup>	—	
$\gamma X \rightarrow \gamma p\bar{p}$	[g] < 2 $\times$ 10 <sup>-6</sup> CL=90%	—	
$\gamma\pi^+\pi^- p\bar{p}$	( 2.8 $\pm$ 1.4 ) $\times$ 10 <sup>-5</sup>	1491	
$\gamma 2(\pi^+\pi^-) K^+ K^-$	< 2.2 $\times$ 10 <sup>-4</sup> CL=90%	1654	
$\gamma 3(\pi^+\pi^-)$	< 1.7 $\times$ 10 <sup>-4</sup> CL=90%	1774	
$\gamma K^+ K^- K^+ K^-$	< 4 $\times$ 10 <sup>-5</sup> CL=90%	1499	
$\gamma\gamma J/\psi$	( 3.1 $\pm$ 1.0 ) $\times$ 10 <sup>-4</sup>	542	

**Other decays**

invisible	< 1.6 %	CL=90%	—
-----------	---------	--------	---

**$\psi(3770)$**  $I^G(J^{PC}) = 0^-(1^{--})$ Mass  $m = 3773.13 \pm 0.35$  MeV (S = 1.1)Full width  $\Gamma = 27.2 \pm 1.0$  MeV $\Gamma_{ee} = 0.262 \pm 0.018$  keV (S = 1.4)

In addition to the dominant decay mode to  $D\bar{D}$ ,  $\psi(3770)$  was found to decay into the final states containing the  $J/\psi$  (BAI 05, ADAM 06). ADAMS 06 and HUANG 06A searched for various decay modes with light hadrons and found a statistically significant signal for the decay to  $\phi\eta$  only (ADAMS 06).

<b><math>\psi(3770)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/ Confidence level	$p$ (MeV/c)
$D\bar{D}$	(93 $\pm 8$ ) %	S=2.0	286
$D^0\bar{D}^0$	(52 $\pm 4$ ) %	S=2.0	286
$D^+D^-$	(41 $\pm 4$ ) %	S=2.0	253
$J/\psi\pi^+\pi^-$	( $1.93 \pm 0.28$ ) $\times 10^{-3}$		560
$J/\psi\pi^0\pi^0$	( $8.0 \pm 3.0$ ) $\times 10^{-4}$		564
$J/\psi\eta$	( $9 \pm 4$ ) $\times 10^{-4}$		360
$J/\psi\pi^0$	< 2.8 $\times 10^{-4}$	CL=90%	603
$e^+e^-$	( $9.6 \pm 0.7$ ) $\times 10^{-6}$	S=1.3	1887

**Decays to light hadrons**

$b_1(1235)\pi$	< 1.4 $\times 10^{-5}$	CL=90%	1683
$\phi\eta'$	< 7 $\times 10^{-4}$	CL=90%	1607
$\omega\eta'$	< 4 $\times 10^{-4}$	CL=90%	1672
$\rho^0\eta'$	< 6 $\times 10^{-4}$	CL=90%	1674
$\phi\eta$	( $3.1 \pm 0.7$ ) $\times 10^{-4}$		1703
$\omega\eta$	< 1.4 $\times 10^{-5}$	CL=90%	1762
$\rho^0\eta$	< 5 $\times 10^{-4}$	CL=90%	1764
$\phi\pi^0$	< 3 $\times 10^{-5}$	CL=90%	1746
$\omega\pi^0$	< 6 $\times 10^{-4}$	CL=90%	1803
$\pi^+\pi^-\pi^0$	< 5 $\times 10^{-6}$	CL=90%	1874
$\rho\pi$	< 5 $\times 10^{-6}$	CL=90%	1804
$K^*(892)^+K^- + \text{c.c.}$	< 1.4 $\times 10^{-5}$	CL=90%	1745
$K^*(892)^0\bar{K}^0 + \text{c.c.}$	< 1.2 $\times 10^{-3}$	CL=90%	1744
$K_S^0K_L^0$	< 1.2 $\times 10^{-5}$	CL=90%	1820
$2(\pi^+\pi^-)$	< 1.12 $\times 10^{-3}$	CL=90%	1861
$2(\pi^+\pi^-)\pi^0$	< 1.06 $\times 10^{-3}$	CL=90%	1843
$2(\pi^+\pi^-\pi^0)$	< 5.85 %	CL=90%	1821
$\omega\pi^+\pi^-$	< 6.0 $\times 10^{-4}$	CL=90%	1794
$3(\pi^+\pi^-)$	< 9.1 $\times 10^{-3}$	CL=90%	1819

$3(\pi^+\pi^-)\pi^0$	< 1.37	%	CL=90%	1792
$3(\pi^+\pi^-)2\pi^0$	< 11.74	%	CL=90%	1760
$\eta\pi^+\pi^-$	< 1.24	$\times 10^{-3}$	CL=90%	1836
$\pi^+\pi^-2\pi^0$	< 8.9	$\times 10^{-3}$	CL=90%	1862
$\rho^0\pi^+\pi^-$	< 6.9	$\times 10^{-3}$	CL=90%	1796
$\eta 3\pi$	< 1.34	$\times 10^{-3}$	CL=90%	1824
$\eta 2(\pi^+\pi^-)$	< 2.43	%	CL=90%	1804
$\eta\rho^0\pi^+\pi^-$	< 1.45	%	CL=90%	1708
$\eta' 3\pi$	< 2.44	$\times 10^{-3}$	CL=90%	1740
$K^+K^-\pi^+\pi^-$	< 9.0	$\times 10^{-4}$	CL=90%	1772
$\phi\pi^+\pi^-$	< 4.1	$\times 10^{-4}$	CL=90%	1737
$K^+K^-2\pi^0$	< 4.2	$\times 10^{-3}$	CL=90%	1774
$4(\pi^+\pi^-)$	< 1.67	%	CL=90%	1757
$4(\pi^+\pi^-)\pi^0$	< 3.06	%	CL=90%	1720
$\phi f_0(980)$	< 4.5	$\times 10^{-4}$	CL=90%	1597
$K^+K^-\pi^+\pi^-\pi^0$	< 2.36	$\times 10^{-3}$	CL=90%	1741
$K^+K^-\rho^0\pi^0$	< 8	$\times 10^{-4}$	CL=90%	1624
$K^+K^-\rho^+\pi^-$	< 1.46	%	CL=90%	1622
$\omega K^+K^-$	< 3.4	$\times 10^{-4}$	CL=90%	1664
$\phi\pi^+\pi^-\pi^0$	< 3.8	$\times 10^{-3}$	CL=90%	1722
$K^{*0}K^-\pi^+\pi^0 + \text{c.c.}$	< 1.62	%	CL=90%	1693
$K^{*+}K^-\pi^+\pi^- + \text{c.c.}$	< 3.23	%	CL=90%	1692
$K^+K^-\pi^+\pi^-2\pi^0$	< 2.67	%	CL=90%	1705
$K^+K^-2(\pi^+\pi^-)$	< 1.03	%	CL=90%	1702
$K^+K^-2(\pi^+\pi^-)\pi^0$	< 3.60	%	CL=90%	1660
$\eta K^+K^-$	< 4.1	$\times 10^{-4}$	CL=90%	1712
$\eta K^+K^-\pi^+\pi^-$	< 1.24	%	CL=90%	1624
$\rho^0 K^+K^-$	< 5.0	$\times 10^{-3}$	CL=90%	1665
$2(K^+K^-)$	< 6.0	$\times 10^{-4}$	CL=90%	1552
$\phi K^+K^-$	< 7.5	$\times 10^{-4}$	CL=90%	1598
$2(K^+K^-)\pi^0$	< 2.9	$\times 10^{-4}$	CL=90%	1493
$2(K^+K^-)\pi^+\pi^-$	< 3.2	$\times 10^{-3}$	CL=90%	1425
$K_S^0 K^-\pi^+$	< 3.2	$\times 10^{-3}$	CL=90%	1799
$K_S^0 K^-\pi^+\pi^0$	< 1.33	%	CL=90%	1773
$K_S^0 K^-\rho^+$	< 6.6	$\times 10^{-3}$	CL=90%	1664
$K_S^0 K^-2\pi^+\pi^-$	< 8.7	$\times 10^{-3}$	CL=90%	1739
$K_S^0 K^-\pi^+\rho^0$	< 1.6	%	CL=90%	1621
$K_S^0 K^-\pi^+\eta$	< 1.3	%	CL=90%	1669
$K_S^0 K^-2\pi^+\pi^-\pi^0$	< 4.18	%	CL=90%	1703
$K_S^0 K^-2\pi^+\pi^-\eta$	< 4.8	%	CL=90%	1570
$K_S^0 K^-\pi^+2(\pi^+\pi^-)$	< 1.22	%	CL=90%	1658
$K_S^0 K^-\pi^+2\pi^0$	< 2.65	%	CL=90%	1742
$K_S^0 K^-K^+K^-\pi^+$	< 4.9	$\times 10^{-3}$	CL=90%	1490

$K_S^0 K^- K^+ K^- \pi^+ \pi^0$	< 3.0	%	CL=90%	1427
$K_S^0 K^- K^+ K^- \pi^+ \eta$	< 2.2	%	CL=90%	1214
$K^{*0} K^- \pi^+ + \text{c.c.}$	< 9.7	$\times 10^{-3}$	CL=90%	1722
$p\bar{p}\pi^0$	< 4	$\times 10^{-5}$	CL=90%	1595
$p\bar{p}\pi^+\pi^-$	< 5.8	$\times 10^{-4}$	CL=90%	1544
$\Lambda\bar{\Lambda}$	< 1.2	$\times 10^{-4}$	CL=90%	1521
$p\bar{p}\pi^+\pi^-\pi^0$	< 1.85	$\times 10^{-3}$	CL=90%	1490
$\omega p\bar{p}$	< 2.9	$\times 10^{-4}$	CL=90%	1309
$\Lambda\bar{\Lambda}\pi^0$	< 7	$\times 10^{-5}$	CL=90%	1468
$p\bar{p}2(\pi^+\pi^-)$	< 2.6	$\times 10^{-3}$	CL=90%	1425
$\eta p\bar{p}$	< 5.4	$\times 10^{-4}$	CL=90%	1430
$\eta p\bar{p}\pi^+\pi^-$	< 3.3	$\times 10^{-3}$	CL=90%	1284
$\rho^0 p\bar{p}$	< 1.7	$\times 10^{-3}$	CL=90%	1313
$p\bar{p}K^+K^-$	< 3.2	$\times 10^{-4}$	CL=90%	1185
$\eta p\bar{p}K^+K^-$	< 6.9	$\times 10^{-3}$	CL=90%	736
$\pi^0 p\bar{p}K^+K^-$	< 1.2	$\times 10^{-3}$	CL=90%	1093
$\phi p\bar{p}$	< 1.3	$\times 10^{-4}$	CL=90%	1178
$\Lambda\bar{\Lambda}\pi^+\pi^-$	< 2.5	$\times 10^{-4}$	CL=90%	1404
$\Lambda\bar{p}K^+$	< 2.8	$\times 10^{-4}$	CL=90%	1387
$\Lambda\bar{p}K^+\pi^+\pi^-$	< 6.3	$\times 10^{-4}$	CL=90%	1234
$\Lambda\bar{\Lambda}\eta$	< 1.9	$\times 10^{-4}$	CL=90%	1262
$\Sigma^+\bar{\Sigma}^-$	< 1.0	$\times 10^{-4}$	CL=90%	1464
$\Sigma^0\bar{\Sigma}^0$	< 4	$\times 10^{-5}$	CL=90%	1462
$\Xi^+\bar{\Xi}^-$	< 1.5	$\times 10^{-4}$	CL=90%	1346
$\Xi^0\bar{\Xi}^0$	< 1.4	$\times 10^{-4}$	CL=90%	1353

**Radiative decays**

$\gamma\chi_{c2}$	< 6.4	$\times 10^{-4}$	CL=90%	211
$\gamma\chi_{c1}$	( $2.48 \pm 0.23$ )	$\times 10^{-3}$		253
$\gamma\chi_{c0}$	( $7.0 \pm 0.6$ )	$\times 10^{-3}$		341
$\gamma\eta_c$	< 7	$\times 10^{-4}$	CL=90%	707
$\gamma\eta_c(2S)$	< 9	$\times 10^{-4}$	CL=90%	132
$\gamma\eta'$	< 1.8	$\times 10^{-4}$	CL=90%	1765
$\gamma\eta$	< 1.5	$\times 10^{-4}$	CL=90%	1847
$\gamma\pi^0$	< 2	$\times 10^{-4}$	CL=90%	1884

---

**$\psi(3823)$**   
was  **$X(3823)$** ,

$I^G(J^{PC}) = ?^?(2^{--})$   
 $J, P$  need confirmation.

Mass  $m = 3822.2 \pm 1.2$  MeV  
Full width  $\Gamma < 16$  MeV, CL = 90%

<b><math>\psi(3823)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	$p$ (MeV/c)
$\chi_{c1}\gamma$	seen	299
$\chi_{c2}\gamma$	not seen	257

**$X(3872)$**

$I^G(J^{PC}) = 0^+(1^{++})$

Mass  $m = 3871.69 \pm 0.17$  MeV  
 $m_{X(3872)} - m_{J/\psi} = 775 \pm 4$  MeV  
 $m_{X(3872)} - m_{\psi(2S)}$   
 Full width  $\Gamma < 1.2$  MeV, CL = 90%

<b><math>X(3872)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	$p$ (MeV/c)
$\pi^+ \pi^- J/\psi(1S)$	> 2.6 %	650
$\omega J/\psi(1S)$	> 1.9 %	†
$D^0 \bar{D}^0 \pi^0$	> 32 %	117
$\bar{D}^{*0} D^0$	> 24 %	3
$\gamma J/\psi$	> 6 $\times 10^{-3}$	697
$\gamma \psi(2S)$	> 3.0 %	181
$\pi^+ \pi^- \eta_c(1S)$	not seen	746
$p \bar{p}$	not seen	1693

**$X(3900)$**

$I^G(J^{PC}) = 1^+(1^{+-})$

Mass  $m = 3886.6 \pm 2.4$  MeV (S = 1.6)  
 Full width  $\Gamma = 28.1 \pm 2.6$  MeV

<b><math>X(3900)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	$p$ (MeV/c)
$J/\psi \pi$	seen	699
$h_c \pi^\pm$	not seen	318
$\eta_c \pi^+ \pi^-$	not seen	759
$(D \bar{D}^*)^\pm$	seen	—
$D^0 D^{*-} + \text{c.c.}$	seen	150
$D^- D^{*0} + \text{c.c.}$	seen	141
$\omega \pi^\pm$	not seen	1862

$J/\psi \eta$	not seen	509
$D^+ D^{*-} + \text{c.c}$	seen	—
$D^0 \bar{D}^{*0} + \text{c.c}$	seen	—

**X(3915)**  
was  $\chi_{c0}(3915)$

$$I^G(J^{PC}) = 0^+(0 \text{ or } 2^{++})$$

Mass  $m = 3918.4 \pm 1.9$  MeV  
Full width  $\Gamma = 20 \pm 5$  MeV (S = 1.1)

<b>X(3915) DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	$p$ (MeV/c)
$\omega J/\psi$	seen	222
$\pi^+ \pi^- \eta_c(1S)$	not seen	785
$\eta_c \eta_0$	not seen	665
$\eta_c \pi^0$	not seen	815
$K \bar{K}$	not seen	1896
$\gamma \gamma$	seen	1959

**$\chi_{c2}(2P)$**

$$I^G(J^{PC}) = 0^+(2^{++})$$

Mass  $m = 3927.2 \pm 2.6$  MeV  
Full width  $\Gamma = 24 \pm 6$  MeV

<b><math>\chi_{c2}(2P)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	$p$ (MeV/c)
$\gamma \gamma$	seen	1964
$D \bar{D}$	seen	615
$D^+ D^-$	seen	600
$D^0 \bar{D}^0$	seen	615
$\pi^+ \pi^- \eta_c(1S)$	not seen	793
$K \bar{K}$	not seen	1901

**X(4020)**

$$I(J^P) = 1(?^?)$$

Mass  $m = 4024.1 \pm 1.9$  MeV  
Full width  $\Gamma = 13 \pm 5$  MeV (S = 1.7)

<b>X(4020) DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	$p$ (MeV/c)
$h_c(1P) \pi$	seen	450
$D^* \bar{D}^*$	seen	85
$D \bar{D}^* + \text{c.c.}$	not seen	542
$\eta_c \pi^+ \pi^-$	not seen	872

**$\psi(4040)$**  [<sup>*h*</sup>] $I^G(J^{PC}) = 0^-(1^{--})$ Mass  $m = 4039 \pm 1$  MeVFull width  $\Gamma = 80 \pm 10$  MeV $\Gamma_{ee} = 0.86 \pm 0.07$  keV

Due to the complexity of the  $c\bar{c}$  threshold region, in this listing, “seen” (“not seen”) means that a cross section for the mode in question has been measured at effective  $\sqrt{s}$  near this particle’s central mass value, more (less) than  $2\sigma$  above zero, without regard to any peaking behavior in  $\sqrt{s}$  or absence thereof. See mode listing(s) for details and references.

<b><math>\psi(4040)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	Confidence level	$p$ (MeV/c)
$e^+ e^-$	$(1.07 \pm 0.16) \times 10^{-5}$	2019	
$D\bar{D}$	seen	775	
$D^0\bar{D}^0$	seen	775	
$D^+D^-$	seen	764	
$D^*\bar{D} + \text{c.c.}$	seen	569	
$D^*(2007)^0\bar{D}^0 + \text{c.c.}$	seen	575	
$D^*(2010)^+D^- + \text{c.c.}$	seen	561	
$D^*\bar{D}^*$	seen	193	
$D^*(2007)^0\bar{D}^*(2007)^0$	seen	226	
$D^*(2010)^+D^*(2010)^-$	seen	193	
$D^0D^-\pi^++\text{c.c. (excl.)}$	not seen	—	
$D^*(2007)^0\bar{D}^0+\text{c.c.},$			
$D^*(2010)^+D^-+\text{c.c.})$			
$D\bar{D}^*\pi(\text{excl. } D^*\bar{D}^*)$	not seen	—	
$D^0\bar{D}^{*-}\pi^++\text{c.c. (excl.)}$	seen	—	
$D^*(2010)^+D^*(2010)^-$			
$D_s^+D_s^-$	seen	452	
$J/\psi\pi^+\pi^-$	$< 4 \times 10^{-3}$	90%	794
$J/\psi\pi^0\pi^0$	$< 2 \times 10^{-3}$	90%	797
$J/\psi\eta$	$(5.2 \pm 0.7) \times 10^{-3}$	675	
$J/\psi\pi^0$	$< 2.8 \times 10^{-4}$	90%	823
$J/\psi\pi^+\pi^-\pi^0$	$< 2 \times 10^{-3}$	90%	746
$\chi_{c1}\gamma$	$< 3.4 \times 10^{-3}$	90%	494
$\chi_{c2}\gamma$	$< 5 \times 10^{-3}$	90%	454
$\chi_{c1}\pi^+\pi^-\pi^0$	$< 1.1 \%$	90%	306
$\chi_{c2}\pi^+\pi^-\pi^0$	$< 3.2 \%$	90%	233
$h_c(1P)\pi^+\pi^-$	$< 3 \times 10^{-3}$	90%	403
$\phi\pi^+\pi^-$	$< 3 \times 10^{-3}$	90%	1880
$\Lambda\bar{\Lambda}\pi^+\pi^-$	$< 2.9 \times 10^{-4}$	90%	1578
$\Lambda\bar{\Lambda}\pi^0$	$< 9 \times 10^{-5}$	90%	1636

$\Lambda\bar{\Lambda}\eta$	< 3.0	$\times 10^{-4}$	90%	1452
$\Sigma^+\bar{\Sigma}^-$	< 1.3	$\times 10^{-4}$	90%	1632
$\Sigma^0\bar{\Sigma}^0$	< 7	$\times 10^{-5}$	90%	1630
$\Xi^+\bar{\Xi}^-$	< 1.6	$\times 10^{-4}$	90%	1527
$\Xi^0\bar{\Xi}^0$	< 1.8	$\times 10^{-4}$	90%	1533

**X(4140)**

$I^G(J^{PC}) = 0^+(?^?)$

Mass  $m = 4146.9 \pm 3.1$  MeV (S = 1.3)Full width  $\Gamma = 15^{+6}_{-5}$  MeV

<b>X(4140) DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	$p$ (MeV/c)
$J/\psi\phi$	seen	217
$\gamma\gamma$	not seen	2073

 **$\psi(4160)^{[h]}$** 

$I^G(J^{PC}) = 0^-(1^{--})$

Mass  $m = 4191 \pm 5$  MeVFull width  $\Gamma = 70 \pm 10$  MeV $\Gamma_{ee} = 0.48 \pm 0.22$  keV

Due to the complexity of the  $c\bar{c}$  threshold region, in this listing, “seen” (“not seen”) means that a cross section for the mode in question has been measured at effective  $\sqrt{s}$  near this particle’s central mass value, more (less) than  $2\sigma$  above zero, without regard to any peaking behavior in  $\sqrt{s}$  or absence thereof. See mode listing(s) for details and references.

<b><math>\psi(4160)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	Confidence level	$p$ (MeV/c)
$e^+e^-$	$(6.9 \pm 3.3) \times 10^{-6}$		2096
$\mu^+\mu^-$	seen		2093
$D\bar{D}$	seen		956
$D^0\bar{D}^0$	seen		956
$D^+D^-$	seen		947
$D^*\bar{D} + \text{c.c.}$	seen		798
$D^*(2007)^0\bar{D}^0 + \text{c.c.}$	seen		802
$D^*(2010)^+D^- + \text{c.c.}$	seen		792
$D^*\bar{D}^*$	seen		592
$D^*(2007)^0\bar{D}^*(2007)^0$	seen		604
$D^*(2010)^+D^*(2010)^-$	seen		592
$D^0D^-\pi^++\text{c.c. (excl.)}$	not seen		—
$D^*(2007)^0\bar{D}^0 + \text{c.c.}$			
$D^*(2010)^+D^- + \text{c.c.}$			
$D\bar{D}^*\pi^++\text{c.c. (excl. } D^*\bar{D}^*)$	seen		—

$D^0 D^{*-} \pi^+ + c.c.$ (excl.)	not seen		—
$D^*(2010)^+ D^*(2010)^-$			
$D_s^+ D_s^-$	not seen		720
$D_s^{*+} D_s^- + c.c.$	seen		385
$J/\psi \pi^+ \pi^-$	$< 3$	$\times 10^{-3}$	90%
$J/\psi \pi^0 \pi^0$	$< 3$	$\times 10^{-3}$	90%
$J/\psi K^+ K^-$	$< 2$	$\times 10^{-3}$	90%
$J/\psi \eta$	$< 8$	$\times 10^{-3}$	90%
$J/\psi \pi^0$	$< 1$	$\times 10^{-3}$	90%
$J/\psi \eta'$	$< 5$	$\times 10^{-3}$	90%
$J/\psi \pi^+ \pi^- \pi^0$	$< 1$	$\times 10^{-3}$	90%
$\psi(2S) \pi^+ \pi^-$	$< 4$	$\times 10^{-3}$	90%
$\chi_{c1} \gamma$	$< 5$	$\times 10^{-3}$	90%
$\chi_{c2} \gamma$	$< 1.3$	%	90%
$\chi_{c1} \pi^+ \pi^- \pi^0$	$< 2$	$\times 10^{-3}$	90%
$\chi_{c2} \pi^+ \pi^- \pi^0$	$< 8$	$\times 10^{-3}$	90%
$h_c(1P) \pi^+ \pi^-$	$< 5$	$\times 10^{-3}$	90%
$h_c(1P) \pi^0 \pi^0$	$< 2$	$\times 10^{-3}$	90%
$h_c(1P) \eta$	$< 2$	$\times 10^{-3}$	90%
$h_c(1P) \pi^0$	$< 4$	$\times 10^{-4}$	90%
$\phi \pi^+ \pi^-$	$< 2$	$\times 10^{-3}$	90%
$\gamma X(3872) \rightarrow \gamma J/\psi \pi^+ \pi^-$	$< 6.8$	$\times 10^{-5}$	90%
$\gamma X(3915) \rightarrow \gamma J/\psi \pi^+ \pi^-$	$< 1.36$	$\times 10^{-4}$	90%
$\gamma X(3930) \rightarrow \gamma J/\psi \pi^+ \pi^-$	$< 1.18$	$\times 10^{-4}$	90%
$\gamma X(3940) \rightarrow \gamma J/\psi \pi^+ \pi^-$	$< 1.47$	$\times 10^{-4}$	90%
$\gamma X(3872) \rightarrow \gamma \gamma J/\psi$	$< 1.05$	$\times 10^{-4}$	90%
$\gamma X(3915) \rightarrow \gamma \gamma J/\psi$	$< 1.26$	$\times 10^{-4}$	90%
$\gamma X(3930) \rightarrow \gamma \gamma J/\psi$	$< 8.8$	$\times 10^{-5}$	90%
$\gamma X(3940) \rightarrow \gamma \gamma J/\psi$	$< 1.79$	$\times 10^{-4}$	90%

**X(4260)** $I^G(J^{PC}) = ?^?(1^{--})$ Mass  $m = 4251 \pm 9$  MeV ( $S = 1.6$ )Full width  $\Gamma = 120 \pm 12$  MeV ( $S = 1.1$ )

<b>X(4260) DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	$p$ (MeV/c)
$J/\psi \pi^+ \pi^-$	seen	967
$J/\psi f_0(980), f_0(980) \rightarrow \pi^+ \pi^-$	seen	—
$X(3900)^\pm \pi^\mp, X^\pm \rightarrow J/\psi \pi^\pm$	seen	—
$J/\psi \pi^0 \pi^0$	seen	969
$J/\psi K^+ K^-$	seen	512
$J/\psi K_S^0 K_S^0$	not seen	501

$X(3872)\gamma$	seen	363
$J/\psi\eta$	not seen	876
$J/\psi\pi^0$	not seen	991
$J/\psi\eta'$	not seen	552
$J/\psi\pi^+\pi^-\pi^0$	not seen	930
$J/\psi\eta\pi^0$	not seen	801
$J/\psi\eta\eta$	not seen	311
$\psi(2S)\pi^+\pi^-$	not seen	459
$\psi(2S)\eta$	not seen	129
$\chi_{c0}\omega$	not seen	265
$\chi_{c1}\gamma$	not seen	676
$\chi_{c2}\gamma$	not seen	638
$\chi_{c1}\pi^+\pi^-\pi^0$	not seen	560
$\chi_{c2}\pi^+\pi^-\pi^0$	not seen	512
$h_c(1P)\pi^+\pi^-$	not seen	613
$\phi\pi^+\pi^-$	not seen	1993
$\phi f_0(980) \rightarrow \phi\pi^+\pi^-$	not seen	—
$D\overline{D}$	not seen	1020
$D^0\overline{D}^0$	not seen	1020
$D^+D^-$	not seen	1011
$D^*\overline{D} + \text{c.c.}$	not seen	887
$D^*(2007)^0\overline{D}^0 + \text{c.c.}$	not seen	—
$D^*(2010)^+D^- + \text{c.c.}$	not seen	—
$D^*\overline{D}^*$	not seen	691
$D^*(2007)^0\overline{D}^*(2007)^0$	not seen	701
$D^*(2010)^+D^*(2010)^-$	not seen	691
$D^0D^-\pi^++\text{c.c. (excl.)}$	not seen	—
$D^*(2007)^0\overline{D}^{*0} + \text{c.c.},$ $D^*(2010)^+D^- + \text{c.c.})$	not seen	—
$D\overline{D}^*\pi + \text{c.c. (excl. } D^*\overline{D}^*)$	not seen	723
$D^0D^{*-}\pi^++\text{c.c. (excl.)}$	not seen	—
$D^*(2010)^+D^*(2010)^-$	not seen	—
$D^0D^*(2010)^-\pi^++\text{c.c.}$	not seen	716
$D^*\overline{D}^*\pi$	not seen	449
$D_s^+D_s^-$	not seen	803
$D_s^{*+}D_s^- + \text{c.c.}$	not seen	615
$D_s^{*+}D_s^{*-}$	not seen	239
$p\bar{p}$	not seen	1907
$K_S^0K^\pm\pi^\mp$	not seen	2048
$K^+K^-\pi^0$	not seen	2049

**X(4360)**

$$I^G(J^{PC}) = ?^?(1^{--})$$

$X(4360)$  MASS =  $4346 \pm 6$  MeV

$X(4360)$  WIDTH =  $102 \pm 10$  MeV

<b>X(4360) DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	$p$ (MeV/c)
$\psi(2S)\pi^+\pi^-$	seen	552
$\psi(3823)\pi^+\pi^-$	possibly seen	416

 **$\psi(4415)^{[h]}$** 

$$I^G(J^{PC}) = 0^-(1^{--})$$

Mass  $m = 4421 \pm 4$  MeV

Full width  $\Gamma = 62 \pm 20$  MeV

$\Gamma_{ee} = 0.58 \pm 0.07$  keV

Due to the complexity of the  $c\bar{c}$  threshold region, in this listing, “seen” (“not seen”) means that a cross section for the mode in question has been measured at effective  $\sqrt{s}$  near this particle’s central mass value, more (less) than  $2\sigma$  above zero, without regard to any peaking behavior in  $\sqrt{s}$  or absence thereof. See mode listing(s) for details and references.

<b><math>\psi(4415)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	Confidence level	$p$ (MeV/c)
$D\overline{D}$	seen		1187
$D^0\overline{D}^0$	seen		1187
$D^+D^-$	seen		1179
$D^*\overline{D} + \text{c.c.}$	seen		1063
$D^*(2007)^0\overline{D}^0 + \text{c.c.}$	seen		1067
$D^*(2010)^+D^- + \text{c.c.}$	seen		1059
$D^*\overline{D}^*$	seen		919
$D^*(2007)^0\overline{D}^*(2007)^0 + \text{c.c.}$	seen		927
$D^*(2010)^+D^*(2010)^- + \text{c.c.}$	seen		919
$D^0D^-\pi^+(\text{excl. } D^*(2007)^0\overline{D}^0 + \text{c.c.}, D^*(2010)^+D^- + \text{c.c.})$	< 2.3 %	90%	—
$D\overline{D}_2^*(2460) \rightarrow D^0D^-\pi^+ + \text{c.c.}$	(10 $\pm 4$ ) %		—
$D^0D^{*-}\pi^+ + \text{c.c.}$	< 11 %	90%	926
$D_s^+D_s^-$	not seen		1006
$\omega\chi_{c2}$	possibly seen		330
$D_s^{*+}D_s^- + \text{c.c.}$	seen		—
$D_s^{*+}D_s^{*-}$	not seen		652
$\psi(3823)\pi^+\pi^-$	possibly seen		494
$J/\psi\eta$	< 6 $\times 10^{-3}$	90%	1022

$\chi_{c1}\gamma$	< 8	$\times 10^{-4}$	90%	817
$\chi_{c2}\gamma$	< 4	$\times 10^{-3}$	90%	780
$e^+ e^-$	$(9.4 \pm 3.2) \times 10^{-6}$			2210

**X(4430) $^\pm$** 

$I(J^P) = ?(1^+)$

Quantum numbers not established.

Mass  $m = 4478^{+15}_{-18}$  MeVFull width  $\Gamma = 181 \pm 31$  MeV

<b>X(4430)<math>^\pm</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	$p$ (MeV/c)
$\pi^+ \psi(2S)$	seen	711
$\pi^+ J/\psi$	seen	1162

**X(4660)**

$I^G(J^PC) = ??(1^{--})$

 $X(4660)$  MASS =  $4643 \pm 9$  MeV (S = 1.2) $X(4660)$  WIDTH =  $72 \pm 11$  MeV

<b>X(4660) DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	$p$ (MeV/c)
$\psi(2S)\pi^+\pi^-$	seen	820

## NOTES

[a] For  $E_\gamma > 100$  MeV.

[b] The value is for the sum of the charge states or particle/antiparticle states indicated.

[c] Includes  $p\bar{p}\pi^+\pi^-\gamma$  and excludes  $p\bar{p}\eta$ ,  $p\bar{p}\omega$ ,  $p\bar{p}\eta'$ .[d] See the “Note on the  $\eta(1405)$ ” in the  $\eta(1405)$  Particle Listings.[e] For a narrow state  $A$  with mass less than 960 MeV.[f] For a narrow scalar or pseudoscalar  $A^0$  with mass 0.21–3.0 GeV.[g] For a narrow resonance in the range  $2.2 < M(X) < 2.8$  GeV.[h]  $J^{PC}$  known by production in  $e^+e^-$  via single photon annihilation.  $I^G$  is not known; interpretation of this state as a single resonance is unclear because of the expectation of substantial threshold effects in this energy region.