

$N(2120) 3/2^-$

$$I(J^P) = \frac{1}{2}(3/2^-) \text{ Status: } **$$

OMITTED FROM SUMMARY TABLE

Before the 2012 *Review*, all the evidence for a $J^P = 3/2^-$ state with a mass above 1800 MeV was filed under a two-star $N(2080)$.

There is now evidence from ANISOVICH 12A for two $3/2^-$ states in this region, so we have split the older data (according to mass) between a three-star $N(1875)$ and a two-star $N(2120)$.

 $N(2120)$ POLE POSITION**REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2115 ± 40	SOKHOYAN 15A	DPWA	Multichannel
2050 ± 70	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$ (higher m)
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2115 ± 40	GUTZ 14	DPWA	Multichannel
2110 ± 50	ANISOVICH 12A	DPWA	Multichannel

−2×IMAGINARY PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
345 ± 35	SOKHOYAN 15A	DPWA	Multichannel
200 ± 80	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$ (higher m)
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
345 ± 35	GUTZ 14	DPWA	Multichannel
340 ± 45	ANISOVICH 12A	DPWA	Multichannel

 $N(2120)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
11 ± 6	SOKHOYAN 15A	DPWA	Multichannel
30 ± 20	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$ (higher m)
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
11 ± 6	GUTZ 14	DPWA	Multichannel
13 ± 3	ANISOVICH 12A	DPWA	Multichannel

PHASE θ

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
−30 ± 20	SOKHOYAN 15A	DPWA	Multichannel
0 ± 100	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$ (higher m)
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
−30 ± 20	GUTZ 14	DPWA	Multichannel
−20 ± 10	ANISOVICH 12A	DPWA	Multichannel

$N(2120)$ INELASTIC POLE RESIDUEThe “normalized residue” is the residue divided by $\Gamma_{pole}/2$.**Normalized residue in $N\pi \rightarrow N(2120) \rightarrow \Lambda K$**

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.03±0.01	100 ± 30	ANISOVICH	12A DPWA	Multichannel

Normalized residue in $N\pi \rightarrow N(2120) \rightarrow \Sigma K$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.02±0.015	−50 ± 40	ANISOVICH	12A DPWA	Multichannel

Normalized residue in $N\pi \rightarrow N(2120) \rightarrow N(1535)\pi$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.15±0.08	−90 ± 40	GUTZ	14 DPWA	Multichannel

Normalized residue in $N\pi \rightarrow N(2120) \rightarrow \Delta(1232)\pi$, S-wave

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.25±0.10	undefined	SOKHOYAN	15A DPWA	Multichannel

Normalized residue in $N\pi \rightarrow N(2120) \rightarrow \Delta(1232)\pi$, D-wave

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.15±0.06	−35 ± 30	SOKHOYAN	15A DPWA	Multichannel

Normalized residue in $N\pi \rightarrow N(2120) \rightarrow N\sigma$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.09±0.05	−80 ± 50	SOKHOYAN	15A DPWA	Multichannel

 $N(2120)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2120 OUR ESTIMATE			
2120±45	SOKHOYAN	15A DPWA	Multichannel
2060±80	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
2081±20	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2120±35	GUTZ	14 DPWA	Multichannel
2150±60	ANISOVICH	12A DPWA	Multichannel

 $N(2120)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
340 ± 35	SOKHOYAN	15A DPWA	Multichannel
300±100	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$ (higher m)
265 ± 40	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
340 ± 35	GUTZ	14 DPWA	Multichannel
330 ± 45	ANISOVICH	12A DPWA	Multichannel

N(2120) DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	5–15 %
Γ_2 $N\omega$	
Γ_3 $N\pi\pi$	50–95 %
Γ_4 $\Delta(1232)\pi$	40–90 %
Γ_5 $\Delta(1232)\pi$, <i>S-wave</i>	30–70 %
Γ_6 $\Delta(1232)\pi$, <i>D-wave</i>	8–32 %
Γ_7 $N\sigma$	7–15 %
Γ_8 $N(1535)\pi$	7–23 %
Γ_9 $p\gamma$	0.16–2.1 %
Γ_{10} $p\gamma$, helicity=1/2	0.07–0.80 %
Γ_{11} $p\gamma$, helicity=3/2	0.09–1.3 %
Γ_{12} $n\gamma$	0.04–0.72 %
Γ_{13} $n\gamma$, helicity=1/2	0.04–0.60 %
Γ_{14} $n\gamma$, helicity=3/2	0.001–0.12 %

N(2120) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	Γ_1/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
5±3	SOKHOYAN 15A DPWA Multichannel
14±7	CUTKOSKY 80 IPWA $\pi N \rightarrow \pi N$ (higher <i>m</i>)
6±2	HOEHLER 79 IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●	
5±3	GUTZ 14 DPWA Multichannel
6±2	ANISOVICH 12A DPWA Multichannel
$\Gamma(N\omega)/\Gamma_{\text{total}}$	Γ_2/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
12±8	DENISENKO 16 DPWA Multichannel
$\Gamma(\Delta(1232)\pi, S\text{-wave})/\Gamma_{\text{total}}$	Γ_5/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
50±20	SOKHOYAN 15A DPWA Multichannel
$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$	Γ_6/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
20±12	SOKHOYAN 15A DPWA Multichannel
$\Gamma(N\sigma)/\Gamma_{\text{total}}$	Γ_7/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
11±4	SOKHOYAN 15A DPWA Multichannel

$\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$	Γ_8/Γ		
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
15 ± 8	GUTZ	14	DPWA Multichannel

$N(2120)$ PHOTON DECAY AMPLITUDES AT THE POLE

$N(2120) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>MODULUS ($\text{GeV}^{-1/2}$)</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.130 ± 0.045	-40 ± 25	SOKHOYAN	15A	DPWA Multichannel

$N(2120) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>MODULUS ($\text{GeV}^{-1/2}$)</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.160 ± 0.060	-30 ± 15	SOKHOYAN	15A	DPWA Multichannel

$N(2120)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

$N(2120) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE ($\text{GeV}^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.130 ± 0.050	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.130 ± 0.050	GUTZ	14	DPWA Multichannel

$N(2120) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE ($\text{GeV}^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.160 ± 0.065	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.160 ± 0.065	GUTZ	14	DPWA Multichannel

$N(2120) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE ($\text{GeV}^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.110 ± 0.045	ANISOVICH	13B	DPWA Multichannel

$N(2120) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE ($\text{GeV}^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.040 ± 0.030	ANISOVICH	13B	DPWA Multichannel

$N(2120)$ REFERENCES

DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT)