

**$\Delta(1620) \ 1/2^-$**  $I(J^P) = \frac{3}{2}(\frac{1}{2}^-)$  Status: \*\*\*

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

 **$\Delta(1620)$  POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

**1590 to 1610 ( $\approx 1600$ ) OUR ESTIMATE**

1597 $\pm$ 5	SOKHOYAN	15A	DPWA Multichannel
1603 $\pm$ 7 $\pm$ 2	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
1600 $\pm$ 15	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
1600	ROENCHEN	15A	DPWA Multichannel
1597 $\pm$ 4	ANISOVICH	12A	DPWA Multichannel
1587	SHRESTHA	12A	DPWA Multichannel
1595	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1607	VRANA	00	DPWA Multichannel
1608	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

**-2xIMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

**100 to 140 ( $\approx 120$ ) OUR ESTIMATE**

134 $\pm$ 8	SOKHOYAN	15A	DPWA Multichannel
114 $\pm$ 12 $\pm$ 4	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
120 $\pm$ 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
65	ROENCHEN	15A	DPWA Multichannel
130 $\pm$ 9	ANISOVICH	12A	DPWA Multichannel
107	SHRESTHA	12A	DPWA Multichannel
135	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
148	VRANA	00	DPWA Multichannel
116	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

 **$\Delta(1620)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

**15 to 20 ( $\approx 17$ ) OUR ESTIMATE**

20 $\pm$ 3	SOKHOYAN	15A	DPWA Multichannel
17 $\pm$ 2 $\pm$ 1	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
15 $\pm$ 2	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

16	ROENCHEN	15A	DPWA	Multichannel
18±2	ANISOVICH	12A	DPWA	Multichannel
15	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
19	HOEHLER	93	SPED	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## PHASE $\theta$

VALUE (°)	DOCUMENT ID	TECN	COMMENT
<b>-120 to -80 (<math>\approx -100</math>) OUR ESTIMATE</b>			

- 90±15	SOKHOYAN	15A	DPWA	Multichannel
- 106±10±4	<sup>1</sup> SVARC	14	L+P	$\pi N \rightarrow \pi N$
- 110±20	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
- 104	ROENCHEN	15A	DPWA	Multichannel
- 100± 5	ANISOVICH	12A	DPWA	Multichannel
- 92	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
- 95	HOEHLER	93	SPED	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## $\Delta(1620)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

### Normalized residue in $N\pi \rightarrow \Delta(1620) \rightarrow \Delta\pi, D\text{-wave}$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.42±0.06	- 90 ± 20	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.57	105	ROENCHEN	15A	DPWA Multichannel
0.38±0.09	- 85 ± 30	ANISOVICH	12A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1620) \rightarrow \Sigma K$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.22	- 105	ROENCHEN	15A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1620) \rightarrow N(1440)\pi$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.10±0.06	- 65 ± 30	SOKHOYAN	15A	DPWA Multichannel

## $\Delta(1620)$ BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1590 to 1630 (<math>\approx 1610</math>) OUR ESTIMATE</b>			
1595 ± 8	SOKHOYAN	15A	DPWA Multichannel
1600 ± 1	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
1615.2± 0.4	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1620 ± 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1610 ± 7	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1600 $\pm$ 8	ANISOVICH	12A	DPWA	Multichannel
1612 $\pm$ 2	PENNER	02C	DPWA	Multichannel
1617 $\pm$ 15	VRANA	00	DPWA	Multichannel

<sup>1</sup> Statistical error only.

## $\Delta(1620)$ BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

### 110 to 150 ( $\approx$ 130) OUR ESTIMATE

135 $\pm$ 9	SOKHOYAN	15A	DPWA	Multichannel
112 $\pm$ 2	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
146.9 $\pm$ 1.9	<sup>1</sup> ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
140 $\pm$ 20	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
139 $\pm$ 18	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

130 $\pm$ 11	ANISOVICH	12A	DPWA	Multichannel
202 $\pm$ 7	PENNER	02C	DPWA	Multichannel
143 $\pm$ 42	VRANA	00	DPWA	Multichannel

<sup>1</sup> Statistical error only.

## $\Delta(1620)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 N\pi$	25–35 %
$\Gamma_2 N\pi\pi$	55–80 %
$\Gamma_3 \Delta(1232)\pi$	
$\Gamma_4 \Delta(1232)\pi, D\text{-wave}$	52–72 %
$\Gamma_5 N\rho$	
$\Gamma_6 N\rho, S=1/2, S\text{-wave}$	seen
$\Gamma_7 N\rho, S=3/2, D\text{-wave}$	seen
$\Gamma_8 N(1440)\pi$	3–9 %
$\Gamma_9 N\gamma, \text{ helicity}=1/2$	0.03–0.10 %

## $\Delta(1620)$ BRANCHING RATIOS

### $\Gamma(N\pi)/\Gamma_{\text{total}}$

### $\Gamma_1/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
-----------	-------------	------	---------

### 25 to 35 ( $\approx$ 30) OUR ESTIMATE

28 $\pm$ 3	SOKHOYAN	15A	DPWA	Multichannel
33 $\pm$ 2	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
31.5 $\pm$ 0.1	<sup>1</sup> ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
25 $\pm$ 3	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
35 $\pm$ 6	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

28 ± 3	ANISOVICH	12A	DPWA	Multichannel
34 ± 1	PENNER	02C	DPWA	Multichannel
45 ± 5	VRANA	00	DPWA	Multichannel

<sup>1</sup> Statistical error only.

### $\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$

$\Gamma_4/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
62 ± 10	SOKHOYAN	15A	DPWA Multichannel
32 ± 2	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
60 ± 17	ANISOVICH	12A	DPWA Multichannel
39 ± 2	VRANA	00	DPWA Multichannel

<sup>1</sup> Statistical error only.

### $\Gamma(N\rho, S=1/2, S\text{-wave})/\Gamma_{\text{total}}$

$\Gamma_6/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
26 ± 2	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
14 ± 3	VRANA	00	DPWA Multichannel

<sup>1</sup> Statistical error only.

### $\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$

$\Gamma_7/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2 ± 1	VRANA	00	DPWA Multichannel

### $\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$

$\Gamma_8/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
6 ± 3	SOKHOYAN	15A	DPWA Multichannel
9 ± 1	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0 ± 1	VRANA	00	DPWA Multichannel

<sup>1</sup> Statistical error only.

## $\Delta(1620)$ PHOTON DECAY AMPLITUDES AT THE POLE

### $\Delta(1620) \rightarrow N\gamma$ , helicity-1/2 amplitude $A_{1/2}$

MODULUS (GeV <sup>-1/2</sup> )	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.054 ± 0.007	-6 ± 7	SOKHOYAN	15A	DPWA Multichannel
-0.028 <sup>+0.006</sup> <sub>-0.002</sub>	-166 <sup>+1</sup> <sub>-4</sub>	ROENCHEN	14	DPWA
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.014	26	ROENCHEN	15A	DPWA Multichannel

## **$\Delta(1620)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES**

### **$\Delta(1620) \rightarrow N\gamma$ , helicity-1/2 amplitude $A_{1/2}$**

VALUE (GeV $^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
<b>0.030 to 0.060 (<math>\approx 0.050</math>) OUR ESTIMATE</b>			
0.055 $\pm$ 0.007	SOKHOYAN	15A	DPWA Multichannel
0.029 $\pm$ 0.003	<sup>1</sup> WORKMAN	12A	DPWA $\gamma N \rightarrow N\pi$
0.050 $\pm$ 0.002	<sup>1</sup> DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.052 $\pm$ 0.005	ANISOVICH	12A	DPWA Multichannel
-0.003 $\pm$ 0.003	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
0.066	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
-0.050	PENNER	02D	DPWA Multichannel

<sup>1</sup> Statistical error only.

### **$\Delta(1620)$ REFERENCES**

For early references, see Physics Letters **111B** 1 (1982).

ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
ROENCHEN	14	EPJ A50 101	D. Roenchen <i>et al.</i>	
Also		EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>	
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP