

$\pi_2(1880)$ 

$$J^{PC} = 1^-(2^-+)$$

 **$\pi(1880)$  MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
<b>1895 ± 16 OUR AVERAGE</b>					
1929 ± 24 ± 18	4k	EUGENIO	08	B852	– 18 $\pi^- p \rightarrow \eta\eta\pi^- p$
1876 ± 11 ± 67	145k	LU	05	B852	– 18 $\pi^- p \rightarrow \omega\pi^-\pi^0 p$
2003 ± 88 ± 148	69k	KUHN	04	B852	– 18 $\pi^- p \rightarrow \eta\pi^+\pi^-\pi^- p$
1880 ± 20		ANISOVICH	01B	SPEC	0 0.6–1.94 $\bar{p}p \rightarrow \eta\eta\pi^0\pi^0$

 **$\pi(1880)$  WIDTH**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
<b>235 ± 34 OUR AVERAGE</b>					
323 ± 87 ± 43	4k	EUGENIO	08	B852	– 18 $\pi^- p \rightarrow \eta\eta\pi^- p$
146 ± 17 ± 62	145k	LU	05	B852	– 18 $\pi^- p \rightarrow \omega\pi^-\pi^0 p$
306 ± 132 ± 121	69k	KUHN	04	B852	– 18 $\pi^- p \rightarrow \eta\pi^+\pi^-\pi^- p$
255 ± 45		ANISOVICH	01B	SPEC	0 0.6–1.94 $\bar{p}p \rightarrow \eta\eta\pi^0\pi^0$

 **$\pi_2(1880)$  DECAY MODES**

Mode	$\Gamma$
$\eta\eta\pi^-$	$\Gamma_1$
$a_0(980)\eta$	$\Gamma_2$
$a_2(1320)\eta$	$\Gamma_3$
$f_0(1500)\pi$	$\Gamma_4$
$f_1(1285)\pi$	$\Gamma_5$
$\omega\pi^-\pi^0$	$\Gamma_6$

 **$\Gamma(a_2(1320)\eta)/\Gamma(f_1(1285)\pi)$**  **$\Gamma_3/\Gamma_5$** 

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
22.7 ± 7.3	69k	KUHN	04	B852	– 18 $\pi^- p \rightarrow \eta\pi^+\pi^-\pi^- p$

 **$\Gamma(f_0(1500)\pi)/\Gamma(a_0(980)\eta)$**  **$\Gamma_4/\Gamma_2$** 

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.28 <sup>+0.20</sup> <sub>–0.15</sub>	<sup>1</sup> ANISOVICH	01B	SPEC	0 0.6–1.94 $\bar{p}p \rightarrow \eta\eta\pi^0\pi^0$

<sup>1</sup>Systematic errors not estimated.

## $\pi_2(1880)$ REFERENCES

EUGENIO	08	PL B660 466	P. Eugenio <i>et al.</i>	(BNL E852 Collab.)
LU	05	PRL 94 032002	M. Lu <i>et al.</i>	(BNL E852 Collab.)
KUHN	04	PL B595 109	J. Kuhn <i>et al.</i>	(BNL E852 Collab.)
ANISOVICH	01B	PL B500 222	A.V. Anisovich <i>et al.</i>	

---