

$\Delta(1940) \ 3/2^-$  $I(J^P) = \frac{3}{2}(\frac{3}{2}^-)$  Status: \*\*

OMITTED FROM SUMMARY TABLE

 **$\Delta(1940)$  POLE POSITION****REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1850 to 2050 (<math>\approx</math> 1950) OUR ESTIMATE</b>			
$2040 \pm 50$	SOKHOYAN	15A	DPWA Multichannel
$1878 \pm 11 \pm 5.5$	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
$1900 \pm 100$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$2040 \pm 50$	GUTZ	14	DPWA Multichannel
$1990^{+100}_{-50}$	ANISOVICH	12A	DPWA Multichannel

<sup>1</sup>Fit to the amplitudes of HOEHLER 79.**−2×IMAGINARY PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>200 to 500 (<math>\approx</math> 350) OUR ESTIMATE</b>			
$450 \pm 90$	SOKHOYAN	15A	DPWA Multichannel
$212 \pm 21 \pm 6$	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
$200 \pm 60$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$450 \pm 90$	GUTZ	14	DPWA Multichannel
$450 \pm 90$	ANISOVICH	12A	DPWA Multichannel

<sup>1</sup>Fit to the amplitudes of HOEHLER 79. **$\Delta(1940)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>4 to 10 (<math>\approx</math> 7) OUR ESTIMATE</b>			
$6 \pm 3$	SOKHOYAN	15A	DPWA Multichannel
$9 \pm 1 \pm 1$	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
$8 \pm 3$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$4 \pm 3$	GUTZ	14	DPWA Multichannel
$4 \pm 4$	ANISOVICH	12A	DPWA Multichannel

<sup>1</sup>Fit to the amplitudes of HOEHLER 79.

**PHASE  $\theta$** 

<u>VALUE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>150 to 250 (<math>\approx</math> 200) OUR ESTIMATE</b>			
– 90 $\pm$ 35	SOKHOYAN	15A	DPWA Multichannel
140 $\pm$ 7 $\pm$ 7	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
135 $\pm$ 45	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
– 50 $\pm$ 35	GUTZ	14	DPWA Multichannel
<sup>1</sup> Fit to the amplitudes of HOEHLER 79.			

 **$\Delta(1940)$  INELASTIC POLE RESIDUE**

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

**Normalized residue in  $N\pi \rightarrow \Delta(1940) \rightarrow \Delta(1232)\eta$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.01	undefined	GUTZ	14	DPWA Multichannel

**Normalized residue in  $N\pi \rightarrow \Delta(1940) \rightarrow N(1535)\pi$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.03	undefined	GUTZ	14	DPWA Multichannel

**Normalized residue in  $N\pi \rightarrow \Delta(1940) \rightarrow \Delta(1232)\pi$ , S-wave**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.12 $\pm$ 0.06	120 $\pm$ 45	SOKHOYAN	15A	DPWA Multichannel

**Normalized residue in  $N\pi \rightarrow \Delta(1940) \rightarrow \Delta(1232)\pi$ , D-wave**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.06 $\pm$ 0.04	– 80 $\pm$ 35	SOKHOYAN	15A	DPWA Multichannel

 **$\Delta(1940)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1940 to 2060 (<math>\approx</math> 2000) OUR ESTIMATE</b>			
2050 $\pm$ 40	SOKHOYAN	15A	DPWA Multichannel
1940 $\pm$ 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2050 $\pm$ 40	GUTZ	14	DPWA Multichannel
1995 <sup>+105</sup> <sub>– 60</sub>	ANISOVICH	12A	DPWA Multichannel

 **$\Delta(1940)$  BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>300 to 500 (<math>\approx</math> 400) OUR ESTIMATE</b>			
450 $\pm$ 70	SOKHOYAN	15A	DPWA Multichannel
200 $\pm$ 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
450 $\pm$ 70	GUTZ	14	DPWA Multichannel
450 $\pm$ 100	ANISOVICH	12A	DPWA Multichannel

**$\Delta(1940)$  DECAY MODES**

	Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$	$N\pi$	1–7 %
$\Gamma_2$	$N\pi\pi$	
$\Gamma_3$	$\Delta(1232)\pi$	30–85 %
$\Gamma_4$	$\Delta(1232)\pi$ , <i>S</i> -wave	25–65 %
$\Gamma_5$	$\Delta(1232)\pi$ , <i>D</i> -wave	5–20 %
$\Gamma_6$	$N(1535)\pi$	2–14 %
$\Gamma_7$	$N a_0(980)$	seen
$\Gamma_8$	$\Delta(1232)\eta$	4–16 %
$\Gamma_9$	$N\gamma$ , helicity=1/2	seen
$\Gamma_{10}$	$N\gamma$ , helicity=3/2	seen

 **$\Delta(1940)$  BRANCHING RATIOS** **$\Gamma(N\pi)/\Gamma_{\text{total}}$   $\Gamma_1/\Gamma$** 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
------------------	--------------------	-------------	----------------

**1 to 7 ( $\approx 4$ ) OUR ESTIMATE**

$2\pm 1$	SOKHOYAN	15A	DPWA Multichannel
$5\pm 2$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$2\pm 1$	GUTZ	14	DPWA Multichannel
----------	------	----	-------------------

 **$\Gamma(\Delta(1232)\pi, S\text{-wave})/\Gamma_{\text{total}}$   $\Gamma_4/\Gamma$** 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$46\pm 20$	SOKHOYAN	15A	DPWA Multichannel

 **$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$   $\Gamma_5/\Gamma$** 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$12\pm 7$	SOKHOYAN	15A	DPWA Multichannel

 **$\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$   $\Gamma_6/\Gamma$** 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$8\pm 6$	GUTZ	14	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$2\pm 1$	HORN	08A	DPWA Multichannel
----------	------	-----	-------------------

 **$\Gamma(N a_0(980))/\Gamma_{\text{total}}$   $\Gamma_7/\Gamma$** 

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
------------------	--------------------	-------------	----------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

$2\pm 1$	HORN	08A	DPWA Multichannel
----------	------	-----	-------------------

$\Gamma(\Delta(1232)\eta)/\Gamma_{\text{total}}$				$\Gamma_8/\Gamma$
VALUE (%)	DOCUMENT ID	TECN	COMMENT	
$10 \pm 6$	GUTZ	14	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$4 \pm 2$	HORN	08A	DPWA	Multichannel

### $\Delta(1940)$ PHOTON DECAY AMPLITUDES AT THE POLE

#### $\Delta(1940) \rightarrow N\gamma$ , helicity-1/2 amplitude $A_{1/2}$

MODULUS ( $\text{GeV}^{-1/2}$ )	PHASE ( $^\circ$ )	DOCUMENT ID	TECN	COMMENT
$0.170^{+0.120}_{-0.100}$	$-10 \pm 30$	SOKHOYAN	15A	DPWA Multichannel

#### $\Delta(1940) \rightarrow N\gamma$ , helicity-3/2 amplitude $A_{3/2}$

MODULUS ( $\text{GeV}^{-1/2}$ )	PHASE ( $^\circ$ )	DOCUMENT ID	TECN	COMMENT
$0.150 \pm 0.080$	$-10 \pm 30$	SOKHOYAN	15A	DPWA Multichannel

### $\Delta(1940)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

#### $\Delta(1940) \rightarrow N\gamma$ , helicity-1/2 amplitude $A_{1/2}$

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
$0.170^{+0.110}_{-0.080}$	SOKHOYAN	15A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.170^{+0.110}_{-0.080}$	GUTZ	14	DPWA Multichannel
---------------------------	------	----	-------------------

#### $\Delta(1940) \rightarrow N\gamma$ , helicity-3/2 amplitude $A_{3/2}$

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
$0.150 \pm 0.080$	SOKHOYAN	15A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.150 \pm 0.080$	GUTZ	14	DPWA Multichannel
-------------------	------	----	-------------------

### $\Delta(1940)$ REFERENCES

SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
HORN	08A	EPJ A38 173	I. Horn <i>et al.</i>	(CB-ELSA Collab.)
Also		PRL 101 202002	I. Horn <i>et al.</i>	(CB-ELSA Collab.)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT)