

$N(1900) \ 3/2^+$ $I(J^P) = \frac{1}{2}(3/2^+)$ Status: **** **$N(1900)$ POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1900 to 1940 (\approx 1920) OUR ESTIMATE			
1945 \pm 35	ANISOVICH	17A	DPWA Multichannel
1928 \pm 18 \pm 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1912 \pm 30	² ANISOVICH	17A	L+P $\gamma p, \pi^- p \rightarrow K \Lambda$
1910 \pm 30	SOKHOYAN	15A	DPWA Multichannel
1910 \pm 30	GUTZ	14	DPWA Multichannel
1910	SHKLYAR	13	DPWA Multichannel
1900 \pm 30	ANISOVICH	12A	DPWA Multichannel
1895	SHRESTHA	12A	DPWA Multichannel

¹ Fit to the amplitudes of HOEHLER 79.² Statistical error only.**−2×IMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
100 to 200 (\approx 150) OUR ESTIMATE			
135 ⁺ _− 70 30	ANISOVICH	17A	DPWA Multichannel
152 \pm 40 \pm 9	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
166 \pm 30	² ANISOVICH	17A	L+P $\gamma p, \pi^- p \rightarrow K \Lambda$
280 \pm 50	SOKHOYAN	15A	DPWA Multichannel
280 \pm 50	GUTZ	14	DPWA Multichannel
173	SHKLYAR	13	DPWA Multichannel
200 ⁺ _− 100 60	ANISOVICH	12A	DPWA Multichannel
100	SHRESTHA	12A	DPWA Multichannel

¹ Fit to the amplitudes of HOEHLER 79.² Statistical error only. **$N(1900)$ ELASTIC POLE RESIDUE****MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2 to 6 (\approx 4) OUR ESTIMATE			
4 \pm 2	SOKHOYAN	15A	DPWA Multichannel
4 \pm 1 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
4 \pm 2	GUTZ	14	DPWA Multichannel
10	SHKLYAR	13	DPWA Multichannel
3 \pm 2	ANISOVICH	12A	DPWA Multichannel

¹ Fit to the amplitudes of HOEHLER 79.

PHASE θ

<u>VALUE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
–50 to 10 (\approx – 20) OUR ESTIMATE			
–10 \pm 40	SOKHOYAN	15A	DPWA Multichannel
–29 \pm 15 \pm 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
–10 \pm 40	GUTZ	14	DPWA Multichannel
–64	SHKLYAR	13	DPWA Multichannel
10 \pm 35	ANISOVICH	12A	DPWA Multichannel
¹ Fit to the amplitudes of HOEHLER 79.			

 $N(1900)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow N\eta$

<u>MODULUS</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.05 \pm 0.02	70 \pm 60	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow \Lambda K$

<u>MODULUS</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.03 \pm 0.02	90 \pm 40	ANISOVICH	17A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.07 \pm 0.03	135 \pm 25	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow \Sigma K$

<u>MODULUS</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.04 \pm 0.02	110 \pm 30	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow N(1535)\pi$

<u>MODULUS</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.04 \pm 0.01	170 \pm 30	GUTZ	14	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow \Delta(1232)\pi$, P -wave

<u>MODULUS</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.07 \pm 0.04	–65 \pm 30	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow \Delta(1232)\pi$, F -wave

<u>MODULUS</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.10 \pm 0.05	80 \pm 30	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow N(1520)\pi$

<u>MODULUS</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.07 \pm 0.04	–105 \pm 35	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow N\sigma$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.03±0.02	-110 ± 35	SOKHOYAN	15A DPWA	Multichannel

 $N(1900)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1890 to 1950 (\approx 1920) OUR ESTIMATE			
1910±30	SOKHOYAN	15A DPWA	Multichannel
1998±3	¹ SHKLYAR	13 DPWA	Multichannel
1900±8	¹ SHRESTHA	12A DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1910±30	GUTZ	14 DPWA	Multichannel
1905±30	ANISOVICH	12A DPWA	Multichannel
1951±53	PENNER	02C DPWA	Multichannel

¹Statistical error only. **$N(1900)$ BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
100 to 320 (\approx 200) OUR ESTIMATE			
270±50	SOKHOYAN	15A DPWA	Multichannel
359±10	¹ SHKLYAR	13 DPWA	Multichannel
101±15	¹ SHRESTHA	12A DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
270±50	GUTZ	14 DPWA	Multichannel
250 ⁺¹²⁰ ₋₅₀	ANISOVICH	12A DPWA	Multichannel
622±42	PENNER	02C DPWA	Multichannel

¹Statistical error only. **$N(1900)$ DECAY MODES**

	<u>Mode</u>	<u>Fraction (Γ_i/Γ)</u>
Γ_1	$N\pi$	1–20 %
Γ_2	$N\eta$	2–14 %
Γ_3	$N\eta'$	4–8 %
Γ_4	$N\omega$	7–13 %
Γ_5	ΛK	2–20 %
Γ_6	ΣK	3–7 %
Γ_7	$N\pi\pi$	40–80 %
Γ_8	$\Delta(1232)\pi$	30–70 %
Γ_9	$\Delta(1232)\pi$, P -wave	9–25 %
Γ_{10}	$\Delta(1232)\pi$, F -wave	21–45 %

Γ_{11}	$\Lambda K^*(892)$	< 0.2 %
Γ_{12}	$N\sigma$	1–7 %
Γ_{13}	$N(1520)\pi$	7–23 %
Γ_{14}	$N(1535)\pi$	4–10 %
Γ_{15}	$p\gamma$	0.001–0.025 %
Γ_{16}	$p\gamma$, helicity=1/2	0.001–0.021 %
Γ_{17}	$p\gamma$, helicity=3/2	<0.003 %
Γ_{18}	$n\gamma$	<0.040 %
Γ_{19}	$n\gamma$, helicity=1/2	<0.007 %
Γ_{20}	$n\gamma$, helicity=3/2	<0.033 %

$N(1900)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$ Γ_1/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2 to 20 (≈ 10) OUR ESTIMATE			
3 ± 2	SOKHOYAN	15A	DPWA Multichannel
25 ± 1	¹ SHKLYAR	13	DPWA Multichannel
7 ± 4	¹ SHRESTHA	12A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
3 ± 2	GUTZ	14	DPWA Multichannel
3 ± 2	ANISOVICH	12A	DPWA Multichannel
16 ± 2	PENNER	02C	DPWA Multichannel

¹Statistical error only.

$\Gamma(N\eta)/\Gamma_{\text{total}}$ Γ_2/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2 ± 2	¹ SHKLYAR	13	DPWA Multichannel
10 ± 4	ANISOVICH	12A	DPWA Multichannel
< 1	SHRESTHA	12A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
14 ± 5	PENNER	02C	DPWA Multichannel

¹Statistical error only.

$\Gamma(N\eta')/\Gamma_{\text{total}}$ Γ_3/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.06 ± 0.02	ANISOVICH	17C	DPWA Multichannel

$\Gamma(N\omega)/\Gamma_{\text{total}}$ Γ_4/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
15 ± 8	DENISENKO	16	DPWA Multichannel
10 ± 3	¹ SHKLYAR	13	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
39 ± 9	PENNER	02C	DPWA Multichannel

¹Statistical error only.

$\Gamma(\Lambda K)/\Gamma_{\text{total}}$					Γ_5/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
16 ± 5	ANISOVICH	12A	DPWA	Multichannel	
14 ± 5	¹ SHRESTHA	12A	DPWA	Multichannel	
2.4 ± 0.3	¹ SHKLYAR	05	DPWA	Multichannel	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
5 to 15	NIKONOV	08	DPWA	Multichannel	
0.1 ± 0.1	PENNER	02C	DPWA	Multichannel	
¹ Statistical error only.					

$\Gamma(\Sigma K)/\Gamma_{\text{total}}$					Γ_6/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
5 ± 2	ANISOVICH	12A	DPWA	Multichannel	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
1 ± 1	PENNER	02C	DPWA	Multichannel	

$\Gamma(\Lambda K^*(892))/\Gamma_{\text{total}}$					Γ_{11}/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
<0.002	ANISOVICH	17B	DPWA	Multichannel	

$\Gamma(N\sigma)/\Gamma_{\text{total}}$					Γ_{12}/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
4 ± 3	SOKHOYAN	15A	DPWA	Multichannel	

$\Gamma(N(1520)\pi)/\Gamma_{\text{total}}$					Γ_{13}/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
15 ± 8	SOKHOYAN	15A	DPWA	Multichannel	

$\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$					Γ_{14}/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
7 ± 3	GUTZ	14	DPWA	Multichannel	

$\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$					Γ_9/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
17 ± 8	SOKHOYAN	15A	DPWA	Multichannel	

$\Gamma(\Delta(1232)\pi, F\text{-wave})/\Gamma_{\text{total}}$					Γ_{10}/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
33 ± 12	SOKHOYAN	15A	DPWA	Multichannel	

$N(1900)$ PHOTON DECAY AMPLITUDES AT THE POLE

$N(1900) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
0.026 ± 0.014	60 ± 35	SOKHOYAN	15A	DPWA Multichannel

$N(1900) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>MODULUS ($\text{GeV}^{-1/2}$)</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.070 ± 0.030	70 ± 50	SOKHOYAN	15A	DPWA Multichannel

 $N(1900)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES **$N(1900) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

<u>VALUE ($\text{GeV}^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.024 ± 0.014	SOKHOYAN	15A	DPWA Multichannel
-0.008 ± 0.001	¹ SHKLYAR	13	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.024 ± 0.014	GUTZ	14	DPWA Multichannel
0.026 ± 0.015	ANISOVICH	12A	DPWA Multichannel
0.041 ± 0.008	¹ SHRESTHA	12A	DPWA Multichannel
-0.017	PENNER	02D	DPWA Multichannel

¹Statistical error only. **$N(1900) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$**

<u>VALUE ($\text{GeV}^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.067 ± 0.030	SOKHOYAN	15A	DPWA Multichannel
< 0.001	SHKLYAR	13	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.067 ± 0.030	GUTZ	14	DPWA Multichannel
-0.065 ± 0.030	ANISOVICH	12A	DPWA Multichannel
-0.004 ± 0.006	¹ SHRESTHA	12A	DPWA Multichannel
0.031	PENNER	02D	DPWA Multichannel

¹Statistical error only. **$N(1900) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$**

<u>VALUE ($\text{GeV}^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.000 ± 0.030	ANISOVICH	13B	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.010 ± 0.004	¹ SHRESTHA	12A	DPWA Multichannel
-0.016	PENNER	02D	DPWA Multichannel

¹Statistical error only. **$N(1900) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$**

<u>VALUE ($\text{GeV}^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.060 ± 0.045	ANISOVICH	13B	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.011 ± 0.007	¹ SHRESTHA	12A	DPWA Multichannel
-0.002	PENNER	02D	DPWA Multichannel

¹Statistical error only.

N(1900) REFERENCES

ANISOVICH	17A	PRL 119 062004	A.V. Anisovich <i>et al.</i>	
ANISOVICH	17B	PL B771 142	A.V. Anisovich <i>et al.</i>	
ANISOVICH	17C	PL B772 247	A.V. Anisovich <i>et al.</i>	
DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
NIKONOV	08	PL B662 245	V.A. Nikonov <i>et al.</i>	(Bonn, Gatchina)
SHKLYAR	05	PR C72 015210	V. Shklyar, H. Lenske, U. Mosel	(GIES)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT)
