

$N(1680) \ 5/2^+$ $I(J^P) = \frac{1}{2}(\frac{5}{2}^+)$ Status: ***

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

 $N(1680)$ POLE POSITION**REAL PART**

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|--------------------|------|--|
| 1665 to 1680 (≈ 1675) OUR ESTIMATE | | | |
| 1678 \pm 5 | SOKHOYAN | 15A | DPWA Multichannel |
| 1674 \pm 2 \pm 1 | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| 1667 \pm 5 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 1668 | HUNT | 19 | DPWA Multichannel |
| 1669 | ROENCHEN | 15A | DPWA Multichannel |
| 1660 | SHKLYAR | 13 | DPWA Multichannel |
| 1676 \pm 6 | ANISOVICH | 12A | DPWA Multichannel |
| 1666 \pm 8 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 1674 | ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 1667 | VRANA | 00 | DPWA Multichannel |
| 1673 | HOEHLER | 93 | ARGD $\pi N \rightarrow \pi N$ |

¹ Fit to the amplitudes of HOEHLER 79.

-2xIMAGINARY PART

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|--------------------|------|--|
| 110 to 135 (≈ 120) OUR ESTIMATE | | | |
| 113 \pm 4 | SOKHOYAN | 15A | DPWA Multichannel |
| 129 \pm 3 \pm 1 | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| 110 \pm 10 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 118 | HUNT | 19 | DPWA Multichannel |
| 100 | ROENCHEN | 15A | DPWA Multichannel |
| 98 | SHKLYAR | 13 | DPWA Multichannel |
| 113 \pm 4 | ANISOVICH | 12A | DPWA Multichannel |
| 135 \pm 6 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 115 | ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 122 | VRANA | 00 | DPWA Multichannel |
| 135 | HOEHLER | 93 | ARGD $\pi N \rightarrow \pi N$ |

¹ Fit to the amplitudes of HOEHLER 79.

 $N(1680)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|--|--------------------|------|--------------------------------|
| 35 to 45 (≈ 40) OUR ESTIMATE | | | |
| 45 \pm 4 | SOKHOYAN | 15A | DPWA Multichannel |
| 44 \pm 1 \pm 1 | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| 34 \pm 2 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|------|-----------|-----|------|-----------------------------------|
| 34 | ROENCHEN | 15A | DPWA | Multichannel |
| 33 | SHKLYAR | 13 | DPWA | Multichannel |
| 43±4 | ANISOVICH | 12A | DPWA | Multichannel |
| 44 | BATINIC | 10 | DPWA | $\pi N \rightarrow N\pi, N\eta$ |
| 42 | ARNDT | 06 | DPWA | $\pi N \rightarrow \pi N, \eta N$ |
| 44 | HOEHLER | 93 | ARGD | $\pi N \rightarrow \pi N$ |

¹ Fit to the amplitudes of HOEHLER 79.

PHASE θ

| VALUE (°) | DOCUMENT ID | TECN | COMMENT |
|-----------|-------------|------|---------|
|-----------|-------------|------|---------|

-20 to 10 (≈ -5) OUR ESTIMATE

| | | | | |
|----------|---|-----|------|-----------------------------------|
| 5±10 | SOKHOYAN | 15A | DPWA | Multichannel |
| -16± 1±1 | ¹ SVARC | 14 | L+P | $\pi N \rightarrow \pi N$ |
| -25± 5 | CUTKOSKY | 80 | IPWA | $\pi N \rightarrow \pi N$ |
| • • • | We do not use the following data for averages, fits, limits, etc. • • • | | | |
| -19 | ROENCHEN | 15A | DPWA | Multichannel |
| -32 | SHKLYAR | 13 | DPWA | Multichannel |
| - 2±10 | ANISOVICH | 12A | DPWA | Multichannel |
| -19 | BATINIC | 10 | DPWA | $\pi N \rightarrow N\pi, N\eta$ |
| - 4 | ARNDT | 06 | DPWA | $\pi N \rightarrow \pi N, \eta N$ |
| -17 | HOEHLER | 93 | ARGD | $\pi N \rightarrow \pi N$ |

¹ Fit to the amplitudes of HOEHLER 79.

N(1680) INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1680) \rightarrow \Delta\pi, P\text{-wave}$

| MODULUS | PHASE (°) | DOCUMENT ID | TECN | COMMENT |
|-----------|---|-------------|------|-------------------|
| 0.15±0.03 | -60 ± 30 | SOKHOYAN | 15A | DPWA Multichannel |
| • • • | We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 0.15±0.03 | -70 ± 45 | ANISOVICH | 12A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1680) \rightarrow \Delta\pi, F\text{-wave}$

| MODULUS | PHASE (°) | DOCUMENT ID | TECN | COMMENT |
|-----------|---|-------------|------|-------------------|
| 0.23±0.04 | 90 ± 12 | SOKHOYAN | 15A | DPWA Multichannel |
| • • • | We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 0.23±0.04 | 85 ± 15 | ANISOVICH | 12A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1680) \rightarrow N\eta$

| MODULUS | PHASE (°) | DOCUMENT ID | TECN | COMMENT |
|---------|---|-------------|------|---------|
| • • • | We do not use the following data for averages, fits, limits, etc. • • • | | | |

0.027 136 ROENCHEN 15A DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1680) \rightarrow \Lambda K$

| MODULUS | PHASE (°) | DOCUMENT ID | TECN | COMMENT |
|---------|---|-------------|------|---------|
| • • • | We do not use the following data for averages, fits, limits, etc. • • • | | | |

0.001 90 ROENCHEN 15A DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1680) \rightarrow \Sigma K$

| <u>MODULUS</u> | <u>PHASE (°)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--|------------------|--------------------|-------------|-------------------|
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.004 | 148 | ROENCHEN | 15A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1680) \rightarrow N(\pi\pi)_{S-wave}^{J=0}$

| <u>MODULUS</u> | <u>PHASE (°)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--|------------------|--------------------|-------------|-------------------|
| 0.29 ± 0.06 | -45 ± 15 | SOKHOYAN | 15A | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.26 ± 0.04 | -56 ± 15 | ANISOVICH | 12A | DPWA Multichannel |

 $N(1680)$ BREIT-WIGNER MASS

| <u>VALUE (MeV)</u> | | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--|--------------|--------------------|-------------|---|
| 1680 to 1690 (≈ 1685) OUR ESTIMATE | | | | |
| 1686 ± 5 | | GOLOVATCH | 19 | DPWA $\gamma p \rightarrow \pi^+ \pi^- p$ |
| 1681.0 ± 0.1 | ¹ | HUNT | 19 | DPWA Multichannel |
| 1690 ± 5 | | SOKHOYAN | 15A | DPWA Multichannel |
| 1676 ± 2 | ¹ | SHKLYAR | 13 | DPWA Multichannel |
| 1680.1 ± 0.2 | ¹ | ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 1680 ± 10 | | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| 1684 ± 3 | | HOEHLER | 79 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 1689 ± 6 | | ANISOVICH | 12A | DPWA Multichannel |
| 1682.7 ± 0.5 | ¹ | SHRESTHA | 12A | DPWA Multichannel |
| 1680 ± 7 | | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 1679 ± 3 | | VRANA | 00 | DPWA Multichannel |

¹ Statistical error only.

 $N(1680)$ BREIT-WIGNER WIDTH

| <u>VALUE (MeV)</u> | | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--|--------------|--------------------|-------------|---|
| 115 to 130 (≈ 120) OUR ESTIMATE | | | | |
| 118 ± 20 | | GOLOVATCH | 19 | DPWA $\gamma p \rightarrow \pi^+ \pi^- p$ |
| 123 ± 3 | ¹ | HUNT | 19 | DPWA Multichannel |
| 119 ± 4 | | SOKHOYAN | 15A | DPWA Multichannel |
| 115 ± 1 | ¹ | SHKLYAR | 13 | DPWA Multichannel |
| 128.0 ± 1.1 | ¹ | ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 120 ± 10 | | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| 128 ± 8 | | HOEHLER | 79 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 118 ± 6 | | ANISOVICH | 12A | DPWA Multichannel |
| 126 ± 1 | ¹ | SHRESTHA | 12A | DPWA Multichannel |
| 142 ± 7 | | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 128 ± 9 | | VRANA | 00 | DPWA Multichannel |

¹ Statistical error only.

N(1680) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

| Mode | Fraction (Γ_i/Γ) |
|---|--------------------------------|
| $\Gamma_1 N\pi$ | 60–70 % |
| $\Gamma_2 N\eta$ | <1 % |
| $\Gamma_3 \Lambda K$ | |
| $\Gamma_4 N\pi\pi$ | 20–40 % |
| $\Gamma_5 \Delta(1232)\pi$ | 11–23 % |
| $\Gamma_6 \Delta(1232)\pi, P\text{-wave}$ | 4–10 % |
| $\Gamma_7 \Delta(1232)\pi, F\text{-wave}$ | 1–13 % |
| $\Gamma_8 N\rho$ | |
| $\Gamma_9 N\rho, S=3/2, P\text{-wave}$ | |
| $\Gamma_{10} N\rho, S=3/2, F\text{-wave}$ | |
| $\Gamma_{11} N\sigma$ | 9–19 % |
| $\Gamma_{12} p\gamma$ | 0.21–0.32 % |
| $\Gamma_{13} p\gamma, \text{ helicity}=1/2$ | 0.001–0.011 % |
| $\Gamma_{14} p\gamma, \text{ helicity}=3/2$ | 0.20–0.32 % |
| $\Gamma_{15} n\gamma$ | 0.021–0.046 % |
| $\Gamma_{16} n\gamma, \text{ helicity}=1/2$ | 0.004–0.029 % |
| $\Gamma_{17} n\gamma, \text{ helicity}=3/2$ | 0.01–0.024 % |

N(1680) BRANCHING RATIOS

| $\Gamma(N\pi)/\Gamma_{\text{total}}$ | Γ_1/Γ | | | |
|---|-----------------------|------|---------|-----------------------------------|
| VALUE (%) | DOCUMENT ID | TECN | COMMENT | |
| 60 to 70 (≈ 65) OUR ESTIMATE | | | | |
| 68.0 \pm 0.1 | ¹ HUNT | 19 | DPWA | Multichannel |
| 62 \pm 4 | SOKHOYAN | 15A | DPWA | Multichannel |
| 68 \pm 1 | ¹ SHKLYAR | 13 | DPWA | Multichannel |
| 70.1 \pm 0.1 | ¹ ARNDT | 06 | DPWA | $\pi N \rightarrow \pi N, \eta N$ |
| 62 \pm 5 | CUTKOSKY | 80 | IPWA | $\pi N \rightarrow \pi N$ |
| 65 \pm 2 | HOEHLER | 79 | IPWA | $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 64 \pm 5 | ANISOVICH | 12A | DPWA | Multichannel |
| 68.0 \pm 0.5 | ¹ SHRESTHA | 12A | DPWA | Multichannel |
| 67 \pm 3 | BATINIC | 10 | DPWA | $\pi N \rightarrow N\pi, N\eta$ |
| 69 \pm 2 | VRANA | 00 | DPWA | Multichannel |

¹ Statistical error only.

| $\Gamma(N\eta)/\Gamma_{\text{total}}$ | Γ_2/Γ | | | |
|---------------------------------------|-------------------|------|---------|------------------------------|
| VALUE (%) | DOCUMENT ID | TECN | COMMENT | |
| 0.09 \pm 0.02 | ¹ HUNT | 19 | DPWA | Multichannel |
| <1 | SHKLYAR | 13 | DPWA | Multichannel |
| 0.15 $^{+0.35}_{-0.10}$ | TIATOR | 99 | DPWA | $\gamma p \rightarrow p\eta$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|----------|-----------------------|-----|------|---------------------------------|
| 1.0 ±0.3 | ¹ SHRESTHA | 12A | DPWA | Multichannel |
| 0.4 ±0.2 | BATINIC | 10 | DPWA | $\pi N \rightarrow N\pi, N\eta$ |
| <1 | THOMA | 08 | DPWA | Multichannel |
| 0 ±1 | VRANA | 00 | DPWA | Multichannel |

¹ Statistical error only.

$\Gamma(\Lambda K)/\Gamma_{\text{total}}$

Γ_3/Γ

$\Gamma(N\pi\pi)/\Gamma_{\text{total}}$

Γ_4/Γ

VALUE

0.24±0.04

| DOCUMENT ID | TECN | COMMENT |
|-------------|------|---|
| GOLOVATCH | 19 | DPWA $\gamma p \rightarrow \pi^+ \pi^- p$ |



$\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$

Γ_6/Γ

VALUE (%)

13 ±1

7 ±3

• • • We do not use the following data for averages, fits, limits, etc. • • •

5 ±3

10.5±0.9

14 ±3

| DOCUMENT ID | TECN | COMMENT |
|-----------------------|------|-------------------|
| ¹ HUNT | 19 | DPWA Multichannel |
| SOKHOYAN | 15A | DPWA Multichannel |
| ¹ SHRESTHA | 12A | DPWA Multichannel |
| VRANA | 00 | DPWA Multichannel |



¹ Statistical error only.

$\Gamma(\Delta(1232)\pi, F\text{-wave})/\Gamma_{\text{total}}$

Γ_7/Γ

VALUE (%)

< 0.3

10 ±3

• • • We do not use the following data for averages, fits, limits, etc. • • •

10 ±3

1.0±0.1

1 ±1

| DOCUMENT ID | TECN | COMMENT |
|------------------------|------|-------------------|
| ¹ HUNT | 19 | DPWA Multichannel |
| SOKHOYAN | 15A | DPWA Multichannel |
| ¹ ANISOVICH | 12A | DPWA Multichannel |
| ¹ SHRESTHA | 12A | DPWA Multichannel |
| VRANA | 00 | DPWA Multichannel |



¹ Statistical error only.

$\Gamma(N\rho, S=3/2, P\text{-wave})/\Gamma_{\text{total}}$

Γ_9/Γ

VALUE (%)

7±1

¹ Statistical error only.

| DOCUMENT ID | TECN | COMMENT |
|-------------------|------|-------------------|
| ¹ HUNT | 19 | DPWA Multichannel |



$\Gamma(N\rho, S=3/2, F\text{-wave})/\Gamma_{\text{total}}$

Γ_{10}/Γ

VALUE (%)

2.4±0.4

¹ Statistical error only.

| DOCUMENT ID | TECN | COMMENT |
|-------------------|------|-------------------|
| ¹ HUNT | 19 | DPWA Multichannel |



| $\Gamma(N\sigma)/\Gamma_{\text{total}}$ | Γ_{11}/Γ | | |
|---|---------------------------|------|--------------|
| VALUE (%) | DOCUMENT ID | TECN | COMMENT |
| 8.7 \pm 1.5 | ¹ HUNT 19 | DPWA | Multichannel |
| 14 \pm 5 | SOKHOYAN 15A | DPWA | Multichannel |
| $\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$ | | | |
| 14 \pm 7 | ANISOVICH 12A | DPWA | Multichannel |
| 9.4 \pm 0.8 | ¹ SHRESTHA 12A | DPWA | Multichannel |
| 9 \pm 1 | VRANA 00 | DPWA | Multichannel |

¹ Statistical error only.

N(1680) PHOTON DECAY AMPLITUDES AT THE POLE

N(1680) $\rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

| MODULUS ($\text{GeV}^{-1/2}$) | PHASE ($^\circ$) | DOCUMENT ID | TECN | COMMENT |
|---|--------------------|--------------|------|--------------|
| -0.013 ± 0.003 | -20 ± 17 | SOKHOYAN 15A | DPWA | Multichannel |
| $-0.013^{+0.002}_{-0.005}$ | -42^{+9}_{-18} | ROENCHEN 14 | DPWA | |
| $\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$ | | | | |
| -0.022 | -28 | ROENCHEN 15A | DPWA | Multichannel |

N(1680) $\rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

| MODULUS ($\text{GeV}^{-1/2}$) | PHASE ($^\circ$) | DOCUMENT ID | TECN | COMMENT |
|---|--------------------|--------------|------|--------------|
| 0.135 ± 0.005 | 1 ± 3 | SOKHOYAN 15A | DPWA | Multichannel |
| $0.126^{+0.001}_{-0.002}$ | -7^{+3}_{-2} | ROENCHEN 14 | DPWA | |
| $\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$ | | | | |
| 0.102 | -11 | ROENCHEN 15A | DPWA | Multichannel |

N(1680) BREIT-WIGNER PHOTON DECAY AMPLITUDES

N(1680) $\rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

| VALUE ($\text{GeV}^{-1/2}$) | DOCUMENT ID | TECN | COMMENT |
|---|---------------------------|------|--------------------------------------|
| -0.018 to -0.005 (≈ -0.010) OUR ESTIMATE | | | |
| -0.0278 \pm 0.0036 | GOLOVATCH 19 | DPWA | $\gamma p \rightarrow \pi^+ \pi^- p$ |
| -0.026 \pm 0.004 | ¹ HUNT 19 | DPWA | Multichannel |
| -0.015 \pm 0.002 | SOKHOYAN 15A | DPWA | Multichannel |
| 0.003 \pm 0.001 | ¹ SHKLYAR 13 | DPWA | Multichannel |
| -0.007 \pm 0.002 | ¹ WORKMAN 12A | DPWA | $\gamma N \rightarrow N\pi$ |
| -0.017 \pm 0.001 | ¹ DUGGER 07 | DPWA | $\gamma N \rightarrow \pi N$ |
| $\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$ | | | |
| -0.013 \pm 0.003 | ANISOVICH 12A | DPWA | Multichannel |
| -0.017 \pm 0.001 | ¹ SHRESTHA 12A | DPWA | Multichannel |
| -0.025 | DRECHSEL 07 | DPWA | $\gamma N \rightarrow \pi N$ |

¹ Statistical error only.

$N(1680) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

| VALUE (GeV $^{-1/2}$) | DOCUMENT ID | TECN | COMMENT |
|---|---------------------------|------|--------------------------------------|
| 0.130 to 0.140 (≈ 0.135) OUR ESTIMATE | | | |
| 0.128 \pm 0.011 | GOLOVATCH 19 | DPWA | $\gamma p \rightarrow \pi^+ \pi^- p$ |
| 0.112 \pm 0.005 | ¹ HUNT 19 | DPWA | Multichannel |
| 0.136 \pm 0.005 | SOKHOYAN 15A | DPWA | Multichannel |
| 0.116 \pm 0.001 | ¹ SHKLYAR 13 | DPWA | Multichannel |
| 0.140 \pm 0.002 | ¹ WORKMAN 12A | DPWA | $\gamma N \rightarrow N\pi$ |
| 0.134 \pm 0.002 | ¹ DUGGER 07 | DPWA | $\gamma N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 0.135 \pm 0.006 | ANISOVICH 12A | DPWA | Multichannel |
| 0.136 \pm 0.001 | ¹ SHRESTHA 12A | DPWA | Multichannel |
| 0.134 | DRECHSEL 07 | DPWA | $\gamma N \rightarrow \pi N$ |

¹ Statistical error only.

 $N(1680) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

| VALUE (GeV $^{-1/2}$) | DOCUMENT ID | TECN | COMMENT |
|---|---------------------------|------|------------------------------|
| 0.020 to 0.040 (≈ 0.030) OUR ESTIMATE | | | |
| 0.005 \pm 0.004 | ¹ HUNT 19 | DPWA | Multichannel |
| 0.034 \pm 0.006 | ANISOVICH 13B | DPWA | Multichannel |
| 0.026 \pm 0.004 | ¹ CHEN 12A | DPWA | $\gamma N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 0.029 \pm 0.002 | ¹ SHRESTHA 12A | DPWA | Multichannel |
| 0.028 | DRECHSEL 07 | DPWA | $\gamma N \rightarrow \pi N$ |

¹ Statistical error only.

 $N(1680) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

| VALUE (GeV $^{-1/2}$) | DOCUMENT ID | TECN | COMMENT |
|---|---------------------------|------|------------------------------|
| -0.050 to -0.025 (≈ -0.035) OUR ESTIMATE | | | |
| -0.061 \pm 0.004 | ¹ HUNT 19 | DPWA | Multichannel |
| -0.044 \pm 0.009 | ANISOVICH 13B | DPWA | Multichannel |
| -0.029 \pm 0.002 | ¹ CHEN 12A | DPWA | $\gamma N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| -0.059 \pm 0.002 | ¹ SHRESTHA 12A | DPWA | Multichannel |
| -0.038 | DRECHSEL 07 | DPWA | $\gamma N \rightarrow \pi N$ |

¹ Statistical error only.

 $N(1680)$ REFERENCES

For early references, see Physics Letters **111B** 1 (1982). For very early references, see Reviews of Modern Physics **37** 633 (1965).

| | | | |
|---------------|---------------------|------------------------------|-------------------------|
| GOLOVATCH 19 | PL B788 371 | E. Golovatch <i>et al.</i> | (CLAS Collab.) |
| HUNT 19 | PR C99 055205 | B.C. Hunt, D.M. Manley | |
| ROENCHEN 15A | EPJ A51 70 | D. Roenchen <i>et al.</i> | |
| SOKHOYAN 15A | EPJ A51 95 | V. Sokhyan <i>et al.</i> | (CBELSA/TAPS Collab.) |
| PDG 14 | CP C38 070001 | K. Olive <i>et al.</i> | (PDG Collab.) |
| ROENCHEN 14 | EPJ A50 101 | D. Roenchen <i>et al.</i> | |
| Also | EPJ A51 63 (errat.) | D. Roenchen <i>et al.</i> | |
| SVARC 14 | PR C89 045205 | A. Svarc <i>et al.</i> | (RBI Zagreb, UNI Tuzla) |
| ANISOVICH 13B | EPJ A49 67 | A.V. Anisovich <i>et al.</i> | |

| | | | |
|-----------|-----|------------------------|---|
| SHKLYAR | 13 | PR C87 015201 | V. Shklyar, H. Lenske, U. Mosel (GIES) |
| ANISOVICH | 12A | EPJ A48 15 | A.V. Anisovich <i>et al.</i> (BONN, PNPI) |
| CHEN | 12A | PR C86 015206 | W. Chen <i>et al.</i> (DUKE, GWU, MSST, ITEP+) |
| SHRESTHA | 12A | PR C86 055203 | M. Shrestha, D.M. Manley (KSU) |
| WORKMAN | 12A | PR C86 015202 | R. Workman <i>et al.</i> (GWU) |
| BATINIC | 10 | PR C82 038203 | M. Batinic <i>et al.</i> (ZAGR) |
| THOMA | 08 | PL B659 87 | U. Thoma <i>et al.</i> (CB-ELSA Collab.) |
| DRECHSEL | 07 | EPJ A34 69 | D. Drechsel, S.S. Kamalov, L. Tiator (MAINZ, JINR) |
| DUGGER | 07 | PR C76 025211 | M. Dugger <i>et al.</i> (JLab CLAS Collab.) |
| ARNDT | 06 | PR C74 045205 | R.A. Arndt <i>et al.</i> (GWU) |
| VRANA | 00 | PRPL 328 181 | T.P. Vrana, S.A. Dytman, T.-S.H. Lee (PITT, ANL) |
| TIATOR | 99 | PR C60 035210 | L. Tiator <i>et al.</i> |
| HOEHLER | 93 | πN Newsletter 9 1 | G. Hohler (KARL) |
| CUTKOSKY | 80 | Toronto Conf. 19 | R.E. Cutkosky <i>et al.</i> (CMU, LBL) IJP |
| Also | | PR D20 2839 | R.E. Cutkosky <i>et al.</i> (CMU, LBL) IJP |
| HOEHLER | 79 | PDAT 12-1 | G. Hohler <i>et al.</i> (KARLT) IJP |
| Also | | Toronto Conf. 3 | R. Koch (KARLT) IJP |