

$\chi_{b2}(3P)$

$I^G(J^{PC}) = 0^+(2^{++})$

Needs confirmation.

Observed in the radiative decay to $\Upsilon(3S)$, therefore $C = +$. J needs confirmation.

$\chi_{b2}(3P)$ MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
10524.02 ± 0.57 ± 0.53	1 SIRUNYAN	18N CMS	$p p \rightarrow \gamma \mu^+ \mu^- X$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
10530 ± 5 ± 9	² AAD	12A ATLAS	$p p \rightarrow \gamma \mu^+ \mu^- X$
¹ Systematic error includes an additional 0.5 MeV for the uncertainty on the $\Upsilon(3S)$ mass. Also measures $m_{\chi_{b2}(3P)} - m_{\chi_{b1}(3P)} = 10.60 \pm 0.64 \pm 0.17$ MeV. A total of 372 $\chi_{b1}(3P)$ and $\chi_{b2}(3P)$ events was observed.			
² The mass barycenter of the merged lineshapes from the $J = 1$ and 2 states.			

$\chi_{b2}(3P)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \quad \Upsilon(3S)\gamma$	seen

$\chi_{b2}(3P)$ BRANCHING RATIOS

$\Gamma(\Upsilon(3S)\gamma)/\Gamma_{\text{total}}$	Γ_1/Γ
VALUE seen	DOCUMENT ID SIRUNYAN 18N CMS COMMENT $p p \rightarrow \gamma \mu^+ \mu^- X$

$\chi_{b2}(3P)$ REFERENCES

SIRUNYAN AAD	18N PRL 121 092002 12A PRL 108 152001	A.M. Sirunyan <i>et al.</i> G. Aad <i>et al.</i>	(CMS Collab.) (ATLAS Collab.)
-----------------	--	---	----------------------------------