

$$\Delta(1620) \ 1/2^-$$

$$I(J^P) = \frac{3}{2}(\frac{1}{2}^-) \text{ Status: } ****$$

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

### $\Delta(1620)$ POLE POSITION

#### REAL PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1590 to 1610 (<math>\approx</math> 1600) OUR ESTIMATE</b>			
1607 $\pm$ 2	ROENCHEN 22	DPWA	Multichannel
1597 $\pm$ 5	SOKHOYAN 15A	DPWA	Multichannel
1603 $\pm$ 7 $\pm$ 2	<sup>1</sup> SVARC 14	L+P	$\pi N \rightarrow \pi N$
1600 $\pm$ 15	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1577	HUNT 19	DPWA	Multichannel
1600	ROENCHEN 15A	DPWA	Multichannel
1597 $\pm$ 4	ANISOVICH 12A	DPWA	Multichannel
1595	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
1607	VRANA 00	DPWA	Multichannel
1608	HOEHLER 93	SPED	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

#### −2×IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>80 to 140 (<math>\approx</math> 110) OUR ESTIMATE</b>			
85 $\pm$ 3	ROENCHEN 22	DPWA	Multichannel
134 $\pm$ 8	SOKHOYAN 15A	DPWA	Multichannel
114 $\pm$ 12 $\pm$ 4	<sup>1</sup> SVARC 14	L+P	$\pi N \rightarrow \pi N$
120 $\pm$ 20	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
101	HUNT 19	DPWA	Multichannel
65	ROENCHEN 15A	DPWA	Multichannel
130 $\pm$ 9	ANISOVICH 12A	DPWA	Multichannel
135	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
148	VRANA 00	DPWA	Multichannel
116	HOEHLER 93	SPED	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

### $\Delta(1620)$ ELASTIC POLE RESIDUE

#### MODULUS $|r|$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>10 to 20 (<math>\approx</math> 15) OUR ESTIMATE</b>			
12 $\pm$ 1	ROENCHEN 22	DPWA	Multichannel
20 $\pm$ 3	SOKHOYAN 15A	DPWA	Multichannel
17 $\pm$ 2 $\pm$ 1	<sup>1</sup> SVARC 14	L+P	$\pi N \rightarrow \pi N$
15 $\pm$ 2	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

16	ROENCHEN	15A	DPWA	Multichannel
18±2	ANISOVICH	12A	DPWA	Multichannel
15	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
19	HOEHLER	93	SPED	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

### PHASE $\theta$

VALUE (°)	DOCUMENT ID	TECN	COMMENT
-----------	-------------	------	---------

#### –120 to –80 ( $\approx$ –100) OUR ESTIMATE

126±2	ROENCHEN	22	DPWA	Multichannel
–90±15	SOKHOYAN	15A	DPWA	Multichannel
–106±10±4	<sup>1</sup> SVARC	14	L+P	$\pi N \rightarrow \pi N$
–110±20	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

–104	ROENCHEN	15A	DPWA	Multichannel
–100±5	ANISOVICH	12A	DPWA	Multichannel
–92	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
–95	HOEHLER	93	SPED	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## $\Delta(1620)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

### Normalized residue in $N\pi \rightarrow \Delta(1620) \rightarrow \Delta\pi, D\text{-wave}$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.32±0.01	81 ± 1	ROENCHEN	22	DPWA Multichannel
0.42±0.06	–90 ± 20	SOKHOYAN	15A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.57	105	ROENCHEN	15A	DPWA Multichannel
0.38±0.09	–85 ± 30	ANISOVICH	12A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1620) \rightarrow \Sigma K$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.11±0.01	–120 ± 3	ROENCHEN	22	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.22	–105	ROENCHEN	15A	DPWA Multichannel
------	------	----------	-----	-------------------

### Normalized residue in $N\pi \rightarrow \Delta(1620) \rightarrow N(1440)\pi$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.10±0.06	–65 ± 30	SOKHOYAN	15A	DPWA Multichannel

## $\Delta(1620)$ BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

#### 1590 to 1630 ( $\approx$ 1610) OUR ESTIMATE

1635 ± 8	GOLOVATCH	19	DPWA	$\gamma p \rightarrow \pi^+ \pi^- p$
1589 ± 3	<sup>1</sup> HUNT	19	DPWA	Multichannel
1595 ± 8	SOKHOYAN	15A	DPWA	Multichannel

1615.2 ± 0.4	<sup>1</sup> ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
1620 ± 20	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
1610 ± 7	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
1600 ± 8	ANISOVICH	12A	DPWA	Multichannel
1600 ± 1	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
1612 ± 2	PENNER	02C	DPWA	Multichannel
1617 ± 15	VRANA	00	DPWA	Multichannel

<sup>1</sup>Statistical error only.

### $\Delta(1620)$ BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>110 to 150 (<math>\approx 130</math>) OUR ESTIMATE</b>			
144 ± 16	GOLOVATCH	19	DPWA $\gamma p \rightarrow \pi^+ \pi^- p$
107 ± 7	<sup>1</sup> HUNT	19	DPWA Multichannel
135 ± 9	SOKHOYAN	15A	DPWA Multichannel
146.9 ± 1.9	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
140 ± 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
139 ± 18	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
130 ± 11	ANISOVICH	12A	DPWA Multichannel
112 ± 2	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
202 ± 7	PENNER	02C	DPWA Multichannel
143 ± 42	VRANA	00	DPWA Multichannel

<sup>1</sup>Statistical error only.

### $\Delta(1620)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_j/\Gamma$ )
$\Gamma_1$ $N\pi$	25–35 %
$\Gamma_2$ $N\pi\pi$	>67 %
$\Gamma_3$ $\Delta(1232)\pi, D$ -wave	44–72 %
$\Gamma_4$ $N\rho$	23–32%
$\Gamma_5$ $N\rho, S=1/2, S$ -wave	23–32%
$\Gamma_6$ $N\rho, S=3/2, D$ -wave	<0.04%
$\Gamma_7$ $N(1440)\pi$	<9 %
$\Gamma_8$ $N\gamma, \text{helicity}=1/2$	0.03–0.10 %

**$\Delta(1620)$  BRANCHING RATIOS**

**$\Gamma(N\pi)/\Gamma_{\text{total}}$**   **$\Gamma_1/\Gamma$**   
VALUE (%)                      DOCUMENT ID      TECN      COMMENT

**25 to 35 ( $\approx 30$ ) OUR ESTIMATE**

24 $\pm 2$	<sup>1</sup> HUNT	19	DPWA	Multichannel
28 $\pm 3$	SOKHOYAN	15A	DPWA	Multichannel
31.5 $\pm 0.1$	<sup>1</sup> ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
25 $\pm 3$	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
35 $\pm 6$	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

28 $\pm 3$	ANISOVICH	12A	DPWA	Multichannel
33 $\pm 2$	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
34 $\pm 1$	PENNER	02C	DPWA	Multichannel
45 $\pm 5$	VRANA	00	DPWA	Multichannel

<sup>1</sup>Statistical error only.

**$\Gamma(N\pi\pi)/\Gamma_{\text{total}}$**   **$\Gamma_2/\Gamma$**   
VALUE                                      DOCUMENT ID      TECN      COMMENT

<b>0.90 <math>\pm 0.10</math></b>	GOLOVATCH	19	DPWA	$\gamma p \rightarrow \pi^+ \pi^- p$
-----------------------------------	-----------	----	------	--------------------------------------

**$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$**   **$\Gamma_3/\Gamma$**   
VALUE (%)                      DOCUMENT ID      TECN      COMMENT

48 $\pm 4$	<sup>1</sup> HUNT	19	DPWA	Multichannel
62 $\pm 10$	SOKHOYAN	15A	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
60 $\pm 17$	ANISOVICH	12A	DPWA	Multichannel
32 $\pm 2$	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
39 $\pm 2$	VRANA	00	DPWA	Multichannel

<sup>1</sup>Statistical error only.

**$\Gamma(N\rho, S=1/2, S\text{-wave})/\Gamma_{\text{total}}$**   **$\Gamma_5/\Gamma$**   
VALUE (%)                      DOCUMENT ID      TECN      COMMENT

27 $\pm 4$	<sup>1</sup> HUNT	19	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
26 $\pm 2$	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
14 $\pm 3$	VRANA	00	DPWA	Multichannel

<sup>1</sup>Statistical error only.

**$\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$**   **$\Gamma_6/\Gamma$**   
VALUE (%)                      DOCUMENT ID      TECN      COMMENT

<0.04	<sup>1</sup> HUNT	19	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
2 $\pm 1$	VRANA	00	DPWA	Multichannel

<sup>1</sup>Statistical error only.

$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$					$\Gamma_7/\Gamma$
VALUE (%)		DOCUMENT ID	TECN	COMMENT	
<0.02		<sup>1</sup> HUNT	19	DPWA	Multichannel
6 ± 3		SOKHOYAN	15A	DPWA	Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
9 ± 1		<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
0 ± 1		VRANA	00	DPWA	Multichannel
<sup>1</sup> Statistical error only.					

### $\Delta(1620)$ PHOTON DECAY AMPLITUDES AT THE POLE

#### $\Delta(1620) \rightarrow N\gamma$ , helicity-1/2 amplitude $A_{1/2}$

MODULUS ( $\text{GeV}^{-1/2}$ )	PHASE ( $^\circ$ )	DOCUMENT ID	TECN	COMMENT
0.011 ± 0.002	57 ± 12	ROENCHEN	22	DPWA Multichannel
0.054 ± 0.007	-6 ± 7	SOKHOYAN	15A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.014	26	ROENCHEN	15A	DPWA Multichannel

### $\Delta(1620)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

#### $\Delta(1620) \rightarrow N\gamma$ , helicity-1/2 amplitude $A_{1/2}$

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
<b>0.030 to 0.060 (<math>\approx 0.050</math>) OUR ESTIMATE</b>			
0.029 ± 0.0062	GOLOVATCH	19	DPWA $\gamma p \rightarrow \pi^+ \pi^- p$
0.0124 ± 0.0007	<sup>1</sup> HUNT	19	DPWA Multichannel
0.055 ± 0.007	SOKHOYAN	15A	DPWA Multichannel
0.029 ± 0.003	<sup>1</sup> WORKMAN	12A	DPWA $\gamma N \rightarrow N\pi$
0.050 ± 0.002	<sup>1</sup> DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.052 ± 0.005	ANISOVICH	12A	DPWA Multichannel
-0.003 ± 0.003	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
0.066	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
-0.050	PENNER	02D	DPWA Multichannel
<sup>1</sup> Statistical error only.			

### $\Delta(1620)$ REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

ROENCHEN	22	EPJ A58 229	D. Roenchen <i>et al.</i>	(JULI, GWU, BONN+)
GOLOVATCH	19	PL B788 371	E. Golovatch <i>et al.</i>	(CLAS Collab.)
HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)

DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP

---