

**$N(2190) 7/2^-$**

$I(J^P) = \frac{1}{2}(\frac{7}{2}^-)$  Status: \*\*\*\*

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

**$N(2190)$  POLE POSITION**

**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1950 to 2150 (<math>\approx</math> 2050) OUR ESTIMATE</b>			
1965 $\pm$ 6	ROENCHEN	22	DPWA Multichannel
2140 $\pm$ 20	AFZAL	20	DPWA Multichannel
2150 $\pm$ 25	SOKHOYAN	15A	DPWA Multichannel
2079 $\pm$ 4 $\pm$ 9	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
2100 $\pm$ 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2162	HUNT	19	DPWA Multichannel
2074	ROENCHEN	15A	DPWA Multichannel
2150 $\pm$ 25	ANISOVICH	12A	DPWA Multichannel
2063 $\pm$ 32	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
2070	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
2107	VRANA	00	DPWA Multichannel
2042	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

**-2xIMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>300 to 500 (<math>\approx</math> 400) OUR ESTIMATE</b>			
287 $\pm$ 33	ROENCHEN	22	DPWA Multichannel
420 <sup>+120</sup> <sub>-40</sub>	AFZAL	20	DPWA Multichannel
325 $\pm$ 25	SOKHOYAN	15A	DPWA Multichannel
509 $\pm$ 7 $\pm$ 16	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
400 $\pm$ 160	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
407	HUNT	19	DPWA Multichannel
327	ROENCHEN	15A	DPWA Multichannel
330 $\pm$ 30	ANISOVICH	12A	DPWA Multichannel
330 $\pm$ 101	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
520	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
380	VRANA	00	DPWA Multichannel
482	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

**$N(2190)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>20 to 60 (<math>\approx 40</math>) OUR ESTIMATE</b>			
$18 \pm 4$	ROENCHEN	22	DPWA Multichannel
$30 \pm 4$	SOKHOYAN	15A	DPWA Multichannel
$54 \pm 1 \pm 3$	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
$25 \pm 10$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
35	ROENCHEN	15A	DPWA Multichannel
$30 \pm 5$	ANISOVICH	12A	DPWA Multichannel
34	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
72	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
45	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.**PHASE  $\theta$** 

<u>VALUE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>-30 to 30 (<math>\approx 0</math>) OUR ESTIMATE</b>			
$-45 \pm 14$	ROENCHEN	22	DPWA Multichannel
$28 \pm 10$	SOKHOYAN	15A	DPWA Multichannel
$-18 \pm 1 \pm 3$	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
$-30 \pm 50$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-40	ROENCHEN	15A	DPWA Multichannel
$30 \pm 10$	ANISOVICH	12A	DPWA Multichannel
-19	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
-32	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79. **$N(2190)$  INELASTIC POLE RESIDUE**The "normalized residue" is the residue divided by  $\Gamma_{pole}/2$ .**Normalized residue in  $N\pi \rightarrow N(2190) \rightarrow \Lambda K$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.026 \pm 0.007$	$-78 \pm 15$	ROENCHEN	22	DPWA Multichannel
$0.03 \pm 0.01$	$20 \pm 15$	ANISOVICH	12A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.005	-51	ROENCHEN	15A	DPWA Multichannel

**Normalized residue in  $N\pi \rightarrow N(2190) \rightarrow \Sigma K$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.005 \pm 0.001$	$-92 \pm 16$	ROENCHEN	22	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.013	-69	ROENCHEN	15A	DPWA Multichannel

**Normalized residue in  $N\pi \rightarrow N(2190) \rightarrow N\eta$**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.021 \pm 0.005$	$-65 \pm 15$	ROENCHEN	22	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.016	129	ROENCHEN	15A	DPWA Multichannel

**Normalized residue in  $N\pi \rightarrow N(2190) \rightarrow \Delta(1232)\pi$ , D-wave**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.27 \pm 0.04$	$-165 \pm 20$	SOKHOYAN	15A	DPWA Multichannel

**Normalized residue in  $N\pi \rightarrow N(2190) \rightarrow N\sigma$**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.13 \pm 0.05$	$50 \pm 15$	SOKHOYAN	15A	DPWA Multichannel

**$N(2190)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2140 to 2220 (<math>\approx 2180</math>) OUR ESTIMATE</b>			
$2222 \pm 15$	<sup>1</sup> HUNT	19	DPWA Multichannel
$2205 \pm 18$	SOKHOYAN	15A	DPWA Multichannel
$2152.4 \pm 1.4$	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
$2200 \pm 70$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
$2140 \pm 12$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$2180 \pm 20$	ANISOVICH	12A	DPWA Multichannel
$2150 \pm 26$	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
$2125 \pm 61$	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
$2168 \pm 18$	VRANA	00	DPWA Multichannel

<sup>1</sup>Statistical error only.

**$N(2190)$  BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>300 to 500 (<math>\approx 400</math>) OUR ESTIMATE</b>			
$442 \pm 40$	<sup>1</sup> HUNT	19	DPWA Multichannel
$355 \pm 30$	SOKHOYAN	15A	DPWA Multichannel
$484 \pm 13$	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
$500 \pm 150$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
$390 \pm 30$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$335 \pm 40$	ANISOVICH	12A	DPWA Multichannel
$500 \pm 74$	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
$381 \pm 160$	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
$453 \pm 101$	VRANA	00	DPWA Multichannel

<sup>1</sup>Statistical error only.

## N(2190) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\pi$	10–20 %
$\Gamma_2$ $N\eta$	1–5 %
$\Gamma_3$ $N\omega$	8–20 %
$\Gamma_4$ $\Lambda K$	0.2–0.8 %
$\Gamma_5$ $N\pi\pi$	22–51 %
$\Gamma_6$ $\Delta(1232)\pi$ , $D$ -wave	19–31 %
$\Gamma_7$ $N\rho$ , $S=3/2$ , $D$ -wave	<11 %
$\Gamma_8$ $N\sigma$	3–9 %
$\Gamma_9$ $\Lambda K^*(892)$	0.2–0.8 %
$\Gamma_{10}$ $p\gamma$	<0.08 %
$\Gamma_{11}$ $p\gamma$ , helicity=1/2	<0.06 %
$\Gamma_{12}$ $p\gamma$ , helicity=3/2	<0.02 %
$\Gamma_{13}$ $n\gamma$	<0.04 %
$\Gamma_{14}$ $n\gamma$ , helicity=1/2	<0.01 %
$\Gamma_{15}$ $n\gamma$ , helicity=3/2	<0.03 %

## N(2190) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	$\Gamma_1/\Gamma$
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
<b>10–20 % OUR ESTIMATE</b>	
22.9 ± 0.6	<sup>1</sup> HUNT    19    DPWA    Multichannel
16 ± 2	SOKHOYAN    15A    DPWA    Multichannel
23.8 ± 0.1	<sup>1</sup> ARNDT    06    DPWA $\pi N \rightarrow \pi N, \eta N$
12 ± 6	CUTKOSKY    80    IPWA $\pi N \rightarrow \pi N$
14 ± 2	HOEHLER    79    IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •	
16 ± 2	ANISOVICH    12A    DPWA    Multichannel
20 ± 1	<sup>1</sup> SHRESTHA    12A    DPWA    Multichannel
18 ± 12	BATINIC    10    DPWA $\pi N \rightarrow N\pi, N\eta$
20 ± 4	VRANA    00    DPWA    Multichannel

<sup>1</sup>Statistical error only.

$\Gamma(N\eta)/\Gamma_{\text{total}}$	$\Gamma_2/\Gamma$
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
<b>1–5 % OUR ESTIMATE</b>	
4 ± 2	MUELLER    20    DPWA    Multichannel
2.7 ± 2.2	<sup>1</sup> HUNT    19    DPWA    Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •	
2 ± 1	<sup>1</sup> SHRESTHA    12A    DPWA    Multichannel
0.1 ± 0.3	BATINIC    10    DPWA $\pi N \rightarrow N\pi, N\eta$
0 ± 1	VRANA    00    DPWA    Multichannel

<sup>1</sup>Statistical error only.

$\Gamma(N\omega)/\Gamma_{\text{total}}$   $\Gamma_3/\Gamma$   
VALUE (%) DOCUMENT ID TECN COMMENT

**8–20 % OUR ESTIMATE**

14 ± 6	DENISENKO	16	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
seen	WILLIAMS	09	IPWA	$\gamma p \rightarrow p\omega$

$\Gamma(\Lambda K)/\Gamma_{\text{total}}$   $\Gamma_4/\Gamma$   
VALUE (%) DOCUMENT ID TECN COMMENT

**0.2–0.8 % OUR ESTIMATE**

0.6 ± 0.1	<sup>1</sup> HUNT	19	DPWA	Multichannel
0.5 ± 0.3	ANISOVICH	12A	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<1	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
<sup>1</sup> Statistical error only.				

$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$   $\Gamma_6/\Gamma$   
VALUE (%) DOCUMENT ID TECN COMMENT

**19–31 % OUR ESTIMATE**

25 ± 6	SOKHOYAN	15A	DPWA	Multichannel
--------	----------	-----	------	--------------

$\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$   $\Gamma_7/\Gamma$   
VALUE (%) DOCUMENT ID TECN COMMENT

**<11 % OUR ESTIMATE**

<11	<sup>1</sup> HUNT	19	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
29 ± 28	VRANA	00	DPWA	Multichannel
<sup>1</sup> Statistical error only.				

$\Gamma(N\sigma)/\Gamma_{\text{total}}$   $\Gamma_8/\Gamma$   
VALUE (%) DOCUMENT ID TECN COMMENT

**3–9 % OUR ESTIMATE**

6 ± 3	SOKHOYAN	15A	DPWA	Multichannel
-------	----------	-----	------	--------------

$\Gamma(\Lambda K^*(892))/\Gamma_{\text{total}}$   $\Gamma_9/\Gamma$   
VALUE (%) DOCUMENT ID TECN COMMENT

**0.2–0.8 % OUR ESTIMATE**

0.5 ± 0.3	ANISOVICH	17B	DPWA	Multichannel
-----------	-----------	-----	------	--------------

**$N(2190)$  PHOTON DECAY AMPLITUDES AT THE POLE**

**$N(2190) \rightarrow p\gamma$ , helicity-1/2 amplitude  $A_{1/2}$**

<u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
−0.015 ± 0.004	111 ± 9	ROENCHEN	22	DPWA Multichannel
0.068 ± 0.005	−170 ± 12	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
−0.041	−21	ROENCHEN	15A	DPWA Multichannel

**$N(2190) \rightarrow p\gamma$ , helicity-3/2 amplitude  $A_{3/2}$**

<u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.062 \pm 0.011$	$179 \pm 13$	ROENCHEN	22	DPWA Multichannel
$0.025 \pm 0.010$	$22 \pm 10$	SOKHOYAN	15A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.085	-22	ROENCHEN	15A	DPWA Multichannel

**$N(2190) \rightarrow n\gamma$ , helicity-1/2 amplitude  $A_{1/2}$**

<u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.030 \pm 0.007$	$5 \pm 15$	ANISOVICH	17E	DPWA Multichannel

**$N(2190) \rightarrow n\gamma$ , helicity-3/2 amplitude  $A_{3/2}$**

<u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$-0.023 \pm 0.008$	$13 \pm 20$	ANISOVICH	17E	DPWA Multichannel

**$N(2190)$  BREIT-WIGNER PHOTON DECAY AMPLITUDES**

**$N(2190) \rightarrow p\gamma$ , helicity-1/2 amplitude  $A_{1/2}$**

<u>VALUE (<math>\text{GeV}^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.001 \pm 0.002$	<sup>1</sup> HUNT	19	DPWA Multichannel
$-0.071 \pm 0.006$	SOKHOYAN	15A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$-0.065 \pm 0.008$	ANISOVICH	12A	DPWA Multichannel

<sup>1</sup>Statistical error only.

**$N(2190) \rightarrow p\gamma$ , helicity-3/2 amplitude  $A_{3/2}$**

<u>VALUE (<math>\text{GeV}^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.015 \pm 0.003$	<sup>1</sup> HUNT	19	DPWA Multichannel
$0.027 \pm 0.010$	SOKHOYAN	15A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$0.035 \pm 0.017$	ANISOVICH	12A	DPWA Multichannel

<sup>1</sup>Statistical error only.

**$N(2190) \rightarrow p\gamma$ , ratio of helicity amplitudes  $A_{3/2}/A_{1/2}$**

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$-0.17 \pm 0.15$	WILLIAMS	09	IPWA $\gamma p \rightarrow p\omega$

**$N(2190) \rightarrow n\gamma$ , helicity-1/2 amplitude  $A_{1/2}$**

<u>VALUE (<math>\text{GeV}^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$-0.01 \pm 0.02$	<sup>1</sup> HUNT	19	DPWA Multichannel
$0.030 \pm 0.007$	ANISOVICH	17E	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$-0.015 \pm 0.013$	ANISOVICH	13B	DPWA Multichannel

<sup>1</sup>Statistical error only.

## $N(2190) \rightarrow n\gamma$ , helicity-3/2 amplitude $A_{3/2}$

VALUE (GeV <sup>-1/2</sup> )	DOCUMENT ID	TECN	COMMENT
-0.023 ± 0.022	<sup>1</sup> HUNT	19	DPWA Multichannel
-0.023 ± 0.008	ANISOVICH	17E	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-0.034 ± 0.022	ANISOVICH	13B	DPWA Multichannel
<sup>1</sup> Statistical error only.			

## $N(2190)$ REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

ROENCHEN	22	EPJ A58 229	D. Roenchen <i>et al.</i>	(JULI, GWU, BONN+)
AFZAL	20	PRL 125 152002	F. Afzal <i>et al.</i>	(CBELSA/TAPS Collab.)
MUELLER	20	PL B803 135323	J. Mueller <i>et al.</i>	(CBELSA/TAPS Collab.)
HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ANISOVICH	17B	PL B771 142	A.V. Anisovich <i>et al.</i>	
ANISOVICH	17E	PR C96 055202	A.V. Anisovich <i>et al.</i>	(BONN, PNPI, JLAB+)
DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>	
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
WILLIAMS	09	PR C80 065209	M. Williams <i>et al.</i>	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP