

$f_2(1565)$

$$I^G(J^{PC}) = 0^+(2^{++})$$

Seen mostly in antinucleon-nucleon annihilation. See the review on "Spectroscopy of Light Meson Resonances."

$f_2(1565)$ T-MATRIX POLE \sqrt{s}

Note that $\Gamma = -2 \text{Im}(\sqrt{s})$.

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
(1495–1560) – i (40–110) OUR ESTIMATE			
(1560 ± 15) – i (140 ± 20)	¹ ANISOVICH	09 RVUE	0.0 $\bar{p}p, \pi N$
(1552 ± 13) – i (57 ± 12)	AMSLER	02 CBAR	0.9 $\bar{p}p \rightarrow \pi^0 \eta \eta,$ $\pi^0 \pi^0 \pi^0$
(1507 ± 15) – i (65 ± 10)	BERTIN	97C OBLX	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
(1534 ± 20) – i (90 ± 30)	² ABELE	96C RVUE	Compilation
(~ 1552) – i (~ 71)	³ AMSLER	95D CBAR	0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0,$ $\pi^0 \eta \eta, \pi^0 \pi^0 \eta$

¹ On sheet II in a two-pole solution.

² T-matrix pole, large coupling to $\rho\rho$ and $\omega\omega$, could be $f_2(1640)$.

³ Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.

$f_2(1565)$ MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1571 ± 13 OUR AVERAGE			
1575 ± 18	¹ BERTIN	98 OBLX	0.05–0.405 $\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
1565 ± 20	¹ MAY	90 ASTE	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1590 ± 10	AMELIN	06 VES	36 $\pi^- p \rightarrow \omega \omega n$
1550 ± 10 ± 20	AMELIN	00 VES	37 $\pi^- p \rightarrow \eta \pi^+ \pi^- n$
1598 ± 11 ± 9	BAKER	99B SPEC	0 $\bar{p}p \rightarrow \omega \omega \pi^0$
1598 ± 72	BALOSHIN	95 SPEC	40 $\pi^- C \rightarrow K_S^0 K_S^0 X$
1566 ⁺⁸⁰ ₋₅₀	² ANISOVICH	94 CBAR	0.0 $\bar{p}p \rightarrow 3\pi^0, \eta \eta \pi^0$
1502 ± 9	ADAMO	93 OBLX	$\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
1488 ± 10	³ ARMSTRONG	93C E760	$\bar{p}p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
1508 ± 10	³ ARMSTRONG	93D E760	$\bar{p}p \rightarrow 3\pi^0 \rightarrow 6\gamma$
1525 ± 10	³ ARMSTRONG	93D E760	$\bar{p}p \rightarrow \eta \pi^0 \pi^0 \rightarrow 6\gamma$
~ 1504	⁴ WEIDENAUER	93 ASTE	0.0 $\bar{p}N \rightarrow 3\pi^- 2\pi^+$
1540 ± 15	³ ADAMO	92 OBLX	$\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
1515 ± 10	⁵ AKER	91 CBAR	0.0 $\bar{p}p \rightarrow 3\pi^0$
1477 ± 5	BRIDGES	86C DBC	0.0 $\bar{p}N \rightarrow 3\pi^- 2\pi^+$

¹ Breit-Wigner mass.

² From a simultaneous analysis of the annihilations $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta\eta$ including AKER 91 data.

³ J^P not determined, could be partly $f_0(1500)$.

⁴ J^P not determined.

⁵ Superseded by AMSLER 95B.

$f_2(1565)$ WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
132 ± 23 OUR AVERAGE	Error includes scale factor of 1.1.		
119 ± 24	¹ BERTIN	98	OBLX 0.05–0.405 $\bar{p}p \rightarrow \pi^+\pi^+\pi^-$
170 ± 40	¹ MAY	90	ASTE 0.0 $\bar{p}p \rightarrow \pi^+\pi^-\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
140 ± 11	^{1,2} AMELIN	06	VES 36 $\pi^-p \rightarrow \omega\omega n$
130 ± 20 ± 40	¹ AMELIN	00	VES 37 $\pi^-p \rightarrow \eta\pi^+\pi^-n$
263 ± 101	BALOSHIN	95	SPEC 40 $\pi^-C \rightarrow K_S^0 K_S^0 X$
166 ⁺ ₋₂₀	³ ANISOVICH	94	CBAR 0.0 $\bar{p}p \rightarrow 3\pi^0, \eta\eta\pi^0$
130 ± 10	⁴ ADAMO	93	OBLX $\bar{p}p \rightarrow \pi^+\pi^+\pi^-$
148 ± 27	⁵ ARMSTRONG 93C	E760	$\bar{p}p \rightarrow \pi^0\eta\eta \rightarrow 6\gamma$
103 ± 15	⁵ ARMSTRONG 93D	E760	$\bar{p}p \rightarrow 3\pi^0 \rightarrow 6\gamma$
111 ± 10	⁵ ARMSTRONG 93D	E760	$\bar{p}p \rightarrow \eta\pi^0\pi^0 \rightarrow 6\gamma$
~ 206	⁶ WEIDENAUER	93	ASTE 0.0 $\bar{p}N \rightarrow 3\pi^-2\pi^+$
132 ± 37	⁵ ADAMO	92	OBLX $\bar{p}p \rightarrow \pi^+\pi^+\pi^-$
120 ± 10	⁷ AKER	91	CBAR 0.0 $\bar{p}p \rightarrow 3\pi^0$
116 ± 9	BRIDGES	86C	DBC 0.0 $\bar{p}N \rightarrow 3\pi^-2\pi^+$

¹ Breit-Wigner width.

² Supersedes the $\omega\omega$ state of BELADIDZE 92B earlier assigned to the $f_2(1640)$.

³ From a simultaneous analysis of the annihilations $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta\eta$ including AKER 91 data.

⁴ Supersedes ADAMO 92.

⁵ J^P not determined, could be partly $f_0(1500)$.

⁶ J^P not determined.

⁷ Superseded by AMSLER 95B.

$f_2(1565)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $\pi\pi$	seen
Γ_2 $\pi^+\pi^-$	seen
Γ_3 $\pi^0\pi^0$	seen
Γ_4 $\rho^0\rho^0$	seen
Γ_5 $2\pi^+2\pi^-$	seen
Γ_6 $\eta\eta$	seen
Γ_7 $\omega\omega$	seen
Γ_8 $K\bar{K}$	seen
Γ_9 $\gamma\gamma$	seen

$f_2(1565)$ PARTIAL WIDTHS

$\Gamma(\eta\eta)$ Γ_6

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.2±0.3	870	¹ SCHEGELSKY 06A	RVUE	$\gamma\gamma \rightarrow K_S^0 K_S^0$
---------	-----	-----------------------------	------	--

¹ From analysis of L3 data at 91 and 183–209 GeV, using $f_2(1565)$ mass of 1570 MeV, width of 160 MeV, $\Gamma(\pi\pi) = 25$ MeV, and SU(3) relations.

$\Gamma(K\bar{K})$ Γ_8

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.0±1.0	870	¹ SCHEGELSKY 06A	RVUE	$\gamma\gamma \rightarrow K_S^0 K_S^0$
---------	-----	-----------------------------	------	--

¹ From analysis of L3 data at 91 and 183–209 GeV, using $f_2(1565)$ mass of 1570 MeV, width of 160 MeV, $\Gamma(\pi\pi) = 25$ MeV, and SU(3) relations.

$\Gamma(\gamma\gamma)$ Γ_9

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.70±0.14	870	¹ SCHEGELSKY 06A	RVUE	$\gamma\gamma \rightarrow K_S^0 K_S^0$
-----------	-----	-----------------------------	------	--

¹ From analysis of L3 data at 91 and 183–209 GeV, using $f_2(1565)$ mass of 1570 MeV, width of 160 MeV, $\Gamma(\pi\pi) = 25$ MeV, and SU(3) relations.

$f_2(1565)$ BRANCHING RATIOS

$\Gamma(\pi\pi)/\Gamma_{\text{total}}$ Γ_1/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen	BAKER	99B	SPEC $0 \bar{p}p \rightarrow \omega\omega\pi^0$
------	-------	-----	---

$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_2/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen	BERTIN	98	OBLX $0.05\text{--}0.405 \bar{p}p \rightarrow \pi^+\pi^+\pi^-$
------	--------	----	--

not seen	¹ ANISOVICH	94B	RVUE $\bar{p}p \rightarrow \pi^+\pi^-\pi^0$
----------	------------------------	-----	---

seen	MAY	89	ASTE $\bar{p}p \rightarrow \pi^+\pi^-\pi^0$
------	-----	----	---

¹ ANISOVICH 94B is from a reanalysis of MAY 90.

$\Gamma(\pi^0\pi^0)/\Gamma_{\text{total}}$ Γ_3/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

seen	AMSLER	95B	CBAR $0.0 \bar{p}p \rightarrow 3\pi^0$
------	--------	-----	--

$\Gamma(\pi^+\pi^-)/\Gamma(\rho^0\rho^0)$ Γ_2/Γ_4

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.042±0.013	BRIDGES	86B	DBC $\bar{p}N \rightarrow 3\pi^- 2\pi^+$
-------------	---------	-----	--

$\Gamma(\eta\eta)/\Gamma(\pi^0\pi^0)$

Γ_6/Γ_3

VALUE DOCUMENT ID TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.024 \pm 0.005 \pm 0.012$ ¹ ARMSTRONG 93C E760 $\bar{p}p \rightarrow \pi^0\eta\eta \rightarrow 6\gamma$
¹ J^P not determined, could be partly $f_0(1500)$.

$\Gamma(\omega\omega)/\Gamma_{\text{total}}$

Γ_7/Γ

VALUE DOCUMENT ID TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen BAKER 99B SPEC 0 $\bar{p}p \rightarrow \omega\omega\pi^0$

$f_2(1565)$ REFERENCES

ANISOVICH	09	IJMP A24 2481	V.V. Anisovich, A.V. Sarantsev	(PNPI)
AMELIN	06	PAN 69 690	D.V. Amelin <i>et al.</i>	(VES Collab.)
		Translated from YAF 69 715.		
SCHEGELSKY	06A	EPJ A27 207	V.A. Schegelsky <i>et al.</i>	
AMSLER	02	EPJ C23 29	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMELIN	00	NP A668 83	D. Amelin <i>et al.</i>	(VES Collab.)
BAKER	99B	PL B467 147	C.A. Baker <i>et al.</i>	
BERTIN	98	PR D57 55	A. Bertin <i>et al.</i>	(OBELIX Collab.)
BERTIN	97C	PL B408 476	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ABELE	96C	NP A609 562	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95B	PL B342 433	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95C	PL B353 571	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95D	PL B355 425	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
BALOSHIN	95	PAN 58 46	O.N. Baloshin <i>et al.</i>	(ITEP)
		Translated from YAF 58 50.		
AMSLER	94D	PL B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	94	PL B323 233	V.V. Anisovich <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	94B	PR D50 1972	V.V. Anisovich <i>et al.</i>	(LOQM)
ADAMO	93	NP A558 13C	A. Adamo <i>et al.</i>	(OBELIX Collab.)
ARMSTRONG	93C	PL B307 394	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
ARMSTRONG	93D	PL B307 399	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
WEIDENAUER	93	ZPHY C59 387	P. Weidenauer <i>et al.</i>	(ASTERIX Collab.)
ADAMO	92	PL B287 368	A. Adamo <i>et al.</i>	(OBELIX Collab.)
BELADIDZE	92B	ZPHY C54 367	G.M. Beladidze <i>et al.</i>	(VES Collab.)
AKER	91	PL B260 249	E. Aker <i>et al.</i>	(Crystal Barrel Collab.)
MAY	90	ZPHY C46 203	B. May <i>et al.</i>	(ASTERIX Collab.)
MAY	89	PL B225 450	B. May <i>et al.</i>	(ASTERIX Collab.) IJP
BRIDGES	86B	PRL 56 215	D.L. Bridges <i>et al.</i>	(SYRA, CASE)
BRIDGES	86C	PRL 57 1534	D.L. Bridges <i>et al.</i>	(SYRA)