

- ¹ LARIN 20 reported this lifetime value from a measurement of $\Gamma(\pi^0 \rightarrow \gamma\gamma) = 7.802 \pm 0.052 \pm 0.105$ eV, combining data from PrimEX-II on 12C and 28Si targets with previous PrimEX-I LARIN 11 measurements. This result supersedes LARIN 11.
- ² BYCHKOV 09 obtains this using the conserved-vector-current relation between the vector form factor F_V and the π^0 lifetime.
- ³ WILLIAMS 88 gives $\Gamma(\gamma\gamma) = 7.7 \pm 0.5 \pm 0.5$ eV. We give here $\tau = \hbar/\Gamma(\text{total})$.
- ⁴ BROWMAN 74 gives a π^0 width $\Gamma = 8.02 \pm 0.42$ eV. The mean life is \hbar/Γ .
- ⁵ LARIN 11 reported $\Gamma(\pi^0 \rightarrow \gamma\gamma) = 7.82 \pm 0.14 \pm 0.17$ eV which we converted to mean life $\tau = \hbar/\Gamma(\text{total})$.

π^0 DECAY MODES

For decay limits to particles which are not established, see the appropriate Search sections (A^0 (axion) and Other Light Boson (X^0) Searches, etc.).

| Mode | Fraction (Γ_i/Γ) | Scale factor/ Confidence level |
|---|----------------------------------|-----------------------------------|
| Γ_1 2γ | $(98.823 \pm 0.034) \%$ | S=1.5 |
| Γ_2 $e^+ e^- \gamma$ | $(1.174 \pm 0.035) \%$ | S=1.5 |
| Γ_3 γ positronium | $(1.82 \pm 0.29) \times 10^{-9}$ | |
| Γ_4 $e^+ e^+ e^- e^-$ | $(3.34 \pm 0.16) \times 10^{-5}$ | |
| Γ_5 $e^+ e^-$ | $(6.46 \pm 0.33) \times 10^{-8}$ | |
| Γ_6 4γ | < 2 | $\times 10^{-8}$ CL=90% |
| Γ_7 invisible | < 4.4 | $\times 10^{-9}$ CL=90% |
| Γ_8 $\nu_e \bar{\nu}_e$ | < 1.7 | $\times 10^{-6}$ CL=90% |
| Γ_9 $\nu_\mu \bar{\nu}_\mu$ | < 1.6 | $\times 10^{-6}$ CL=90% |
| Γ_{10} $\nu_\tau \bar{\nu}_\tau$ | < 2.1 | $\times 10^{-6}$ CL=90% |
| Γ_{11} $\gamma \nu \bar{\nu}$ | < 1.9 | $\times 10^{-7}$ CL=90% |

Charge conjugation (C) or Lepton Family number (LF) violating modes

| | | | | |
|---------------------------------------|----|---------|-------------------|--------|
| Γ_{12} 3γ | C | < 3.1 | $\times 10^{-8}$ | CL=90% |
| Γ_{13} $\mu^+ e^-$ | LF | < 3.8 | $\times 10^{-10}$ | CL=90% |
| Γ_{14} $\mu^- e^+$ | LF | < 3.2 | $\times 10^{-10}$ | CL=90% |
| Γ_{15} $\mu^+ e^- + \mu^- e^+$ | LF | < 3.6 | $\times 10^{-10}$ | CL=90% |

CONSTRAINED FIT INFORMATION

An overall fit to 2 branching ratios uses 6 measurements and one constraint to determine 3 parameters. The overall fit has a $\chi^2 = 4.6$ for 4 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

$$\begin{array}{c|cc} x_2 & -100 & \\ \hline x_4 & 0 & -1 \\ \hline & x_1 & x_2 \end{array}$$

π^0 BRANCHING RATIOS


$\Gamma(e^+ e^- \gamma) / \Gamma(2\gamma)$ Γ_2 / Γ_1

| VALUE (%) | EVTS | DOCUMENT ID | TECN | COMMENT |
|---|-------|-----------------------|---------|---|
| 1.188 ± 0.035 OUR FIT | | | | Error includes scale factor of 1.5. |
| 1.188 ± 0.034 OUR AVERAGE | | | | Error includes scale factor of 1.4. See the ideogram below. |
| 1.140 ± 0.024 ± 0.033 | 12.5k | ¹ BEDDALL | 08 ALEP | $e^+ e^- \rightarrow Z \rightarrow \text{hadrons}$ |
| 1.25 ± 0.04 | | SCHARDT | 81 SPEC | $\pi^- p \rightarrow n\pi^0$ |
| 1.166 ± 0.047 | 3k | ² SAMIOS | 61 HBC | $\pi^- p \rightarrow n\pi^0$ |
| 1.17 ± 0.15 | 27 | BUDAGOV | 60 HBC | |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | |
| 1.1559 ± 0.0047 ± 0.0106 | 60k | ³ ABOUZAID | 19 KTEV | $K_L \rightarrow 3\pi^0$ in flight |
| 1.196 | | JOSEPH | 60 THEO | QED calculation |

¹ BEDDALL 08 value is obtained from ALEPH archived data.

² SAMIOS 61 value uses a Panofsky ratio = 1.62.

³ ABOUZAID 19 measured a value of $(0.3920 \pm 0.0016 \pm 0.0036)\%$ from 1999 KTEV data in $K_L \rightarrow 3\pi^0 \rightarrow 5\gamma e^+ e^-$ decays, normalised to $K_L \rightarrow 3\pi^0$, for $m(ee) > 15$ MeV and then extrapolated it to the full $m(ee)$ range using the Mikaelian and Smith predictions for the mass spectrum.



$\Gamma(\gamma \text{ positronium})/\Gamma(2\gamma)$

Γ_3/Γ_1

| VALUE (units 10^{-9}) | EVTS | DOCUMENT ID | TECN | COMMENT |
|--------------------------|------|--------------|------|-------------|
| 1.84±0.29 | 277 | AFANASYEV 90 | CNTR | pC 70 GeV |

$\Gamma(e^+e^+e^-e^-)/\Gamma(2\gamma)$

Γ_4/Γ_1

| VALUE (units 10^{-5}) | EVTS | DOCUMENT ID | TECN | COMMENT |
|------------------------------|-------|---------------------------|------|--|
| 3.38±0.16 OUR FIT | | | | |
| 3.38±0.16 OUR AVERAGE | | | | |
| 3.46±0.19 | 30.5k | ¹ ABOUZAID 08D | KTEV | $K_L^0 \rightarrow \pi^0 \pi^0 \pi_{DD}^0$ |
| 3.18±0.30 | 146 | ² SAMIOS 62B | HBC | |

¹ This ABOUZAID 08D value includes all radiative final states. The error includes both statistical and systematic errors. The correlation between the Dalitz-pair planes gives a direct measurement of the π^0 parity. The $\pi^0 2\gamma^*$ form factor is measured and limits are placed on a scalar contribution to the decay.

² SAMIOS 62B value uses a Panofsky ratio = 1.62.

$\Gamma(e^+e^-)/\Gamma_{\text{total}}$

Γ_5/Γ

Experimental results are listed; branching ratios corrected for radiative effects are given in the footnotes. BERMAN 60 found $B(\pi^0 \rightarrow e^+e^-) \geq 4.69 \times 10^{-8}$ via an exact QED calculation.

| VALUE (units 10^{-8}) | EVTS | DOCUMENT ID | TECN | CHG | COMMENT |
|--|------|---------------------------|------|-----|--------------------------------------|
| 6.46±0.33 OUR AVERAGE | | | | | |
| 6.44±0.25±0.22 | 794 | ¹ ABOUZAID 07 | KTEV | | $K_L^0 \rightarrow 3\pi^0$ in flight |
| 6.9 ± 2.3 ± 0.6 | 21 | ² DESHPANDE 93 | SPEC | | $K^+ \rightarrow \pi^+ \pi^0$ |
| 7.6 $\begin{smallmatrix} +2.9 \\ -2.8 \end{smallmatrix}$ ± 0.5 | 8 | ³ MCFARLAND 93 | SPEC | | $K_L^0 \rightarrow 3\pi^0$ in flight |

• • • We do not use the following data for averages, fits, limits, etc. • • •

6.09±0.40±0.24 275 ⁴ ALAVI-HARATI99c SPEC 0 Repl. by ABOUZAID 07

¹ ABOUZAID 07 result is for $m_{e^+e^-}/m_{\pi^0} > 0.95$. With radiative corrections the result becomes $(7.48 \pm 0.29 \pm 0.25) \times 10^{-8}$.

² The DESHPANDE 93 result with bremsstrahlung radiative corrections is $(8.0 \pm 2.6 \pm 0.6) \times 10^{-8}$.

³ The MCFARLAND 93 result is for $B[\pi^0 \rightarrow e^+e^-, (m_{e^+e^-}/m_{\pi^0})^2 > 0.95]$. With radiative corrections it becomes $(8.8^{+4.5}_{-3.2} \pm 0.6) \times 10^{-8}$.

⁴ ALAVI-HARATI 99c quote result for $B[\pi^0 \rightarrow e^+e^-, (m_{e^+e^-}/m_{\pi^0})^2 > 0.95]$ to minimize radiative contributions from $\pi^0 \rightarrow e^+e^-\gamma$. After radiative corrections they obtain $(7.04 \pm 0.46 \pm 0.28) \times 10^{-8}$.

$\Gamma(e^+e^-)/\Gamma(2\gamma)$

Γ_5/Γ_1

| VALUE (units 10^{-7}) | CL% | EVTS | DOCUMENT ID | TECN | COMMENT |
|---|-----|------|-------------|------|--|
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | | |
| <1.3 | 90 | | NIEBUHR | 89 | SPEC $\pi^- p \rightarrow \pi^0 n$ at rest |
| <5.3 | 90 | | ZEPHAT | 87 | SPEC $\pi^- p \rightarrow \pi^0 n$ 0.3 GeV/c |
| 1.7 ± 0.6 ± 0.3 | | 59 | FRANK | 83 | SPEC $\pi^- p \rightarrow n\pi^0$ |
| 1.8 ± 0.6 | | 58 | MISCHKE | 82 | SPEC See FRANK 83 |
| 2.23 ^{+2.40} _{-1.10} | 90 | 8 | FISCHER | 78B | SPRK $K^+ \rightarrow \pi^+\pi^0$ |

$\Gamma(4\gamma)/\Gamma_{total}$

Γ_6/Γ

| VALUE (units 10^{-8}) | CL% | EVTS | DOCUMENT ID | TECN | COMMENT |
|---|-----|------|--------------|------|-------------------|
| < 2 | 90 | | MCDONOUGH 88 | CBOX | $\pi^- p$ at rest |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | | |
| <160 | 90 | | BOLOTOV | 86C | CALO |
| <440 | 90 | 0 | AUERBACH | 80 | CNTR |

$\Gamma(\text{invisible})/\Gamma_{total}$

Γ_7/Γ

The limits apply to all "invisible" channels, including in particular neutrino-antineutrino final states, obtained with laboratory experiments. Astrophysical and cosmological limits exist and are many orders of magnitude lower, but they are model dependent.

| VALUE | CL% | DOCUMENT ID | TECN | COMMENT |
|---|-----|-----------------|---------|--------------------------------------|
| < 4.4 × 10 ⁻⁹ | 90 | CORTINA-GIL 21C | SPEC | $K^+ \rightarrow \pi^+\pi^0(\gamma)$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | |
| < 0.27 × 10 ⁻⁶ | 90 | ARTAMONOV 05A | B949 | $K^+ \rightarrow \pi^+\pi^0$ |
| < 0.83 × 10 ⁻⁶ | 90 | ATIYA | 91 B787 | $K^+ \rightarrow \pi^+\nu\nu'$ |
| <24 × 10 ⁻⁶ | 90 | HERCZEG | 81 RVUE | $K^+ \rightarrow \pi^+\nu\nu'$ |

$\Gamma(\nu_e\bar{\nu}_e)/\Gamma_{total}$

Γ_8/Γ

| VALUE (units 10^{-6}) | CL% | DOCUMENT ID | TECN | COMMENT |
|---|-----|-------------------------|------|-------------------------|
| <1.7 | 90 | DORENBOS... 88 | CHRM | Beam dump, prompt ν |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | |
| <3.1 | 90 | ¹ HOFFMAN 88 | RVUE | Beam dump, prompt ν |
| ¹ HOFFMAN 88 analyzes data from a 400-GeV BEBC beam-dump experiment. | | | | |

$\Gamma(\nu_\mu \bar{\nu}_\mu)/\Gamma_{\text{total}}$ Γ_9/Γ

| VALUE (units 10^{-6}) | CL% | EVTS | DOCUMENT ID | TECN | COMMENT |
|---|-----|------|-------------------------|------|-------------------------|
| <1.6 | 90 | 8.7 | AUERBACH 04 | LSND | 800 MeV p on Cu |
| <3.1 | 90 | | ¹ HOFFMAN 88 | RVUE | Beam dump, prompt ν |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | | |
| <7.8 | 90 | | DORENBOS... 88 | CHRM | Beam dump, prompt ν |
| ¹ HOFFMAN 88 analyzes data from a 400-GeV BEBC beam-dump experiment. | | | | | |

$\Gamma(\nu_\tau \bar{\nu}_\tau)/\Gamma_{\text{total}}$ Γ_{10}/Γ

| VALUE (units 10^{-6}) | CL% | DOCUMENT ID | TECN | COMMENT |
|---|-----|-------------------------|------|-------------------------|
| <2.1 | 90 | ¹ HOFFMAN 88 | RVUE | Beam dump, prompt ν |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | |
| <4.1 | 90 | DORENBOS... 88 | CHRM | Beam dump, prompt ν |
| ¹ HOFFMAN 88 analyzes data from a 400-GeV BEBC beam-dump experiment. | | | | |

$\Gamma(\gamma\nu\bar{\nu})/\Gamma_{\text{total}}$ Γ_{11}/Γ

Standard Model prediction is 6×10^{-18} .

| VALUE | CL% | DOCUMENT ID | TECN | COMMENT |
|---|-----|----------------|------|--|
| <1.9 $\times 10^{-7}$ | 90 | CORTINA-GIL 19 | SPEC | $K^+ \rightarrow \pi^+ \gamma \nu \bar{\nu}$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | |
| <6 $\times 10^{-4}$ | 90 | ATIYA 92 | CNTR | $K^+ \rightarrow \gamma \nu \bar{\nu} \pi^+$ |

$\Gamma(3\gamma)/\Gamma_{\text{total}}$ Γ_{12}/Γ

Forbidden by C invariance.

| VALUE (units 10^{-8}) | CL% | EVTS | DOCUMENT ID | TECN | COMMENT |
|---|-----|------|------------------------|------|-------------------|
| < 3.1 | 90 | | MCDONOUGH 88 | CBOX | $\pi^- p$ at rest |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | | |
| < 38 | 90 | 0 | HIGHLAND 80 | CNTR | |
| <150 | 90 | 0 | AUERBACH 78 | CNTR | |
| <490 | 90 | 0 | ¹ DUCLOS 65 | CNTR | |
| <490 | 90 | | ¹ KUTIN 65 | CNTR | |

¹These experiments give $B(3\gamma/2\gamma) < 5.0 \times 10^{-6}$.

$\Gamma(\mu^+ e^-)/\Gamma_{\text{total}}$ Γ_{13}/Γ

Forbidden by lepton family number conservation.

| VALUE (units 10^{-9}) | CL% | EVTS | DOCUMENT ID | TECN | COMMENT |
|---|-----|------|---------------|------|-----------------------------------|
| < 0.38 | 90 | 0 | APPEL 00 | SPEC | $K^+ \rightarrow \pi^+ \mu^+ e^-$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | | |
| <16 | 90 | | LEE 90 | SPEC | $K^+ \rightarrow \pi^+ \mu^+ e^-$ |
| <78 | 90 | | CAMPAGNARI 88 | SPEC | See LEE 90 |

$\Gamma(\mu^- e^+)/\Gamma_{\text{total}}$ Γ_{14}/Γ

Forbidden by lepton family number conservation.

| VALUE | CL% | DOCUMENT ID | TECN | COMMENT |
|---|-----|-------------|------|-----------------------------------|
| <3.2 $\times 10^{-10}$ | 90 | ALIBERTI 21 | NA62 | $K^+ \rightarrow \pi^+ e^+ \mu^-$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | |
| <3.4 $\times 10^{-9}$ | 90 | APPEL 00B | B865 | $K^+ \rightarrow \pi^+ e^+ \mu^-$ |

$[\Gamma(\mu^+ e^-) + \Gamma(\mu^- e^+)]/\Gamma_{\text{total}}$ Γ_{15}/Γ

Forbidden by lepton family number conservation.

| VALUE (units 10^{-9}) | CL% | DOCUMENT ID | TECN | COMMENT |
|---|-----|-------------|------|---|
| < 0.36 | 90 | ABOUZAID | 08C | KTEV $K_L^0 \rightarrow 2\pi^0 \mu^\pm e^\mp$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| < 17.2 | 90 | KROLAK | 94 | E799 $\ln K_L^0 \rightarrow 3\pi^0$ |
| <140 | | HERCZEG | 84 | RVUE $K^+ \rightarrow \pi^+ \mu e$ |
| < 2 $\times 10^{-6}$ | | HERCZEG | 84 | THEO $\mu^- \rightarrow e^-$ conversion |
| < 70 | 90 | BRYMAN | 82 | RVUE $K^+ \rightarrow \pi^+ \mu e$ |

π^0 ELECTROMAGNETIC FORM FACTOR

The amplitude for the process $\pi^0 \rightarrow e^+ e^- \gamma$ contains a form factor $F(x)$ at the $\pi^0 \gamma \gamma$ vertex, where $x = [m_{e^+ e^-}/m_{\pi^0}]^2$. The parameter a in the linear expansion $F(x) = 1 + ax$ is listed below.

All the measurements except that of BEHREND 91 are in the time-like region of momentum transfer.

LINEAR COEFFICIENT OF π^0 ELECTROMAGNETIC FORM FACTOR

| VALUE (units 10^{-2}) | EVTS | DOCUMENT ID | TECN | COMMENT |
|---|------|----------------------|------|--|
| 3.35 ± 0.31 OUR AVERAGE | | | | |
| 3.68 ± 0.51 ± 0.25 | 1.1M | LAZZERONI | 17 | SPEC $K^\pm \rightarrow \pi^0 \pi^\pm; \pi^0 \rightarrow e^+ e^- \gamma$ |
| 2.6 ± 2.4 ± 4.8 | 7.5k | FARZANPAY | 92 | SPEC $\pi^- p \rightarrow \pi^0 n$ at rest |
| 2.5 ± 1.4 ± 2.6 | 54k | MEIJERDREES92B | SPEC | $\pi^- p \rightarrow \pi^0 n$ at rest |
| 3.26 ± 0.26 ± 0.26 | 127 | ¹ BEHREND | 91 | CELL $e^+ e^- \rightarrow e^+ e^- \pi^0$ |
| -11 ± 3 ± 8 | 32k | FONVIEILLE | 89 | SPEC Radiation corr. |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 12 $\begin{matrix} + 5 \\ - 4 \end{matrix}$ | | ² TUPPER | 83 | THEO FISCHER 78 data |
| 10 ± 3 | 31k | ³ FISCHER | 78 | SPEC Radiation corr. |
| 1 ± 11 | 2.2k | DEVONS | 69 | OSPK No radiation corr. |
| -15 ± 10 | 7.6k | KOBRAK | 61 | HBC No radiation corr. |
| -24 ± 16 | 3.0k | SAMIOS | 61 | HBC No radiation corr. |

¹ BEHREND 91 estimates that their systematic error is of the same order of magnitude as their statistical error, and so we have included a systematic error of this magnitude. The value of a is obtained by extrapolation from the region of large space-like momentum transfer assuming vector dominance.

² TUPPER 83 is a theoretical analysis of FISCHER 78 including 2-photon exchange in the corrections.

³ The FISCHER 78 error is statistical only. The result without radiation corrections is $+0.05 \pm 0.03$.

π^0 REFERENCES

We have omitted some papers that have been superseded by later experiments. The omitted papers may be found in our 1988 edition Physics Letters **B204** 1 (1988).

| | | | | |
|--------------|-----|-------------------------------|--|--------------------------|
| ALIBERTI | 21 | PRL 127 131802 | R. Aliberti <i>et al.</i> | (NA62 Collab.) |
| CORTINA-GIL | 21C | JHEP 2102 201 | E. Cortina Gil <i>et al.</i> | (NA62 Collab.) |
| LARIN | 20 | SCI 368 506 | I. Larin <i>et al.</i> | (PrimEx II Collab.) |
| ABOUZAID | 19 | PR D100 032003 | E. Abouzaid <i>et al.</i> | (KTeV Collab.) |
| CORTINA-GIL | 19 | JHEP 1905 182 | E. Cortina Gil <i>et al.</i> | (NA62 Collab.) |
| LAZZERONI | 17 | PL B768 38 | C. Lazzeroni <i>et al.</i> | (NA62 Collab.) |
| BERNSTEIN | 13 | RMP 85 49 | A.M. Bernstein, B. R. Holstein | (AMHT, MIT) |
| LARIN | 11 | PRL 106 162303 | I. Larin <i>et al.</i> | (PrimEx Collab.) |
| BYCHKOV | 09 | PRL 103 051802 | M. Bychkov <i>et al.</i> | (PSI PIBETA Collab.) |
| ABOUZAID | 08C | PRL 100 131803 | E. Abouzaid <i>et al.</i> | (FNAL KTeV Collab.) |
| ABOUZAID | 08D | PRL 100 182001 | E. Abouzaid <i>et al.</i> | (FNAL KTeV Collab.) |
| BEDDALL | 08 | EPJ C54 365 | A. Beddall, A. Beddall | (UGAZ) |
| ABOUZAID | 07 | PR D75 012004 | E. Abouzaid <i>et al.</i> | (KTeV Collab.) |
| ARTAMONOV | 05A | PR D72 091102 | A.V. Artamonov <i>et al.</i> | (BNL E949 Collab.) |
| AUERBACH | 04 | PRL 92 091801 | L.B. Auerbach <i>et al.</i> | (LSND Collab.) |
| APPEL | 00 | PRL 85 2450 | R. Appel <i>et al.</i> | (BNL 865 Collab.) |
| Also | | Thesis, Yale Univ. | D.R. Bergman | |
| Also | | Thesis, Univ. Zurich | S. Pislak | |
| APPEL | 00B | PRL 85 2877 | R. Appel <i>et al.</i> | (BNL 865 Collab.) |
| ALAVI-HARATI | 99C | PRL 83 922 | A. Alavi-Harati <i>et al.</i> | (FNAL KTeV Collab.) |
| KROLAK | 94 | PL B320 407 | P. Krolak <i>et al.</i> | (EFI, UCLA, COLO, ELMT+) |
| DESHPANDE | 93 | PRL 71 27 | A. Deshpande <i>et al.</i> | (BNL E851 Collab.) |
| MCFARLAND | 93 | PRL 71 31 | K.S. McFarland <i>et al.</i> | (EFI, UCLA, COLO+) |
| ATIYA | 92 | PRL 69 733 | M.S. Atiya <i>et al.</i> | (BNL, LANL, PRIN+) |
| FARZANPAY | 92 | PL B278 413 | F. Farzanpay <i>et al.</i> | (ORST, TRIU, BRCO+) |
| MEIJERDREES | 92B | PR D45 1439 | R. Meijer Drees <i>et al.</i> | (PSI SINDRUM-I Collab.) |
| ATIYA | 91 | PRL 66 2189 | M.S. Atiya <i>et al.</i> | (BNL, LANL, PRIN+) |
| BEHREND | 91 | ZPHY C49 401 | H.J. Behrend <i>et al.</i> | (CELLO Collab.) |
| CRAWFORD | 91 | PR D43 46 | J.F. Crawford <i>et al.</i> | (VILL, UVA) |
| AFANASYEV | 90 | PL B236 116 | L.G. Afanasyev <i>et al.</i> | (JINR, MOSU, SERP) |
| Also | | SJNP 51 664 | L.G. Afanasyev <i>et al.</i> | (JINR) |
| | | Translated from YAF 51 1040. | | |
| LEE | 90 | PRL 64 165 | A.M. Lee <i>et al.</i> | (BNL, FNAL, VILL, WASH+) |
| FONVIEILLE | 89 | PL B233 65 | H. Fonvieille <i>et al.</i> | (CLER, LYON, SACL) |
| NIEBUHR | 89 | PR D40 2796 | C. Niebuhr <i>et al.</i> | (SINDRUM Collab.) |
| CAMPAGNARI | 88 | PRL 61 2062 | C. Campagnari <i>et al.</i> | (BNL, FNAL, PSI+) |
| CRAWFORD | 88B | PL B213 391 | J.F. Crawford <i>et al.</i> | (PSI, UVA) |
| DORENBOS... | 88 | ZPHY C40 497 | J. Dorenbosch <i>et al.</i> | (CHARM Collab.) |
| HOFFMAN | 88 | PL B208 149 | C.M. Hoffman | (LANL) |
| MCDONOUGH | 88 | PR D38 2121 | J.M. McDonough <i>et al.</i> | (TEMP, LANL, CHIC) |
| PDG | 88 | PL B204 1 | G.P. Yost <i>et al.</i> | (LBL+) |
| WILLIAMS | 88 | PR D38 1365 | D.A. Williams <i>et al.</i> | (Crystal Ball Collab.) |
| ZEPHAT | 87 | JP G13 1375 | A.G. Zephat <i>et al.</i> | (OMICRON Collab.) |
| BOLOTOV | 86C | JETPL 43 520 | V.N. Bolotov <i>et al.</i> | (INRM) |
| | | Translated from ZETFP 43 405. | | |
| CRAWFORD | 86 | PRL 56 1043 | J.F. Crawford <i>et al.</i> | (SIN, UVA) |
| ATHERTON | 85 | PL 158B 81 | H.W. Atherton <i>et al.</i> | (CERN, ISU, LUND+) |
| HERCZEG | 84 | PR D29 1954 | P. Herczeg, C.M. Hoffman | (LANL) |
| FRANK | 83 | PR D28 423 | J.S. Frank <i>et al.</i> | (LANL, ARZS) |
| TUPPER | 83 | PR D28 2905 | G.B. Tupper, T.R. Grose, M.A. Samuel | (OKSU) |
| BRYMAN | 82 | PR D26 2538 | D.A. Bryman | (TRIU) |
| MISCHKE | 82 | PRL 48 1153 | R.E. Mischke <i>et al.</i> | (LANL, ARZS) |
| HERCZEG | 81 | PL 100B 347 | P. Herczeg, C.M. Hoffman | (LANL) |
| SCHARDT | 81 | PR D23 639 | M.A. Schardt <i>et al.</i> | (ARZS, LANL) |
| AUERBACH | 80 | PL 90B 317 | L.B. Auerbach <i>et al.</i> | (TEMP, LASL) |
| HIGHLAND | 80 | PRL 44 628 | V.L. Highland <i>et al.</i> | (TEMP, LASL) |
| AUERBACH | 78 | PRL 41 275 | L.B. Auerbach <i>et al.</i> | (TEMP, LASL) |
| FISCHER | 78 | PL 73B 359 | J. Fischer <i>et al.</i> | (GEVA, SACL) |
| FISCHER | 78B | PL 73B 364 | J. Fischer <i>et al.</i> | (GEVA, SACL) |
| BROWMAN | 74 | PRL 33 1400 | A. Browman <i>et al.</i> | (CORN, BING) |
| BELLETTINI | 70 | NC 66A 243 | G. Bellettini <i>et al.</i> | (PISA, BONN) |
| KRYSHKIN | 70 | JETP 30 1037 | V.I. Kryshkin, A.G. Sterligov, Y.P. Usov | (TMSK) |
| | | Translated from ZETF 57 1917. | | |

| | | | | |
|------------|-----|-------------------------------|--|--------------|
| DEVONS | 69 | PR 184 1356 | S. Devons <i>et al.</i> | (COLU, ROMA) |
| VASILEVSKY | 66 | PL 23 281 | I.M. Vasilevsky <i>et al.</i> | (JINR) |
| BELLETTINI | 65B | NC 40A 1139 | G. Bellettini <i>et al.</i> | (PISA, FIRZ) |
| DUCLOS | 65 | PL 19 253 | J. Duclos <i>et al.</i> | (CERN, HEID) |
| KUTIN | 65 | JETPL 2 243 | V.M. Kutjin, V.I. Petrukhin, Y.D. Prokoshkin | (JINR) |
| | | Translated from ZETFP 2 387. | | |
| CZIRR | 63 | PR 130 341 | J.B. Czirr | (LRL) |
| SAMIOS | 62B | PR 126 1844 | N.P. Samios <i>et al.</i> | (COLU, BNL) |
| KOBRAK | 61 | NC 20 1115 | H. Kobrak | (EFI) |
| SAMIOS | 61 | PR 121 275 | N.P. Samios | (COLU, BNL) |
| BERMAN | 60 | NC 18 1192 | S. Berman, D. Geffen | |
| BUDAGOV | 60 | JETP 11 755 | Y.A. Budagov <i>et al.</i> | (JINR) |
| | | Translated from ZETF 38 1047. | | |
| JOSEPH | 60 | NC 16 997 | D.W. Joseph | (EFI) |
