

NODE=B068

$\Xi(2030)$

$I(J^P) = \frac{1}{2}(\geq \frac{5}{2})$ status: ***

The evidence for this state has been much improved by HEMINGWAY 77, who see an eight standard deviation enhancement in $\Sigma \bar{K}$ and a weaker coupling to $\Lambda \bar{K}$. ALITTI 68 and HEMINGWAY 77 observe no signals in the $\Xi \pi \pi$ (or $\Xi(1530)\pi$) channel, in contrast to DIBIANCA 75. The decay $(\Lambda/\Sigma)\bar{K}\pi$ reported by BARTSCH 69 is also not confirmed by HEMINGWAY 77.

NODE=B068


A moments analysis of the HEMINGWAY 77 data indicates at a level of three standard deviations that $J \geq 5/2$.

$\Xi(2030)$ MASS

NODE=B068M

NODE=B068M
→ UNCHECKED ←

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
2025 ± 5		OUR ESTIMATE			
2025.1 ± 2.4		OUR AVERAGE			
Error includes scale factor of 1.3. See the ideogram below.					
2022 ± 7		JENKINS	83	MPS	— $K^- p \rightarrow K^+$
					MM
2024 ± 2	200	HEMINGWAY	77	HBC	— $K^- p$ 4.2 GeV/c
2044 ± 8		DIBIANCA	75	DBC	—0 $\Xi \pi \pi, \Xi^* \pi$
2019 ± 7	15	ROSS	73c	HBC	—0 $\Sigma \bar{K}$
2030 ± 10	42	ALITTI	69	HBC	— $K^- p$ 3.9–5
					GeV/c
2058 ± 17	40	BARTSCH	69	HBC	—0 $K^- p$ 10 GeV/c




$\Xi(2030)$ WIDTH

NODE=B068W

NODE=B068W
→ UNCHECKED ←

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
20 ⁺¹⁵ ₋₅	OUR ESTIMATE				
21± 6	OUR AVERAGE				
Error includes scale factor of 1.3. See the ideogram below.					
16± 5	200	HEMINGWAY	77	HBC	— $K^- p$ 4.2 GeV/c
60±24		DIBIANCA	75	DBC	—0 $\Xi \pi \pi, \Xi^* \pi$
33±17	15	ROSS	73c	HBC	—0 $\Sigma \bar{K}$
45 ⁺⁴⁰ ₋₂₀		ALITTI	69	HBC	— $K^- p$ 3.9–5 GeV/c
57±30		BARTSCH	69	HBC	—0 $K^- p$ 10 GeV/c



$\Xi(2030)$ DECAY MODES

NODE=B068215;NODE=B068

Mode	Fraction (Γ_i/Γ)
Γ_1 $\Lambda \bar{K}$	~ 20 %
Γ_2 $\Sigma \bar{K}$	~ 80 %
Γ_3 $\Xi \pi$	small
Γ_4 $\Xi(1530) \pi$	small
Γ_5 $\Xi \pi \pi$ (not $\Xi(1530) \pi$)	small
Γ_6 $\Lambda \bar{K} \pi$	small
Γ_7 $\Sigma \bar{K} \pi$	small

DESIG=2;OUR EST
DESIG=3;OUR EST
DESIG=1;OUR EST
DESIG=4;OUR EST
DESIG=5;OUR EST
DESIG=6;OUR EST
DESIG=7;OUR EST

$\Xi(2030)$ BRANCHING RATIOS

NODE=B068220

$$\frac{\Gamma(\Xi \pi)}{[\Gamma(\Lambda \bar{K}) + \Gamma(\Sigma \bar{K}) + \Gamma(\Xi \pi) + \Gamma(\Xi(1530) \pi)]} \quad \frac{\Gamma_3}{(\Gamma_1 + \Gamma_2 + \Gamma_3 + \Gamma_4)}$$

VALUE DOCUMENT ID TECN CHG COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.30 ALITTI 69 HBC — 1 standard dev. limit

$$\frac{\Gamma(\Xi \pi)}{\Gamma(\Sigma \bar{K})} \quad \frac{\Gamma_3}{\Gamma_2}$$

VALUE CL% DOCUMENT ID TECN CHG COMMENT

<0.19 95 HEMINGWAY 77 HBC — $K^- p$ 4.2 GeV/c

NODE=B068R11
NODE=B068R11

$$\frac{\Gamma(\Lambda \bar{K})}{[\Gamma(\Lambda \bar{K}) + \Gamma(\Sigma \bar{K}) + \Gamma(\Xi \pi) + \Gamma(\Xi(1530) \pi)]} \quad \frac{\Gamma_1}{(\Gamma_1 + \Gamma_2 + \Gamma_3 + \Gamma_4)}$$

VALUE DOCUMENT ID TECN CHG COMMENT

0.25±0.15 ALITTI 69 HBC — $K^- p$ 3.9–5 GeV/c

NODE=B068R2
NODE=B068R2

$$\frac{\Gamma(\Lambda \bar{K})}{\Gamma(\Sigma \bar{K})} \quad \frac{\Gamma_1}{\Gamma_2}$$

VALUE DOCUMENT ID TECN CHG COMMENT

0.22±0.09 HEMINGWAY 77 HBC — $K^- p$ 4.2 GeV/c

NODE=B068R21
NODE=B068R21

$$\frac{\Gamma(\Sigma \bar{K})}{[\Gamma(\Lambda \bar{K}) + \Gamma(\Sigma \bar{K}) + \Gamma(\Xi \pi) + \Gamma(\Xi(1530) \pi)]} \quad \frac{\Gamma_2}{(\Gamma_1 + \Gamma_2 + \Gamma_3 + \Gamma_4)}$$

VALUE DOCUMENT ID TECN CHG COMMENT

0.75±0.20 ALITTI 69 HBC — $K^- p$ 3.9–5 GeV/c

NODE=B068R3
NODE=B068R3

$$\frac{\Gamma(\Xi(1530) \pi)}{[\Gamma(\Lambda \bar{K}) + \Gamma(\Sigma \bar{K}) + \Gamma(\Xi \pi) + \Gamma(\Xi(1530) \pi)]} \quad \frac{\Gamma_4}{(\Gamma_1 + \Gamma_2 + \Gamma_3 + \Gamma_4)}$$

VALUE DOCUMENT ID TECN CHG COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.15 ALITTI 69 HBC — 1 standard dev. limit

NODE=B068R4
NODE=B068R4

$\frac{[\Gamma(\Xi(1530)\pi) + \Gamma(\Xi\pi\pi(\text{not } \Xi(1530)\pi))]}{\Gamma(\Sigma\bar{K})} \quad (\Gamma_4+\Gamma_5)/\Gamma_2$					
VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
<0.11	95	¹ HEMINGWAY	77	HBC	— $K^- p$ 4.2 GeV/c

NODE=B068R41
NODE=B068R41

$\Gamma(\Lambda\bar{K}\pi)/\Gamma_{\text{total}} \quad \Gamma_6/\Gamma$				
VALUE	DOCUMENT ID	TECN	COMMENT	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
seen	BARTSCH	69	HBC	$K^- p$ 10 GeV

NODE=B068R6
NODE=B068R6

$\Gamma(\Lambda\bar{K}\pi)/\Gamma(\Sigma\bar{K}) \quad \Gamma_6/\Gamma_2$					
VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
<0.32	95	HEMINGWAY	77	HBC	— $K^- p$ 4.2 GeV/c

NODE=B068R61
NODE=B068R61

$\Gamma(\Sigma\bar{K}\pi)/\Gamma_{\text{total}} \quad \Gamma_7/\Gamma$				
VALUE	DOCUMENT ID	TECN	COMMENT	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
seen	BARTSCH	69	HBC	$K^- p$ 10 GeV

NODE=B068R7
NODE=B068R7

$\Gamma(\Sigma\bar{K}\pi)/\Gamma(\Sigma\bar{K}) \quad \Gamma_7/\Gamma_2$					
VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
<0.04	95	² HEMINGWAY	77	HBC	— $K^- p$ 4.2 GeV/c

NODE=B068R71
NODE=B068R71

$\Xi(2030)$ FOOTNOTES

¹ For the decay mode $\Xi^- \pi^+ \pi^-$ only.
² For the decay mode $\Sigma^\pm K^- \pi^\mp$ only.

NODE=B068
NODE=B068;LINKAGE=A
NODE=B068;LINKAGE=B

$\Xi(2030)$ REFERENCES

JENKINS	83	PRL 51 951	C.M. Jenkins <i>et al.</i>	(FSU, BRAN, LBL+)
HEMINGWAY	77	PL 68B 197	R.J. Hemingway <i>et al.</i>	(AMST, CERN, NIJM+) IJ
Also		PL 62B 477	J.B. Gay <i>et al.</i>	(AMST, CERN, NIJM)
DIBIANCA	75	NP B98 137	F.A. Dibianca, R.J. Endorf	(CMU)
ROSS	73C	Purdue Conf. 345	R.T. Ross, J.L. Lloyd, D. Radojicic	(OXF)
ALITTI	69	PRL 22 79	J. Alitti <i>et al.</i>	(BNL, SYRA) I
BARTSCH	69	PL 28B 439	J. Bartsch <i>et al.</i>	(AACH, BERL, CERN+)
ALITTI	68	PRL 21 1119	J. Alitti <i>et al.</i>	(BNL, SYRA)

NODE=B068

REFID=32525
REFID=32552
REFID=32520
REFID=12062
REFID=32518
REFID=32513
REFID=32499
REFID=32534