

$$\Delta(1620) \ 1/2^-$$

$$I(J^P) = \frac{3}{2}(\frac{1}{2}^-) \text{ Status: } ****$$

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

NODE=B082

NODE=B082

NODE=B082215

NODE=B082RE
NODE=B082RE

→ UNCHECKED ←

NODE=B082RE;LINKAGE=SV

NODE=B082IM
NODE=B082IM

→ UNCHECKED ←

NODE=B082IM;LINKAGE=SV

NODE=B082220

NODE=B082RER
NODE=B082RER

→ UNCHECKED ←

NODE=B082RER;LINKAGE=SV

NODE=B082IMR
NODE=B082IMR

→ UNCHECKED ←

$\Delta(1620)$ POLE POSITION

REAL PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1590 to 1610 (≈ 1600) OUR ESTIMATE			
1598 $\pm$ 7	SARANTSEV	25	DPWA Multichannel
1607 $\pm$ 2	ROENCHEN	22	DPWA Multichannel
1603 $\pm$ 7 $\pm$ 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
1600 $\pm$ 15	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1577	HUNT	19	DPWA Multichannel
1600	ROENCHEN	15A	DPWA Multichannel
1597 $\pm$ 5	SOKHOYAN	15A	DPWA Multichannel
1595	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1607	VRANA	00	DPWA Multichannel
1608	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

−2×IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
80 to 140 (≈ 110) OUR ESTIMATE			
130 $\pm$ 10	SARANTSEV	25	DPWA Multichannel
85 $\pm$ 3	ROENCHEN	22	DPWA Multichannel
114 $\pm$ 12 $\pm$ 4	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
120 $\pm$ 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
101	HUNT	19	DPWA Multichannel
65	ROENCHEN	15A	DPWA Multichannel
134 $\pm$ 8	SOKHOYAN	15A	DPWA Multichannel
135	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
148	VRANA	00	DPWA Multichannel
116	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

$\Delta(1620)$ ELASTIC POLE RESIDUE

MODULUS $|r|$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
10 to 20 (≈ 15) OUR ESTIMATE			
12 $\pm$ 1	ROENCHEN	22	DPWA Multichannel
20 $\pm$ 3	SOKHOYAN	15A	DPWA Multichannel
17 $\pm$ 2 $\pm$ 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
15 $\pm$ 2	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
16	ROENCHEN	15A	DPWA Multichannel
18 $\pm$ 2	ANISOVICH	12A	DPWA Multichannel
15	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
19	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

PHASE θ

VALUE (°)	DOCUMENT ID	TECN	COMMENT
−120 to −80 ($\approx$ −100) OUR ESTIMATE			
126 $\pm$ 2	ROENCHEN	22	DPWA Multichannel
−90 $\pm$ 15	SOKHOYAN	15A	DPWA Multichannel
−106 $\pm$ 10 $\pm$ 4	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
−110 $\pm$ 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

– 104	ROENCHEN	15A	DPWA	Multichannel
– 100 ± 5	ANISOVICH	12A	DPWA	Multichannel
– 92	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
– 95	HOEHLER	93	SPED	$\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

NODE=B082IMR;LINKAGE=SV

$\Delta(1620)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

NODE=B082240

NODE=B082240

Normalized residue in $N\pi \rightarrow \Delta(1620) \rightarrow \Delta\pi, D\text{-wave}$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.32 ± 0.01	81 ± 1	ROENCHEN	22	DPWA Multichannel
0.42 ± 0.06	– 90 ± 20	SOKHOYAN	15A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.57	105	ROENCHEN	15A	DPWA Multichannel
0.38 ± 0.09	– 85 ± 30	ANISOVICH	12A	DPWA Multichannel

NODE=B082RS1
NODE=B082RS1

Normalized residue in $N\pi \rightarrow \Delta(1620) \rightarrow \Sigma K$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.11 ± 0.01	– 120 ± 3	ROENCHEN	22	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.22	– 105	ROENCHEN	15A	DPWA Multichannel
------	-------	----------	-----	-------------------

NODE=B082A00
NODE=B082A00

Normalized residue in $N\pi \rightarrow \Delta(1620) \rightarrow N(1440)\pi$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.10 ± 0.06	– 65 ± 30	SOKHOYAN	15A	DPWA Multichannel

NODE=B082RS2
NODE=B082RS2

$\Delta(1620)$ BREIT-WIGNER MASS

NODE=B082M

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1590 to 1630 (≈ 1610) OUR ESTIMATE			
1600 ± 8	SARANTSEV	25	DPWA Multichannel
1635 ± 8	GOLOVATCH	19	DPWA $\gamma p \rightarrow \pi^+ \pi^- p$
1589 ± 3	¹ HUNT	19	DPWA Multichannel
1615.2 ± 0.4	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1620 ± 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1610 ± 7	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1595 ± 8	SOKHOYAN	15A	DPWA Multichannel
1600 ± 1	¹ SHRESTHA	12A	DPWA Multichannel
1612 ± 2	PENNER	02C	DPWA Multichannel
1617 ± 15	VRANA	00	DPWA Multichannel

¹ Statistical error only.

NODE=B082M

→ UNCHECKED ←

OCCUR=2

$\Delta(1620)$ BREIT-WIGNER WIDTH

NODE=B082M;LINKAGE=A

NODE=B082W

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
110 to 150 (≈ 130) OUR ESTIMATE			
135 ± 10	SARANTSEV	25	DPWA Multichannel
144 ± 16	GOLOVATCH	19	DPWA $\gamma p \rightarrow \pi^+ \pi^- p$
107 ± 7	¹ HUNT	19	DPWA Multichannel
146.9 ± 1.9	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
140 ± 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
139 ± 18	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

135 ± 9	SOKHOYAN	15A	DPWA Multichannel
112 ± 2	¹ SHRESTHA	12A	DPWA Multichannel
202 ± 7	PENNER	02C	DPWA Multichannel
143 ± 42	VRANA	00	DPWA Multichannel

¹ Statistical error only.

NODE=B082W

→ UNCHECKED ←

NODE=B082W;LINKAGE=A

$\Delta(1620)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	25–35 %
Γ_2 $N\pi\pi$	>67 %
Γ_3 $\Delta(1232)\pi$	44–72 %
Γ_4 $N\rho$	23–32%
Γ_5 $N\rho, S=1/2$	23–32%
Γ_6 $N\rho, S=3/2$	<0.04%
Γ_7 $N(1440)\pi$	<9 %
Γ_8 $N\gamma$, helicity=1/2	0.03–0.10 %

NODE=B082225;NODE=B082

NODE=B082

DESIG=1;OUR EST
DESIG=2;OUR EST
DESIG=3;OUR EST
DESIG=182;OUR EST
DESIG=4;OUR EST
DESIG=5;OUR EST
DESIG=6;OUR EST
DESIG=7;OUR EST

 $\Delta(1620)$ BRANCHING RATIOS

NODE=B082230

$\Gamma(N\pi)/\Gamma_{\text{total}}$					Γ_1/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
25 to 35 (≈ 30) OUR ESTIMATE					

30 ± 5	SEIFEN	25	DPWA	Multichannel	
24 ± 2	¹ HUNT	19	DPWA	Multichannel	
31.5 ± 0.1	¹ ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$	
25 ± 3	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$	
35 ± 6	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
28 ± 3	SOKHOYAN	15A	DPWA	Multichannel	
33 ± 2	¹ SHRESTHA	12A	DPWA	Multichannel	
34 ± 1	PENNER	02C	DPWA	Multichannel	
45 ± 5	VRANA	00	DPWA	Multichannel	

¹ Statistical error only.

NODE=B082R1
NODE=B082R1
→ UNCHECKED ←

$\Gamma(N\pi\pi)/\Gamma_{\text{total}}$					Γ_2/Γ
VALUE	DOCUMENT ID	TECN	COMMENT		
0.90 ± 0.10	GOLOVATCH	19	DPWA	$\gamma p \rightarrow \pi^+ \pi^- p$	

NODE=B082R1;LINKAGE=A

NODE=B082R00
NODE=B082R00

$\Gamma(\Delta(1232)\pi)/\Gamma_{\text{total}}$					Γ_3/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
28 ± 11	SARANTSEV	25	DPWA	Multichannel	
28 ± 15	SEIFEN	25	DPWA	Multichannel	
48 ± 4	¹ HUNT	19	DPWA	Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
62 ± 10	SOKHOYAN	15A	DPWA	Multichannel	
32 ± 2	¹ SHRESTHA	12A	DPWA	Multichannel	
39 ± 2	VRANA	00	DPWA	Multichannel	

¹ Statistical error only.

NODE=B082R8
NODE=B082R8

NODE=B082R8;LINKAGE=A

$\Gamma(N\rho)/\Gamma_{\text{total}}$					Γ_4/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
52 ± 17	SARANTSEV	25	DPWA	Multichannel	

NODE=B082R01
NODE=B082R01

$\Gamma(N\rho, S=1/2)/\Gamma_{\text{total}}$					Γ_5/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
30 ± 12	SARANTSEV	25	DPWA	Multichannel	
27 ± 4	¹ HUNT	19	DPWA	Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
26 ± 2	¹ SHRESTHA	12A	DPWA	Multichannel	
14 ± 3	VRANA	00	DPWA	Multichannel	

¹ Statistical error only.

NODE=B082R6
NODE=B082R6

NODE=B082R6;LINKAGE=A

$\Gamma(N\rho, S=3/2)/\Gamma_{\text{total}}$ Γ_6/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
22 ± 12	SARANTSEV	25	DPWA Multichannel
< 0.04	¹ HUNT	19	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2 ± 1	VRANA	00	DPWA Multichannel

¹ Statistical error only.

NODE=B082R7
 NODE=B082R7

NODE=B082R7;LINKAGE=A

 $\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$ Γ_7/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
15 ± 8	SEIFEN	25	DPWA Multichannel
< 0.02	¹ HUNT	19	DPWA Multichannel
6 ± 3	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
9 ± 1	¹ SHRESTHA	12A	DPWA Multichannel
0 ± 1	VRANA	00	DPWA Multichannel

¹ Statistical error only.

NODE=B082R9
 NODE=B082R9

NODE=B082R9;LINKAGE=A

 $\Delta(1620)$ PHOTON DECAY AMPLITUDES AT THE POLE

NODE=B082260

 $\Delta(1620) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$

NODE=B082PA1
 NODE=B082PA1

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
0.047 ± 0.007	10 ± 15	SARANTSEV	25	DPWA Multichannel
0.011 ± 0.002	57 ± 12	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.014	26	ROENCHEN	15A	DPWA Multichannel
0.054 ± 0.007	-6 ± 7	SOKHOYAN	15A	DPWA Multichannel

 $\Delta(1620)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

NODE=B082235

 $\Delta(1620) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$

NODE=B082A1
 NODE=B082A1

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.030 to 0.060 (≈ 0.050) OUR ESTIMATE			
0.048 ± 0.007	SARANTSEV	25	DPWA Multichannel
0.029 ± 0.0062	GOLOVATCH	19	DPWA $\gamma p \rightarrow \pi^+ \pi^- p$
0.0124 ± 0.0007	¹ HUNT	19	DPWA Multichannel
0.029 ± 0.003	¹ WORKMAN	12A	DPWA $\gamma N \rightarrow N\pi$
0.050 ± 0.002	¹ DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.055 ± 0.007	SOKHOYAN	15A	DPWA Multichannel
-0.003 ± 0.003	¹ SHRESTHA	12A	DPWA Multichannel
0.066	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
-0.050	PENNER	02D	DPWA Multichannel

¹ Statistical error only.

→ UNCHECKED ←

NODE=B082A1;LINKAGE=A

 $\Delta(1620)$ REFERENCES

NODE=B082

For early references, see Physics Letters **111B** 1 (1982).

NODE=B082

SARANTSEV	25	PR C112 015202	A.V. Sarantsev <i>et al.</i>	(Bonn-Gatchina Collab.)
SEIFEN	25	EPJ A61 173	T. Seifen <i>et al.</i>	(CBELSA/TAPS Collab.)
ROENCHEN	22	EPJ A58 229	D. Roenchen <i>et al.</i>	(JULI, GWU, BONN+)
GOLOVATCH	19	PL B788 371	E. Golovatch <i>et al.</i>	(CLAS Collab.)
HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP

REFID=63294
 REFID=63593
 REFID=61999
 REFID=59418
 REFID=59985
 REFID=58183
 REFID=56757
 REFID=55687
 REFID=55775
 REFID=54041
 REFID=54862
 REFID=54335
 REFID=52105
 REFID=52039
 REFID=51535
 REFID=49129
 REFID=49130
 REFID=47593
 REFID=43821
 REFID=30064
 REFID=40096
 REFID=30058
 REFID=30859