

Δ BARYONS $(S = 0, I = 3/2)$

$$\Delta^{++} = uuu, \quad \Delta^+ = uud, \quad \Delta^0 = udd, \quad \Delta^- = ddd$$

$\Delta(1232) \ 3/2^+$

$$I(J^P) = \frac{3}{2}(\frac{3}{2}^+)$$

Re(pole position) = 1209 to 1211 (≈ 1210) MeV

$-2\text{Im}(\text{pole position}) = 98$ to 102 (≈ 100) MeV

Breit-Wigner mass (mixed charges) = 1230 to 1234 (≈ 1232) MeV

Breit-Wigner full width (mixed charges) = 114 to 120 (≈ 117) MeV

$\Delta(1232)$ DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
$N\pi$	99.4 %	229
$N\gamma$	0.55–0.65 %	259
$N\gamma$, helicity=1/2	0.11–0.13 %	259
$N\gamma$, helicity=3/2	0.44–0.52 %	259
pe^+e^-	$(4.2 \pm 0.7) \times 10^{-5}$	259

$\Delta(1600) \ 3/2^+$

$$I(J^P) = \frac{3}{2}(\frac{3}{2}^+)$$

Re(pole position) = 1470 to 1590 (≈ 1520) MeV

$-2\text{Im}(\text{pole position}) = 150$ to 320 (≈ 280) MeV

Breit-Wigner mass = 1500 to 1640 (≈ 1570) MeV

Breit-Wigner full width = 200 to 300 (≈ 250) MeV

$\Delta(1600)$ DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
$N\pi$	8–24%	492
$N\pi\pi$	58–84 %	454
$\Delta(1232)\pi$	58–82 %	276
$\Delta(1232)\pi$, P -wave	72–82%	276
$\Delta(1232)\pi$, F -wave	<2%	276
$N(1440)\pi$	17–27%	†
$N\gamma$	0.001–0.035 %	505
$N\gamma$, helicity=1/2	0.0–0.02 %	505
$N\gamma$, helicity=3/2	0.001–0.015 %	505

$\Delta(1620) \ 1/2^-$

$$I(J^P) = \frac{3}{2}(\frac{1}{2}^-)$$

Re(pole position) = 1590 to 1610 (≈ 1600) MeV

$-2\text{Im}(\text{pole position}) = 80$ to 140 (≈ 110) MeV

Breit-Wigner mass = 1590 to 1630 (≈ 1610) MeV

Breit-Wigner full width = 110 to 150 (≈ 130) MeV

NODE=BXXX010

NODE=B033

NODE=B033RE:DTYPE=i;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B033IM:DTYPE=i;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B033M:DTYPE=M;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$

NODE=B033W:DTYPE=G;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$

NODE=B033245;NODE=B033

DESIG=1;OUR EST

DESIG=3;OUR EST

DESIG=4;OUR EST

DESIG=5;OUR EST

DESIG=6

NODE=B019

NODE=B019RE:DTYPE=i;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B019IM:DTYPE=i;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B019M:DTYPE=M;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B019W:DTYPE=G;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B019225;NODE=B019

DESIG=1

DESIG=11;OUR EST

DESIG=22;OUR EST

DESIG=3

DESIG=4

DESIG=24

DESIG=25;OUR EST

DESIG=9;OUR EST

DESIG=10;OUR EST

NODE=B082

NODE=B082RE:DTYPE=i;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B082IM:DTYPE=i;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B082M:DTYPE=M;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B082W:DTYPE=G;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$

$\Delta(1620)$ DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
$N\pi$	25–35 %	520
$N\pi\pi$	>67 %	484
$\Delta(1232)\pi$, D -wave	44–72 %	311
$N\rho$	23–32%	†
$N\rho$, $S=1/2$, S -wave	23–32%	†
$N\rho$, $S=3/2$, D -wave	<0.04%	†
$N(1440)\pi$	<9 %	98
$N\gamma$, helicity=1/2	0.03–0.10 %	532

NODE=B082225;NODE=B082

DESIG=1;OUR EST
 DESIG=2;OUR EST
 DESIG=3;OUR EST
 DESIG=182;OUR EST
 DESIG=4;OUR EST
 DESIG=5;OUR EST
 DESIG=6;OUR EST
 DESIG=7;OUR EST

 $\Delta(1700) 3/2^-$

$$I(J^P) = \frac{3}{2}(\frac{3}{2}^-)$$

Re(pole position) = 1640 to 1690 (≈ 1665) MeV
 $-2\text{Im}(\text{pole position}) = 200$ to 300 (≈ 250) MeV
 Breit-Wigner mass = 1690 to 1730 (≈ 1710) MeV
 Breit-Wigner full width = 220 to 380 (≈ 300) MeV

NODE=B010

NODE=B010RE;DTYPE=i;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B010IM;DTYPE=i;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B010M;DTYPE=M;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B010W;DTYPE=G;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B010225;NODE=B010

$\Delta(1700)$ DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
$N\pi$	10–20 %	588
$N\pi\pi$	>31 %	557
$\Delta(1232)\pi$	9–70 %	394
$\Delta(1232)\pi$, S -wave	5–54 %	394
$\Delta(1232)\pi$, D -wave	4–16 %	394
$N\rho$, $S=3/2$, S -wave	22–32%	†
$N(1520)\pi$, P -wave	1–5 %	133
$N(1535)\pi$	0.5–1.5 %	113
$\Delta(1232)\eta$	3–7 %	†
$N\gamma$	0.22–0.60 %	598
$N\gamma$, helicity=1/2	0.12–0.30 %	598
$N\gamma$, helicity=3/2	0.10–0.30 %	598

DESIG=1;OUR EST
 DESIG=3;OUR EST
 DESIG=181;OUR EST
 DESIG=4;OUR EST
 DESIG=5;OUR EST
 DESIG=7;OUR EST
 DESIG=11;OUR EST
 DESIG=186;OUR EST
 DESIG=187;OUR EST
 DESIG=185;OUR EST
 DESIG=9;OUR EST
 DESIG=10;OUR EST

 $\Delta(1900) 1/2^-$

$$I(J^P) = \frac{3}{2}(\frac{1}{2}^-)$$

Re(pole position) = 1830 to 1900 (≈ 1865) MeV
 $-2\text{Im}(\text{pole position}) = 180$ to 300 (≈ 240) MeV
 Breit-Wigner mass = 1840 to 1920 (≈ 1860) MeV
 Breit-Wigner full width = 180 to 320 (≈ 250) MeV

NODE=B030

NODE=B030RE;DTYPE=r;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B030IM;DTYPE=r;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B030M;DTYPE=M;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B030W;DTYPE=G;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B030225;NODE=B030

$\Delta(1900)$ DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
$N\pi$	4–12%	685
ΣK	seen	367
$N\pi\pi$	> 52%	660
$\Delta(1232)\pi$, D -wave	30–70%	509
$N\rho$	22–60 %	361
$N\rho$, $S=1/2$, S -wave	11–35%	361
$N\rho$, $S=3/2$, D -wave	11–25%	361
$N(1440)\pi$	3–32%	353
$N(1520)\pi$	2–10%	288
$\Delta(1232)\eta$	< 2%	251
$N\gamma$, helicity=1/2	0.06–0.43 %	693

DESIG=1
 DESIG=2;OUR EST
 DESIG=6;OUR EST
 DESIG=11
 DESIG=8;OUR EST
 DESIG=12
 DESIG=3
 DESIG=14
 DESIG=15
 DESIG=13
 DESIG=5;OUR EST

 $\Delta(1905) 5/2^+$

$$I(J^P) = \frac{3}{2}(\frac{5}{2}^+)$$

Re(pole position) = 1750 to 1800 (≈ 1770) MeV
 $-2\text{Im}(\text{pole position}) = 260$ to 340 (≈ 300) MeV
 Breit-Wigner mass = 1855 to 1910 (≈ 1880) MeV
 Breit-Wigner full width = 270 to 400 (≈ 330) MeV

NODE=B011

NODE=B011RE;DTYPE=i;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B011IM;DTYPE=i;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B011M;DTYPE=M;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B011W;DTYPE=G;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$

$\Delta(1905)$ DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
$N\pi$	9–15%	698
$N\pi\pi$	>65%	673
$\Delta(1232)\pi$	>48%	524
$\Delta(1232)\pi$, P -wave	8–43%	524
$\Delta(1232)\pi$, F -wave	40–58%	524
$N\rho$, $S=3/2$, P -wave	17–35%	385
$N(1535)\pi$	< 1 %	293
$N(1680)\pi$, P -wave	5–15%	133
$\Delta(1232)\eta$	2–6%	282
$N\gamma$	0.012–0.036 %	706
$N\gamma$, helicity=1/2	0.002–0.006 %	706
$N\gamma$, helicity=3/2	0.01–0.03 %	706

NODE=B011225;NODE=B011

DESIG=1
DESIG=3
DESIG=181;OUR EST
DESIG=4
DESIG=5
DESIG=7
DESIG=11
DESIG=13
DESIG=12
DESIG=185;OUR EST
DESIG=9;OUR EST
DESIG=10;OUR EST

 $\Delta(1910)$ $1/2^+$

$$I(J^P) = \frac{3}{2}(\frac{1}{2}^+)$$

Re(pole position) = 1800 to 1900 ($\approx$ 1850) MeV
 $-2\text{Im}(\text{pole position})$ = 200 to 500 ($\approx$ 350) MeV
Breit-Wigner mass = 1850 to 1950 ($\approx$ 1900) MeV
Breit-Wigner full width = 200 to 400 ($\approx$ 300) MeV

$\Delta(1910)$ DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
$N\pi$	10–30%	710
ΣK	4–14%	410
$\Delta(1232)\pi$	34–66%	539
$N(1440)\pi$	3–45%	386
$\Delta(1232)\eta$	5–13%	310
$N\gamma$, helicity=1/2	0.0–0.02 %	718

NODE=B012

NODE=B012RE;DTYPE=i;OUR EST;
→ UNCHECKED ←
NODE=B012IM;DTYPE=i;OUR EST;
→ UNCHECKED ←
NODE=B012M;DTYPE=M;OUR EST;
→ UNCHECKED ←
NODE=B012W;DTYPE=G;OUR EST;
→ UNCHECKED ←
NODE=B012225;NODE=B012

DESIG=1
DESIG=2
DESIG=181
DESIG=6
DESIG=8
DESIG=7;OUR EST

 $\Delta(1920)$ $3/2^+$

$$I(J^P) = \frac{3}{2}(\frac{3}{2}^+)$$

Re(pole position) = 1850 to 1950 ($\approx$ 1900) MeV
 $-2\text{Im}(\text{pole position})$ = 200 to 400 ($\approx$ 300) MeV
Breit-Wigner mass = 1870 to 1970 ($\approx$ 1920) MeV
Breit-Wigner full width = 240 to 360 ($\approx$ 300) MeV

$\Delta(1920)$ DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
$N\pi$	5–20 %	723
ΣK	2–6 %	431
$N\pi\pi$	>46 %	699
$\Delta(1232)\pi$	>46 %	553
$\Delta(1232)\pi$, P -wave	2–28 %	553
$\Delta(1232)\pi$, F -wave	44–72 %	553
$N(1440)\pi$, P -wave	4–86 %	403
$N(1520)\pi$, S -wave	<5 %	341
$N(1535)\pi$	<2 %	328
$N a_0(980)$	seen	41
$\Delta(1232)\eta$	5–17 %	336
$N\gamma$	0.01–0.84 %	731
$N\gamma$, helicity=1/2	0.0–0.42 %	731
$N\gamma$, helicity=3/2	0.01–0.42 %	731

NODE=B117

NODE=B117RE;DTYPE=i;OUR EST;
→ UNCHECKED ←
NODE=B117IM;DTYPE=i;OUR EST;
→ UNCHECKED ←
NODE=B117M;DTYPE=M;OUR EST;
→ UNCHECKED ←
NODE=B117W;DTYPE=G;OUR EST;
→ UNCHECKED ←
NODE=B117225;NODE=B117

DESIG=1
DESIG=2
DESIG=7;OUR EST
DESIG=14;OUR EST
DESIG=3
DESIG=11
DESIG=4
DESIG=13
DESIG=8
DESIG=9
DESIG=10
DESIG=12;OUR EST
DESIG=5;OUR EST
DESIG=6;OUR EST

 $\Delta(1930)$ $5/2^-$

$$I(J^P) = \frac{3}{2}(\frac{5}{2}^-)$$

Re(pole position) = 1820 to 1880 ($\approx$ 1850) MeV
 $-2\text{Im}(\text{pole position})$ = 300 to 450 ($\approx$ 320) MeV
Breit-Wigner mass = 1900 to 2000 ($\approx$ 1950) MeV
Breit-Wigner full width = 200 to 400 ($\approx$ 300) MeV

NODE=B013

NODE=B013RE;DTYPE=i;OUR EST;
→ UNCHECKED ←
NODE=B013IM;DTYPE=i;OUR EST;
→ UNCHECKED ←
NODE=B013M;DTYPE=M;OUR EST;
→ UNCHECKED ←
NODE=B013W;DTYPE=G;OUR EST;
→ UNCHECKED ←

$\Delta(1930)$ DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
$N\pi$	5–15 %	742
$N\gamma$	0.0–0.01 %	749
$N\gamma$, helicity=1/2	0.0–0.005 %	749
$N\gamma$, helicity=3/2	0.0–0.004 %	749

 $\Delta(1950) 7/2^+$

$$I(J^P) = \frac{3}{2}(\frac{7}{2}^+)$$

Re(pole position) = 1870 to 1890 ($\approx$ 1880) MeV
 $-2\text{Im}(\text{pole position})$ = 220 to 260 ($\approx$ 240) MeV
 Breit-Wigner mass = 1915 to 1950 ($\approx$ 1930) MeV
 Breit-Wigner full width = 235 to 335 ($\approx$ 285) MeV

$\Delta(1950)$ DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
$N\pi$	35–45 %	729
ΣK	0.3–0.5 %	441
$N\pi\pi$	37–77 %	706
$\Delta(1232)\pi$, F -wave	1–9 %	560
$N(1680)\pi$, P -wave	3–9 %	191
$\Delta(1232)\eta$	< 0.6 %	349
$N\gamma$	0.06–0.14 %	737
$N\gamma$, helicity=1/2	0.03–0.05 %	737
$N\gamma$, helicity=3/2	0.04–0.09 %	737

 $\Delta(2200) 7/2^-$

$$I(J^P) = \frac{3}{2}(\frac{7}{2}^-)$$

Re(pole position) = 2050 to 2150 ($\approx$ 2100) MeV
 $-2\text{Im}(\text{pole position})$ = 260 to 420 ($\approx$ 340) MeV
 Breit-Wigner mass = 2150 to 2250 ($\approx$ 2200) MeV
 Breit-Wigner full width = 200 to 500 ($\approx$ 350) MeV

$\Delta(2200)$ DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
$N\pi$	2–8 %	894
ΣK	1–7 %	672
$N\pi\pi$	>45 %	876
$\Delta\pi$	>45 %	747
$\Delta\pi$, D -wave	>40 %	747
$\Delta\pi$, G -wave	5–25 %	747
$\Delta\eta$, D -wave	seen	614

 $\Delta(2420) 11/2^+$

$$I(J^P) = \frac{3}{2}(\frac{11}{2}^+)$$

Re(pole position) = 2300 to 2500 ($\approx$ 2400) MeV
 $-2\text{Im}(\text{pole position})$ = 350 to 550 ($\approx$ 450) MeV
 Breit-Wigner mass = 2300 to 2600 ($\approx$ 2450) MeV
 Breit-Wigner full width = 300 to 700 ($\approx$ 500) MeV

$\Delta(2420)$ DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
$N\pi$	5–10 %	1040

NODE=B013225;NODE=B013

DESIG=1;OUR EST
 DESIG=184;OUR EST
 DESIG=4;OUR EST
 DESIG=5;OUR EST

NODE=B083

NODE=B083RE:DTYPE=i;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B083IM:DTYPE=i;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B083M:DTYPE=M;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B083W:DTYPE=G;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B083225;NODE=B083

DESIG=1
 DESIG=2;OUR EST
 DESIG=171;OUR EST
 DESIG=3;OUR EST
 DESIG=11;OUR EST
 DESIG=10;OUR EST
 DESIG=185;OUR EST
 DESIG=8;OUR EST
 DESIG=9;OUR EST

NODE=B135

NODE=B135RE:DTYPE=r;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B135IM:DTYPE=r;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B135M:DTYPE=M;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B135W:DTYPE=G;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$

NODE=B135225;DESIG=1
 DESIG=3;OUR EST
 DESIG=7;OUR EST
 DESIG=8;OUR EST
 DESIG=4
 DESIG=5;OUR EST
 DESIG=6;OUR EST

NODE=B084

NODE=B084RE:DTYPE=i;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B084IM:DTYPE=i;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B084M:DTYPE=M;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B084W:DTYPE=G;OUR EST;
 $\rightarrow$ UNCHECKED $\leftarrow$
 NODE=B084225;NODE=B084

DESIG=1;OUR EVAL