NODE=S034

$D_s^{\pm}$

$I(J^P) = 0(0^-)$

The angular distributions of the decays of the ϕ and $\overline{K}^*(892)^0$ in the $\phi\pi^+$ and $K^+\overline{K}^*(892)^0$ modes strongly indicate that the spin is zero. The parity given is that expected of a $c\overline{s}$ ground state.

NODE=S034

$D_s^{\pm}$ MASS

NODE=S034M

The fit includes $D^{\pm}$, D^0, $D_s^{\pm}$, $D^{*\pm}$, D^{*0}, $D_s^{*\pm}$, $D_1(2420)^0$, $D_2^*(2460)^0$, and $D_{s1}(2536)^{\pm}$ mass and mass difference measurements. Measurements of the $D_s^{\pm}$ mass with an error greater than 10 MeV are omitted from the fit and average. A number of early measurements have been omitted altogether.

NODE=S034M

VALUE (MeV)	EVTS	DOCUMENT ID		TECN	COMMENT
1968.35± 0.07 OUR FIT					
1969.0 ± 1.4 OUR AVERAGE Error includes scale factor of 1.5. See the ideogram below.					
1967.0 ± 1.0 ± 1.0	54	BARLAG	90C	ACCM	π^- Cu 230 GeV
1969.3 ± 1.4 ± 1.4		ALBRECHT	88	ARG	e^+e^- 9.4–10.6 GeV
1972.7 ± 1.5 ± 1.0	21	BECKER	87B	SILI	200 GeV π,K,p
1972.4 ± 3.7 ± 3.7	27	BLAYLOCK	87	MRK3	e^+e^- 4.14 GeV
1963 ± 3 ± 3	30	DERRICK	85B	HRS	e^+e^- 29 GeV
1970 ± 5 ± 5	104	CHEN	83C	CLEO	e^+e^- 10.5 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1968.3 ± 0.7 ± 0.7	290	[1] ANJOS	88	E691	Photoproduction
1980 ±15	6	USHIDA	86	EMUL	ν wideband
1973.6 ± 2.6 ± 3.0	163	ALBRECHT	85D	ARG	e^+e^- 10 GeV
1948 ±28 ±10	65	AIHARA	84D	TPC	e^+e^- 29 GeV
1975 ± 9 ±10	49	ALTHOFF	84	TASS	e^+e^- 14–25 GeV
1975 ± 4	3	BAILEY	84	ACCM	hadron$^+$ Be $\to$ $\phi\pi^+$X

NODE=S034M

[1] ANJOS 88 enters the fit via $m_{D_s^{\pm}} - m_{D^{\pm}}$ (see below).

NODE=S034M;LINKAGE=D



$m_{D_s^{\pm}} - m_{D^{\pm}}$

NODE=S034DM

The fit includes $D^{\pm}$, D^0, $D_s^{\pm}$, $D^{*\pm}$, D^{*0}, $D_s^{*\pm}$, $D_1(2420)^0$, $D_2^*(2460)^0$, and $D_{s1}(2536)^{\pm}$ mass and mass difference measurements.

NODE=S034DM

NODE=S034DM

VALUE (MeV)	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
98.69±0.05 OUR FIT					
98.69±0.05 OUR AVERAGE					
98.68±0.03±0.04		AAIJ	13V	LHCB	$D_s^+ \to K^+ K^- \pi^+$
99.41±0.38±0.21		ACOSTA	03D	CDF2	$\overline{p}p$, $\sqrt{s}$= 1.96 TeV
98.4 ±0.1 ±0.3	48k	AUBERT	02G	BABR	$e^+e^- \approx \Upsilon(4S)$
99.5 ±0.6 ±0.3		BROWN	94	CLE2	$e^+e^- \approx \Upsilon(4S)$
98.5 ±1.5	555	CHEN	89	CLEO	e^+e^- 10.5 GeV
99.0 ±0.8	290	ANJOS	88	E691	Photoproduction

$D_s^{\pm}$ MEAN LIFE

NODE=S034T

NODE=S034T

Measurements with an error greater than 100×10^{-15} s or with fewer than 100 events have been omitted from the Listings.

NODE=S034T

VALUE (10^{-15} s)	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
501.2± 2.2 OUR AVERAGE Error includes scale factor of 1.3. See the ideogram below.					
499.5± 1.7± 0.9	116k	ADACHI	23G	BEL2	$D_s^+ \to \phi\pi^+$
506.4± 3.0± 1.7±1.7		[1] AAIJ	17AN	LHCB	pp at 7, 8 TeV
507.4± 5.5± 5.1	13.6k	LINK	05J	FOCS	$\Phi\pi^+$ and $\overline{K}^{*0}K^+$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
472.5±17.2± 6.6	760	IORI	01	SELX	600 GeV Σ^-, π^-, p
518 ±14 ± 7	1662	AITALA	99	E791	π^- nucleus, 500 GeV
$486.3\pm15.0^{+4.9}_{-5.1}$	2167	[2] BONVICINI	99	CLE2	$e^+e^- \approx \Upsilon(4S)$
475 ±20 ± 7	900	FRABETTI	93F	E687	γBe, $\phi\pi^+$
500 ±60 ±30	104	FRABETTI	90	E687	γBe, $\phi\pi^+$
470 ±40 ±20	228	RAAB	88	E691	Photoproduction

[1] This AAIJ 17AN value is derived from the difference between the D_s^- and D^- widths. The 3rd uncertainty, $\pm1.7 \times 10^{-15}$ s, arises from the uncertainty of the D^- width. NODE=S034T;LINKAGE=C

[2] BONVICINI 99 obtains 1.19 ± 0.04 for the ratio of D_s^+ to D^0 lifetimes. NODE=S034T;LINKAGE=BV



$D_s^{\pm}$ mean life (10^{-15} s)

D_s^+ DECAY MODES

NODE=S034215;NODE=S034

NODE=S034

Unless otherwise noted, the branching fractions for modes with a resonance in the final state include all the decay modes of the resonance. D_s^- modes are charge conjugates of the modes below.

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level

Inclusive modes

NODE=S034;CLUMP=D

Γ_1	e^+ semileptonic	[a]	(6.33 $\pm$0.15) %		DESIG=25
Γ_2	π^+ anything		(119.3 $\pm$1.4) %		DESIG=133
Γ_3	π^- anything		(43.2 $\pm$0.9) %		DESIG=134
Γ_4	π^0 anything		(123 $\pm$7) %		DESIG=135
Γ_5	K^- anything		(18.7 $\pm$0.5) %		DESIG=32
Γ_6	K^+ anything		(28.9 $\pm$0.7) %		DESIG=33
Γ_7	K^0_S anything		(19.0 $\pm$1.1) %		DESIG=138
Γ_8	η anything	[b]	(29.9 $\pm$2.8) %		DESIG=2
Γ_9	ω anything		(6.1 $\pm$1.4) %		DESIG=136
Γ_{10}	η' anything	[c]	(10.3 $\pm$1.4) %	S=1.1	DESIG=117
Γ_{11}	$f_0(980)$ anything, $f_0 \to \pi^+\pi^-$		< 1.3 %	CL=90%	DESIG=137
Γ_{12}	ϕ anything		(15.7 $\pm$1.0) %		DESIG=92
Γ_{13}	K^+K^- anything		(15.8 $\pm$0.7) %		DESIG=139
Γ_{14}	$K^0_S K^+$ anything		(5.8 $\pm$0.5) %		DESIG=140
Γ_{15}	$K^0_S K^-$ anything		(1.9 $\pm$0.4) %		DESIG=141
Γ_{16}	$2K^0_S$ anything		(1.70 $\pm$0.32) %		DESIG=142
Γ_{17}	$2K^+$ anything		< 2.6 $\times 10^{-3}$	CL=90%	DESIG=143
Γ_{18}	$2K^-$ anything		< 6 $\times 10^{-4}$	CL=90%	DESIG=144
Γ_{19}	$2\pi^+\pi^- +$ anything		(32.8 $\pm$0.7) %		DESIG=236

Leptonic and semileptonic modes

NODE=S034;CLUMP=C

Γ_{20}	$e^+\nu_e$		< 8.3 $\times 10^{-5}$	CL=90%	DESIG=118
Γ_{21}	$\mu^+\nu_\mu$		(5.37 $\pm$0.11) $\times 10^{-3}$		DESIG=7
Γ_{22}	$\tau^+\nu_\tau$		(5.39 $\pm$0.09) %		DESIG=89
Γ_{23}	$\gamma e^+\nu_e$		< 1.3 $\times 10^{-4}$	CL=90%	DESIG=169
Γ_{24}	$K^+K^-e^+\nu_e$		—		DESIG=125;OUR EVAL;→ UNCHECKED ←
Γ_{25}	$K^0_S K^0_S e^+\nu_e$		< 3.8 $\times 10^{-4}$	CL=90%	DESIG=206
Γ_{26}	$\phi e^+\nu_e$	[d]	(2.34 $\pm$0.12) %	S=1.2	DESIG=30
Γ_{27}	$K_1(1270)^0 e^+\nu_e$		< 4.1 $\times 10^{-4}$	CL=90%	DESIG=243
Γ_{28}	$b_1(1235)^0 e^+\nu_e$, $b_1^0 \to \omega\pi^0$		< 6.4 $\times 10^{-4}$	CL=90%	DESIG=244
Γ_{29}	$\phi\mu^+\nu_\mu$		(2.24 $\pm$0.11) %		DESIG=166
Γ_{30}	$\eta e^+\nu_e$	[d]	(2.27 $\pm$0.06) %		DESIG=86
Γ_{31}	$\eta'(958) e^+\nu_e$	[d]	(8.1 $\pm$0.4) $\times 10^{-3}$		DESIG=87
Γ_{32}	$\eta\mu^+\nu_\mu$		(2.24 $\pm$0.07) %		DESIG=167
Γ_{33}	$\eta'(958)\mu^+\nu_\mu$		(8.0 $\pm$0.6) $\times 10^{-3}$		DESIG=168
Γ_{34}	$\omega e^+\nu_e$	[e]	< 2.0 $\times 10^{-3}$	CL=90%	DESIG=153
Γ_{35}	$K^0 e^+\nu_e$		(2.88 $\pm$0.26) $\times 10^{-3}$	S=1.2	DESIG=145
Γ_{36}	$K^*(892)^0 e^+\nu_e$	[d]	(2.05 $\pm$0.20) $\times 10^{-3}$		DESIG=146
Γ_{37}	$f_0(500) e^+\nu_e$, $f_0 \to \pi^0\pi^0$		< 7.3 $\times 10^{-4}$	CL=90%	DESIG=205
Γ_{38}	$f_0(500) e^+\nu_e$, $f_0 \to \pi^+\pi^-$		< 3.3 $\times 10^{-4}$	CL=90%	DESIG=265
Γ_{39}	$f_0(980) e^+\nu_e$, $f_0 \to \pi^0\pi^0$		(7.9 $\pm$1.5) $\times 10^{-4}$		DESIG=204
Γ_{40}	$f_0(980) e^+\nu_e$, $f_0 \to \pi^+\pi^-$		(1.64 $\pm$0.13) $\times 10^{-3}$		DESIG=147
Γ_{41}	$f_0(980)\mu^+\nu_\mu$, $f_0 \to K^+K^-$		< 5.45 $\times 10^{-4}$	CL=90%	DESIG=246
Γ_{42}	$a_0(980)^0 e^+\nu_e$, $a_0^0 \to \pi^0\eta$		< 1.2 $\times 10^{-4}$	CL=90%	DESIG=175
Γ_{43}	$\pi^0 e^+\nu_e$		< 6.4 $\times 10^{-5}$	CL=90%	DESIG=216

Hadronic modes with a $K\overline{K}$ pair

NODE=S034;CLUMP=A

Γ_{44}	$K^+K^0_S$		(1.500$\pm$0.014) %		DESIG=22
Γ_{45}	$K^+K^0_L$		(1.49 $\pm$0.06) %		DESIG=170
Γ_{46}	$K^0_S K^0_L \pi^+$		(1.86 $\pm$0.07) %		DESIG=272
Γ_{47}	$\phi(1020)\pi^+$, $\phi \to K^0_L K^0_S$		(1.31 $\pm$0.06) %		DESIG=273
Γ_{48}	$K^0_L K^*(892)^+$, $K^{*+} \to K^0_S\pi^+$		(3.59 $\pm$0.32) $\times 10^{-3}$		DESIG=274
Γ_{49}	$K^0_S K^*(892)^+$, $K^{*+} \to K^0_L\pi^+$		(2.68 $\pm$0.33) $\times 10^{-3}$		DESIG=275
Γ_{50}	$\phi(1680)\pi^+$, $\phi \to K^0_L K^0_S$		(6.1 $\pm$2.1) $\times 10^{-4}$		DESIG=276
Γ_{51}	$K^+\overline{K}^0$		(2.95 $\pm$0.14) %		DESIG=164
Γ_{52}	$K^+K^-\pi^+$	[f]	(5.45 $\pm$0.08) %	S=1.3	DESIG=40
Γ_{53}	$\phi\pi^+$	[d,g]	(4.5 $\pm$0.4) %		DESIG=6

Γ_{54}	$\phi\pi^+$, $\phi \to K^+K^-$	[g]	(2.25 ± 0.05) %		DESIG=114
Γ_{55}	$K^+\overline{K}^*(892)^0$		$(12.7 \, {}^{+4.0}_{-3.1})$ %		DESIG=232
Γ_{56}	$K^+\overline{K}^*(892)^0$, $\overline{K}^{*0} \to K^-\pi^+$		(2.61 ± 0.05) %		DESIG=115
Γ_{57}	$K^+\overline{K}^*(892)^0$, $\overline{K}^{*0} \to K^0_S\pi^0$		$(4.8 \pm 0.4) \times 10^{-3}$		DESIG=227
Γ_{58}	$f_0(980)\pi^+$, $f_0 \to K^+K^-$		(1.12 ± 0.19) %		DESIG=79
Γ_{59}	$f_0(1370)\pi^+$, $f_0 \to K^+K^-$		$(7.2 \pm 3.0) \times 10^{-4}$		DESIG=148
Γ_{60}	$f_0(1710)\pi^+$, $f_0 \to K^+K^-$		$(6.8 \pm 2.8) \times 10^{-4}$		DESIG=88
Γ_{61}	$a_0(980)^+\pi^0$, $a_0^+ \to K^+K^0_S$		$(1.1 \pm 0.4) \times 10^{-3}$		DESIG=229
Γ_{62}	$a_0(1710)^+\pi^0$, $a_0^+ \to K^+K^0_S$		$(3.5 \pm 0.6) \times 10^{-3}$		DESIG=231
Γ_{63}	$K^+\overline{K}^*_0(1430)^0$, $\overline{K}^*_0 \to K^-\pi^+$		$(1.79 \pm 0.26) \times 10^{-3}$		DESIG=80
Γ_{64}	$K^+\overline{K}^*(1410)^0$, $\overline{K}^*_0 \to K^0_S\pi^0$		$(8.8 \pm 2.8) \times 10^{-4}$		DESIG=230
Γ_{65}	$K^+K^0_S\pi^0$		(1.471 ± 0.028) %		DESIG=162
Γ_{66}	$K^*(892)^+K^0_S$, $K^{*+} \to K^+\pi^0$		$(2.04 \pm 0.32) \times 10^{-3}$		DESIG=228
Γ_{67}	$2K^0_S\pi^+$		$(7.32 \pm 0.14) \times 10^{-3}$		DESIG=163
Γ_{68}	$f_0(980)\pi^+$, $f_0 \to K^0_SK^0_S$		$< 1.8 \times 10^{-4}$	CL=90%	DESIG=212
Γ_{69}	$f_0(1710)\pi^+$, $f_0 \to K^0_SK^0_S$		$(3.39 \pm 0.31) \times 10^{-3}$		DESIG=210
Γ_{70}	$K^*(892)^+K^0_S$, $K^{*+} \to K^0_S\pi^+$		$(3.19 \pm 0.29) \times 10^{-3}$		DESIG=211
Γ_{71}	$K^0\overline{K}^0\pi^+$		—		DESIG=46;OUR EVAL;→ UNCHECKED ←
Γ_{72}	$K^*(892)^+\overline{K}^0$	[d]	(5.4 ± 1.2) %		DESIG=24
Γ_{73}	$\phi\rho^+$		(4.9 ± 0.8) %	S=3.0	DESIG=5
Γ_{74}	$K^+K^-\pi^+\pi^0$		(5.53 ± 0.15) %	S=1.3	DESIG=41
Γ_{75}	$\overline{K}_1(1270)^0K^+$, $\overline{K}_1(1270)^0 \to K^-\rho^+$		$(5.7 \pm 0.6) \times 10^{-3}$		DESIG=177
Γ_{76}	$\overline{K}_1(1270)^0K^+$, $\overline{K}_1(1270)^0 \to K^*(892)\pi$		(1.31 ± 0.25) %		DESIG=176
Γ_{77}	$\overline{K}_1(1400)^0K^+$, $\overline{K}_1(1400)^0 \to K^*(892)\pi$		(2.0 ± 0.4) %		DESIG=178
Γ_{78}	$a_0(980)^0\rho^+$, $a_0^0 \to K^+K^-$		$(1.9 \pm 0.4) \times 10^{-3}$		DESIG=179
Γ_{79}	$f_1(1420)^0\pi^+$, $f_1(1420)^0 \to K^*(892)^\mp K^\pm$		$(3.9 \pm 0.7) \times 10^{-3}$		DESIG=180
Γ_{80}	$f_1(1420)^0\pi^+$, $f_1^0 \to a_0(980)^0\pi^0$, $a_0^0 \to K^+K^-$		$(4.0 \pm 1.4) \times 10^{-4}$		DESIG=181
Γ_{81}	$\eta(1475)\pi^+$, $\eta \to a_0(980)^0\pi^0$, $a_0^0 \to K^+K^-$		$(7.0 \pm 2.8) \times 10^{-4}$		DESIG=182
Γ_{82}	$K^0_SK^-2\pi^+$		(1.569 ± 0.028) %		DESIG=26
Γ_{83}	$K^+K^-K^0_S\pi^+$		$(1.27 \pm 0.15) \times 10^{-4}$		DESIG=245
Γ_{84}	$K^*(892)^+\overline{K}^*(892)^0$	[d]	(5.64 ± 0.35) %		DESIG=27
Γ_{85}	$\eta(1475)K^0_S$, $\eta \to K^*(892)^0\pi^+$, $K^{*0} \to K^-\pi^+$		$(3.5 \pm 1.0) \times 10^{-4}$		DESIG=199
Γ_{86}	$\eta(1475)\pi^+$, $\eta \to \overline{K}^*(892)^+K^-$, $\overline{K}^{*+} \to K^0_S\pi^+$		$(3.5 \pm 1.0) \times 10^{-4}$		DESIG=200
Γ_{87}	$\eta(1475)\pi^+$, $\eta \to a_0(980)^-\pi^+$, $a_0^- \to K^0_SK^-$		$(1.7 \pm 0.9) \times 10^{-3}$		DESIG=196
Γ_{88}	$f_1(1285)\pi^+$, $f_1 \to a_0(980)^-\pi^+$, $a_0^- \to K^0_SK^-$		$(3.5 \pm 0.8) \times 10^{-4}$		DESIG=202

Γ_{89}	$K^+ K^0_S \pi^+ \pi^-$		$(9.34 \pm 0.22) \times 10^{-3}$		DESIG=43
Γ_{90}	$K^+ K^- 2\pi^+ \pi^-$		$(6.6 \pm 0.6) \times 10^{-3}$		DESIG=42
Γ_{91}	$\phi 2\pi^+ \pi^-$	[d]	(1.21 ± 0.16) %		DESIG=8
Γ_{92}	$\phi \rho^0 \pi^+$, $\phi \to K^+ K^-$		$(4.9 \pm 0.7) \times 10^{-3}$		DESIG=105
Γ_{93}	$\phi a_1(1260)^+$, $\phi \to K^+ K^-$, $a_1^+ \to \rho^0 \pi^+$		$(7.5 \pm 1.2) \times 10^{-3}$		DESIG=106
Γ_{94}	$\phi 2\pi^+ \pi^-$ non-ρ, $\phi \to K^+ K^-$		$(1.4 \pm 0.5) \times 10^{-3}$		DESIG=174
Γ_{95}	$K^+ K^- \rho^0 \pi^+$ non-ϕ		$< 2.0 \times 10^{-4}$	CL=90%	DESIG=104
Γ_{96}	$K^+ K^- 2\pi^+ \pi^-$ nonresonant		$(1.0 \pm 0.4) \times 10^{-3}$		DESIG=107
Γ_{97}	$2K^0_S 2\pi^+ \pi^-$		$(8.0 \pm 3.3) \times 10^{-4}$		DESIG=112
	Hadronic modes without K's				NODE=S034;CLUMP=B
Γ_{98}	$\pi^+ \pi^0$		$< 1.2 \times 10^{-4}$	CL=90%	DESIG=119
Γ_{99}	$2\pi^+ \pi^-$		(1.090 ± 0.014) %		DESIG=15
Γ_{100}	$\rho^0 \pi^+$		$(1.14 \pm 0.16) \times 10^{-4}$		DESIG=10
Γ_{101}	$\omega \pi^+$, $\omega \to \pi^+ \pi^-$		$(3.9 \pm 0.4) \times 10^{-5}$		DESIG=233
Γ_{102}	$\pi^+ (\pi^+ \pi^-)_{S-\text{wave}}$	[h]	$(9.23 \pm 0.13) \times 10^{-3}$		DESIG=113
Γ_{103}	$f_0(980) \pi^+$, $f_0 \to \pi^+ \pi^-$				DESIG=14
Γ_{104}	$f_0(1370) \pi^+$, $f_0 \to \pi^+ \pi^-$				DESIG=102
Γ_{105}	$f_0(1500) \pi^+$, $f_0 \to \pi^+ \pi^-$				DESIG=91
Γ_{106}	$f_2(1270) \pi^+$, $f_2 \to \pi^+ \pi^-$		$(1.42 \pm 0.10) \times 10^{-3}$		DESIG=90
Γ_{107}	$f'_2(1525)^0 \pi^+$, $f'_2 \to \pi^+ \pi^-$		$(5.8 \pm 2.0) \times 10^{-6}$		DESIG=235
Γ_{108}	$\rho(1450)^0 \pi^+$, $\rho^0 \to \pi^+ \pi^-$		$(1.8 \pm 0.6) \times 10^{-4}$		DESIG=103
Γ_{109}	$\rho(1700)^0 \pi^+$, $\rho^0 \to \pi^+ \pi^-$		$(4 \pm 4) \times 10^{-5}$		DESIG=234
Γ_{110}	$\pi^+ 2\pi^0$		$(5.2 \pm 0.5) \times 10^{-3}$	S=1.1	DESIG=149
Γ_{111}	$f_0(980) \pi^+$, $f_0 \to \pi^0 \pi^0$		$(2.9 \pm 0.6) \times 10^{-3}$		DESIG=213
Γ_{112}	$f_0(1370) \pi^+$, $f_0 \to \pi^0 \pi^0$		$(1.3 \pm 0.6) \times 10^{-3}$		DESIG=214
Γ_{113}	$f_2(1270) \pi^+$, $f_2 \to \pi^0 \pi^0$		$(5.0 \pm 3.5) \times 10^{-4}$		DESIG=215
Γ_{114}	$2\pi^+ \pi^- \pi^0$		—		DESIG=18;OUR EVAL;→ UNCHECKED ←
Γ_{115}	$\omega \pi^+$	[d]	$(1.93 \pm 0.30) \times 10^{-3}$		DESIG=19
Γ_{116}	$\eta \pi^+$	[d]	(1.686 ± 0.027) %		DESIG=1
Γ_{117}	$(2\pi^+ \pi^- \pi^0)_{\text{non}-\eta}$		(2.04 ± 0.09) %		DESIG=253
Γ_{118}	$f_0(1370) \rho^+$, $f_0 \rho^+ \to 2\pi^+ \pi^- \pi^0$		$(5.1 \pm 0.9) \times 10^{-3}$		DESIG=254
Γ_{119}	$f_0(980)^0 \rho^+$, $f_0^0 \rho^+ \to 2\pi^+ \pi^- \pi^0$		$(2.6 \pm 0.5) \times 10^{-3}$		DESIG=255
Γ_{120}	$f_2(1270)^0 \rho^+$, $f_2(1270)^0 \rho^+ \to 2\pi^+ \pi^- \pi^0$		$(1.9 \pm 0.4) \times 10^{-3}$		DESIG=256
Γ_{121}	$(\rho^+ \rho^0)_{S-wave} \to 2\pi^+ \pi^- \pi^0$		$(7.1 \pm 2.8) \times 10^{-4}$		DESIG=257
Γ_{122}	$(\rho(1450)^+ \rho^0)_{S-wave} \to 2\pi^+ \pi^- \pi^0$		$(9.4 \pm 3.1) \times 10^{-4}$		DESIG=258
Γ_{123}	$(\rho^+ \rho(1450)^0)_{P-wave} \to 2\pi^+ \pi^- \pi^0$		$(1.75 \pm 0.29) \times 10^{-3}$		DESIG=259
Γ_{124}	$\phi \pi^+$, $\phi \to \rho \pi$		$(5.08 \pm 0.35) \times 10^{-3}$		DESIG=260
Γ_{125}	$\omega \pi^+$, $\omega \to \rho \pi$		$(1.41 \pm 0.19) \times 10^{-3}$		DESIG=261
Γ_{126}	$a_1(1260)^+ \pi^0$, $a_1^+ \to (\rho^0 \pi^+)_{S-wave}$		$(2.6 \pm 0.4) \times 10^{-3}$		DESIG=262
Γ_{127}	$a_1(1260)^0 \pi^+$, $a_1^0 \to (\rho \pi)_{S-wave}$		$(1.3 \pm 0.5) \times 10^{-3}$		DESIG=263
Γ_{128}	$\pi(1300)^0 \pi^+$, $\pi^0 \to (\rho \pi)_{P-wave}$		$(2.4 \pm 0.7) \times 10^{-3}$		DESIG=264
Γ_{129}	$3\pi^+ 2\pi^-$		$(8.0 \pm 0.8) \times 10^{-3}$		DESIG=17
Γ_{130}	$2\pi^+ \pi^- 2\pi^0$		(4.41 ± 0.20) %		DESIG=57
Γ_{131}	$\omega \rho^+$, $\omega \to \pi^+ \pi^- \pi^0$		$(8.8 \pm 0.9) \times 10^{-3}$		DESIG=277

Γ_{132}	$\phi\rho^+$, $\phi\to\ \pi^+\pi^-\pi^0$		$(\ 6.1\ \pm0.6\ )\times10^{-3}$		DESIG=296
Γ_{133}	$\rho(1450)^+\pi^0$, $\rho(1450)^+\to$ $\omega\pi^+$, $\omega\to\ \pi^+\pi^-\pi^0$		$(\ 3.5\ \pm0.5\ )\times10^{-3}$		DESIG=283
Γ_{134}	$a_1(1260)^0\rho^+$, $a_1(1260)^0\to$ $\rho^+\pi^-$		$(\ 5.0\ \pm0.4\ )\times10^{-3}$		DESIG=287
Γ_{135}	$a_1(1260)^0\rho^+$, $a_1(1260)^0\to$ $\rho^-\pi^+$		$(\ 3.26\ \pm0.27\ )\times10^{-3}$		DESIG=284
Γ_{136}	$a_1(1260)^+\rho^0$, $a_1(1260)^+\to$ $\rho^+\pi^0$		$(\ 7.3\ \pm1.0\ )\times10^{-3}$		DESIG=290
Γ_{137}	$b_1(1235)^+\pi^0$, $b_1(1235)^+\to$ $\omega\pi^+$, $\omega\to\ \pi^+\pi^-\pi^0$		$(\ 4.8\ \pm0.6\ )\times10^{-3}$		DESIG=294
Γ_{138}	$b_1(1235)^0\pi^+$, $b_1(1235)^0\to$ $\omega\pi^0$, $\omega\to\ \pi^+\pi^-\pi^0$		$(\ 6.4\ \pm0.6\ )\times10^{-3}$		DESIG=295
Γ_{139}	$\eta\rho^+$	[d]	$(\ 8.9\ \pm0.8\ )$ %		DESIG=58
Γ_{140}	$\eta\pi^+\pi^0$		$(\ 9.10\ \pm0.17\ )$ %		DESIG=160
Γ_{141}	$\eta(\pi^+\pi^0)_{P-wave}$		$(\ 4.9\ \pm3.0\ )\times10^{-3}$		DESIG=172
Γ_{142}	$a_0(980)^{+0}\pi^{0+}$, $a_0(980)^{+0}\to\ \eta\pi^{+0}$		$(\ 2.1\ \pm0.4\ )$ %		DESIG=173
Γ_{143}	$\omega\pi^+\pi^0$	[d]	$(\ 2.8\ \pm0.7\ )$ %		DESIG=126
Γ_{144}	$2\pi^+\pi^-\eta$		$(\ 3.08\ \pm0.08\ )$ %		DESIG=183
Γ_{145}	$a_1(1260)^+\eta$, $a_1^+\to$ $\rho(770)^0\pi^+$, $\rho^0\to\ \pi^+\pi^-$		$(\ 1.71\ \pm0.14\ )$ %		DESIG=184
Γ_{146}	$a_1(1260)^+\eta$, $a_1^+\to$ $f_0(500)\pi^+$, $f_0\to\ \pi^+\pi^-$		$(\ 2.5\ \pm0.9\ )\times10^{-3}$		DESIG=185
Γ_{147}	$a_0(980)^+\rho(770)^0$, $a_0^+\to$ $\eta\pi^+$		$(\ 2.1\ \pm0.9\ )\times10^{-3}$		DESIG=186
Γ_{148}	$\eta(1405)\pi^+$, $\eta\to$ $a_0(980)^-\pi^+$, $a_0^-\to\ \eta\pi^-$		$(\ 2.2\ \pm0.7\ )\times10^{-4}$		DESIG=187
Γ_{149}	$\eta(1405)\pi^+$, $\eta\to$ $a_0(980)^+\pi^-$, $a_0^+\to\ \eta\pi^+$		$(\ 2.2\ \pm0.7\ )\times10^{-4}$		DESIG=188
Γ_{150}	$f_1(1420)\pi^+$, $f_1\to$ $a_0(980)^-\pi^+$, $a_0^-\to\ \eta\pi^-$		$(\ 5.9\ \pm1.8\ )\times10^{-4}$		DESIG=195
Γ_{151}	$f_1(1420)\pi^+$, $f_1\to$ $a_0(980)^+\pi^-$, $a_0^+\to\ \eta\pi^+$		$(\ 5.2\ \pm1.8\ )\times10^{-4}$		DESIG=190
Γ_{152}	$3\pi^+2\pi^-\pi^0$		$(\ 4.9\ \pm3.2\ )$ %		DESIG=59
Γ_{153}	$\omega2\pi^+\pi^-$	[d]	$(\ 1.6\ \pm0.5\ )$ %		DESIG=127
Γ_{154}	$\eta'(958)\pi^+$	[c,d]	$(\ 3.95\ \pm0.08\ )$ %		DESIG=13
Γ_{155}	$3\pi^+2\pi^-2\pi^0$		—		DESIG=61;OUR EVAL;→ UNCHECKED ←
Γ_{156}	$\omega\eta\pi^+$	[d]	$(\ 5.4\ \pm1.3\ )\times10^{-3}$		DESIG=128
Γ_{157}	$\eta'(958)\rho^+$	[c,d]	$(\ 5.8\ \pm1.5\ )$ %		DESIG=62
Γ_{158}	$\eta'(958)\pi^+\pi^0$		$(\ 6.14\ \pm0.18\ )$ %		DESIG=161
Γ_{159}	$\eta'(958)\pi^+\pi^0$ nonresonant		$<\ 5.1$ %	CL=90%	DESIG=165

Modes with one or three K's NODE=S034;CLUMP=K

Γ_{160}	$K^+\pi^0$		$(\ 7.5\ \pm0.5\ )\times10^{-4}$		DESIG=120
Γ_{161}	$K_S^0\pi^+$		$(\ 1.22\ \pm0.04\ )\times10^{-3}$		DESIG=23
Γ_{162}	$K^+\eta$	[d]	$(\ 1.76\ \pm0.08\ )\times10^{-3}$		DESIG=121
Γ_{163}	$K^+\omega$	[d]	$(\ 9.9\ \pm1.5\ )\times10^{-4}$		DESIG=129
Γ_{164}	$K^+\eta'(958)$	[d]	$(\ 2.68\ \pm0.24\ )\times10^{-3}$		DESIG=122
Γ_{165}	$K^+\pi^+\pi^-$		$(\ 6.23\ \pm0.10\ )\times10^{-3}$		DESIG=45
Γ_{166}	$K^+\rho^0$		$(\ 2.18\ \pm0.25\ )\times10^{-3}$		DESIG=82
Γ_{167}	$K^+\rho(1450)^0$, $\rho^0\to\ \pi^+\pi^-$		$(\ 7.3\ \pm1.7\ )\times10^{-4}$		DESIG=108
Γ_{168}	$K^+f_0(500)$, $f_0\to\ \pi^+\pi^-$		$(\ 4.5\ \pm3.0\ )\times10^{-4}$		DESIG=207
Γ_{169}	$K^+f_0(980)$, $f_0\to\ \pi^+\pi^-$		$(\ 2.8\ \pm1.1\ )\times10^{-4}$		DESIG=209
Γ_{170}	$K^+f_0(1370)$, $f_0\to\ \pi^+\pi^-$		$(\ 1.2\ \pm0.6\ )\times10^{-3}$		DESIG=208
Γ_{171}	$K^*(892)^0\pi^+$, $K^{*0}\to$ $K^+\pi^-$		$(\ 1.68\ \pm0.26\ )\times10^{-3}$		DESIG=83
Γ_{172}	$K^*(1410)^0\pi^+$, $K^{*0}\to$ $K^+\pi^-$		$(\ 6\ \pm4\ )\times10^{-4}$		DESIG=109
Γ_{173}	$K^*(1430)^0\pi^+$, $K^{*0}\to$ $K^+\pi^-$		$(\ 9.4\ \pm3.2\ )\times10^{-4}$		DESIG=110

Γ_{174}	$K^+\pi^+\pi^-$ nonresonant		$(9.9 \pm 3.2) \times 10^{-4}$		DESIG=111
Γ_{175}	$K^0\pi^+\pi^0$				DESIG=150
Γ_{176}	$K^0_S\pi^+\pi^0$		$(5.09 \pm 0.22) \times 10^{-3}$		DESIG=242
Γ_{177}	$K^0_S\rho(770)^+$, $\rho^+ \to \pi^+\pi^0$		$(2.6 \pm 0.4) \times 10^{-3}$		DESIG=237
Γ_{178}	$K^0_S\rho(1450)^+$, $\rho^+ \to \pi^+\pi^0$		$(1.04 \pm 0.32) \times 10^{-3}$		DESIG=238
Γ_{179}	$K^*(892)^0\pi^+$, $K^{*0} \to K^0_S\pi^0$		$(4.3 \pm 1.2) \times 10^{-4}$		DESIG=239
Γ_{180}	$K^*(892)^+\pi^0$, $K^{*+} \to K^0_S\pi^+$		$(2.3 \pm 0.7) \times 10^{-4}$		DESIG=240
Γ_{181}	$K^*(1410)^0\pi^+$, $K^{*0} \to K^0_S\pi^0$		$(1.7 \pm 0.9) \times 10^{-4}$		DESIG=241
Γ_{182}	$K^0_S 2\pi^+\pi^-$		$(2.8 \pm 1.0) \times 10^{-3}$		DESIG=123
Γ_{183}	$K^+\pi^+\pi^-\pi^0$		$(9.7 \pm 0.6) \times 10^{-3}$		DESIG=217
Γ_{184}	$K^*(892)^0\rho^+$, $K^{*0} \to K^+\pi^-$		$(3.9 \pm 0.4) \times 10^{-3}$		DESIG=218
Γ_{185}	$K^*(892)^+\rho^0$, $K^{*+} \to K^+\pi^0$		$(4.2 \pm 1.2) \times 10^{-4}$		DESIG=219
Γ_{186}	$K_1(1270)^0\pi^+$, $K_1^0 \to K^+\rho^-$		$(3.9 \pm 1.3) \times 10^{-4}$		DESIG=220
Γ_{187}	$K_1(1400)^0\pi^+$, $K_1^0 \to K^*(890)^+\pi^-$, $K^{*+} \to K^+\pi^0$		$(5.4 \pm 0.9) \times 10^{-4}$		DESIG=221
Γ_{188}	$K_1(1400)^0\pi^+$, $K_1^0 \to K^*(890)^0\pi^0$, $K^{*0} \to K^+\pi^-$		$(5.9 \pm 1.0) \times 10^{-4}$		DESIG=222
Γ_{189}	$K^+a_1(1260)^0$, $a_1 \to \rho^+\pi^-$		$(1.8 \pm 1.1) \times 10^{-4}$		DESIG=223
Γ_{190}	$K^+a_1(1260)^0$, $a_1 \to \rho^-\pi^+$		$(1.8 \pm 1.1) \times 10^{-4}$		DESIG=224
Γ_{191}	$K^+\pi^+\pi^-\pi^0$ nonresonant		$(9.2 \pm 2.4) \times 10^{-4}$		DESIG=225
Γ_{192}	$(K^+\pi^0)_{P-wave}\rho^0$		$(1.01 \pm 0.21) \times 10^{-3}$		DESIG=226
Γ_{193}	$K^+\omega\pi^0$	[d]	$< 8.2 \times 10^{-3}$	CL=90%	DESIG=130
Γ_{194}	$K^+\omega\pi^+\pi^-$	[d]	$< 5.4 \times 10^{-3}$	CL=90%	DESIG=131
Γ_{195}	$K^+\omega\eta$	[d]	$< 7.9 \times 10^{-3}$	CL=90%	DESIG=132
Γ_{196}	$2K^+K^-$		$(2.18 \pm 0.20) \times 10^{-4}$		DESIG=67
Γ_{197}	ϕK^+, $\phi \to K^+K^-$		$(8.9 \pm 2.0) \times 10^{-5}$		DESIG=154

Radiative decays NODE=S034;CLUMP=H

Γ_{198}	$\rho(770)^+\gamma$		$< 6.1 \times 10^{-4}$	CL=90%	DESIG=252

Doubly Cabibbo-suppressed modes NODE=S034;CLUMP=F

Γ_{199}	$2K^+\pi^-$		$(1.293 \pm 0.027) \times 10^{-4}$	S=1.1	DESIG=116
Γ_{200}	$K^+K^*(892)^0$, $K^{*0} \to K^+\pi^-$		$(6.1 \pm 3.4) \times 10^{-5}$		DESIG=155
Γ_{201}	$2K^+\pi^-\pi^0$		$< 1.7 \times 10^{-4}$	CL=90%	DESIG=247

Baryon-antibaryon mode NODE=S034;CLUMP=G

Γ_{202}	$p\overline{n}$		$(1.22 \pm 0.11) \times 10^{-3}$		DESIG=124
Γ_{203}	$p\overline{p}e^+\nu_e$		$< 2.0 \times 10^{-4}$	CL=90%	DESIG=171

$\Delta C = 1$ weak neutral current ($C1$) modes, Lepton family number (LF), or Lepton number (L) violating modes NODE=S034;CLUMP=E

Γ_{204}	$\pi^+e^+e^-$	[i]	$< 5.5 \times 10^{-6}$	CL=90%	DESIG=93
Γ_{205}	$\pi^+\phi$, $\phi \to e^+e^-$	[j]	$(1.17 \pm 0.22) \times 10^{-5}$		DESIG=152
Γ_{206}	$\pi^+\pi^0e^+e^-$		$< 7.0 \times 10^{-5}$	CL=90%	DESIG=249
Γ_{207}	$\rho^+\phi$, $\phi \to e^+e^-$		$(2.4 \pm 0.7) \times 10^{-5}$		DESIG=248
Γ_{208}	$\pi^+\mu^+\mu^-$	[i]	$< 1.8 \times 10^{-7}$	CL=90%	DESIG=73
Γ_{209}	$K^+e^+e^-$	$C1$	$< 3.7 \times 10^{-6}$	CL=90%	DESIG=94
Γ_{210}	$K^+\pi^0e^+e^-$		$< 7.1 \times 10^{-5}$	CL=90%	DESIG=250
Γ_{211}	$K^0_S\pi^+e^+e^-$		$< 8.1 \times 10^{-5}$	CL=90%	DESIG=251
Γ_{212}	$K^+\mu^+\mu^-$	$C1$	$< 1.4 \times 10^{-7}$	CL=90%	DESIG=74
Γ_{213}	$K^*(892)^+\mu^+\mu^-$	$C1$	$< 1.4 \times 10^{-3}$	CL=90%	DESIG=75
Γ_{214}	$\pi^+e^+\mu^-$	LF	$< 1.1 \times 10^{-6}$	CL=90%	DESIG=156
Γ_{215}	$\pi^+e^-\mu^+$	LF	$< 9.4 \times 10^{-7}$	CL=90%	DESIG=157
Γ_{216}	$K^+e^+\mu^-$	LF	$< 7.9 \times 10^{-7}$	CL=90%	DESIG=158

Γ_{217}	$K^+ e^- \mu^+$	*LF*	$<$	5.6	$\times 10^{-7}$	CL=90%	DESIG=159
Γ_{218}	$\pi^- 2e^+$	*L*	$<$	1.4	$\times 10^{-6}$	CL=90%	DESIG=97
Γ_{219}	$\pi^- 2\mu^+$	*L*	$<$	8.6	$\times 10^{-8}$	CL=90%	DESIG=76
Γ_{220}	$\pi^- e^+ \mu^+$	*L*	$<$	6.3	$\times 10^{-7}$	CL=90%	DESIG=98
Γ_{221}	$K^- 2e^+$	*L*	$<$	7.7	$\times 10^{-7}$	CL=90%	DESIG=99
Γ_{222}	$\pi^- \pi^0 e^+ e^+$		$<$	2.9	$\times 10^{-5}$	CL=90%	DESIG=266
Γ_{223}	$K^- \pi^0 e^+ e^+$		$<$	3.4	$\times 10^{-5}$	CL=90%	DESIG=267
Γ_{224}	$K^0_S \pi^- e^+ e^+$		$<$	1.3	$\times 10^{-5}$	CL=90%	DESIG=268
Γ_{225}	$K^0_S K^- e^+ e^+$		$<$	2.9	$\times 10^{-5}$	CL=90%	DESIG=269
Γ_{226}	$\phi \pi^- e^+ e^+$		$<$	6.9	$\times 10^{-5}$	CL=90%	DESIG=270
Γ_{227}	$\phi K^- e^+ e^+$		$<$	9.9	$\times 10^{-5}$	CL=90%	DESIG=271
Γ_{228}	$K^- 2\mu^+$	*L*	$<$	2.6	$\times 10^{-8}$	CL=90%	DESIG=77
Γ_{229}	$K^- e^+ \mu^+$	*L*	$<$	2.6	$\times 10^{-7}$	CL=90%	DESIG=100
Γ_{230}	$K^*(892)^- 2\mu^+$	*L*	$<$	1.4	$\times 10^{-3}$	CL=90%	DESIG=78

[*a*] This is the purely e^+ semileptonic branching fraction: the e^+ fraction from τ^+ decays has been subtracted off. The sum of our (non-τ) e^+ exclusive fractions — an $e^+ \nu_e$ with an η, η', ϕ, K^0, or K^{*0} — is 5.99 ± 0.31 %. LINKAGE=SLE

[*b*] This fraction includes η from η' decays. LINKAGE=EFR

[*c*] The sum of our exclusive η' fractions — $\eta' e^+ \nu_e$, $\eta' \mu^+ \nu_\mu$, $\eta' \pi^+$, $\eta' \rho^+$, and $\eta' K^+$ — is 11.8 ± 1.6%. LINKAGE=INC

[*d*] This branching fraction includes all the decay modes of the final-state resonance. LINKAGE=DFR

[*e*] A test for $u\overline{u}$ or $d\overline{d}$ content in the D_s^+. Neither Cabibbo-favored nor Cabibbo-suppressed decays can contribute, and ω−ϕ mixing is an unlikely explanation for any fraction above about 2×10^{-4}. LINKAGE=MAR

[*f*] The branching fraction for this mode may differ from the sum of the submodes that contribute to it, due to interference effects. See the relevant papers. LINKAGE=SDQ

[*g*] We decouple the $D_s^+ \to \phi \pi^+$ branching fraction obtained from mass projections (and used to get some of the other branching fractions) from the $D_s^+ \to \phi \pi^+$, $\phi \to K^+ K^-$ branching fraction obtained from the Dalitz-plot analysis of $D_s^+ \to K^+ K^- \pi^+$. That is, the ratio of these two branching fractions is not exactly the $\phi \to K^+ K^-$ branching fraction 0.491. LINKAGE=DBF

[*h*] This is the average of a model-independent and a *K*-matrix parametrization of the $\pi^+ \pi^-$ *S*-wave and is a sum over several f_0 mesons. LINKAGE=KMP

[*i*] This mode is not a useful test for a ΔC=1 weak neutral current because both quarks must change flavor in this decay. LINKAGE=FIX

[*j*] This is *not* a test for the ΔC=1 weak neutral current, but leads to the $\pi^+ \ell^+ \ell^-$ final state. LINKAGE=NTC

FIT INFORMATION

An overall fit to 18 branching ratios uses 32 measurements to determine 12 parameters. The overall fit has a $\chi^2 = 12.1$ for 20 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i/\Gamma_{\rm total}$.

	x_{44}	x_{52}	x_{74}	x_{82}	x_{89}	x_{99}	x_{115}	x_{116}	x_{163}	x_{165}
x_{52}	11									
x_{74}	−1	1								
x_{82}	1	2	2							
x_{89}	0	1	1	1						
x_{99}	1	1	0	1	0					
x_{115}	0	0	0	0	0	0				
x_{116}	2	2	−1	0	0	0	1			
x_{163}	0	0	0	0	0	0	0	0		
x_{165}	0	2	1	1	1	0	0	0	0	
x_{183}	0	0	0	0	0	0	0	0	26	0
x_{199}	8	72	1	2	0	1	0	1	0	1

	x_{183}
x_{199}	0

D_s^+ BRANCHING RATIOS

NODE=S034220

A number of older, now obsolete results have been omitted. They may be found in earlier editions.

NODE=S034220

——— Inclusive modes ———

NODE=S034305

$\Gamma(e^+ \text{ semileptonic})/\Gamma_{\rm total}$ Γ_1/Γ

NODE=S034R28

This is the purely e^+ semileptonic branching fraction: the e^+ fraction from τ^+ decays has been subtracted off.

NODE=S034R28

VALUE (%)	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
6.33±0.15 OUR AVERAGE					
6.30±0.13±0.10	17k	[1,2] ABLIKIM	21AC	BES3	e^+e^- at 4.178–4.230 GeV
6.52±0.39±0.15	0.5k	[3] ASNER	10	CLEO	e^+e^- at 3774 MeV

NODE=S034R28

[1] ABLIKIM 21AC finds that the ratio of the D_s^+ and D^0 semielectronic widths is $0.790 \pm 0.016 \pm 0.020$.

NODE=S034R28;LINKAGE=B

[2] ABLIKIM 21AC reports a value of $(6.30 \pm 0.13 \pm 0.09 \pm 0.04) \times 10^{-2}$, where the last uncertainty is an external systematic from B($D_s^+ \to \tau\nu$). We have added the systematic uncertainties in quadrature.

NODE=S034R28;LINKAGE=C

[3] Using the D_s^+ and D^0 lifetimes, ASNER 10 finds that the ratio of the D_s^+ and D^0 semileptonic widths is $0.828 \pm 0.051 \pm 0.025$.

NODE=S034R28;LINKAGE=AS

$\Gamma(\pi^+ \text{ anything})/\Gamma_{\rm total}$ Γ_2/Γ

NODE=S034S32

Events with two π^+'s count twice, etc. But π^+'s from $K_S^0 \to \pi^+\pi^-$ are not included.

NODE=S034S32

VALUE (%)	*DOCUMENT ID*		*TECN*	*COMMENT*
119.3±1.2±0.7	DOBBS	09	CLEO	e^+e^- at 4170 MeV

NODE=S034S32

$\Gamma(\pi^- \text{ anything})/\Gamma_{\rm total}$ Γ_3/Γ

NODE=S034S33

Events with two π^-'s count twice, etc. But π^-'s from $K_S^0 \to \pi^+\pi^-$ are not included.

NODE=S034S33

VALUE (%)	*DOCUMENT ID*		*TECN*	*COMMENT*
43.2±0.9±0.3	DOBBS	09	CLEO	e^+e^- at 4170 MeV

NODE=S034S33

$\Gamma(\pi^0 \text{ anything})/\Gamma_{\rm total}$ Γ_4/Γ

NODE=S034S34

Events with two π^0's count twice, etc. But π^0's from $K_S^0 \to 2\pi^0$ are not included.

NODE=S034S34

NODE=S034S34

VALUE (%)	*DOCUMENT ID*		*TECN*	*COMMENT*
123.4±3.8±5.3	DOBBS	09	CLEO	e^+e^- at 4170 MeV

$\Gamma(K^- \text{anything})/\Gamma_{total}$ — Γ_5/Γ

NODE=S034R34

VALUE (%)	DOCUMENT ID		TECN	COMMENT
18.7±0.5±0.2	DOBBS	09	CLEO	e^+e^- at 4170 MeV

$\Gamma(K^+ \text{anything})/\Gamma_{total}$ — Γ_6/Γ

NODE=S034R35

VALUE (%)	DOCUMENT ID		TECN	COMMENT
28.9±0.6±0.3	DOBBS	09	CLEO	e^+e^- at 4170 MeV

$\Gamma(K^0_S \text{anything})/\Gamma_{total}$ — Γ_7/Γ

NODE=S034S37

VALUE (%)	DOCUMENT ID		TECN	COMMENT
19.0±1.0±0.4	DOBBS	09	CLEO	e^+e^- at 4170 MeV

$\Gamma(\eta \text{ anything})/\Gamma_{total}$ — Γ_8/Γ

NODE=S034R02

This ratio includes η particles from η' decays.

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
29.9±2.2±1.7		DOBBS	09	CLEO	e^+e^- at 4170 MeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
23.5±3.1±2.0	674 ± 91	HUANG	06B	CLEO	See DOBBS 09

$\Gamma(\omega \text{ anything})/\Gamma_{total}$ — Γ_9/Γ

NODE=S034S35

VALUE (%)	DOCUMENT ID		TECN	COMMENT
6.1±1.4±0.3	DOBBS	09	CLEO	e^+e^- at 4170 MeV

$\Gamma(\eta' \text{ anything})/\Gamma_{total}$ — Γ_{10}/Γ

NODE=S034R03

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
10.3±1.4 OUR AVERAGE	Error includes scale factor of 1.1.				
8.8±1.8±0.5	68	ABLIKIM	15Z	BES3	482 pb^{-1}, 4009 MeV
11.7±1.7±0.7		DOBBS	09	CLEO	e^+e^- at 4170 MeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
8.7±1.9±0.8	68	HUANG	06B	CLEO	See DOBBS 09

$\Gamma(f_0(980) \text{ anything}, f_0 \to \pi^+\pi^-)/\Gamma_{total}$ — Γ_{11}/Γ

NODE=S034S36

VALUE (%)	CL%	DOCUMENT ID		TECN	COMMENT
<1.3	90	DOBBS	09	CLEO	e^+e^- at 4170 MeV

$\Gamma(\phi \text{ anything})/\Gamma_{total}$ — Γ_{12}/Γ

NODE=S034R84

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
15.7±0.8±0.6		DOBBS	09	CLEO	e^+e^- at 4170 MeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
16.1±1.2±1.1	398 ± 27	HUANG	06B	CLEO	See DOBBS 09

$\Gamma(K^+K^- \text{anything})/\Gamma_{total}$ — Γ_{13}/Γ

NODE=S034S38

VALUE (%)	DOCUMENT ID		TECN	COMMENT
15.8±0.6±0.3	DOBBS	09	CLEO	e^+e^- at 4170 MeV

$\Gamma(K^0_S K^+ \text{anything})/\Gamma_{total}$ — Γ_{14}/Γ

NODE=S034S39

VALUE (%)	DOCUMENT ID		TECN	COMMENT
5.8±0.5±0.1	DOBBS	09	CLEO	e^+e^- at 4170 MeV

$\Gamma(K^0_S K^- \text{anything})/\Gamma_{total}$ — Γ_{15}/Γ

NODE=S034S40

VALUE (%)	DOCUMENT ID		TECN	COMMENT
1.9±0.4±0.1	DOBBS	09	CLEO	e^+e^- at 4170 MeV

$\Gamma(K^0_S K^0_L \pi^+)/\Gamma_{total}$ — Γ_{46}/Γ

NODE=S034Q28

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
1.86±0.06±0.03	2.35k	ABLIKIM	25BR	BES3	e^+e^- at 4.128–4.226 GeV

$\Gamma(\phi(1020)\pi^+, \phi \to K^0_L K^0_S)/\Gamma(K^0_S K^0_L \pi^+)$ — Γ_{47}/Γ_{46}

NODE=S034Q29

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
70.2±1.4±1.2	2.35k	ABLIKIM	25BR	BES3	e^+e^- at 4.128–4.226 GeV

$\Gamma(K^0_L K^*(892)^+, K^{*+} \to K^0_S \pi^+)/\Gamma(K^0_S K^0_L \pi^+)$ — Γ_{48}/Γ_{46}

NODE=S034Q30

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
19.3±1.2±1.0	2.35k	ABLIKIM	25BR	BES3	e^+e^- at 4.128–4.226 GeV

$\Gamma(K^0_S K^*(892)^+,\ K^{*+} \to K^0_L \pi^+)/\Gamma(K^0_S K^0_L \pi^+)$ Γ_{49}/Γ_{46}

NODE=S034Q31

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
14.4±1.2±1.2	2.35k	ABLIKIM	25BR	BES3	$e^+ e^-$ at 4.128–4.226 GeV

$\Gamma(\phi(1680)\pi^+,\ \phi \to K^0_L K^0_S)/\Gamma(K^0_S K^0_L \pi^+)$ Γ_{50}/Γ_{46}

NODE=S034Q32

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
3.3±0.9±0.7	2.35k	ABLIKIM	25BR	BES3	$e^+ e^-$ at 4.128–4.226 GeV

$\Gamma(2K^0_S$ anything$)/\Gamma_{total}$ Γ_{16}/Γ

NODE=S034S41

VALUE (%)	DOCUMENT ID		TECN	COMMENT
1.7±0.3±0.1	DOBBS	09	CLEO	$e^+ e^-$ at 4170 MeV

$\Gamma(2K^+$ anything$)/\Gamma_{total}$ Γ_{17}/Γ

NODE=S034S42

VALUE (%)	CL%	DOCUMENT ID		TECN	COMMENT
<0.26	90	DOBBS	09	CLEO	$e^+ e^-$ at 4170 MeV

$\Gamma(2K^-$ anything$)/\Gamma_{total}$ Γ_{18}/Γ

NODE=S034S43

VALUE (%)	CL%	DOCUMENT ID		TECN	COMMENT
<0.06	90	DOBBS	09	CLEO	$e^+ e^-$ at 4170 MeV

$\Gamma(2\pi^+\pi^- +$ anything$)/\Gamma_{total}$ Γ_{19}/Γ

NODE=S034P90

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
32.81±0.35±0.63	25k	[1] ABLIKIM	23AV	BES3	$e^+ e^-$ at 4.178 GeV

[1] Charged pions from K^0_S meson decays are excluded from this measurement

NODE=S034P90;LINKAGE=A

Leptonic and semileptonic modes

NODE=S034310

See the related review(s):

Leptonic Decays of Charged Pseudoscalar Mesons

$\Gamma(e^+\nu_e)/\Gamma_{total}$ Γ_{20}/Γ

NODE=S034R04

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
$<0.83 \times 10^{-4}$	90	[1] ZUPANC	13	BELL	$e^+ e^-$ at $\Upsilon(4S), \Upsilon(5S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$<2.3 \times 10^{-4}$	90	DEL-AMO-SA...	10J	BABR	$e^+ e^-$, 10.58 GeV
$<1.2 \times 10^{-4}$	90	ALEXANDER	09	CLEO	$e^+ e^-$ at 4170 MeV
$<1.3 \times 10^{-4}$	90	PEDLAR	07A	CLEO	See ALEXANDER 09

[1] ZUPANC 13 also gives the limit as $< 1.0 \times 10^{-4}$ at 95% CL.

NODE=S034R04;LINKAGE=ZU

$\Gamma(\mu^+\nu_\mu)/\Gamma_{total}$ Γ_{21}/Γ

NODE=S034R7

See the note on "Decay Constants of Charged Pseudoscalar Mesons."

NODE=S034R7

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
5.37 ±0.11 OUR AVERAGE					
5.47 ±0.26 ±0.16	0.5k	ABLIKIM	24CG	BES3	$e^+ e^-$ at 4.237–4.699 GeV
5.294±0.108±0.085	2.5k	ABLIKIM	23BR	BES3	$e^+ e^-$ at 4.128–4.226 GeV
5.17 ±0.75 ±0.21	69	[1] ABLIKIM	16O	BES3	$e^+ e^-$ at 4.009 GeV
5.31 ±0.28 ±0.20	490	[2] ZUPANC	13	BELL	$e^+ e^-$ at $\Upsilon(4S), \Upsilon(5S)$
6.02 ±0.38 ±0.34	270	[3] DEL-AMO-SA...	10J	BABR	$e^+ e^-$, 10.58 GeV
5.65 ±0.45 ±0.17	230	ALEXANDER	09	CLEO	$e^+ e^-$ at 4.170 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
5.35 ±0.13 ±0.16	2.2k	[4] ABLIKIM	21BE	BES3	$e^+ e^-$,4.178,4.226 GeV
5.49 ±0.16 ±0.15	1.1k	[4] ABLIKIM	19E	BES3	$e^+ e^-$ at 4.178 GeV
6.44 ±0.76 ±0.57	170	[5] WIDHALM	08	BELL	See ZUPANC 13
5.94 ±0.66 ±0.31	88	[6] PEDLAR	07A	CLEO	See ALEXANDER 09
6.8 ±1.1 ±1.8	553	[7] HEISTER	02I	ALEP	Z decays

OCCUR=2

[1] ABLIKIM 16O also reports that when constrained by the Standard Model ratio of $\Gamma(D^+_s \to \tau^+\nu_\tau)/\Gamma(D^+_s \to \mu^+\nu_\mu) = 9.76$, the branching fraction is found to be $(0.495 \pm 0.067 \pm 0.026)$%. The constrained value is used to obtain the decay constant, $f_{D^+_s} = (241.0 \pm 16.3 \pm 6.6)$ MeV.

NODE=S034R7;LINKAGE=D

[2] ZUPANC 13 uses both $\mu^+\nu$ and $\tau^+\nu$ events to get $f_{D_s} = (255.5 \pm 4.2 \pm 5.1)$ MeV.

NODE=S034R7;LINKAGE=ZU

[3] DEL-AMO-SANCHEZ 10J uses $\mu^+\nu_\mu$ and $\tau^+\nu_\tau$ events together to get $f_{D_s} = (258.6 \pm 6.4 \pm 7.5)$ MeV.

NODE=S034R7;LINKAGE=DE

[4] Superseded by ABLIKIM 23BR.

NODE=S034R7;LINKAGE=F

[5] WIDHALM 08 gets f_{D_s} = (275 ± 16 ± 12) MeV from the branching fraction.

[6] PEDLAR 07A also fits μ^+ and τ^+ events together and gets an effective $\mu^+\nu_\mu$ branching fraction of (6.38 ± 0.59 ± 0.33) × 10^{-3}

[7] This HEISTER 02I result is not actually an independent measurement of the absolute $\mu^+\nu_\mu$ branching fraction, but is in fact based on our $\phi\pi^+$ branching fraction of 3.6 ± 0.9%, so it cannot be included in our overall fit. HEISTER 02I combines its $D_s^+ \to \tau^+\nu_\tau$ and $\mu^+\nu_\mu$ branching fractions to get f_{D_s} = (285 ± 19 ± 40) MeV.

NODE=S034R7;LINKAGE=WI
NODE=S034R7;LINKAGE=PE
NODE=S034R7;LINKAGE=BQ

$\Gamma(\mu^+\nu_\mu)/\Gamma(\phi\pi^+)$ Γ_{21}/Γ_{53}

NODE=S034R50

See the note on "Decay Constants of Charged Pseudoscalar Mesons" above.

NODE=S034R50
NODE=S034R50

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.143±0.018±0.006	489 ± 55	[1] AUBERT	07V	BABR	$e^+e^- \approx \Upsilon(4S)$
0.23 ±0.06 ±0.04	18	[2] ALEXANDROV	00	BEAT	π^- nucleus, 350 GeV
0.173±0.023±0.035	182	[3] CHADHA	98	CLE2	$e^+e^- \approx \Upsilon(4S)$
0.245±0.052±0.074	39	[4] ACOSTA	94	CLE2	See CHADHA 98

[1] AUBERT 07V gets $f_{D_s^+}$ = (283 ± 17 ± 16) MeV, using $\Gamma(D_s^+ \to \phi\pi^+)/\Gamma$(total) = (4.71 ± 0.46)%.

NODE=S034R50;LINKAGE=AU

[2] ALEXANDROV 00 uses $f^2_D/f^2_{D_s}$ = 0.82 ± 0.09 from a lattice-gauge-theory calculation to get the relative numbers of $D^+ \to \mu^+\nu_\mu$ and $D_s^+ \to \mu^+\nu_\mu$ events. The present result leads to f_{D_s} = (323 ± 44 ± 36) MeV.

NODE=S034R50;LINKAGE=C

[3] CHADHA 98 obtains f_{D_s} = (280 ± 19 ± 28 ± 34) MeV from this measurement, using $\Gamma(D_s^+ \to \phi\pi^+)/\Gamma$(total) = 0.036 ± 0.009.

NODE=S034R50;LINKAGE=B

[4] ACOSTA 94 obtains f_{D_s} = (344 ± 37 ± 52 ± 42) MeV from this measurement, using $\Gamma(D_s^+ \to \phi\pi^+)/\Gamma$(total) = 0.037 ± 0.009.

NODE=S034R50;LINKAGE=A

$\Gamma(\tau^+\nu_\tau)/\Gamma_{total}$ Γ_{22}/Γ

NODE=S034R76

See the note on "Decay Constants of Charged Pseudoscalar Mesons" above.

NODE=S034R76
NODE=S034R76

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
5.39±0.09 OUR AVERAGE					
5.60±0.16±0.20	2.8k	[1] ABLIKIM	24CG	BES3	e^+e^- at 4.237–4.699 GeV
5.44±0.17±0.13	2.4k	[2] ABLIKIM	23BP	BES3	e^+e^- at 4.128–4.226 GeV
5.37±0.17±0.15	2.3k	[3] ABLIKIM	23BX	BES3	e^+e^- at 4.128–4.226 GeV
5.29±0.25±0.20	1.7k	[4] ABLIKIM	21AF	BES3	e^+e^- at 4.178, 4.226 GeV
5.27±0.10±0.12	4.9k	[5] ABLIKIM	21AZ	BES3	e^+e^- at 4.178, 4.226 GeV
3.28±1.83±0.37	33	[6] ABLIKIM	16O	BES3	e^+e^- at 4.009 GeV
5.70±0.21$^{+0.31}_{-0.30}$	2.2k	[7] ZUPANC	13	BELL	e^+e^- at $\Upsilon(4S)$, $\Upsilon(5S)$
4.96±0.37±0.57	748	[8] DEL-AMO-SA...	10J	BABR	$e^-\overline{\nu}_e\nu_\tau$, $\mu^-\overline{\nu}_\mu\nu_\tau$
6.42±0.81±0.18	126	[9] ALEXANDER	09	CLEO	$\tau^+ \to \pi^+\overline{\nu}_\tau$
5.52±0.57±0.21	155	[9] NAIK	09A	CLEO	$\tau^+ \to \rho^+\overline{\nu}_\tau$
5.30±0.47±0.22	181	[9] ONYISI	09	CLEO	$\tau^+ \to e^+\nu_e\overline{\nu}_\tau$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
5.21±0.25±0.17	950	[10] ABLIKIM	21BE	BES3	e^+e^- at 4.178, 4.226 GeV
6.17±0.71±0.34	102	[11] ECKLUND	08	CLEO	See ONYISI 09
8.0 ±1.3 ±0.4	47	[11] PEDLAR	07A	CLEO	See ALEXANDER 09
5.79±0.77±1.84	881	[12] HEISTER	02I	ALEP	Z decays
7.0 ±2.1 ±2.0	22	[13] ABBIENDI	01L	OPAL	$D_s^{*+} \to \gamma D_s^+$ from Z's
7.4 ±2.8 ±2.4	16	[14] ACCIARRI	97F	L3	$D_s^{*+} \to \gamma D_s^+$ from Z's

[1] ABLIKIM 24CG uses $\tau^+ \to (e^+\nu_e,\ \mu^+\nu_\nu,\ \pi^+,\ \rho^+)\overline{\nu}_\tau$ decays.

NODE=S034R76;LINKAGE=L

[2] ABLIKIM 23BP uses $\tau^+ \to \pi^+\overline{\nu}_\tau$ decays.

NODE=S034R76;LINKAGE=G

[3] ABLIKIM 23BX uses $\tau^+ \to \mu^+\nu_\mu\overline{\nu}_\tau$ decays.

NODE=S034R76;LINKAGE=J

[4] ABLIKIM 21AF uses $\tau^+ \to \pi^+\pi^0\overline{\nu}$ decays.

NODE=S034R76;LINKAGE=D

[5] ABLIKIM 21AZ uses $\tau^+ \to e^+\nu_e\overline{\nu}_\tau$ decays.

NODE=S034R76;LINKAGE=E

[6] ABLIKIM 16O also reports that when constrained by the Standard Model ratio of $\Gamma(D_s^+ \to \tau^+\nu_\tau)/\Gamma(D_s^+ \to \mu^+\nu_\mu)$ = 9.76; the branching fraction is found to be (4.83 ± 0.65 ± 0.26)%.

NODE=S034R76;LINKAGE=C

[7] ZUPANC 13 uses both $\mu^+\nu$ and $\tau^+\nu$ events to get f_{D_s} = (255.5 ± 4.2 ± 5.1) MeV.

NODE=S034R76;LINKAGE=ZU

[8] DEL-AMO-SANCHEZ 10J (with a small correction; see LEES 15D) uses $\mu^+\nu_\mu$ and $\tau^+\nu_\tau$ events together to get f_{D_s} = (259.9 ± 6.6 ± 7.6) MeV.

NODE=S034R76;LINKAGE=DE

[9] ALEXANDER 09, NAIK 09A, and ONYISI 09 use different τ decay modes and are independent. The three papers combined give f_{D_s} = (259.7 ± 7.8 ± 3.4) MeV. NODE=S034R76;LINKAGE=ON

[10] ABLIKIM 21BE uses $\tau^+ \rightarrow \pi^+ \overline{\nu}_\tau$ decays. When constrained by the Standard Model ratio of $\Gamma(D_s^+ \rightarrow \tau^+ \nu_\tau)/\Gamma(D_s^+ \rightarrow \mu^+ \nu_\mu)$ = 9.75, the branching fraction is found to be (5.22 ± 0.10 ± 0.14)%. Superseded by ABLIKIM 23BP. NODE=S034R76;LINKAGE=F

[11] ECKLUND 08 and PEDLAR 07A are independent: ECKLUND 08 uses $\tau^+ \rightarrow e^+ \nu_e \overline{\nu}_\tau$ events, PEDLAR 07A uses $\tau^+ \rightarrow \pi^+ \overline{\nu}_\tau$ events. NODE=S034R76;LINKAGE=EC

[12] HEISTER 02I combines its $D_s^+ \rightarrow \tau^+ \nu_\tau$ and $\mu^+ \nu_\mu$ branching fractions to get f_{D_s}= (285 ± 19 ± 40) MeV. NODE=S034R76;LINKAGE=BQ

[13] This ABBIENDI 01L value gives a decay constant f_{D_s} of (286 ± 44 ± 41) MeV. NODE=S034R76;LINKAGE=B

[14] The second ACCIARRI 97F error here combines in quadrature systematic (0.016) and normalization (0.018) errors. The branching fraction gives f_{D_s} = (309 ± 58 ± 33 ± 38) MeV. NODE=S034R76;LINKAGE=A

$\Gamma(\tau^+\nu_\tau)/\Gamma(\mu^+\nu_\mu)$ — Γ_{22}/Γ_{21}

NODE=S034S20
NODE=S034S20

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$10.73\pm0.69^{+0.56}_{-0.53}$	2.2k/492	[1] ZUPANC	13	BELL	e^+e^- at $\Upsilon(4S), \Upsilon(5S)$
11.0 ±1.4 ±0.6	102	[2] ECKLUND	08	CLEO	See ONYISI 09

[1] This ZUPANC 13 ratio is not independent of the separate $\tau\nu$ and $\mu\nu$ fractions listed above. NODE=S034S20;LINKAGE=ZU

[2] This ECKLUND 08 value also uses results from PEDLAR 07A, and it is not independent of other results in these Listings. Combined with earlier CLEO results, the decay constant f_{D_s} is 274 ± 10 ± 5 MeV. NODE=S034S20;LINKAGE=EU

$\Gamma(\gamma e^+\nu_e)/\Gamma_{total}$ — Γ_{23}/Γ

NODE=S034P02
NODE=S034P02

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<1.3 × 10^{-4}	90	ABLIKIM	19AD	BES3	for E_γ > 10 MeV

$\Gamma(K^+K^-e^+\nu_e)/\Gamma(K^+K^-\pi^+)$ — Γ_{24}/Γ_{52}

NODE=S034S23
NODE=S034S23

VALUE	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.558±0.007±0.016	[1] AUBERT	08AN	BABR	e^+e^- at $\Upsilon(4S)$

[1] This AUBERT 08AN ratio is only for the K^+K^- mass in the range 1.01–to–1.03 GeV in the numerator and 1.0095–to–1.0295 GeV in the denominator. NODE=S034S23;LINKAGE=AU

$\Gamma(K_S^0K_S^0e^+\nu_e)/\Gamma_{total}$ — Γ_{25}/Γ

NODE=S034P56
NODE=S034P56

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<3.8 × 10^{-4}	90	ABLIKIM	22J	BES3	e^+e^- at 4.178-4.226 GeV

$\Gamma(\phi e^+\nu_e)/\Gamma_{total}$ — Γ_{26}/Γ

NODE=S034S22

See the end of the D_s^+ Listings for measurements of $D_s^+ \rightarrow \phi e^+ \nu_e$ form factors. Unseen decay modes of the ϕ are included. NODE=S034S22

NODE=S034S22

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
2.34±0.12 OUR AVERAGE	Error includes scale factor of 1.2.				
2.21±0.16±0.11	350	ABLIKIM	24CI	BES3	e^+e^- at 4237–4699 MeV
2.26±0.45±0.09	26	ABLIKIM	18A	BES3	e^+e^- at 4009 MeV
2.14±0.17±0.08	207	HIETALA	15		Uses CLEO data
2.61±0.03±0.17	25k	AUBERT	08AN	BABR	e^+e^- at $\Upsilon(4S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
2.36±0.23±0.13	106	ECKLUND	09	CLEO	See HIETALA 15
2.29±0.37±0.11	45	YELTON	09	CLEO	See ECKLUND 09

OCCUR=3

$\Gamma(\phi e^+\nu_e)/\Gamma(\phi\pi^+)$ — Γ_{26}/Γ_{53}

NODE=S034R29

As noted in the comment column, most of these measurements use $\phi\mu^+\nu_\mu$ events in addition to or instead of $\phi e^+\nu_e$ events. NODE=S034R29

NODE=S034R29

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.540±0.033±0.048	793	LINK	02J	FOCS	Uses $\phi\mu^+\nu_\mu$
0.54 ±0.05 ±0.04	367	BUTLER	94	CLE2	Uses $\phi e^+\nu_e$ and $\phi\mu^+\nu_\mu$
0.58 ±0.17 ±0.07	97	FRABETTI	93G	E687	Uses $\phi\mu^+\nu_\mu$
0.57 ±0.15 ±0.15	104	ALBRECHT	91	ARG	Uses $\phi e^+\nu_e$
$0.49 \pm0.10 ^{+0.10}_{-0.14}$	54	ALEXANDER	90B	CLEO	Uses $\phi e^+\nu_e$ and $\phi\mu^+\nu_\mu$

$\Gamma(\phi\mu^+\nu_\mu)/\Gamma_{total}$ Γ_{29}/Γ

NODE=S034P01

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
2.24±0.11 OUR AVERAGE					
2.25±0.09±0.07	1.7k	ABLIKIM	23BZ	BES3	e^+e^- at 4.128-4.226 GeV
1.94±0.53±0.09	22	ABLIKIM	18A	BES3	e^+e^- at 4.009 GeV

$\Gamma(\eta e^+\nu_e)/\Gamma_{total}$ Γ_{30}/Γ

NODE=S034S44

Unseen decay modes of the η are included.

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
2.27 ±0.06 OUR AVERAGE					
2.35 ±0.11 ±0.10	716	ABLIKIM	24CI	BES3	e^+e^- at 4237–4699 MeV
2.255±0.039±0.051	4k	ABLIKIM	23BO	BES3	e^+e^- at 4128–4226 MeV
2.30 ±0.31 ±0.08	63	ABLIKIM	16T	BES3	e^+e^- at 4009 MeV
2.28 ±0.14 ±0.19	358	[1] HIETALA	15		Uses CLEO data
• • • We do not use the following data for averages, fits, limits, etc. • • •					
2.323±0.063±0.063	1.8k	[2] ABLIKIM	19S	BES3	e^+e^- at 4178 MeV
2.48 ±0.29 ±0.13	82	YELTON	09	CLEO	See HIETALA 15

[1] Obtained by analyzing CLEO-c data but not authored by the CLEO Collaboration.
[2] Superseded by ABLIKIM 23BO

NODE=S034S44;LINKAGE=A
NODE=S034S44;LINKAGE=B

$\Gamma(\eta e^+\nu_e)/\Gamma(\phi e^+\nu_e)$ Γ_{30}/Γ_{26}

NODE=S034R71

Unseen decay modes of the η and the ϕ are included.

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1.24±0.12±0.15	440	[1] BRANDENB...	95	CLE2	See HIETALA 15

[1] BRANDENBURG 95 uses both e^+ and μ^+ events and makes a phase-space adjustment to use the μ^+ events as e^+ events.

NODE=S034R71;LINKAGE=A

$\Gamma(\eta'(958)e^+\nu_e)/\Gamma_{total}$ Γ_{31}/Γ

NODE=S034S45

Unseen decay modes of the $\eta'(958)$ are included.

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
0.81 ±0.04 OUR AVERAGE					
0.82 ±0.09 ±0.04	134	ABLIKIM	24CI	BES3	e^+e^- at 4237–4699 MeV
0.810±0.038±0.024	675	ABLIKIM	23BO	BES3	e^+e^- at 4128–4226 MeV
0.93 ±0.30 ±0.05	14	ABLIKIM	16T	BES3	e^+e^- at 4009 MeV
0.68 ±0.15 ±0.06	20	[1] HIETALA	15		Uses CLEO data
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.824±0.073±0.027	261	[2] ABLIKIM	19S	BES3	e^+e^- at 4178 MeV
0.91 ±0.33 ±0.05	7.5	YELTON	09	CLEO	See HIETALA 15

[1] Obtained by analyzing CLEO-c data but not authored by the CLEO Collaboration.
[2] Superseded by ABLIKIM 23BO

NODE=S034S45;LINKAGE=A
NODE=S034S45;LINKAGE=B

$\Gamma(\eta'(958)e^+\nu_e)/\Gamma(\phi e^+\nu_e)$ Γ_{31}/Γ_{26}

NODE=S034R72

Unseen decay modes of the resonances are included.

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.43±0.11±0.07	29	[1] BRANDENB...	95	CLE2	See HIETALA 15

[1] BRANDENBURG 95 uses both e^+ and μ^+ events and makes a phase-space adjustment to use the μ^+ events as e^+ events.

NODE=S034R72;LINKAGE=A

$\Gamma(\eta\mu^+\nu_\mu)/\Gamma_{total}$ Γ_{32}/Γ

NODE=S034R00

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
2.24 ±0.07 OUR AVERAGE					
2.235±0.051±0.052	3.1k	ABLIKIM	24AQ	BES3	e^+e^-, 4.128–4.266 GeV
2.42 ±0.46 ±0.11	44	ABLIKIM	18A	BES3	e^+e^- at 4.009 GeV

$\Gamma(\eta'(958)\mu^+\nu_\mu)/\Gamma_{total}$ Γ_{33}/Γ

NODE=S034P00

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
0.80 ±0.06 OUR AVERAGE					
0.801±0.055±0.028	390	ABLIKIM	24AQ	BES3	e^+e^-, 4.128–4.266 GeV
1.06 ±0.54 ±0.07	10	ABLIKIM	18A	BES3	e^+e^- at 4.009 GeV

$\Gamma(\omega e^+ \nu_e)/\Gamma_{total}$ Γ_{34}/Γ

NODE=S034S59

A test for $u\overline{u}$ or $d\overline{d}$ content in the D_s^+. Neither Cabibbo-favored nor Cabibbo-suppressed decays can contribute, and $\omega - \phi$ mixing is an unlikely explanation for any fraction above about 2×10^{-4}.

NODE=S034S59

NODE=S034S59

VALUE (%)	CL%	DOCUMENT ID		TECN	COMMENT
<0.20	90	MARTIN	11	CLEO	$e^+ e^-$ at 4170 MeV

$\Gamma(K^0 e^+ \nu_e)/\Gamma_{total}$ Γ_{35}/Γ

NODE=S034S46
NODE=S034S46

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
0.288±0.026 OUR AVERAGE	Error includes scale factor of 1.2.				
0.298±0.023±0.012	228	[1] ABLIKIM	24CH	BES3	$e^+ e^-$ at 4128–4226 MeV
0.24 ±0.04 ±0.01	51	ABLIKIM	24CI	BES3	$e^+ e^-$ at 4237–4699 MeV
0.39 ±0.08 ±0.03	42	HIETALA	15		Uses CLEO data
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.325±0.038±0.016	117	[1,2] ABLIKIM	19D	BES3	$e^+ e^-$ at 4178 MeV
0.37 ±0.10 ±0.02	14	YELTON	09	CLEO	See HIETALA 15

[1] K^0 reconstructed via $K^0 \rightarrow K_S^0 \rightarrow \pi^+ \pi^-$ decays. NODE=S034S46;LINKAGE=A

[2] Superseded by ABLIKIM 24CH. NODE=S034S46;LINKAGE=B

$\Gamma(K_1(1270)^0 e^+ \nu_e)/\Gamma_{total}$ Γ_{27}/Γ

NODE=S034P99
NODE=S034P99

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
$<4.1 \times 10^{-4}$	90	[1] ABLIKIM	23BS	BES3	$e^+ e^-$ at 4.128–4.226 GeV

[1] ABLIKIM 23BS uses $K_1(1270)^0 \rightarrow K^- \pi^+ \pi^0$ decays. NODE=S034P99;LINKAGE=A

$\Gamma(K^*(892)^0 e^+ \nu_e)/\Gamma_{total}$ Γ_{36}/Γ

NODE=S034S47

Unseen decay modes of the $K^*(892)^0$ are included.

NODE=S034S47
NODE=S034S47

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
0.205±0.020 OUR AVERAGE					
0.19 ±0.03 ±0.01	65	ABLIKIM	24CI	BES3	$e^+ e^-$ at 4237–4699 MeV
0.237±0.026±0.020	155	ABLIKIM	19D	BES3	$e^+ e^-$ at 4178 MeV
0.18 ±0.04 ±0.01	32	[1] HIETALA	15		$e^+ e^-$ at 4170 MeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.18 ±0.07 ±0.01	7.5	YELTON	09	CLEO	See HIETALA 15

[1] Uses CLEO data, but not authored by the CLEO collaboration NODE=S034S47;LINKAGE=A

$\Gamma(f_0(500) e^+ \nu_e,\ f_0 \rightarrow \pi^0 \pi^0)/\Gamma_{total}$ Γ_{37}/Γ

NODE=S034P55
NODE=S034P55

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
$<7.3 \times 10^{-4}$	90	ABLIKIM	22J	BES3	$e^+ e^-$ at 4.178-4.226 GeV

$\Gamma(f_0(500) e^+ \nu_e,\ f_0 \rightarrow \pi^+ \pi^-)/\Gamma_{total}$ Γ_{38}/Γ

NODE=S034Q21
NODE=S034Q21

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
$<3.3 \times 10^{-4}$	90	ABLIKIM	24AT	BES3	$e^+ e^-$ at 4.128–4.226 GeV

$\Gamma(f_0(980) e^+ \nu_e,\ f_0 \rightarrow \pi^0 \pi^0)/\Gamma_{total}$ Γ_{39}/Γ

NODE=S034P54
NODE=S034P54

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
7.9±1.4±0.4	55	[1] ABLIKIM	22J	BES3	$e^+ e^-$ at 4.178-4.226 GeV

[1] Assuming $B(f_0 \rightarrow \pi^0 \pi^0) = 1/3$ via the isospin limit, this result implies $B(D_s^+ \rightarrow f_0(980) e^+ \nu_e) = (2.4 \pm 0.4) \times 10^{-3}$. NODE=S034P54;LINKAGE=A

$\Gamma(f_0(980) e^+ \nu_e,\ f_0 \rightarrow \pi^+ \pi^-)/\Gamma_{total}$ Γ_{40}/Γ

NODE=S034S48
NODE=S034S48

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
1.64±0.13 OUR AVERAGE					
1.72±0.13±0.10	0.4k	ABLIKIM	24AT	BES3	$e^+ e^-$ at 4128–4226 MeV
1.5 ±0.2 ±0.1	91	ABLIKIM	24CI	BES3	$e^+ e^-$ at 4237–4699 MeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1.3 ±0.3 ±0.1	42	[1] HIETALA	15		Uses CLEO data
2.0 ±0.3 ±0.1	44	ECKLUND	09	CLEO	See HIETALA 15
1.3 ±0.4 ±0.1	13	YELTON	09	CLEO	See ECKLUND 09

[1] HIETALA 15 uses a tighter cut on the reconstructed $\pi^+ \pi^-$ mass ($\pm$60 MeV around the f^0) than ECKLUND 09. It finds that applying the same tight cut to both analyses gives consistent results. NODE=S034S48;LINKAGE=A

$\Gamma(f_0(980)\mu^+\nu_\mu,\ f_0 \to K^+K^-)/\Gamma_{total}$ Γ_{41}/Γ

NODE=S034Q01
NODE=S034Q01

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<5.45 × 10^{-4}	90	[1] ABLIKIM	23BZ	BES3	e^+e^- at 4.128-4.226 GeV

[1] Partial wave analysis of 939 $D_s^+ \to K^+K^-\mu^+\nu_\mu$ events, assuming K^+K^- S-wave is 100% $f_0(980)$.

NODE=S034Q01;LINKAGE=A

$\Gamma(a_0(980)^0 e^+\nu_e,\ a_0^0 \to \pi^0\eta)/\Gamma_{total}$ Γ_{42}/Γ

NODE=S034P18
NODE=S034P18

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<1.2 × 10^{-4}	90	ABLIKIM	21Y	BES3	e^+e^- at 4.178–4.226 GeV

$\Gamma(\pi^0 e^+\nu_e)/\Gamma_{total}$ Γ_{43}/Γ

NODE=S034P69
NODE=S034P69

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<6.4 × 10^{-5}	90	ABLIKIM	22BH	BES3	6.32 fb^{-1} of e^+e^- at 4.178–4.226 GeV

$\Gamma(b_1(1235)^0 e^+\nu_e,\ b_1^0 \to \omega\pi^0)/\Gamma_{total}$ Γ_{28}/Γ

NODE=S034P98
NODE=S034P98

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<6.4 × 10^{-4}	90	ABLIKIM	23BS	BES3	e^+e^- at 4.128–4.226 GeV

Hadronic modes with a $K\overline{K}$ pair

NODE=S034315

$\Gamma(K^+K_S^0)/\Gamma_{total}$ Γ_{44}/Γ

NODE=S034S01
NODE=S034S01

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
1.500±0.014 OUR FIT					
1.503±0.015 OUR AVERAGE					
1.502±0.012±0.009		ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
1.52 ±0.05 ±0.03		ONYISI	13	CLEO	e^+e^- at 4.17 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1.425±0.038±0.031	1.8k	[1] ABLIKIM	19AM	BES3	e^+e^- at 4178 MeV
1.49 ±0.07 ±0.05		[2] ALEXANDER	08	CLEO	See ONYISI 13

[1] Superseded by ABLIKIM 24BD.
[2] ALEXANDER 08 uses single- and double-tagged events in an overall fit.

NODE=S034S01;LINKAGE=A
NODE=S034S01;LINKAGE=AL

$\Gamma(K^+K_S^0)/\Gamma(K^+K^-\pi^+)$ Γ_{44}/Γ_{52}

NODE=S034P13
NODE=S034P13

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
27.55±0.18±0.50	40k	ABLIKIM	20R	BES3	e^+e^-, 4178 $\sim$ 4226 MeV

$\Gamma(K^+K_L^0)/\Gamma_{total}$ Γ_{45}/Γ

NODE=S034P03
NODE=S034P03

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
1.485±0.039±0.046	2.3k	ABLIKIM	19AM	BES3	e^+e^- at 4178 MeV

$\Gamma(K^+\overline{K}^0)/\Gamma_{total}$ Γ_{51}/Γ

NODE=S034S71
NODE=S034S71

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
2.95±0.11±0.09	2.0k	[1] ZUPANC	13	BELL	e^+e^- at $\Upsilon(4S), \Upsilon(5S)$

[1] ZUPANC 13 finds the $\overline{K}^0$ from its missing-mass squared, not from $K_S^0 \to \pi^+\pi^-$. The DCS ($D_s^+ \to K^+K^0$) contribution to this fraction is estimated to be an order of magnitude below the statistical uncertainty.

NODE=S034S71;LINKAGE=ZU

$\Gamma(K^+K^-\pi^+)/\Gamma_{total}$ Γ_{52}/Γ

NODE=S034S02
NODE=S034S02

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
5.45±0.08 OUR FIT Error includes scale factor of 1.3.					
5.48±0.08 OUR AVERAGE Error includes scale factor of 1.1.					
5.49±0.04±0.07		ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
5.55±0.14±0.13		ONYISI	13	CLEO	e^+e^- at 4.17 GeV
5.06±0.15±0.21	4.1k	ZUPANC	13	BELL	e^+e^- at $\Upsilon(4S), \Upsilon(5S)$
5.78±0.20±0.30		DEL-AMO-SA..	10J	BABR	e^+e^-, 10.58 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
5.47±0.08±0.13	5.1k	[1] ABLIKIM	21AE	BES3	e^+e^- at 4.178 GeV
5.50±0.23±0.16		[2] ALEXANDER	08	CLEO	See ONYISI 13

[1] Superseded by ABLIKIM 24BD.
[2] ALEXANDER 08 uses single- and double-tagged events in an overall fit.

NODE=S034S02;LINKAGE=A
NODE=S034S02;LINKAGE=AL

$\Gamma(\phi\pi^+)/\Gamma_{total}$ Γ_{53}/Γ

NODE=S034R6

The results here are model-independent. For earlier, model-dependent results, see our PDG 06 edition. We decouple the $D_s^+ \to \phi\pi^+$ branching fraction obtained from mass projections (and used to get some of the other branching fractions) from the $D_s^+ \to \phi\pi^+$, $\phi \to K^+K^-$ branching fraction obtained from the Dalitz-plot analysis of $D_s^+ \to K^+K^-\pi^+$. That is, the ratio of these two branching fractions is not exactly the $\phi \to K^+K^-$ branching fraction 0.491.

NODE=S034R6

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
4.5 ±0.4 OUR AVERAGE					
4.62±0.36±0.51		[1] AUBERT	06N	BABR	e^+e^- at $\Upsilon(4S)$
4.81±0.52±0.38	212 ± 19	[2] AUBERT	05V	BABR	$e^+e^- \approx \Upsilon(4S)$
3.59±0.77±0.48		[3] ARTUSO	96	CLE2	e^+e^- at $\Upsilon(4S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$3.9\ ^{+5.1}_{-1.9}\ ^{+1.8}_{-1.1}$		[4] BAI	95C	BES	e^+e^- 4.03 GeV

NODE=S034R6

[1] This AUBERT 06N measurement uses $\overline{B}^0 \to D_s^{(*)-} D^{(*)+}$ and $B^- \to D_s^{(*)-} D^{(*)0}$ decays, including some from other papers. However, the result is independent of AUBERT 05V. NODE=S034R6;LINKAGE=AE

[2] AUBERT 05V uses the ratio of $B^0 \to D^{*-} D_s^{*+}$ events seen in two different ways, in both of which the $D^{*-} \to \overline{D}^0\pi^-$ decay is fully reconstructed: (1) The $D_s^{*+} \to D_s^+\gamma$, $D_s^+ \to \phi\pi^+$ decay is fully reconstructed. (2) The number of events in the D_s^+ peak in the missing mass spectrum against the $D^{*-}\gamma$ is measured. NODE=S034R6;LINKAGE=AU

[3] ARTUSO 96 uses partially reconstructed $\overline{B}^0 \to D^{*+} D_s^{*-}$ decays to get a model-independent value for $\Gamma(D_s^- \to \phi\pi^-)/\Gamma(D^0 \to K^-\pi^+)$ of 0.92 ± 0.20 ± 0.11. NODE=S034R6;LINKAGE=G

[4] BAI 95C uses $e^+e^- \to D_s^+ D_s^-$ events in which one or both of the $D_s^\pm$ are observed to obtain the first model-independent measurement of the $D_s^+ \to \phi\pi^+$ branching fraction, without assumptions about $\sigma(D_s^\pm)$. However, with only two "doubly-tagged" events, the statistical error is very large. NODE=S034R6;LINKAGE=F

$\Gamma(\phi\pi^+,\ \phi \to K^+K^-)/\Gamma(K^+K^-\pi^+)$ Γ_{54}/Γ_{52}

NODE=S034R63

This is the "fit fraction" from the Dalitz-plot analysis. We decouple the $D_s^+ \to \phi\pi^+$ branching fraction obtained from mass projections (and used to get some of the other branching fractions) from the $D_s^+ \to \phi\pi^+$, $\phi \to K^+K^-$ branching fraction obtained from the Dalitz-plot analysis of $D_s^+ \to K^+K^-\pi^+$. That is, the ratio of these two branching fractions is not exactly the $\phi \to K^+K^-$ branching fraction 0.491.

NODE=S034R63

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
41.2±0.7 OUR AVERAGE					
40.5±0.7±0.9	18.6k	ABLIKIM	21AE	BES3	e^+e^- at 4.178 GeV
41.4±0.8±0.5		DEL-AMO-SA..	11G	BABR	Dalitz fit, 96k evts
42.2±1.6±0.3		MITCHELL	09A	CLEO	Dalitz fit, 12k evts
• • • We do not use the following data for averages, fits, limits, etc. • • •					
39.6±3.3±4.7		FRABETTI	95B	E687	Dalitz fit, 701 evts

NODE=S034R63

$\Gamma(K^+\overline{K}^*(892)^0)/\Gamma(K^*(892)^+\overline{K}^0)$ Γ_{55}/Γ_{72}

NODE=S034P86

VALUE	DOCUMENT ID		TECN	COMMENT
$\mathbf{2.35^{+0.42}_{-0.23}\pm0.10}$	ABLIKIM	22AH	BES3	Dalitz plot fit to 990 $D_s^\pm \to K^\pm K_S\pi^0$ evts

NODE=S034P86

$\Gamma(K^+\overline{K}^*(892)^0,\ \overline{K}^{*0} \to K^-\pi^+)/\Gamma(K^+K^-\pi^+)$ Γ_{56}/Γ_{52}

NODE=S034R64

This is the "fit fraction" from the Dalitz-plot analysis.

NODE=S034R64
NODE=S034R64

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
47.9±0.6 OUR AVERAGE					
48.3±0.9±0.6	18.6k	ABLIKIM	21AE	BES3	e^+e^- at 4.178 GeV
47.9±0.5±0.5		DEL-AMO-SA..	11G	BABR	Dalitz fit, 96k evts
47.4±1.5±0.4		MITCHELL	09A	CLEO	Dalitz fit, 12k evts
• • • We do not use the following data for averages, fits, limits, etc. • • •					
47.8±4.6±4.0		FRABETTI	95B	E687	Dalitz fit, 701 evts

$\Gamma(K^+\overline{K}^*(892)^0,\ \overline{K}^{*0} \to K_S^0\pi^0)/\Gamma(K^+K_S^0\pi^0)$ Γ_{57}/Γ_{65}

NODE=S034P81
NODE=S034P81

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
32.7±2.2±1.9	ABLIKIM	22AH	BES3	Dalitz plot fit, 990 evts

$\Gamma\big(f_0(980)\pi^+,\ f_0 \to K^+K^-\big)/\Gamma\big(K^+K^-\pi^+\big)$ Γ_{58}/Γ_{52}

NODE=S034R65

This is the "fit fraction" from the Dalitz-plot analysis. This is likely a superposition of $D_s^+ \to f_0(980)\pi$ and $D_s^+ \to a_0(980)\pi$ which are indistinguishable in such an analysis.

NODE=S034R65

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
20.6±3.5 OUR AVERAGE	Error includes scale factor of 2.5. See the ideogram below.				
19.3±1.7±2.0	18.6k	ABLIKIM	21AE	BES3	e^+e^- at 4.178 GeV
16.4±0.7±2.0		DEL-AMO-SA...	11G	BABR	Dalitz fit, 96k evts
28.2±1.9±1.8		MITCHELL	09A	CLEO	Dalitz fit, 12k evts
• • • We do not use the following data for averages, fits, limits, etc. • • •					
11.0±3.5±2.6		FRABETTI	95B	E687	Dalitz fit, 701 evts

NODE=S034R65



$\Gamma\big(f_0(980)\pi^+,\ f_0 \to K^+K^-\big)/\Gamma\big(K^+K^-\pi^+\big)$ (units 10^{-2})

$\Gamma\big(f_0(1370)\pi^+,\ f_0 \to K^+K^-\big)/\Gamma\big(K^+K^-\pi^+\big)$ Γ_{59}/Γ_{52}

NODE=S034S49

This is the "fit fraction" from the Dalitz-plot analysis.

NODE=S034S49

NODE=S034S49

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
1.3±0.5 OUR AVERAGE	Error includes scale factor of 2.8. See the ideogram below.				
1.2±0.4±0.2	18.6k	ABLIKIM	21AE	BES3	e^+e^- at 4.178 GeV
1.1±0.1±0.2		DEL-AMO-SA...	11G	BABR	Dalitz fit, 96k evts
4.3±0.6±0.5		MITCHELL	09A	CLEO	Dalitz fit, 12k evts



$\Gamma\big(f_0(1370)\pi^+,\ f_0 \to K^+K^-\big)/\Gamma\big(K^+K^-\pi^+\big)$ (units 10^{-2})

$\Gamma(f_0(1710)\pi^+,\ f_0 \to K^+K^-)/\Gamma(K^+K^-\pi^+)$ Γ_{60}/Γ_{52}

NODE=S034R66

This is the "fit fraction" from the Dalitz-plot analysis. This is likely a superposition of $D_s^+ \to f_0(1710)\pi$ and $D_s^+ \to a_0(1710)\pi$ which are indistinguishable in such an analysis.

NODE=S034R66

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
1.3±0.5 OUR AVERAGE Error includes scale factor of 3.8.					
1.9±0.4±0.6	18.6k	ABLIKIM	21AE	BES3	e^+e^- at 4.178 GeV
1.1±0.1±0.1		DEL-AMO-SA...	11G	BABR	Dalitz fit, 96k evts
3.4±0.5±0.3		MITCHELL	09A	CLEO	Dalitz fit, 12k evts
• • • We do not use the following data for averages, fits, limits, etc. • • •					
3.4±2.3±3.5		FRABETTI	95B	E687	Dalitz fit, 701 evts

NODE=S034R66

OCCUR=2

$\Gamma(a_0(980)^+\pi^0,\ a_0^+ \to K^+K^0_S)/\Gamma(K^+K^0_S\pi^0)$ Γ_{61}/Γ_{65}

NODE=S034P83
NODE=S034P83

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
7.7±1.7±1.8	ABLIKIM	22AH	BES3	Dalitz plot fit, 990 evts

$\Gamma(a_0(1710)^+\pi^0,\ a_0^+ \to K^+K^0_S)/\Gamma(K^+K^0_S\pi^0)$ Γ_{62}/Γ_{65}

NODE=S034P85
NODE=S034P85

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
23.6±3.4±2.0	[1] ABLIKIM	22AH	BES3	Dalitz plot fit, 990 evts

[1] ABLIKIM 22AH observe an a_0-like state with mass $m_{a_0} = 1.817 \pm 0.008 \pm 0.020$ GeV, and name the intermediate resonance $a_0(1817)$. We interpret this as the $a_0(1710)$ observed by LEES 21A.

NODE=S034P85;LINKAGE=A

$\Gamma(K^+\overline{K}{}^*_0(1430)^0,\ \overline{K}{}^*_0 \to K^-\pi^+)/\Gamma(K^+K^-\pi^+)$ Γ_{63}/Γ_{52}

NODE=S034R67

This is the "fit fraction" from the Dalitz-plot analysis.

NODE=S034R67
NODE=S034R67

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
3.3±0.5 OUR AVERAGE					
3.0±0.6±0.5	18.6k	ABLIKIM	21AE	BES3	e^+e^- at 4.178 GeV
2.4±0.3±1.0		DEL-AMO-SA...	11G	BABR	Dalitz fit, 96k evts
3.9±0.5±0.5		MITCHELL	09A	CLEO	Dalitz fit, 12k evts
• • • We do not use the following data for averages, fits, limits, etc. • • •					
9.3±3.2±3.2		FRABETTI	95B	E687	Dalitz fit, 701 evts

$\Gamma(K^+\overline{K}{}^*(1410)^0,\ \overline{K}{}^*_0 \to K^0_S\pi^0)/\Gamma(K^+K^0_S\pi^0)$ Γ_{64}/Γ_{65}

NODE=S034P84
NODE=S034P84

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
6.0±1.4±1.3	ABLIKIM	22AH	BES3	Dalitz plot fit, 990 evts

$\Gamma(K^+K^0_S\pi^0)/\Gamma_{\text{total}}$ Γ_{65}/Γ

NODE=S034S69
NODE=S034S69

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
1.471±0.028 OUR AVERAGE					
1.47 ±0.02 ±0.02		ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
1.52 ±0.09 ±0.20		ONYISI	13	CLEO	e^+e^- at 4.17 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1.46 ±0.06 ±0.05	990	[1] ABLIKIM	22AH	BES3	e^+e^- at 4.178-4.226 GeV

[1] Superseded by ABLIKIM 24BD.

NODE=S034S69;LINKAGE=A

$\Gamma(K^*(892)^+K^0_S,\ K^{*+} \to K^+\pi^0)/\Gamma(K^+K^0_S\pi^0)$ Γ_{66}/Γ_{65}

NODE=S034P82
NODE=S034P82

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
13.9±1.7±1.3	ABLIKIM	22AH	BES3	Dalitz plot fit, 990 evts

$\Gamma(2K^0_S\pi^+)/\Gamma_{\text{total}}$ Γ_{67}/Γ

NODE=S034S70
NODE=S034S70

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
0.732±0.014 OUR AVERAGE					
0.73 ±0.01 ±0.01		ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
0.77 ±0.05 ±0.03		ONYISI	13	CLEO	e^+e^- at 4.17 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.68 ±0.04 ±0.01	370	[1] ABLIKIM	22F	BES3	e^+e^-, 4.178–4.226 GeV

[1] Superseded by ABLIKIM 24BD.

NODE=S034S70;LINKAGE=A

$\Gamma(f_0(980)\pi^+,\ f_0 \to K^0_S K^0_S)/\Gamma_{total}$ Γ_{68}/Γ

NODE=S034P65

This is the "fit fraction" from the Dalitz-plot analysis. This is likely a superposition of $D_s^+ \to f_0(980)\pi$ and $D_s^+ \to a_0(980)\pi$ which are indistinguishable in such an analysis.

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
$<1.8 \times 10^{-4}$	90	[1] ABLIKIM	22F	BES3	Dalitz plot fit

[1] Based on isospin considerations, the authors interpret the suppression in the observed rate of this mode compared to $D_S^+ \to f_0(980)\pi^+$, $f_0 \to K^+K^-$ as likely due to the destructive interference between $a_0(980)$ and $f_0(980)$ in decays to $K^0_S K^0_S$.

NODE=S034P65;LINKAGE=A

$\Gamma(f_0(1710)\pi^+,\ f_0 \to K^0_S K^0_S)/\Gamma(2K^0_S\pi^+)$ Γ_{69}/Γ_{67}

NODE=S034P63

This is the "fit fraction" from the Dalitz-plot analysis. This is likely a superposition of $D_s^+ \to f_0(1710)\pi$ and $D_s^+ \to a_0(1700)\pi$ which are indistinguishable in such an analysis.

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
46.3±4.0±1.2	ABLIKIM	22F	BES3	Dalitz plot fit, 400 evts

$\Gamma(K^*(892)^+K^0_S,\ K^{*+} \to K^0_S\pi^+)/\Gamma(2K^0_S\pi^+)$ Γ_{70}/Γ_{67}

NODE=S034P64

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
43.5±3.9±0.5	ABLIKIM	22F	BES3	Dalitz plot fit, 400 evts

$\Gamma(K^*(892)^+\overline{K}^0)/\Gamma(\phi\pi^+)$ Γ_{72}/Γ_{53}

NODE=S034R27

Unseen decay modes of the resonances are included.

VALUE	DOCUMENT ID		TECN	COMMENT
1.20±0.21±0.13	CHEN	89	CLEO	e^+e^- 10 GeV

$\Gamma(\phi\rho^+)/\Gamma_{total}$ Γ_{73}/Γ

NODE=S034P16

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
4.9 ±0.8 OUR AVERAGE Error includes scale factor of 3.0. [(5.59 ± 0.34) × 10^{-2} OUR 2025 AVERAGE]					
4.0 ±0.4 ±0.1	2k	[1,2] ABLIKIM	25F	BES3	e^+e^- at 4.128–4.226 GeV, $\phi \to \pi^+\pi^-\pi^0$
5.59±0.15±0.30	3k	[3] ABLIKIM	21U	BES3	e^+e^- at 4.178–4.226 GeV, $\phi \to K^+K^-$

NEW

OCCUR=2

[1] See $\Gamma(D_s^+ \to \phi\rho^+,\ \phi \to \pi^+\pi^-\pi^0)/\Gamma(D_s^+ \to 2\pi^+\pi^-2\pi^0)$, $\Gamma_{132}/\Gamma_{130}$. ABLIKIM 25F reports $(3.98 \pm 0.33^{+0.21}_{-0.19}) \times 10^{-2}$ from a measurement of $[\Gamma(D_s^+ \to \phi\rho^+)/\Gamma_{total}] \times [B(\phi(1020) \to \rho\pi + \pi^+\pi^-\pi^0)]$ assuming $B(\phi(1020) \to \rho\pi + \pi^+\pi^-\pi^0) = (14.9 \pm 0.4) \times 10^{-2}$, which we rescale to our best (shown rounded) value $B(\phi(1020) \to \rho\pi + \pi^+\pi^-\pi^0) = (14.7 \pm 0.4) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best (shown rounded) value.

NODE=S034P16;LINKAGE=C

[2] Amplitude analysis of $D_s^+ \to 2\pi^+\pi^-2\pi^0$ with 14 components.

NODE=S034P16;LINKAGE=D

[3] ABLIKIM 21U uses an amplitude analysis of $D_s^+ \to K^+K^-\pi^+\pi^0$ with 9 components.

NODE=S034P16;LINKAGE=A

$\Gamma(\phi\rho^+)/\Gamma(\phi\pi^+)$ Γ_{73}/Γ_{53}

NODE=S034R31

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
$1.86 \pm 0.26^{+0.29}_{-0.40}$	253	AVERY	92	CLE2	$e^+e^- \simeq$ 10.5 GeV

$\Gamma(K^+K^-\pi^+\pi^0)/\Gamma_{total}$ Γ_{74}/Γ

NODE=S034S03

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
5.53±0.15 OUR FIT Error includes scale factor of 1.3.					
5.53±0.12 OUR AVERAGE					
5.50±0.05±0.11		ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
6.37±0.21±0.56		ONYISI	13	CLEO	e^+e^- at 4.17 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
5.42±0.10±0.17	3k	[1] ABLIKIM	21U	BES3	e^+e^-, 4.178–4.226 GeV
5.65±0.29±0.40		[2] ALEXANDER	08	CLEO	See ONYISI 13

[1] ABLIKIM 21U uses an amplitude analysis of $D_s^+ \to K^+K^-\pi^+\pi^0$ with 9 components. Superseded by ABLIKIM 24BD.

NODE=S034S03;LINKAGE=A

[2] ALEXANDER 08 uses single- and double-tagged events in an overall fit.

NODE=S034S03;LINKAGE=AL

$\Gamma(\overline{K}_1(1270)^0 K^+,\ \overline{K}_1(1270)^0 \to K^- \rho^+)/\Gamma_{total}$ — Γ_{75}/Γ

NODE=S034P25

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
0.57±0.05±0.04	3k	[1] ABLIKIM	21U	BES3	e^+e^- at 4.178–4.226 GeV

[1] ABLIKIM 21U uses an amplitude analysis of $D_s^+ \to K^+K^-\pi^+\pi^0$ with 9 components.

NODE=S034P25;LINKAGE=A

$\Gamma(\overline{K}_1(1270)^0 K^+,\ \overline{K}_1(1270)^0 \to K^*(892)\pi)/\Gamma_{total}$ — Γ_{76}/Γ

NODE=S034P24

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
1.31±0.18±0.18	3k	[1,2] ABLIKIM	21U	BES3	e^+e^- at 4.178–4.226 GeV

[1] ABLIKIM 21U uses an amplitude analysis of $D_s^+ \to K^+K^-\pi^+\pi^0$ with 9 components.

NODE=S034P24;LINKAGE=A

[2] $\overline{K}_1(1270)^0 \to K^*(892)\pi$ denotes a sum over $\overline{K}(892)^0\pi^0$ and $K(892)^-\pi^+$ final states, which are assumed to have relative branching ratio 1/2, as per isospin.

NODE=S034P24;LINKAGE=B

$\Gamma(\overline{K}_1(1400)^0 K^+,\ \overline{K}_1(1400)^0 \to K^*(892)\pi)/\Gamma_{total}$ — Γ_{77}/Γ

NODE=S034P26

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
1.98±0.27±0.32	3k	[1] ABLIKIM	21U	BES3	e^+e^- at 4.178–4.226 GeV

[1] $\overline{K}_1(1400)^0 \to K^*(892)\pi$ denotes a sum over $\overline{K}(892)^0\pi^0$ and $K(892)^-\pi^+$ final states, which are assumed to have relative branching ratio 1/2, as per isospin.

NODE=S034P26;LINKAGE=A

$\Gamma(a_0(980)^0\rho^+,\ a_0^0 \to K^+K^-)/\Gamma_{total}$ — Γ_{78}/Γ

NODE=S034P27

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
0.19±0.03±0.03	3k	[1] ABLIKIM	21U	BES3	e^+e^- at 4.178–4.226 GeV

[1] ABLIKIM 21U uses an amplitude analysis of $D_s^+ \to K^+K^-\pi^+\pi^0$ with 9 components.

NODE=S034P27;LINKAGE=A

$\Gamma(f_1(1420)^0\pi^+,\ f_1(1420)^0 \to K^*(892)^\mp K^\pm)/\Gamma_{total}$ — Γ_{79}/Γ

NODE=S034P28

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
0.39±0.06±0.03	3k	[1] ABLIKIM	21U	BES3	e^+e^- at 4.178–4.226 GeV

[1] ABLIKIM 21U uses an amplitude analysis of $D_s^+ \to K^+K^-\pi^+\pi^0$ with 9 components.

NODE=S034P28;LINKAGE=A

$\Gamma(f_1(1420)^0\pi^+,\ f_1^0 \to a_0(980)^0\pi^0,\ a_0^0 \to K^+K^-)/\Gamma_{total}$ — Γ_{80}/Γ

NODE=S034P30

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
0.04±0.01±0.01	3k	[1] ABLIKIM	21U	BES3	e^+e^- at 4.178–4.226 GeV

[1] ABLIKIM 21U uses an amplitude analysis of $D_s^+ \to K^+K^-\pi^+\pi^0$ with 9 components.

NODE=S034P30;LINKAGE=A

$\Gamma(\eta(1475)\pi^+,\ \eta \to a_0(980)^0\pi^0,\ a_0^0 \to K^+K^-)/\Gamma_{total}$ — Γ_{81}/Γ

NODE=S034P31

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
0.07±0.02±0.02	3k	[1] ABLIKIM	21U	BES3	e^+e^- at 4.178–4.226 GeV

[1] ABLIKIM 21U uses an amplitude analysis of $D_s^+ \to K^+K^-\pi^+\pi^0$ with 9 components.

NODE=S034P31;LINKAGE=A

$\Gamma(K_S^0 K^- 2\pi^+)/\Gamma_{total}$ — Γ_{82}/Γ

NODE=S034S15

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
1.569±0.028 OUR FIT					
1.569±0.032 OUR AVERAGE Error includes scale factor of 1.2.					
1.56 ±0.02 ±0.02		ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
1.69 ±0.07 ±0.08		ONYISI	13	CLEO	e^+e^- at 4.17 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1.46 ±0.05 ±0.05	1.3k	[1] ABLIKIM	21K	BES3	e^+e^-, 4.178–4.226 GeV
1.64 ±0.10 ±0.07		[2] ALEXANDER	08	CLEO	See ONYISI 13

[1] Superseded by ABLIKIM 24BD.

NODE=S034S15;LINKAGE=A

[2] ALEXANDER 08 uses single- and double-tagged events in an overall fit.

NODE=S034S15;LINKAGE=AL

$\Gamma(K^+K^-K_S^0\pi^+)/\Gamma(K^+K_S^0\pi^+\pi^-)$ — Γ_{83}/Γ_{89}

NODE=S034Q00

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
1.36±0.15±0.04	645	MOON	23	BELL	980 fb^{-1} at $\sim \Upsilon(4S)$

$\Gamma(K^*(892)^+\overline{K}^*(892)^0)/\Gamma_{total}$ — Γ_{84}/Γ

NODE=S034P17

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
5.64±0.23±0.27	3k	[1] ABLIKIM	21U	BES3	e^+e^- at 4.178–4.226 GeV

[1] ABLIKIM 21U uses an amplitude analysis of $D_s^+ \to K^+K^-\pi^+\pi^0$ with 9 components.

NODE=S034P17;LINKAGE=A

$\Gamma(K^*(892)^+ \overline{K}^*(892)^0)/\Gamma(\phi\pi^+)$ Γ_{84}/Γ_{53}

NODE=S034R38

Unseen decay modes of the resonances are included.

VALUE	DOCUMENT ID		TECN	COMMENT
1.6±0.4±0.4	ALBRECHT	92B	ARG	$e^+e^- \simeq$ 10.4 GeV

$\Gamma(K^*(892)^+ \overline{K}^*(892)^0)/\Gamma(K^0_S K^- 2\pi^+)$ Γ_{84}/Γ_{82}

NODE=S034P44

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
40.6±2.9±4.9	1.3k	[1,2] ABLIKIM	21K	BES3	e^+e^- at 4.178–4.226 GeV

[1] Predominantly S-wave, with a significant D-wave component.

[2] $D^+_s \rightarrow K^0_S K^- 2\pi^+$ amplitude analysis with 13 components.

$\Gamma(\eta(1475) K^0_S,\ \eta \rightarrow K^*(892)^0 \pi^+,\ K^{*0} \rightarrow K^- \pi^+)/\Gamma(K^0_S K^- 2\pi^+)$ Γ_{85}/Γ_{82}

NODE=S034P48

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
2.2±0.6±0.2	1.3k	[1] ABLIKIM	21K	BES3	e^+e^- at 4.178–4.226 GeV

[1] $D^+_s \rightarrow K^0_S K^- 2\pi^+$ amplitude analysis with 13 components.

$\Gamma(\eta(1475)\pi^+,\ \eta \rightarrow \overline{K}^*(892)^+ K^-,\ \overline{K}^{*+} \rightarrow K^0_S \pi^+)/\Gamma(K^0_S K^- 2\pi^+)$ Γ_{86}/Γ_{82}

NODE=S034P49

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
2.2±0.6±0.2	1.3k	[1] ABLIKIM	21K	BES3	e^+e^- at 4.178–4.226 GeV

[1] $D^+_s \rightarrow K^0_S K^- 2\pi^+$ amplitude analysis with 13 components.

$\Gamma(\eta(1475)\pi^+,\ \eta \rightarrow a_0(980)^- \pi^+,\ a_0^- \rightarrow K^0_S K^-)/\Gamma(K^0_S K^- 2\pi^+)$ Γ_{87}/Γ_{82}

NODE=S034P47

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
10.8±2.6±5.2	1.3k	[1] ABLIKIM	21K	BES3	e^+e^- at 4.178–4.226 GeV

[1] $D^+_s \rightarrow K^0_S K^- 2\pi^+$ amplitude analysis with 13 components.

$\Gamma(f_1(1285)\pi^+,\ f_1 \rightarrow a_0(980)^- \pi^+,\ a_0^- \rightarrow K^0_S K^-)/\Gamma(K^0_S K^- 2\pi^+)$ Γ_{88}/Γ_{82}

NODE=S034P51

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
2.2±0.5±0.2	1.3k	[1] ABLIKIM	21K	BES3	e^+e^- at 4.178–4.226 GeV

[1] $D^+_s \rightarrow K^0_S K^- 2\pi^+$ amplitude analysis with 13 components.

$\Gamma(K^+ K^0_S \pi^+ \pi^-)/\Gamma_{total}$ Γ_{89}/Γ

NODE=S034S66

VALUE (%)	DOCUMENT ID		TECN	COMMENT
0.934±0.022 OUR FIT				
0.935±0.022 OUR AVERAGE				
0.93 ±0.02 ±0.01	ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
1.03 ±0.06 ±0.08	ONYISI	13	CLEO	e^+e^- at 4.17 GeV

$\Gamma(K^+ K^0_S \pi^+ \pi^-)/\Gamma(K^0_S K^- 2\pi^+)$ Γ_{89}/Γ_{82}

NODE=S034R97

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.595±0.017 OUR FIT					
0.586±0.052±0.043	476	LINK	01C	FOCS	γ A, $\overline{E}_\gamma \approx$ 180 GeV

$\Gamma(K^+ K^- 2\pi^+ \pi^-)/\Gamma_{total}$ Γ_{90}/Γ

NODE=S034P57

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
6.60±0.47±0.38	309	ABLIKIM	22AB	BES3	e^+e^- at 4.178–4.226 GeV

$\Gamma(K^+ K^- 2\pi^+ \pi^-)/\Gamma(K^+ K^- \pi^+)$ Γ_{90}/Γ_{52}

NODE=S034R78

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.160±0.027 OUR AVERAGE					
0.150±0.019±0.025	240	LINK	03D	FOCS	γ A, $\overline{E}_\gamma \approx$ 180 GeV
0.188±0.036±0.040	75	FRABETTI	97C	E687	γBe, $\overline{E}_\gamma \approx$ 200 GeV

$\Gamma(\phi 2\pi^+ \pi^-)/\Gamma(\phi\pi^+)$ Γ_{91}/Γ_{53}

NODE=S034R9

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.269±0.027 OUR AVERAGE					
0.249±0.024±0.021	136	LINK	03D	FOCS	γ A, $\overline{E}_\gamma \approx$ 180 GeV
0.28 ±0.06 ±0.01	40	FRABETTI	97C	E687	γBe, $\overline{E}_\gamma \approx$ 200 GeV
0.58 ±0.21 ±0.10	21	FRABETTI	92	E687	γBe
0.42 ±0.13 ±0.07	19	ANJOS	88	E691	Photoproduction
1.11 ±0.37 ±0.28	62	ALBRECHT	85D	ARG	e^+e^- 10 GeV

$\Gamma(\phi\rho^0\pi^+,\ \phi\to K^+K^-)/\Gamma(K^+K^-2\pi^+\pi^-)$ Γ_{92}/Γ_{90}

NODE=S034S1

VALUE	DOCUMENT ID	TECN	COMMENT
0.75±0.06±0.04	LINK 03D	FOCS	γ A, $\overline{E}_\gamma \approx$ 180 GeV

$\Gamma(\phi a_1(1260)^+,\ \phi\to K^+K^-,\ a_1^+\to\rho^0\pi^+)/\Gamma(K^+K^-\pi^+)$ Γ_{93}/Γ_{52}

NODE=S034S2

VALUE	DOCUMENT ID	TECN	COMMENT
0.137±0.019±0.011	LINK 03D	FOCS	γ A, $\overline{E}_\gamma \approx$ 180 GeV

$\Gamma(\phi a_1(1260)^+,\ \phi\to K^+K^-,\ a_1^+\to\rho^0\pi^+)/\Gamma(K^+K^-2\pi^+\pi^-)$ Γ_{93}/Γ_{90}

NODE=S034P58

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.781±0.029±0.016	235	ABLIKIM 22AB	BES3	e^+e^- at 4.178–4.226 GeV

$\Gamma(\phi 2\pi^+\pi^-$ non-$\rho,\ \phi\to K^+K^-)/\Gamma(K^+K^-2\pi^+\pi^-)$ Γ_{94}/Γ_{90}

NODE=S034P08

VALUE	DOCUMENT ID	TECN	COMMENT
0.21±0.05±0.06	LINK 03D	FOCS	γ A, $\overline{E}_\gamma \approx$ 180 GeV

$\Gamma(K^+K^-\rho^0\pi^+$ non-$\phi)/\Gamma(K^+K^-2\pi^+\pi^-)$ Γ_{95}/Γ_{90}

NODE=S034R99

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.03	90	LINK 03D	FOCS	γ A, $\overline{E}_\gamma \approx$ 180 GeV

$\Gamma(K^+K^-2\pi^+\pi^-$ nonresonant$)/\Gamma(K^+K^-2\pi^+\pi^-)$ Γ_{96}/Γ_{90}

NODE=S034S3

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.15 ±0.06 OUR AVERAGE				
0.218±0.029±0.08	235	ABLIKIM 22AB	BES3	e^+e^- at 4.178–4.226 GeV
0.10 ±0.06 ±0.05		LINK 03D	FOCS	γ A, $\overline{E}_\gamma \approx$ 180 GeV

$\Gamma(2K^0_S 2\pi^+\pi^-)/\Gamma(K^0_S K^-2\pi^+)$ Γ_{97}/Γ_{82}

NODE=S034S12

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.051±0.015±0.015	37 ± 10	LINK 04D	FOCS	γ A, $\overline{E}_\gamma \approx$ 180 GeV

Pionic modes

NODE=S034320

$\Gamma(\pi^+\pi^0)/\Gamma_{total}$ Γ_{98}/Γ

NODE=S034P23

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<1.2 × 10^{-4}	90	[1] GUAN 21	BELL	$e^+e^- \approx \Upsilon(4,5S)$

[1] Uses B($D_s^+ \to \pi^+\phi,\ \phi\to K^+K^-$) = (2.24 ± 0.08)%.

NODE=S034P23;LINKAGE=A

$\Gamma(\pi^+\pi^0)/\Gamma(K^+K^0_S)$ Γ_{98}/Γ_{44}

NODE=S034R05

VALUE (units 10^{-2})	CL%	DOCUMENT ID	TECN	COMMENT
<2.3	90	MENDEZ 10	CLEO	e^+e^- at 4170 MeV
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<4.1	90	ADAMS 07A	CLEO	See MENDEZ 10

$\Gamma(2\pi^+\pi^-)/\Gamma_{total}$ Γ_{99}/Γ

NODE=S034S16

VALUE (%)	DOCUMENT ID	TECN	COMMENT
1.090±0.014 OUR FIT			
1.091±0.014 OUR AVERAGE			
1.09 ±0.01 ±0.01	ABLIKIM 24BD	BES3	e^+e^-, 4.128–4.226 GeV
1.11 ±0.04 ±0.04	ONYISI 13	CLEO	e^+e^- at 4.17 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1.11 ±0.07 ±0.04	[1] ALEXANDER 08	CLEO	See ONYISI 13

[1] ALEXANDER 08 uses single- and double-tagged events in an overall fit.

NODE=S034S16;LINKAGE=AL

$\Gamma(2\pi^+\pi^-)/\Gamma(K^+K^-\pi^+)$ Γ_{99}/Γ_{52}

NODE=S034R80

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.200±0.004 OUR FIT Error includes scale factor of 1.2.				
0.199±0.004±0.009	≈ 10.5k	AUBERT 09O	BABR	$e^+e^- \approx$ 10.6 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.265±0.041±0.031	98	FRABETTI 97D	E687	γ Be ≈ 200 GeV

$\Gamma(\rho^0\pi^+)/\Gamma(2\pi^+\pi^-)$ — Γ_{100}/Γ_{99}

NODE=S034R85

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
1.04 ±0.15 OUR AVERAGE			
1.038±0.054±0.097±0.11	[1] AAIJ 23AN	LHCB	Dalitz fit, 0.7M events
0.9 ±0.4 ±0.5	ABLIKIM 22BI	BES3	Dalitz fit, 11.1k events
1.8 ±0.5 ±1.0	AUBERT 09O	BABR	Dalitz fit, ≈ 10.5k evts
• • • We do not use the following data for averages, fits, limits, etc. • • •			
not seen	LINK 04	FOCS	Dalitz fit, 1475 ± 50 evts
5.8 ±2.3 ±3.7	AITALA 01A	E791	Dalitz fit, 848 evts

[1] The last error reflects the uncertainty on the amplitude model. NODE=S034R85;LINKAGE=A

$\Gamma(\omega\pi^+,\ \omega\to\pi^+\pi^-)/\Gamma(2\pi^+\pi^-)$ — Γ_{101}/Γ_{99}

NODE=S034P87

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
3.60±0.16±0.34±0.16	[1] AAIJ 23AN	LHCB	Dalitz fit, 0.7M events

[1] The last error reflects the uncertainty on the amplitude model. NODE=S034P87;LINKAGE=A

$\Gamma(\pi^+(\pi^+\pi^-)_{S-\text{wave}})/\Gamma(2\pi^+\pi^-)$ — Γ_{102}/Γ_{99}

NODE=S034S13

This is the "fit fraction" from the Dalitz-plot analysis. See also KLEMPT 08, which uses 568 $D_s^+ \to 3\pi$ decays (over 280 background events) from FNAL E791 to study various parametrizations of the decay amplitudes. The emphasis there is more on S-wave $\pi\pi$ decay products — 20 different solutions are given — than on D_s^+ fit fractions.

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
84.7 ±0.6 OUR AVERAGE			
84.97±0.14±0.30±0.63	[1,2] AAIJ 23AN	LHCB	Dalitz fit, 0.7M events
84.2 ±0.8 ±1.2	[2] ABLIKIM 22BI	BES3	Dalitz fit, 11.1k events
83.0 ±0.9 ±1.9	[2] AUBERT 09O	BABR	Dalitz fit, ≈ 10.5k evts
87.04±5.60±4.38	[3] LINK 04	FOCS	Dalitz fit, 1475 ± 50 evts

[1] The last error reflects the uncertainty due to the amplitude model. NODE=S034S13;LINKAGE=A

[2] AAIJ 23AN, ABLIKIM 22BI, and AUBERT 09O give the amplitude and phase of the $\pi^+\pi^-$ S-wave in bins of $\pi^+\pi^-$ invariant-mass. (50 bins for AAIJ 23AN, 29 for ABLIKIM 22BI and AUBERT 09O.) NODE=S034S13;LINKAGE=AU

[3] LINK 04 borrows a K-matrix parametrization from ANISOVICH 03 of the full π-π S-wave isoscalar scattering amplitude to describe the $\pi^+\pi^-$ S-wave component of the $\pi^+\pi^+\pi^-$ state. The fit fraction given above is a sum over five f_0 mesons, the $f_0(980)$, $f_0(1300)$, $f_0(1200\text{–}1600)$, $f_0(1500)$, and $f_0(1750)$. See LINK 04 for details and discussion. NODE=S034S13;LINKAGE=LI

$\Gamma(f_0(980)\pi^+,\ f_0\to\pi^+\pi^-)/\Gamma(2\pi^+\pi^-)$ — Γ_{103}/Γ_{99}

NODE=S034R83

This is the "fit fraction" from the Dalitz-plot analysis. See above for the full $\pi^+(\pi^+\pi^-)_{S-wave}$ fit fraction.

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.565±0.043±0.047	AITALA 01A	E791	Dalitz fit, 848 evts
1.074±0.140±0.043	FRABETTI 97D	E687	γ Be ≈ 200 GeV

$\Gamma(f_0(1370)\pi^+,\ f_0\to\pi^+\pi^-)/\Gamma(2\pi^+\pi^-)$ — Γ_{104}/Γ_{99}

NODE=S034R95

This is the "fit fraction" from the Dalitz-plot analysis. See above for the full $\pi^+(\pi^+\pi^-)_{S-wave}$ fit fraction.

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.324±0.077±0.017	AITALA 01A	E791	Dalitz fit, 848 evts

$\Gamma(f_0(1500)\pi^+,\ f_0\to\pi^+\pi^-)/\Gamma(2\pi^+\pi^-)$ — Γ_{105}/Γ_{99}

NODE=S034R82

This is the "fit fraction" from the Dalitz-plot analysis. See above for the full $\pi^+(\pi^+\pi^-)_{S-wave}$ fit fraction.

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.274±0.114±0.019	[1] FRABETTI 97D	E687	γ Be ≈ 200 GeV

[1] FRABETTI 97D calls this mode $S(1475)\pi^+$, but finds the mass and width of this $S(1475)$ to be in excellent agreement with those of the $f_0(1500)$. NODE=S034R82;LINKAGE=A

$\Gamma(f_2(1270)\pi^+,\ f_2 \to \pi^+\pi^-)/\Gamma(2\pi^+\pi^-)$ Γ_{106}/Γ_{99}

NODE=S034R81

This is the "fit fraction" from the Dalitz-plot analysis.

NODE=S034R81
NODE=S034R81

VALUE (units 10^{-2})	*DOCUMENT ID*		*TECN*	*COMMENT*
13.0 ±0.9 OUR AVERAGE	Error includes scale factor of 1.9. See the ideogram below.			
13.69±0.14±0.22±0.49	[1] AAIJ	23AN	LHCB	Dalitz fit, 0.7M events
10.5 ±0.8 ±1.1	ABLIKIM	22BI	BES3	Dalitz fit, 11.1k events
10.1 ±1.5 ±1.1	AUBERT	09O	BABR	Dalitz fit, ≈ 10.5k evts
9.74±4.49±2.94	LINK	04	FOCS	Dalitz fit, 1475 ± 50 evts
• • • We do not use the following data for averages, fits, limits, etc. • • •				
19.7 ±3.3 ±0.6	AITALA	01A	E791	Dalitz fit, 848 evts
12.3 ±5.6 ±1.8	FRABETTI	97D	E687	γ Be ≈ 200 GeV

[1] The last error reflects the uncertainty on the amplitude model.

NODE=S034R81;LINKAGE=A



$\Gamma(f_2'(1525)^0\pi^+,\ f_2' \to \pi^+\pi^-)/\Gamma(2\pi^+\pi^-)$ Γ_{107}/Γ_{99}

NODE=S034P89
NODE=S034P89

VALUE (units 10^{-4})	*DOCUMENT ID*		*TECN*	*COMMENT*
5.28±0.70±1.50±0.87	[1] AAIJ	23AN	LHCB	Dalitz fit, 0.7M events

[1] The last error reflects the uncertainty on the amplitude model.

NODE=S034P89;LINKAGE=A

$\Gamma(\rho(1450)^0\pi^+,\ \rho^0 \to \pi^+\pi^-)/\Gamma(2\pi^+\pi^-)$ Γ_{108}/Γ_{99}

NODE=S034R96

This is the "fit fraction" from the Dalitz-plot analysis.

NODE=S034R96
NODE=S034R96

VALUE (units 10^{-2})	*DOCUMENT ID*		*TECN*	*COMMENT*
1.7 ±0.6 OUR AVERAGE				
3.86±0.15±0.14±2.0	[1] AAIJ	23AN	LHCB	Dalitz fit, 0.7M events
1.3 ±0.4 ±0.5	ABLIKIM	22BI	BES3	Dalitz fit, 11.1k events
2.3 ±0.8 ±1.7	AUBERT	09O	BABR	Dalitz fit, ≈ 10.5k evts
6.56±3.43±4.40	LINK	04	FOCS	Dalitz fit, 1475 ± 50 evts
• • • We do not use the following data for averages, fits, limits, etc. • • •				
4.4 ±2.1 ±0.2	AITALA	01A	E791	Dalitz fit, 848 evts

[1] The last error reflects the uncertainty on the amplitude model.

NODE=S034R96;LINKAGE=A

$\Gamma(\rho(1700)^0\pi^+,\ \rho^0 \to \pi^+\pi^-)/\Gamma(2\pi^+\pi^-)$ Γ_{109}/Γ_{99}

NODE=S034P88
NODE=S034P88

VALUE (units 10^{-3})	*DOCUMENT ID*		*TECN*	*COMMENT*
3.65±0.50±0.45±3.40	[1] AAIJ	23AN	LHCB	Dalitz fit, 0.7M events

[1] The last error reflects the uncertainty on the amplitude model.

NODE=S034P88;LINKAGE=A

$\Gamma(\pi^+ 2\pi^0)/\Gamma_{total}$ Γ_{110}/Γ

NODE=S034S51
NODE=S034S51

VALUE (%)	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
0.52±0.05 OUR AVERAGE	Error includes scale factor of 1.1.				
0.50±0.04±0.02	590	ABLIKIM	22Z	BES3	e^+e^- at 4.178–4.226 GeV
0.65±0.13±0.03	72 ± 16	NAIK	09A	CLEO	e^+e^- at 4170 MeV

$\Gamma(f_0(980)\pi^+,\ f_0 \to \pi^0\pi^0)/\Gamma(\pi^+ 2\pi^0)$ $\Gamma_{111}/\Gamma_{110}$

NODE=S034P66

This is a "fit fraction" from an amplitude analysis.

NODE=S034P66
NODE=S034P66

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
55.4±6.8±7.3	ABLIKIM	22Z	BES3	Dalitz plot fit, 440 evts

$\Gamma(f_0(1370)\pi^+,\ f_0 \to \pi^0\pi^0)/\Gamma(\pi^+ 2\pi^0)$ $\Gamma_{112}/\Gamma_{110}$

NODE=S034P67

This is a "fit fraction" from an amplitude analysis.

NODE=S034P67
NODE=S034P67

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
25.5±5.1±9.3	ABLIKIM	22Z	BES3	Dalitz plot fit, 440 evts

$\Gamma(f_2(1270)\pi^+,\ f_2 \to \pi^0\pi^0)/\Gamma(\pi^+ 2\pi^0)$ $\Gamma_{113}/\Gamma_{110}$

NODE=S034P68

This is a "fit fraction" from an amplitude analysis.

NODE=S034P68
NODE=S034P68

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
9.7±2.9±6.0	ABLIKIM	22Z	BES3	Dalitz plot fit, 440 evts

$\Gamma(2\pi^+\pi^-\pi^0)/\Gamma(\phi\pi^+)$ Γ_{114}/Γ_{53}

NODE=S034R21
NODE=S034R21

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<3.3	90	ANJOS	89E	E691	Photoproduction

$\Gamma(\omega\pi^+)/\Gamma_{total}$ Γ_{115}/Γ

NODE=S034S24

Unseen decay modes of the ω are included.

NODE=S034S24
NODE=S034S24

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
0.193±0.030 OUR FIT					
0.181±0.032 OUR AVERAGE					
0.177±0.032±0.013	65 ± 12	ABLIKIM	19AH	BES3	e^+e^- at 4.178 GeV
0.21 ±0.09 ±0.01	6 ± 2.4	GE	09A	CLEO	e^+e^- at 4170 MeV

$\Gamma(\omega\pi^+)/\Gamma(\eta\pi^+)$ $\Gamma_{115}/\Gamma_{116}$

NODE=S034R79

Unseen decay modes of the resonances are included.

NODE=S034R79
NODE=S034R79

VALUE	DOCUMENT ID		TECN	COMMENT
0.114±0.018 OUR FIT				
0.16 ±0.04 ±0.03	BALEST	97	CLE2	$e^+e^- \approx \Upsilon(4S)$

$\Gamma(\eta\pi^+)/\Gamma_{total}$ Γ_{116}/Γ

NODE=S034S17

Unseen decay modes of the η are included.

NODE=S034S17
NODE=S034S17

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
1.686±0.027 OUR FIT					
1.689±0.027 OUR AVERAGE					
1.69 ±0.02 ±0.02		ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
1.67 ±0.08 ±0.06		ONYISI	13	CLEO	e^+e^- at 4.17 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1.56 ±0.09 ±0.02	0.4k	[1,2] ABLIKIM	25A	BES3	e^+e^-, 4.128–4.226 GeV
1.82 ±0.14 ±0.07	0.8k	ZUPANC	13	BELL	e^+e^- at $\Upsilon(4S), \Upsilon(5S)$
1.58 ±0.11 ±0.18		[3] ALEXANDER	08	CLEO	See ONYISI 13

[1] Subsumed by ABLIKIM 24BD which uses both $\eta \to \pi^+\pi^-\pi^0$ and $\eta \to 2\gamma$ modes.

NODE=S034S17;LINKAGE=B

[2] ABLIKIM 25A reports $[\Gamma(D_s^+ \to \eta\pi^+)/\Gamma_{total}] \times [B(\eta \to \pi^+\pi^-\pi^0)] = (3.58 \pm 0.21 \pm 0.06) \times 10^{-3}$ which we divide by our best (shown rounded) value $B(\eta \to \pi^+\pi^-\pi^0) = (23.02 \pm 0.25) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best (shown rounded) value.

NODE=S034S17;LINKAGE=C

[3] ALEXANDER 08 uses single- and double-tagged events in an overall fit.

NODE=S034S17;LINKAGE=AL

$\Gamma(\eta\pi^+)/\Gamma(K^+K^0_S)$ Γ_{116}/Γ_{44}

NODE=S034S56

Unseen decay modes of the η are included.

NODE=S034S56
NODE=S034S56

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
1.124±0.021 OUR FIT					
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1.236±0.043±0.063	2587 ± 89	MENDEZ	10	CLEO	See ONYISI 13

$\Gamma(\eta\pi^+)/\Gamma(K^+K^-\pi^+)$ Γ_{116}/Γ_{52}

NODE=S034P12
NODE=S034P12

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
31.94±0.33±0.49	19.5k	ABLIKIM	20R	BES3	e^+e^-, 4178 ∼ 4226 MeV

$\Gamma(\eta\pi^+)/\Gamma(\phi\pi^+)$ Γ_{116}/Γ_{53}

NODE=S034R2

Unseen decay modes of the resonances are included.

NODE=S034R2
NODE=S034R2

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$0.48\pm0.03\pm0.04$	920	JESSOP	98	CLE2	$e^+e^- \approx \Upsilon(4S)$
$0.54\pm0.09\pm0.06$	165	ALEXANDER	92	CLE2	See JESSOP 98

$\Gamma(\eta\pi^+)/\Gamma(\phi\pi^+,\ \phi\to K^+K^-)$ Γ_{116}/Γ_{54}

NODE=S034P22
NODE=S034P22

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
84.80±0.47±2.64	22k	GUAN	21	BELL	$e^+e^- \approx \Upsilon(4,5S)$

$\Gamma((2\pi^+\pi^-\pi^0)_{\text{non}-\eta})/\Gamma_{\text{total}}$ Γ_{117}/Γ

NODE=S034Q09
NODE=S034Q09

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
2.04±0.08±0.05	2.5k	ABLIKIM	25A	BES3	e^+e^- at 4.128–4.226 GeV

$\Gamma(f_0(1370)\rho^+,\ f_0\rho^+\to 2\pi^+\pi^-\pi^0)/\Gamma((2\pi^+\pi^-\pi^0)_{\text{non}-\eta})$ $\Gamma_{118}/\Gamma_{117}$

NODE=S034Q10
NODE=S034Q10

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
24.9±3.8±2.1	2.5k	[1] ABLIKIM	25A	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis with 11 components.

NODE=S034Q10;LINKAGE=A

$\Gamma(f_0(980)^0\rho^+,\ f_0^0\rho^+\to 2\pi^+\pi^-\pi^0)/\Gamma((2\pi^+\pi^-\pi^0)_{\text{non}-\eta})$ $\Gamma_{119}/\Gamma_{117}$

NODE=S034Q11
NODE=S034Q11

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
12.6±2.1±1.0	2.5k	[1] ABLIKIM	25A	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis with 11 components.

NODE=S034Q11;LINKAGE=A

$\Gamma(f_2(1270)^0\rho^+,\ f_2(1270)^0\rho^+\to 2\pi^+\pi^-\pi^0)/\Gamma((2\pi^+\pi^-\pi^0)_{\text{non}-\eta})$ $\Gamma_{120}/\Gamma_{117}$

NODE=S034Q12
NODE=S034Q12

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
9.5±1.7±0.6	2.5k	[1] ABLIKIM	25A	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis with 11 components.

NODE=S034Q12;LINKAGE=A

$\Gamma((\rho^+\rho^0)_{S-wave}\to 2\pi^+\pi^-\pi^0)/\Gamma((2\pi^+\pi^-\pi^0)_{\text{non}-\eta})$ $\Gamma_{121}/\Gamma_{117}$

NODE=S034Q13
NODE=S034Q13

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
3.5±1.2±0.6	2.5k	[1] ABLIKIM	25A	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis with 11 components.

NODE=S034Q13;LINKAGE=A

$\Gamma((\rho(1450)^+\rho^0)_{S-wave}\to 2\pi^+\pi^-\pi^0)/\Gamma((2\pi^+\pi^-\pi^0)_{\text{non}-\eta})$ $\Gamma_{122}/\Gamma_{117}$

NODE=S034Q14
NODE=S034Q14

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
4.6±1.3±0.8	2.5k	[1] ABLIKIM	25A	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis with 11 components.

NODE=S034Q14;LINKAGE=A

$\Gamma((\rho^+\rho(1450)^0)_{P-wave}\to 2\pi^+\pi^-\pi^0)/\Gamma((2\pi^+\pi^-\pi^0)_{\text{non}-\eta})$ $\Gamma_{123}/\Gamma_{117}$

NODE=S034Q15
NODE=S034Q15

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
8.6±1.3±0.4	2.5k	[1] ABLIKIM	25A	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis with 11 components.

NODE=S034Q15;LINKAGE=A

$\Gamma(\phi\pi^+,\ \phi\to\rho\pi)/\Gamma((2\pi^+\pi^-\pi^0)_{\text{non}-\eta})$ $\Gamma_{124}/\Gamma_{117}$

NODE=S034Q16
NODE=S034Q16

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
24.9±1.2±0.4	2.5k	[1] ABLIKIM	25A	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis with 11 components.

NODE=S034Q16;LINKAGE=A

$\Gamma(\omega\pi^+,\ \omega\to\rho\pi)/\Gamma((2\pi^+\pi^-\pi^0)_{\text{non}-\eta})$ $\Gamma_{125}/\Gamma_{117}$

NODE=S034Q17
NODE=S034Q17

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
6.9±0.8±0.3	2.5k	[1] ABLIKIM	25A	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis with 11 components.

NODE=S034Q17;LINKAGE=A

$\Gamma(a_1(1260)^+\pi^0,\ a_1^+\to(\rho^0\pi^+)_{S-wave})/\Gamma((2\pi^+\pi^-\pi^0)_{\text{non}-\eta})$ $\Gamma_{126}/\Gamma_{117}$

NODE=S034Q18
NODE=S034Q18

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
12.5±1.6±1.0	2.5k	[1] ABLIKIM	25A	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis with 11 components.

NODE=S034Q18;LINKAGE=A

$\Gamma\big(a_1(1260)^0\pi^+,\ a_1^0 \to (\rho\pi)_{S-wave}\big)/\Gamma\big((2\pi^+\pi^-\pi^0)_{\text{non}-\eta}\big)$ $\Gamma_{127}/\Gamma_{117}$

NODE=S034Q19

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
6.3±1.9±1.2	2.5k	[1] ABLIKIM	25A	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis with 11 components.

NODE=S034Q19;LINKAGE=A

$\Gamma\big(\pi(1300)^0\pi^+,\ \pi^0 \to (\rho\pi)_{P-wave}\big)/\Gamma\big((2\pi^+\pi^-\pi^0)_{\text{non}-\eta}\big)$ $\Gamma_{128}/\Gamma_{117}$

NODE=S034Q20

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
11.7±2.3±2.2	2.5k	[1] ABLIKIM	25A	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis with 11 components.

NODE=S034Q20;LINKAGE=A

$\Gamma\big(3\pi^+2\pi^-\big)/\Gamma\big(K^+K^-\pi^+\big)$ Γ_{129}/Γ_{52}

NODE=S034R77

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.146±0.014 OUR AVERAGE					
0.145±0.011±0.010	671	LINK	03D	FOCS	γ A, $\overline{E}_\gamma \approx$ 180 GeV
0.158±0.042±0.031	37	FRABETTI	97C	E687	γBe, $\overline{E}_\gamma \approx$ 200 GeV

$\Gamma\big(2\pi^+\pi^-2\pi^0\big)/\Gamma_{\text{total}}$ Γ_{130}/Γ

NODE=S034Q33

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
4.41±0.15±0.13	2k	ABLIKIM	25F	BES3	e^+e^- at 4.128–4.226 GeV

$\Gamma\big(\omega\rho^+,\ \omega \to \pi^+\pi^-\pi^0\big)/\Gamma\big(2\pi^+\pi^-2\pi^0\big)$ $\Gamma_{131}/\Gamma_{130}$

NODE=S034Q55

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
$19.98\pm1.40^{+0.92}_{-1.20}$	2k	[1] ABLIKIM	25F	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis of 2.0k $D_s^+ \to 2\pi^+\pi^-2\pi^0$ events, with 14 components. The value quoted here includes an $\omega\rho^+$ *S*-, *P*-, and *D*-wave, where the *D*-wave component dominates.

NODE=S034Q55;LINKAGE=A

$\Gamma\big(\phi\rho^+,\ \phi \to \pi^+\pi^-\pi^0\big)/\Gamma\big(2\pi^+\pi^-2\pi^0\big)$ $\Gamma_{132}/\Gamma_{130}$

NODE=S034Q56

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
$13.86\pm1.03^{+0.47}_{-0.35}$	2k	[1] ABLIKIM	25F	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis of 2.0k $D_s^+ \to 2\pi^+\pi^-2\pi^0$ events, with 14 components. The value quoted here includes a $\phi\rho^+$ *S*- and *P*-wave components.

NODE=S034Q56;LINKAGE=A

$\Gamma\big(\rho(1450)^+\pi^0,\ \rho(1450)^+ \to \omega\pi^+,\ \omega \to \pi^+\pi^-\pi^0\big)/\Gamma\big(2\pi^+\pi^-2\pi^0\big)$ $\Gamma_{133}/\Gamma_{130}$

NODE=S034Q57

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
$7.84\pm0.83^{+0.49}_{-0.58}$	2k	[1] ABLIKIM	25F	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis of 2.0k $D_s^+ \to 2\pi^+\pi^-2\pi^0$ events, with 14 components.

NODE=S034Q57;LINKAGE=A

$\Gamma\big(a_1(1260)^0\rho^+,\ a_1(1260)^0 \to \rho^+\pi^-\big)/\Gamma\big(2\pi^+\pi^-2\pi^0\big)$ $\Gamma_{134}/\Gamma_{130}$

NODE=S034Q58

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
11.43±0.67±0.35	2k	[1] ABLIKIM	25F	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis of 2.0k $D_s^+ \to 2\pi^+\pi^-2\pi^0$ events, with 14 components. The value quoted here includes an $a_1\rho$ *S*- and *P*-wave components.

NODE=S034Q58;LINKAGE=A

$\Gamma\big(a_1(1260)^0\rho^+,\ a_1(1260)^0 \to \rho^-\pi^+\big)/\Gamma\big(2\pi^+\pi^-2\pi^0\big)$ $\Gamma_{135}/\Gamma_{130}$

NODE=S034Q59

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
7.39±0.44±0.26	2k	[1] ABLIKIM	25F	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis of 2.0k $D_s^+ \to 2\pi^+\pi^-2\pi^0$ events, with 14 components. The value quoted here includes an $a_1\rho$ *S*- and *P*-wave components.

NODE=S034Q59;LINKAGE=A

$\Gamma\big(a_1(1260)^+\rho^0,\ a_1(1260)^+ \to \rho^+\pi^0\big)/\Gamma\big(2\pi^+\pi^-2\pi^0\big)$ $\Gamma_{136}/\Gamma_{130}$

NODE=S034Q60

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
16.53±1.37±1.52	2k	[1] ABLIKIM	25F	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis of 2.0k $D_s^+ \to 2\pi^+\pi^-2\pi^0$ events, with 14 components. The value quoted here includes an $a_1\rho$ *S*- and *P*-wave components.

NODE=S034Q60;LINKAGE=A

$\Gamma(b_1(1235)^+\pi^0,\ b_1(1235)^+ \to \omega\pi^+,\ \omega \to \pi^+\pi^-\pi^0)/\Gamma(2\pi^+\pi^-2\pi^0)$ — $\Gamma_{137}/\Gamma_{130}$

NODE=S034Q61

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
10.79±0.98±0.68	2k	[1] ABLIKIM	25F	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis of 2.0k $D_s^+ \to 2\pi^+\pi^-2\pi^0$ events, with 14 components.

NODE=S034Q61;LINKAGE=A

$\Gamma(b_1(1235)^0\pi^+,\ b_1(1235)^0 \to \omega\pi^0,\ \omega \to \pi^+\pi^-\pi^0)/\Gamma(2\pi^+\pi^-2\pi^0)$ — $\Gamma_{138}/\Gamma_{130}$

NODE=S034Q62

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
$14.60\pm1.20^{+0.52}_{-0.49}$	2k	[1] ABLIKIM	25F	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis of 2.0k $D_s^+ \to 2\pi^+\pi^-2\pi^0$ events, with 14 components.

NODE=S034Q62;LINKAGE=A

$\Gamma(\eta\rho^+)/\Gamma_{total}$ — Γ_{139}/Γ

NODE=S034S50

Unseen decay modes of the η are included.

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
8.9±0.6±0.5	328 ± 22	NAIK	09A	CLEO	$\eta \to 2\gamma$

$\Gamma(\eta\rho^+)/\Gamma(\phi\pi^+)$ — Γ_{139}/Γ_{53}

NODE=S034R32

Unseen decay modes of the resonances are included.

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
2.98±0.20±0.39	447	JESSOP	98	CLE2	$e^+e^- \approx \Upsilon(4S)$
$2.86\pm0.38^{+0.36}_{-0.38}$	217	AVERY	92	CLE2	See JESSOP 98

$\Gamma(\eta\rho^+)/\Gamma(\eta\pi^+\pi^0)$ — $\Gamma_{139}/\Gamma_{140}$

NODE=S034P05

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
78.3±5.0±2.1	1.2k	ABLIKIM	19BE	BES3	$\eta\pi^+\pi^0$ amplitude analysis

$\Gamma(\eta\pi^+\pi^0)/\Gamma_{total}$ — Γ_{140}/Γ

NODE=S034S67

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
9.10±0.17 OUR AVERAGE					
9.10±0.09±0.15		ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
9.2 ±0.4 ±1.1		ONYISI	13	CLEO	e^+e^- at 4.17 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
9.50±0.28±0.41	2.6k	[1] ABLIKIM	19BE	BES3	e^+e^- at 4.178 GeV

[1] Superseded by ABLIKIM 24BD.

NODE=S034S67;LINKAGE=A

$\Gamma(\eta(\pi^+\pi^0)_{P-wave})/\Gamma(\eta\pi^+\pi^0)$ — $\Gamma_{141}/\Gamma_{140}$

NODE=S034P06

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
5.4±2.1±2.5	1.2k	ABLIKIM	19BE	BES3	$\eta\pi^+\pi^0$ amplitude analysis

$\Gamma(a_0(980)^{+0}\pi^{0+},\ a_0(980)^{+0} \to \eta\pi^{+0})/\Gamma(\eta\pi^+\pi^0)$ — $\Gamma_{142}/\Gamma_{140}$

NODE=S034P07

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
23.2±2.3±3.3	1.2k	[1] ABLIKIM	19BE	BES3	$\eta\pi^+\pi^0$ amplitude analysis

[1] Coherent sum of $D_s^+ \to a_0^+\pi^0 \to \eta\pi^+\pi^0$ and $D_s^+ \to a_0^0\pi^+ \to \eta\pi^+\pi^0$. ABLIKIM 19BE find $a_0(980)^0-f(980)$ mixing effects negligibly small in this $D_s^+ \to \eta\pi^+\pi^0$ Dalitz plot analysis.

NODE=S034P07;LINKAGE=A

$\Gamma(\omega\pi^+\pi^0)/\Gamma_{total}$ — Γ_{143}/Γ

NODE=S034S25

Unseen decay modes of the ω are included.

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
2.78±0.65±0.25	34 ± 7.9	GE	09A	CLEO	e^+e^- at 4170 MeV

$\Gamma(2\pi^+\pi^-\eta)/\Gamma_{total}$ — Γ_{144}/Γ

NODE=S034P32

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
3.08±0.06±0.05		ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
3.12±0.13±0.09	2.1k	[1] ABLIKIM	21AR	BES3	e^+e^-, 4.178–4.226 GeV

[1] Superseded by ABLIKIM 24BD.

NODE=S034P32;LINKAGE=A

$\Gamma(a_1(1260)^+\eta,\ a_1^+ \to \rho(770)^0\pi^+,\ \rho^0 \to \pi^+\pi^-)/\Gamma(2\pi^+\pi^-\eta)$ $\Gamma_{145}/\Gamma_{144}$

NODE=S034P33

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
55.4±3.9±2.0	[1] ABLIKIM	21AR	BES3	e^+e^- at 4.178–4.226 GeV

[1] $D_s^+ \to 2\pi^+\pi^-\eta$ amplitude analysis with 11 components.

NODE=S034P33;LINKAGE=A

$\Gamma(a_1(1260)^+\eta,\ a_1^+ \to f_0(500)\pi^+,\ f_0 \to \pi^+\pi^-)/\Gamma(2\pi^+\pi^-\eta)$ $\Gamma_{146}/\Gamma_{144}$

NODE=S034P34

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
8.1±1.9±2.1	[1] ABLIKIM	21AR	BES3	e^+e^- at 4.178–4.226 GeV

[1] $D_s^+ \to 2\pi^+\pi^-\eta$ amplitude analysis with 11 components.

NODE=S034P34;LINKAGE=A

$\Gamma(a_0(980)^+\rho(770)^0,\ a_0^+ \to \eta\pi^+)/\Gamma(2\pi^+\pi^-\eta)$ $\Gamma_{147}/\Gamma_{144}$

NODE=S034P35

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
6.7±2.5±1.5	[1] ABLIKIM	21AR	BES3	e^+e^- at 4.178–4.226 GeV

[1] $D_s^+ \to 2\pi^+\pi^-\eta$ amplitude analysis with 11 components.

NODE=S034P35;LINKAGE=A

$\Gamma(\eta(1405)\pi^+,\ \eta \to a_0(980)^-\pi^+,\ a_0^- \to \eta\pi^-)/\Gamma(2\pi^+\pi^-\eta)$ $\Gamma_{148}/\Gamma_{144}$

NODE=S034P36

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
0.7±0.2±0.1	[1] ABLIKIM	21AR	BES3	e^+e^- at 4.178–4.226 GeV

[1] $D_s^+ \to 2\pi^+\pi^-\eta$ amplitude analysis with 11 components.

NODE=S034P36;LINKAGE=A

$\Gamma(\eta(1405)\pi^+,\ \eta \to a_0(980)^+\pi^-,\ a_0^+ \to \eta\pi^+)/\Gamma(2\pi^+\pi^-\eta)$ $\Gamma_{149}/\Gamma_{144}$

NODE=S034P37

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
0.7±0.2±0.1	[1] ABLIKIM	21AR	BES3	e^+e^- at 4.178–4.226 GeV

[1] $D_s^+ \to 2\pi^+\pi^-\eta$ amplitude analysis with 11 components.

NODE=S034P37;LINKAGE=A

$\Gamma(f_1(1420)\pi^+,\ f_1 \to a_0(980)^-\pi^+,\ a_0^- \to \eta\pi^-)/\Gamma(2\pi^+\pi^-\eta)$ $\Gamma_{150}/\Gamma_{144}$

NODE=S034P39

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
1.9±0.5±0.3	[1] ABLIKIM	21AR	BES3	e^+e^- at 4.178–4.226 GeV

[1] $D_s^+ \to 2\pi^+\pi^-\eta$ amplitude analysis with 11 components.

NODE=S034P39;LINKAGE=A

$\Gamma(f_1(1420)\pi^+,\ f_1 \to a_0(980)^+\pi^-,\ a_0^+ \to \eta\pi^+)/\Gamma(2\pi^+\pi^-\eta)$ $\Gamma_{151}/\Gamma_{144}$

NODE=S034P38

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
1.7±0.5±0.3	[1] ABLIKIM	21AR	BES3	e^+e^- at 4.178–4.226 GeV

[1] $D_s^+ \to 2\pi^+\pi^-\eta$ amplitude analysis with 11 components.

NODE=S034P38;LINKAGE=A

$\Gamma(3\pi^+2\pi^-\pi^0)/\Gamma_{total}$ Γ_{152}/Γ

NODE=S034R54

VALUE	DOCUMENT ID		TECN	COMMENT
$0.049^{+0.033}_{-0.030}$	BARLAG	92C	ACCM	π^- 230 GeV

$\Gamma(\omega 2\pi^+\pi^-)/\Gamma_{total}$ Γ_{153}/Γ

NODE=S034S26

Unseen decay modes of the ω are included.

NODE=S034S26

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
1.58±0.45±0.09	29 ± 8.2	GE	09A	CLEO	e^+e^- at 4170 MeV

$\Gamma(\eta'(958)\pi^+)/\Gamma_{total}$ Γ_{154}/Γ

NODE=S034S18

Unseen decay modes of the $\eta'(958)$ are included.

NODE=S034S18

VALUE (%)	DOCUMENT ID		TECN	COMMENT
3.95±0.08 OUR AVERAGE				
3.95±0.04±0.07	ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
3.94±0.15±0.20	ONYISI	13	CLEO	e^+e^- at 4.17 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •				
3.77±0.25±0.30	[1] ALEXANDER	08	CLEO	See ONYISI 13

[1] ALEXANDER 08 uses single- and double-tagged events in an overall fit.

NODE=S034S18;LINKAGE=AL

$\Gamma(\eta'(958)\pi^+)/\Gamma(K^+K^0_S)$ Γ_{154}/Γ_{44}

NODE=S034S57

Unseen decay modes of the $\eta'(958)$ are included.

NODE=S034S57

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
2.654±0.088±0.139	1436 ± 47	MENDEZ	10	CLEO	See ONYISI 13

$\Gamma(\eta'(958)\pi^+)/\Gamma(K^+K^-\pi^+)$ — Γ_{154}/Γ_{52}

NODE=S034P10
NODE=S034P10

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
69.4±0.8±3.8	9.9k	ABLIKIM	20R	BES3	e^+e^-, 4178 ∼ 4226 MeV

$\Gamma(\eta'(958)\pi^+)/\Gamma(\phi\pi^+)$ — Γ_{154}/Γ_{53}

NODE=S034R15

Unseen decay modes of the resonances are included.

NODE=S034R15
NODE=S034R15

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1.03±0.06±0.07	537	JESSOP	98	CLE2	$e^+e^- \approx \Upsilon(4S)$
1.20±0.15±0.11	281	ALEXANDER	92	CLE2	See JESSOP 98
$2.5 \pm1.0 ^{+1.5}_{-0.4}$	22	ALVAREZ	91	NA14	Photoproduction
2.5 ±0.5 ±0.3	215	ALBRECHT	90D	ARG	$e^+e^- \approx$ 10.4 GeV

$\Gamma(\omega\eta\pi^+)/\Gamma_{total}$ — Γ_{156}/Γ

NODE=S034S27

Unseen decay modes of the ω and η are included.

NODE=S034S27
NODE=S034S27

VALUE (units 10^{-3})	CL%	EVTS	DOCUMENT ID		TECN	COMMENT
5.4±1.2±0.4		78	ABLIKIM	23AL	BES3	e^+e^- at 4.128–4.226 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<21.3	90		GE	09A	CLEO	e^+e^- at 4170 MeV

$\Gamma(\eta'(958)\rho^+)/\Gamma_{total}$ — Γ_{157}/Γ

NODE=S034S72
NODE=S034S72

VALUE (%)	DOCUMENT ID		TECN	COMMENT
5.8±1.4±0.4	ABLIKIM	15Z	BES3	482 pb^{-1}, 4009 MeV

$\Gamma(\eta'(958)\rho^+)/\Gamma(\phi\pi^+)$ — Γ_{157}/Γ_{53}

NODE=S034R33

Unseen decay modes of the resonances are included.

NODE=S034R33
NODE=S034R33

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
2.78±0.28±0.30	137	[1] JESSOP	98	CLE2	$e^+e^- \approx \Upsilon(4S)$
$3.44\pm0.62^{+0.44}_{-0.46}$	68	AVERY	92	CLE2	See JESSOP 98

[1] This JESSOP 98 fraction, when combined with other η' fractions, greatly overshoots the inclusive η' fraction. See the measurement just above, which fits nicely.

NODE=S034R33;LINKAGE=A

$\Gamma(\eta'(958)\rho^+)/\Gamma(\eta'(958)\pi^+\pi^0)$ — $\Gamma_{157}/\Gamma_{158}$

NODE=S034P59
NODE=S034P59

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
≈ 1	395	[1] ABLIKIM	22AA	BES3	e^+e^- at 4.178–4.226 GeV

[1] Result of an amplitude analysis of $D_s^+ \to \pi^+\pi^0\eta'$ which found that $D_s^+ \to \rho^+\eta'$ is the dominant decay mode, with other contributions negligible. No uncertainty is assigned to this 100% fit fraction; however, the fit fractions of non-resonant contributions are shown to be below 1%.

NODE=S034P59;LINKAGE=A

$\Gamma(\eta'(958)\pi^+\pi^0)/\Gamma_{total}$ — Γ_{158}/Γ

NODE=S034S68
NODE=S034S68

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
6.14±0.18 OUR AVERAGE					
6.17±0.12±0.14		ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
5.6 ±0.5 ±0.6		ONYISI	13	CLEO	e^+e^- at 4.17 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
6.15±0.25±0.18	837	[1] ABLIKIM	22AA	BES3	e^+e^-, 4.178–4.226 GeV

[1] An amplitude analysis in the same publication finds that $D_s^+ \to \rho^+\eta'$ is the only statistically significant contribution to this decay. Superseded by ABLIKIM 24BD.

NODE=S034S68;LINKAGE=A

$\Gamma(\eta'(958)\pi^+\pi^0\,\text{nonresonant})/\Gamma_{total}$ — Γ_{159}/Γ

NODE=S034S73
NODE=S034S73

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
$<5.1\times10^{-2}$	90	ABLIKIM	15Z	BES3	482 pb^{-1}, 4009 MeV

Modes with one or three K's

NODE=S034323

$\Gamma(K^+\pi^0)/\Gamma(K^+K^0_S)$ — Γ_{160}/Γ_{44}

NODE=S034R06
NODE=S034R06

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
4.2±1.4±0.2	202 ± 70	MENDEZ	10	CLEO	e^+e^- at 4170 MeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
5.5±1.3±0.7	141 ± 34	ADAMS	07A	CLEO	See MENDEZ 10

$\Gamma(K^+\pi^0)/\Gamma(K^+K^-\pi^+)$ — Γ_{160}/Γ_{52}

NODE=S034P15

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
13.73±0.90±0.33	2.3k	ABLIKIM	20R	BES3	e^+e^-, 4178 ~ 4226 MeV

$\Gamma(K^+\pi^0)/\Gamma(\phi\pi^+, \phi\to K^+K^-)$ — Γ_{160}/Γ_{54}

NODE=S034P19

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
3.28±0.23±0.13	12k	GUAN	21	BELL	$e^+e^- \approx \Upsilon(4,5S)$

$\Gamma(K^0_S\pi^+)/\Gamma(K^+K^0_S)$ — Γ_{161}/Γ_{44}

NODE=S034R07

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
8.12±0.28 OUR AVERAGE					
8.5 ±0.7 ±0.2	393 ± 33	MENDEZ	10	CLEO	e^+e^- at 4170 MeV
8.03±0.24±0.19	17.6k±481	WON	09	BELL	e^+e^- at $\Upsilon(4S)$
10.4 ±2.4 ±1.4	113 ± 26	LINK	08	FOCS	γ A, $\overline{E}_\gamma\approx$ 180 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
8.2 ±0.9 ±0.2	206 ± 22	ADAMS	07A	CLEO	See MENDEZ 10

$\Gamma(K^0_S\pi^+)/\Gamma(K^+K^-\pi^+)$ — Γ_{161}/Γ_{52}

NODE=S034P14

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
20.35±0.62±0.42	2.7k	ABLIKIM	20R	BES3	e^+e^-, 4178 ~ 4226 MeV

$\Gamma(K^+\eta)/\Gamma(K^+K^0_S)$ — Γ_{162}/Γ_{44}

NODE=S034S54

Unseen decay modes of the η are included.

NODE=S034S54

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
11.8±2.2±0.6	222 ± 41	MENDEZ	10	CLEO	e^+e^- at 4170 MeV

$\Gamma(K^+\eta)/\Gamma(K^+K^-\pi^+)$ — Γ_{162}/Γ_{52}

NODE=S034P11

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
2.97±0.18±0.06	1.8k	ABLIKIM	20R	BES3	e^+e^-, 4178 ~ 4226 MeV

$\Gamma(K^+\eta)/\Gamma(\phi\pi^+, \phi\to K^+K^-)$ — Γ_{162}/Γ_{54}

NODE=S034P20

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
7.81±0.22±0.24	14k	GUAN	21	BELL	$e^+e^- \approx \Upsilon(4,5S)$

$\Gamma(K^+\eta)/\Gamma(\eta\pi^+)$ — $\Gamma_{162}/\Gamma_{116}$

NODE=S034R08

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
8.9±1.5±0.4	113 ± 18	ADAMS	07A	CLEO	See MENDEZ 10

$\Gamma(K^+\omega)/\Gamma_{total}$ — Γ_{163}/Γ

NODE=S034S28

Unseen decay modes of the ω are included.

NODE=S034S28

VALUE (units 10^{-4})	CL%	EVTS	DOCUMENT ID		TECN	COMMENT
9.9±1.5 OUR FIT						
8.7±2.4±0.8		29	[1] ABLIKIM	19AH	BES3	e^+e^- at 4.178 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<24	90		GE	09A	CLEO	e^+e^- at 4170 MeV

[1] Evidence for mode at 4.4σ.

NODE=S034S28;LINKAGE=A

$\Gamma(K^+\omega)/\Gamma(K^+\pi^+\pi^-\pi^0)$ — $\Gamma_{163}/\Gamma_{183}$

NODE=S034P72

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
10.3±1.5 OUR FIT				
10.9±1.8±0.1	[1] ABLIKIM	22BL	BES3	PWA, 550 $D_s^\pm \to K^\pm\pi^\pm\pi^\mp\pi^0$

[1] ABLIKIM 22BL reports $[\Gamma(D_s^+ \to K^+\omega)/\Gamma(D_s^+ \to K^+\pi^+\pi^-\pi^0)] \times [B(\omega(782) \to \pi^+\pi^-\pi^0)] = (9.7 \pm 1.5 \pm 0.6) \times 10^{-2}$ which we divide by our best (shown rounded) value $B(\omega(782) \to \pi^+\pi^-\pi^0) = (89.2\pm0.7)\times10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best (shown rounded) value.

NODE=S034P72;LINKAGE=A

$\Gamma(K^+\eta'(958))/\Gamma(K^+K^0_S)$ — Γ_{164}/Γ_{44}

NODE=S034S55

Unseen decay modes of the $\eta'(958)$ are included.

NODE=S034S55

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
11.8±3.6±0.7	56 ± 17	MENDEZ	10	CLEO	e^+e^- at 4170 MeV

$\Gamma(K^+\eta'(958))/\Gamma(K^+K^-\pi^+)$ — Γ_{164}/Γ_{52}

NODE=S034P09

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
4.91±0.31±0.31	675	ABLIKIM	20R	BES3	e^+e^-, 4178 ∼ 4226 MeV

$\Gamma(K^+\eta'(958))/\Gamma(\eta'(958)\pi^+)$ — $\Gamma_{164}/\Gamma_{154}$

NODE=S034R09

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
4.2±1.3±0.3	28 ± 9	ADAMS	07A	CLEO	See MENDEZ 10

$\Gamma(K^+\pi^+\pi^-)/\Gamma_{total}$ — Γ_{165}/Γ

NODE=S034S19

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
6.23±0.10 OUR FIT					
6.22±0.10 OUR AVERAGE					
6.20±0.09±0.06		ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
6.54±0.33±0.25		ONYISI	13	CLEO	e^+e^- at 4.17 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
6.11±0.18±0.11	1.3k	[1] ABLIKIM	22AC	BES3	e^+e^-, 4.178–4.226 GeV
6.9 ±0.5 ±0.3		[2] ALEXANDER	08	CLEO	See ONYISI 13

[1] Superseded by ABLIKIM 24BD. NODE=S034S19;LINKAGE=A

[2] ALEXANDER 08 uses single- and double-tagged events in an overall fit. NODE=S034S19;LINKAGE=AL

$\Gamma(K^+\pi^+\pi^-)/\Gamma(K^+K^-\pi^+)$ — Γ_{165}/Γ_{52}

NODE=S034S05

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.1142±0.0025 OUR FIT Error includes scale factor of 1.1.					
0.127 ±0.007 ±0.014	567 ± 31	LINK	04F	FOCS	γ A, $\overline{E}_\gamma \approx$ 180 GeV

$\Gamma(K^+\rho^0)/\Gamma(K^+\pi^+\pi^-)$ — $\Gamma_{166}/\Gamma_{165}$

NODE=S034S06

This is the "fit fraction" from the Dalitz-plot analysis.

VALUE	DOCUMENT ID		TECN	COMMENT
0.35 ±0.04 OUR AVERAGE				
0.321±0.037±0.037	ABLIKIM	22AC	BES3	Dalitz plot fit, 1.3k evts
0.388±0.053±0.026	LINK	04F	FOCS	Dalitz plot fit, 567 evts

$\Gamma(K^+\rho(1450)^0, \rho^0 \to \pi^+\pi^-)/\Gamma(K^+\pi^+\pi^-)$ — $\Gamma_{167}/\Gamma_{165}$

NODE=S034S07

This is the "fit fraction" from the Dalitz-plot analysis.

VALUE	DOCUMENT ID		TECN	COMMENT
0.117±0.028 OUR AVERAGE				
0.131±0.031±0.029	ABLIKIM	22AC	BES3	Dalitz plot fit, 1.3k evts
0.106±0.035±0.010	LINK	04F	FOCS	Dalitz plot fit, 567 evts

$\Gamma(K^+f_0(500), f_0 \to \pi^+\pi^-)/\Gamma(K^+\pi^+\pi^-)$ — $\Gamma_{168}/\Gamma_{165}$

NODE=S034P60

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
7.2±2.1±4.4	ABLIKIM	22AC	BES3	Dalitz plot fit, 1.3k evts

$\Gamma(K^+f_0(980), f_0 \to \pi^+\pi^-)/\Gamma(K^+\pi^+\pi^-)$ — $\Gamma_{169}/\Gamma_{165}$

NODE=S034P61

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
4.5±1.3±1.2	ABLIKIM	22AC	BES3	Dalitz plot fit, 1.3k evts

$\Gamma(K^+f_0(1370), f_0 \to \pi^+\pi^-)/\Gamma(K^+\pi^+\pi^-)$ — $\Gamma_{170}/\Gamma_{165}$

NODE=S034P62

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
19.9±2.9±9.3	ABLIKIM	22AC	BES3	Dalitz plot fit, 1.3k evts

$\Gamma(K^*(892)^0\pi^+, K^{*0} \to K^+\pi^-)/\Gamma(K^+\pi^+\pi^-)$ — $\Gamma_{171}/\Gamma_{165}$

NODE=S034S08

This is the "fit fraction" from the Dalitz-plot analysis.

VALUE	DOCUMENT ID		TECN	COMMENT
0.27 ±0.04 OUR AVERAGE Error includes scale factor of 2.0.				
0.302 ±0.018 ±0.020	ABLIKIM	22AC	BES3	Dalitz plot fit, 1.3k evts
0.2164±0.0321±0.0114	LINK	04F	FOCS	Dalitz plot fit, 567 evts

$\Gamma(K^*(1410)^0\pi^+, K^{*0} \to K^+\pi^-)/\Gamma(K^+\pi^+\pi^-)$ — $\Gamma_{172}/\Gamma_{165}$

NODE=S034S09

This is the "fit fraction" from the Dalitz-plot analysis.

VALUE	DOCUMENT ID		TECN	COMMENT
0.10 ±0.07 OUR AVERAGE Error includes scale factor of 2.7.				
0.045 ±0.021 ±0.025	ABLIKIM	22AC	BES3	Dalitz plot fit, 1.3k evts
0.1882±0.0403±0.0122	LINK	04F	FOCS	Dalitz plot fit, 567 evts

$\Gamma(K^*(1430)^0\pi^+,\ K^{*0}\to K^+\pi^-)/\Gamma(K^+\pi^+\pi^-)$ — $\Gamma_{173}/\Gamma_{165}$

NODE=S034S10

This is the "fit fraction" from the Dalitz-plot analysis.

NODE=S034S10
NODE=S034S10

VALUE	DOCUMENT ID		TECN	COMMENT
0.15 ±0.05 OUR AVERAGE	Error includes scale factor of 1.7.			
0.185 ±0.025 ±0.026	ABLIKIM	22AC	BES3	Dalitz plot fit, 1.3k evts
0.0765±0.0500±0.0170	LINK	04F	FOCS	Dalitz plot fit, 567 evts

$\Gamma(K^+\pi^+\pi^-$ nonresonant$)/\Gamma(K^+\pi^+\pi^-)$ — $\Gamma_{174}/\Gamma_{165}$

NODE=S034S11

This is the "fit fraction" from the Dalitz-plot analysis.

NODE=S034S11
NODE=S034S11

VALUE	DOCUMENT ID		TECN	COMMENT
0.1588±0.0492±0.0153	LINK	04F	FOCS	Dalitz fit, 567 evts

$\Gamma(K^0_S\pi^+\pi^0)/\Gamma_{total}$ — Γ_{176}/Γ

NODE=S034P92
NODE=S034P92

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
5.09±0.22 OUR AVERAGE					
5.1 ±0.2 ±0.1		ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
5.0 ±0.9 ±0.2	44	[1] NAIK	09A	CLEO	e^+e^- at 4170 MeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
5.43±0.30±0.15	666	[2] ABLIKIM	21AB	BES3	e^+e^-, 4.178–4.226 GeV

[1] NAIK 09A reports $B(D^+_s \to K^0\pi^+\pi^-) = (1.00 \pm 0.18 \pm 0.04) \times 10^{-2}$ which we have divided by 2.

NODE=S034P92;LINKAGE=B

[2] ABLIKIM 21AB uses an amplitude analysis with 5 resonant modes plus one background component. Superseded by ABLIKIM 24BD.

NODE=S034P92;LINKAGE=A

$\Gamma(K^0_S\rho(770)^+,\ \rho^+\to\pi^+\pi^0)/\Gamma(K^0_S\pi^+\pi^0)$ — $\Gamma_{177}/\Gamma_{176}$

NODE=S034P93
NODE=S034P93

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
50.2±7.2±3.9	666	[1] ABLIKIM	21AB	BES3	e^+e^- at 4.178–4.226 GeV

[1] ABLIKIM 21AB uses an amplitude analysis with 5 resonant modes plus one background component.

NODE=S034P93;LINKAGE=A

$\Gamma(K^0_S\rho(1450)^+,\ \rho^+\to\pi^+\pi^0)/\Gamma(K^0_S\pi^+\pi^0)$ — $\Gamma_{178}/\Gamma_{176}$

NODE=S034P94
NODE=S034P94

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
20.4±4.3±4.4	666	[1] ABLIKIM	21AB	BES3	e^+e^- at 4.178–4.226 GeV

[1] ABLIKIM 21AB uses an amplitude analysis with 5 resonant modes plus one background component.

NODE=S034P94;LINKAGE=A

$\Gamma(K^*(892)^0\pi^+,\ K^{*0}\to K^0_S\pi^0)/\Gamma(K^0_S\pi^+\pi^0)$ — $\Gamma_{179}/\Gamma_{176}$

NODE=S034P95
NODE=S034P95

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
8.4±2.2±0.9	666	[1] ABLIKIM	21AB	BES3	e^+e^- at 4.178–4.226 GeV

[1] ABLIKIM 21AB uses an amplitude analysis with 5 resonant modes plus one background component.

NODE=S034P95;LINKAGE=A

$\Gamma(K^*(892)^+\pi^0,\ K^{*+}\to K^0_S\pi^+)/\Gamma(K^0_S\pi^+\pi^0)$ — $\Gamma_{180}/\Gamma_{176}$

NODE=S034P96
NODE=S034P96

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
4.6±1.4±0.4	666	[1] ABLIKIM	21AB	BES3	e^+e^- at 4.178–4.226 GeV

[1] ABLIKIM 21AB uses an amplitude analysis with 5 resonant modes plus one background component.

NODE=S034P96;LINKAGE=A

$\Gamma(K^*(1410)^0\pi^+,\ K^{*0}\to K^0_S\pi^0)/\Gamma(K^0_S\pi^+\pi^0)$ — $\Gamma_{181}/\Gamma_{176}$

NODE=S034P97
NODE=S034P97

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
3.3±1.6±0.5	666	[1] ABLIKIM	21AB	BES3	e^+e^- at 4.178–4.226 GeV

[1] ABLIKIM 21AB uses an amplitude analysis with 5 resonant modes plus one background component.

NODE=S034P97;LINKAGE=A

$\Gamma(K^0_S 2\pi^+\pi^-)/\Gamma(K^0_S K^- 2\pi^+)$ — Γ_{182}/Γ_{82}

NODE=S034S04
NODE=S034S04

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.18±0.04±0.05	179 ± 36	LINK	08	FOCS	γ A, $\overline{E}_\gamma \approx$ 180 GeV

$\Gamma(K^+\pi^+\pi^-\pi^0)/\Gamma(K^+K^-\pi^+\pi^0)$ — Γ_{183}/Γ_{74}

NODE=S034P91
NODE=S034P91

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
17.13±0.62±0.51	26k	LI	23G	BELL	e^+e^- at/near Υ(nS), n=1,...,5

$\Gamma(K^+\pi^+\pi^-\pi^0)/\Gamma_{total}$ — Γ_{183}/Γ

NODE=S034P80
NODE=S034P80

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
9.7 ±0.6 OUR FIT					
9.75±0.54±0.17	776	ABLIKIM	22BL	BES3	e^+e^- at 4.178–4.226 GeV

$\Gamma(K^*(892)^0\rho^+,\ K^{*0}\to K^+\pi^-)/\Gamma(K^+\pi^+\pi^-\pi^0)$ — $\Gamma_{184}/\Gamma_{183}$

NODE=S034P70
NODE=S034P70

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
40.5±2.8±1.5	ABLIKIM	22BL	BES3	PWA, 550 $D_s^\pm \to K^\pm\pi^\pm\pi^\mp\pi^0$

$\Gamma(K^*(892)^+\rho^0,\ K^{*+}\to K^+\pi^0)/\Gamma(K^+\pi^+\pi^-\pi^0)$ — $\Gamma_{185}/\Gamma_{183}$

NODE=S034P71
NODE=S034P71

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
4.3±1.1±0.6	ABLIKIM	22BL	BES3	PWA, 550 $D_s^\pm \to K^\pm\pi^\pm\pi^\mp\pi^0$

$\Gamma(K_1(1270)^0\pi^+,\ K_1^0\to K^+\rho^-)/\Gamma(K^+\pi^+\pi^-\pi^0)$ — $\Gamma_{186}/\Gamma_{183}$

NODE=S034P73
NODE=S034P73

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
4.0±1.2±0.6	ABLIKIM	22BL	BES3	PWA, 550 $D_s^\pm \to K^\pm\pi^\pm\pi^\mp\pi^0$

$\Gamma(K_1(1400)^0\pi^+,\ K_1^0\to K^*(890)^+\pi^-,\ K^{*+}\to K^+\pi^0)/\Gamma(K^+\pi^+\pi^-\pi^0)$ — $\Gamma_{187}/\Gamma_{183}$

NODE=S034P74
NODE=S034P74

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
5.6±0.9±0.2	ABLIKIM	22BL	BES3	PWA, 550 $D_s^\pm \to K^\pm\pi^\pm\pi^\mp\pi^0$

$\Gamma(K_1(1400)^0\pi^+,\ K_1^0\to K^*(890)^0\pi^0,\ K^{*0}\to K^+\pi^-)/\Gamma(K^+\pi^+\pi^-\pi^0)$ — $\Gamma_{188}/\Gamma_{183}$

NODE=S034P75
NODE=S034P75

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
6.1±0.9±0.2	ABLIKIM	22BL	BES3	PWA, 550 $D_s^\pm \to K^\pm\pi^\pm\pi^\mp\pi^0$

$\Gamma(K^+a_1(1260)^0,\ a_1\to\rho^+\pi^-)/\Gamma(K^+\pi^+\pi^-\pi^0)$ — $\Gamma_{189}/\Gamma_{183}$

NODE=S034P76
NODE=S034P76

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
1.9±0.7±0.9	ABLIKIM	22BL	BES3	PWA, 550 $D_s^\pm \to K^\pm\pi^\pm\pi^\mp\pi^0$

$\Gamma(K^+a_1(1260)^0,\ a_1\to\rho^-\pi^+)/\Gamma(K^+\pi^+\pi^-\pi^0)$ — $\Gamma_{190}/\Gamma_{183}$

NODE=S034P77
NODE=S034P77

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
1.9±0.7±0.9	ABLIKIM	22BL	BES3	PWA, 550 $D_s^\pm \to K^\pm\pi^\pm\pi^\mp\pi^0$

$\Gamma(K^+\pi^+\pi^-\pi^0\,\text{nonresonant})/\Gamma(K^+\pi^+\pi^-\pi^0)$ — $\Gamma_{191}/\Gamma_{183}$

NODE=S034P79
NODE=S034P79

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
9.5±2.2±0.9	ABLIKIM	22BL	BES3	PWA, 550 $D_s^\pm \to K^\pm\pi^\pm\pi^\mp\pi^0$

$\Gamma((K^+\pi^0)_{P-wave}\rho^0)/\Gamma(K^+\pi^+\pi^-\pi^0)$ — $\Gamma_{192}/\Gamma_{183}$

NODE=S034P78
NODE=S034P78

VALUE (units 10^{-2})	DOCUMENT ID		TECN	COMMENT
10.4±2.0±0.6	ABLIKIM	22BL	BES3	PWA, 550 $D_s^\pm \to K^\pm\pi^\pm\pi^\mp\pi^0$

$\Gamma(K^+\omega\pi^0)/\Gamma_{total}$ — Γ_{193}/Γ

NODE=S034S29

Unseen decay modes of the ω are included.

NODE=S034S29
NODE=S034S29

VALUE (%)	CL%	DOCUMENT ID		TECN	COMMENT
<0.82	90	GE	09A	CLEO	e^+e^- at 4170 MeV

$\Gamma(K^+\omega\pi^+\pi^-)/\Gamma_{total}$ — Γ_{194}/Γ

NODE=S034S30

Unseen decay modes of the ω are included.

NODE=S034S30
NODE=S034S30

VALUE (%)	CL%	DOCUMENT ID		TECN	COMMENT
<0.54	90	GE	09A	CLEO	e^+e^- at 4170 MeV

$\Gamma(K^+\omega\eta)/\Gamma_{total}$ — Γ_{195}/Γ

NODE=S034S31

Unseen decay modes of the ω and η are included.

NODE=S034S31
NODE=S034S31

VALUE (%)	CL%	DOCUMENT ID		TECN	COMMENT
<0.79	90	GE	09A	CLEO	e^+e^- at 4170 MeV

$\Gamma(2K^+K^-)/\Gamma(K^+K^-\pi^+)$ — Γ_{196}/Γ_{52}

NODE=S034R98

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
4.0 ±0.3 ±0.2	748 ± 60	DEL-AMO-SA..11G	BABR	$e^+e^- \approx \Upsilon(4S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$8.95\pm2.12^{+2.24}_{-2.31}$	31	LINK 02I	FOCS	γ A, ≈ 180 GeV

$\Gamma(\phi K^+,\ \phi\to K^+K^-)/\Gamma(2K^+K^-)$ — $\Gamma_{197}/\Gamma_{196}$

NODE=S034S60

VALUE	DOCUMENT ID	TECN	COMMENT
0.41±0.08±0.03	DEL-AMO-SA..11G	BABR	$e^+e^- \approx \Upsilon(4S)$

Radiative decays

NODE=S034324

$\Gamma(\rho(770)^+\gamma)/\Gamma_{total}$ — Γ_{198}/Γ

NODE=S034Q08

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<6.1 × 10⁻⁴	90	[1] ABLIKIM 24CT	BES3	e^+e^- at 4.128–4.226 GeV

[1] ABLIKIM 24CT reports an absolute branching fraction $(2.2\pm0.9\pm0.2)\times10^{-4}$ at 2.5σ significance. NODE=S034Q08;LINKAGE=A

Doubly Cabibbo-suppressed modes

NODE=S034327

$\Gamma(2K^+\pi^-)/\Gamma_{total}$ — Γ_{199}/Γ

NODE=S034Q02

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
1.293±0.027 OUR FIT Error includes scale factor of 1.1.				
$1.24\ ^{+0.28}_{-0.26}\ \pm0.06$	33^{+8}_{-7}	ABLIKIM 24AV	BES3	e^+e^- at 4.128–4.266 GeV

$\Gamma(2K^+\pi^-)/\Gamma(K^+K^-\pi^+)$ — Γ_{199}/Γ_{52}

NODE=S034R01

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
2.371±0.035 OUR FIT				
2.371±0.034 OUR AVERAGE				
2.372±0.024±0.025	67k	AAIJ 19G	LHCB	pp at 8 TeV
2.3 ±0.3 ±0.2	356 ± 52	DEL-AMO-SA..11G	BABR	$e^+e^- \approx \Upsilon(4S)$
2.29 ±0.28 ±0.12	281 ± 34	KO 09	BELL	e^+e^- at $\Upsilon(4S)$
5.2 ±1.7 ±1.1	27 ± 9	LINK 05K	FOCS	<0.78%, CL = 90%

$\Gamma(K^+K^*(892)^0,\ K^{*0}\to K^+\pi^-)/\Gamma(2K^+\pi^-)$ — $\Gamma_{200}/\Gamma_{199}$

NODE=S034S61

VALUE	DOCUMENT ID	TECN	COMMENT
0.47±0.22±0.15	DEL-AMO-SA..11G	BABR	$e^+e^- \approx \Upsilon(4S)$

$\Gamma(2K^+\pi^-\pi^0)/\Gamma_{total}$ — Γ_{201}/Γ

NODE=S034Q03

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<1.7 × 10⁻⁴	90	ABLIKIM 24AV	BES3	e^+e^- at 4.128–4.266 GeV

Baryon-antibaryon mode

NODE=S034329

$\Gamma(p\overline{n})/\Gamma_{total}$ — Γ_{202}/Γ

NODE=S034S21

This is the only baryonic mode allowed kinematically. NODE=S034S21

NODE=S034S21

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
1.22±0.11 OUR AVERAGE				
1.21±0.10±0.05	193 ± 17	ABLIKIM 19O	BES3	e^+e^-, E_{cm}= 4178 MeV
$1.30\pm0.36^{+0.12}_{-0.16}$	13.0 ± 3.6	ATHAR 08	CLEO	e^+e^-, $E_{cm}\approx$ 4170 MeV

OCCUR=2

$\Gamma(p\overline{p}e^+\nu_e)/\Gamma_{total}$ — Γ_{203}/Γ

NODE=S034P04

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<2.0 × 10⁻⁴	90	ABLIKIM 19BD	BES3	e^+e^- at 4178 MeV

Rare or forbidden modes

NODE=S034325

$\Gamma(\pi^+e^+e^-)/\Gamma_{total}$ — Γ_{204}/Γ

NODE=S034R87

This mode is not a useful test for a ΔC=1 weak neutral current because both quarks must change flavor in this decay. NODE=S034R87

NODE=S034R87

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
< 5.5 × 10⁻⁶	90	AAIJ 21T	LHCB	1.6 fb^{-1} pp
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<13 × 10⁻⁶	90	LEES 11G	BABR	$e^+e^- \approx \Upsilon(4S)$
< 2.2 × 10⁻⁵	90	[1] RUBIN 10	CLEO	e^+e^- at 4170 MeV
<27 × 10⁻⁵	90	AITALA 99G	E791	π^- N 500 GeV

[1] This RUBIN 10 limit is for the e^+e^- mass in the continuum away from the $\phi(1020)$. See the next data block. NODE=S034R87;LINKAGE=RU

$\Gamma(\pi^+\phi,\ \phi\to e^+e^-)/\Gamma_{total}$ — Γ_{205}/Γ

NODE=S034S58

This is *not* a test for the $\Delta C = 1$ weak neutral current, but leads to the $\pi^+ e^+ e^-$ final state.

NODE=S034S58

VALUE (units 10^{-5})	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
$\mathbf{1.17^{+0.23}_{-0.21}\pm0.03}$	38	ABLIKIM	24CF	BES3	e^+e^- at 4.128–4.226 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$0.6\ ^{+0.8}_{-0.4}\ \pm0.1$	3	RUBIN	10	CLEO	e^+e^- at 4.170 GeV

NODE=S034S58

$\Gamma(\pi^+\pi^0 e^+e^-)/\Gamma_{total}$ — Γ_{206}/Γ

NODE=S034Q05
NODE=S034Q05

VALUE	*CL%*	*DOCUMENT ID*		*TECN*	*COMMENT*
$\mathbf{<7.0\times10^{-5}}$	90	ABLIKIM	24CF	BES3	e^+e^- at 4.128–4.226 GeV

$\Gamma(\rho^+\phi,\ \phi\to e^+e^-)/\Gamma_{total}$ — Γ_{207}/Γ

NODE=S034Q04
NODE=S034Q04

VALUE (units 10^{-5})	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
$\mathbf{2.44^{+0.67}_{-0.62}\pm0.16}$	38	ABLIKIM	24CF	BES3	e^+e^- at 4.128–4.226 GeV

$\Gamma(\pi^+\mu^+\mu^-)/\Gamma_{total}$ — Γ_{208}/Γ

NODE=S034R57

This mode is not a useful test for a ΔC=1 weak neutral current because both quarks must change flavor in this decay.

NODE=S034R57

VALUE	*CL%*	*DOCUMENT ID*		*TECN*	*COMMENT*
$\mathbf{<1.8\times10^{-7}}$	90	AAIJ	21T	LHCB	1.6 fb^{-1} pp
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$<4.1\times10^{-7}$	90	AAIJ	13AF	LHCB	pp at 7 TeV
$<4.3\times10^{-5}$	90	LEES	11G	BABR	$e^+e^-\approx\Upsilon(4S)$
$<2.6\times10^{-5}$	90	LINK	03F	FOCS	γ A, $\overline{E}_\gamma\approx$ 180 GeV
$<1.4\times10^{-4}$	90	AITALA	99G	E791	π^- N 500 GeV
$<4.3\times10^{-4}$	90	KODAMA	95	E653	π^- emulsion 600 GeV

NODE=S034R57

$\Gamma(K^+e^+e^-)/\Gamma_{total}$ — Γ_{209}/Γ

NODE=S034R88

A test for the ΔC=1 weak neutral current. Allowed by higher-order electroweak interactions.

NODE=S034R88

VALUE	*CL%*	*DOCUMENT ID*		*TECN*	*COMMENT*
$\mathbf{<3.7\times10^{-6}}$	90	LEES	11G	BABR	$e^+e^-\approx\Upsilon(4S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$<4.9\times10^{-6}$	90	AAIJ	21T	LHCB	1.6 fb^{-1} pp
$<5.2\times10^{-5}$	90	RUBIN	10	CLEO	e^+e^- at 4170 MeV
$<1.6\times10^{-3}$	90	AITALA	99G	E791	π^- N 500 GeV

NODE=S034R88

$\Gamma(K^+\pi^0 e^+e^-)/\Gamma_{total}$ — Γ_{210}/Γ

NODE=S034Q06
NODE=S034Q06

VALUE	*CL%*	*DOCUMENT ID*		*TECN*	*COMMENT*
$\mathbf{<7.1\times10^{-5}}$	90	ABLIKIM	24CF	BES3	e^+e^- at 4.128–4.226 GeV

$\Gamma(K^0_S\pi^+e^+e^-)/\Gamma_{total}$ — Γ_{211}/Γ

NODE=S034Q07
NODE=S034Q07

VALUE	*CL%*	*DOCUMENT ID*		*TECN*	*COMMENT*
$\mathbf{<8.1\times10^{-5}}$	90	ABLIKIM	24CF	BES3	e^+e^- at 4.128–4.226 GeV

$\Gamma(K^+\mu^+\mu^-)/\Gamma_{total}$ — Γ_{212}/Γ

NODE=S034R58

A test for the ΔC=1 weak neutral current. Allowed by higher-order electroweak interactions.

NODE=S034R58

VALUE	*CL%*	*DOCUMENT ID*		*TECN*	*COMMENT*
$\mathbf{<\ 1.4\times10^{-7}}$	90	AAIJ	21T	LHCB	1.6 fb^{-1} pp
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$<21\ \ \times10^{-6}$	90	LEES	11G	BABR	$e^+e^-\approx\Upsilon(4S)$
$<\ 3.6\times10^{-5}$	90	LINK	03F	FOCS	γ A, $\overline{E}_\gamma\approx$ 180 GeV
$<\ 1.4\times10^{-4}$	90	AITALA	99G	E791	π^- N 500 GeV
$<\ 5.9\times10^{-4}$	90	KODAMA	95	E653	π^- emulsion 600 GeV

NODE=S034R58

$\Gamma(K^*(892)^+\mu^+\mu^-)/\Gamma_{total}$ — Γ_{213}/Γ

NODE=S034R59

A test for the ΔC=1 weak neutral current. Allowed by higher-order electroweak interactions.

NODE=S034R59

VALUE	*CL%*	*DOCUMENT ID*		*TECN*	*COMMENT*
$\mathbf{<1.4\times10^{-3}}$	90	KODAMA	95	E653	π^- emulsion 600 GeV

NODE=S034R59

$\Gamma(\pi^+ e^+ \mu^-)/\Gamma_{total}$ Γ_{214}/Γ

NODE=S034S62

A test of lepton-family-number conservation.

NODE=S034S62
NODE=S034S62

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
< 1.1 × 10^{-6}	90	AAIJ	21T	LHCB	1.6 fb^{-1} pp
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<12 × 10^{-6}	90	LEES	11G	BABR	$e^+ e^- \approx \Upsilon(4S)$

$\Gamma(\pi^+ e^- \mu^+)/\Gamma_{total}$ Γ_{215}/Γ

NODE=S034S63

A test of lepton-family-number conservation.

NODE=S034S63
NODE=S034S63

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
< 9.4 × 10^{-7}	90	AAIJ	21T	LHCB	1.6 fb^{-1} pp
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<20 × 10^{-6}	90	LEES	11G	BABR	$e^+ e^- \approx \Upsilon(4S)$

$\Gamma(K^+ e^+ \mu^-)/\Gamma_{total}$ Γ_{216}/Γ

NODE=S034S64

A test of lepton-family-number conservation.

NODE=S034S64
NODE=S034S64

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
< 7.9 × 10^{-7}	90	AAIJ	21T	LHCB	1.6 fb^{-1} pp
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<14 × 10^{-6}	90	LEES	11G	BABR	$e^+ e^- \approx \Upsilon(4S)$

$\Gamma(K^+ e^- \mu^+)/\Gamma_{total}$ Γ_{217}/Γ

NODE=S034S65

A test of lepton-family-number conservation.

NODE=S034S65
NODE=S034S65

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<5.6 × 10^{-7}	90	AAIJ	21T	LHCB	1.6 fb^{-1} pp
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<9.7 × 10^{-6}	90	LEES	11G	BABR	$e^+ e^- \approx \Upsilon(4S)$

$\Gamma(\pi^- 2e^+)/\Gamma_{total}$ Γ_{218}/Γ

NODE=S034R91

A test of lepton-number conservation.

NODE=S034R91
NODE=S034R91

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
< 1.4 × 10^{-6}	90	AAIJ	21T	LHCB	1.6 fb^{-1} pp
• • • We do not use the following data for averages, fits, limits, etc. • • •					
< 4.1 × 10^{-6}	90	LEES	11G	BABR	$e^+ e^- \approx \Upsilon(4S)$
< 1.8 × 10^{-5}	90	RUBIN	10	CLEO	$e^+ e^-$ at 4170 MeV
<69 × 10^{-5}	90	AITALA	99G	E791	$\pi^- N$ 500 GeV

$\Gamma(\pi^- 2\mu^+)/\Gamma_{total}$ Γ_{219}/Γ

NODE=S034R60

A test of lepton-number conservation.

NODE=S034R60
NODE=S034R60

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<8.6 × 10^{-8}	90	AAIJ	21T	LHCB	1.6 fb^{-1} pp
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<1.2 × 10^{-7}	90	AAIJ	13AF	LHCB	pp at 7 TeV
<1.4 × 10^{-5}	90	LEES	11G	BABR	$e^+ e^- \approx \Upsilon(4S)$
<2.9 × 10^{-5}	90	LINK	03F	FOCS	γ A, $\overline{E}_\gamma \approx$ 180 GeV
<8.2 × 10^{-5}	90	AITALA	99G	E791	$\pi^- N$ 500 GeV
<4.3 × 10^{-4}	90	KODAMA	95	E653	π^- emulsion 600 GeV

$\Gamma(\pi^- e^+ \mu^+)/\Gamma_{total}$ Γ_{220}/Γ

NODE=S034R92

A test of lepton-number conservation.

NODE=S034R92
NODE=S034R92

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<6.3 × 10^{-7}	90	AAIJ	21T	LHCB	1.6 fb^{-1} pp
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<8.4 × 10^{-6}	90	LEES	11G	BABR	$e^+ e^- \approx \Upsilon(4S)$
<7.3 × 10^{-4}	90	AITALA	99G	E791	$\pi^- N$ 500 GeV

$\Gamma(K^- 2e^+)/\Gamma_{total}$ Γ_{221}/Γ

NODE=S034R93

A test of lepton-number conservation.

NODE=S034R93
NODE=S034R93

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
< 7.7 × 10^{-7}	90	AAIJ	21T	LHCB	1.6 fb^{-1} pp
• • • We do not use the following data for averages, fits, limits, etc. • • •					
< 5.2 × 10^{-6}	90	LEES	11G	BABR	$e^+ e^- \approx \Upsilon(4S)$
< 1.7 × 10^{-5}	90	RUBIN	10	CLEO	$e^+ e^-$ at 4170 MeV
<63 × 10^{-5}	90	AITALA	99G	E791	$\pi^- N$ 500 GeV

$\Gamma(\pi^- \pi^0 e^+ e^+)/\Gamma_{total}$ Γ_{222}/Γ

NODE=S034Q22
NODE=S034Q22

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<2.9 × 10^{-5}	90	ABLIKIM	25BC	BES3	$e^+ e^-$ at 4.128–4.266 GeV

$\Gamma(K^- \pi^0 e^+ e^+)/\Gamma_{total}$ Γ_{223}/Γ

NODE=S034Q23
NODE=S034Q23

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<3.4 × 10^{-5}	90	ABLIKIM	25BC	BES3	$e^+ e^-$ at 4.128–4.266 GeV

$\Gamma(K^0_S \pi^- e^+ e^+)/\Gamma_{total}$ Γ_{224}/Γ

NODE=S034Q24
NODE=S034Q24

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<1.3 × 10^{-5}	90	ABLIKIM	25BC	BES3	$e^+ e^-$ at 4.128–4.266 GeV

$\Gamma(K^0_S K^- e^+ e^+)/\Gamma_{total}$ Γ_{225}/Γ

NODE=S034Q25
NODE=S034Q25

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<2.9 × 10^{-5}	90	ABLIKIM	25BC	BES3	$e^+ e^-$ at 4.128–4.266 GeV

$\Gamma(\phi \pi^- e^+ e^+)/\Gamma_{total}$ Γ_{226}/Γ

NODE=S034Q26
NODE=S034Q26

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<6.9 × 10^{-5}	90	ABLIKIM	25BC	BES3	$e^+ e^-$ at 4.128–4.266 GeV

$\Gamma(\phi K^- e^+ e^+)/\Gamma_{total}$ Γ_{227}/Γ

NODE=S034Q27
NODE=S034Q27

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<9.9 × 10^{-5}	90	ABLIKIM	25BC	BES3	$e^+ e^-$ at 4.128–4.266 GeV

$\Gamma(K^- 2\mu^+)/\Gamma_{total}$ Γ_{228}/Γ

NODE=S034R61

A test of lepton-number conservation.

NODE=S034R61
NODE=S034R61

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<2.6 × 10^{-8}	90	AAIJ	21T	LHCB	1.6 fb^{-1} pp
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$<1.3 \times 10^{-5}$	90	LEES	11G	BABR	$e^+ e^- \approx \Upsilon(4S)$
$<1.3 \times 10^{-5}$	90	LINK	03F	FOCS	γ A, $\overline{E}_\gamma \approx$ 180 GeV
$<1.8 \times 10^{-4}$	90	AITALA	99G	E791	$\pi^- N$ 500 GeV
$<5.9 \times 10^{-4}$	90	KODAMA	95	E653	π^- emulsion 600 GeV

$\Gamma(K^- e^+ \mu^+)/\Gamma_{total}$ Γ_{229}/Γ

NODE=S034R94

A test of lepton-number conservation.

NODE=S034R94
NODE=S034R94

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<2.6 × 10^{-7}	90	AAIJ	21T	LHCB	1.6 fb^{-1} pp
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$<6.1 \times 10^{-6}$	90	LEES	11G	BABR	$e^+ e^- \approx \Upsilon(4S)$
$<6.8 \times 10^{-4}$	90	AITALA	99G	E791	$\pi^- N$ 500 GeV

$\Gamma(K^*(892)^- 2\mu^+)/\Gamma_{total}$ Γ_{230}/Γ

NODE=S034R62

A test of lepton-number conservation.

NODE=S034R62
NODE=S034R62

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<1.4 × 10^{-3}	90	KODAMA	95	E653	π^- emulsion 600 GeV

$D_s^\pm$ Amplitude analyses

NODE=S034265

$D_s^+ \to K^+ K^- \pi^+$ partial wave analyses

NODE=S034PWA

Amplitude analyses of D_s^+ decays to the $K^+ K^- \pi^+$ final state, fitting simultaneously different partial wave components.

NODE=S034PWA
NODE=S034PWA

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
seen	18.6k	[1] ABLIKIM	21AE	BES3	$e^+ e^-$ at 4.178 GeV
seen	96k	[1] DEL-AMO-SA...	11G	BABR	$e^+ e^-$ at $\Upsilon(4S)$
seen	12k	[1] MITCHELL	09A	CLEO	$e^+ e^-$ at 4.17 GeV
seen	701	[2] FRABETTI	95B	E687	

[1] Amplitude analysis with 6 components.
NODE=S034PWA;LINKAGE=A

[2] Amplitude analysis with 5 components.
NODE=S034PWA;LINKAGE=C

$D_s^+ \to K^+ K_S \pi^0$ partial wave analyses

NODE=S034A40
NODE=S034A40

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
	990	[1] ABLIKIM	22AH	BES3	$e^+ e^-$ at 4.178-4.226 GeV

[1] Amplitude analysis with 5 components.
NODE=S034A40;LINKAGE=A

$D_s^+ \to 2\pi^+\pi^-$ partial wave analyses

NODE=S034A37

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
	0.7M	[1] AAIJ	23AN	LHCB	Dalitz fit, 0.7M events
	11.1k	[2] ABLIKIM	22BI	BES3	Dalitz fit
	10.5k	[2] AUBERT	09O	BABR	Dalitz fit
	1.5k	[3] LINK	04	FOCS	Dalitz fit
	848	[4] AITALA	01A	E791	Dalitz fit

[1] Amplitude analysis with 7 components, one of which is a model-independent $\pi^+\pi^-$ *S*-wave parametrisation as complex numbers in 50 $\pi^+\pi^-$ mass bins. NODE=S034A37;LINKAGE=D

[2] Amplitude analysis with 4 components, one of which is a model-independent $\pi^+\pi^-$ *S*-wave parametrisation as complex numbers in 29 $\pi^+\pi^-$ mass bins. NODE=S034A37;LINKAGE=C

[3] Amplitude analysis with 5 components. NODE=S034A37;LINKAGE=B

[4] Amplitude analysis with 6 components. NODE=S034A37;LINKAGE=A

$D_s^+ \to 2\pi^+\pi^-\pi^0$ partial wave analyses

NODE=S034A49

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
	2.5k	[1] ABLIKIM	25A	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis with 11 components contributing to the $2\pi^+\pi^-\pi^0{}_{non-\eta}$ final state. NODE=S034A49;LINKAGE=A

$D_s^+ \to 2\pi^+\pi^-\eta$ partial wave analyses

NODE=S034PWD

Amplitude analyses of D_s^+ decays to the $\pi^+\pi^+\pi^-\eta$ final state, fitting simultaneously different partial wave components. NODE=S034PWD

NODE=S034PWD

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
seen	2.1k	[1] ABLIKIM	21AR	BES3	e^+e^- at 4.178–4.226 GeV

[1] Amplitude analysis with 11 components. NODE=S034PWD;LINKAGE=A

$D_s^+ \to \pi^+\pi^0\eta'$ partial wave analyses.

NODE=S034A32

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
	395	[1] ABLIKIM	22AA	BES3	e^+e^- at 4.178–4.226 GeV

[1] The only significant contribution found in this analysis is $D_s^+ \to \rho^+\eta'$. NODE=S034A32;LINKAGE=A

$D_s^+ \to \pi^+ 2\pi^0$ partial wave analyses.

NODE=S034A36

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
	440	ABLIKIM	22Z	BES3	e^+e^- at 4.178–4.226 GeV

$D_s^+ \to 2\pi^+\pi^- 2\pi^0$ partial wave analyses

NODE=S034A53

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
	2k	[1] ABLIKIM	25F	BES3	e^+e^- at 4.128–4.226 GeV

[1] Amplitude analysis with 14 components. NODE=S034A53;LINKAGE=A

$D_s^+ \to K^+\pi^+\pi^-$ partial wave analyses

NODE=S034A34

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
	1.3k	[1] ABLIKIM	22AC	BES3	e^+e^- at 4.178–4.226 GeV

[1] ABLIKIM 22AC uses an amplitude analysis with 8 components. NODE=S034A34;LINKAGE=A

$D_s^+ \to K_S^0\pi^+\pi^0$ partial wave analyses

NODE=S034A41

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
	666	[1] ABLIKIM	21AB	BES3	e^+e^- at 4.178–4.226 GeV

[1] ABLIKIM 21AB uses an amplitude analysis with 5 resonant modes plus one background component. NODE=S034A41;LINKAGE=A

$D_s^+ \to K^+\pi^+\pi^-\pi^0$ partial wave analyses

NODE=S034A38

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
seen	550	[1] ABLIKIM	22BL	BES3	e^+e^- at 4.178–4.226 GeV

[1] Amplitude analysis with 11 components. NODE=S034A38;LINKAGE=A

$D_s^+ \to 2K_S^0\pi^+$ partial wave analyses

NODE=S034A35

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
	400	[1] ABLIKIM	22F	BES3	e^+e^- at 4.178–4.226 GeV

[1] Amplitude analysis with 2 components. NODE=S034A35;LINKAGE=A

$D_s^+ \to (KS)^0 K^- 2\pi^+$ partial wave analyses

NODE=S034A31

Amplitude analyses of D_s^+ decays to the $K_S^0 K^- 2\pi^+$ final state, fitting simultaneously different partial wave components.

NODE=S034A31

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
seen	1.3k	[1] ABLIKIM	21K	BES3	$e^+ e^-$ at 4.178–4.226 GeV

NODE=S034A31

[1] Amplitude analysis with 13 components.

NODE=S034A31;LINKAGE=A

$D_s^+ \to K^- K^+ \pi^+ \pi^0$ partial wave analyses

NODE=S034PWB

Amplitude analyses of D_s^+ decays to the $K^- K^+ \pi^+ \pi^0$ final state, fitting simultaneously different partial wave components.

NODE=S034PWB

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
seen	3k	[1] ABLIKIM	21U	BES3	$e^+ e^-$ at 4.178–4.226 GeV

NODE=S034PWB

[1] ABLIKIM 21U uses an amplitude analysis with 9 components.

NODE=S034PWB;LINKAGE=A

$D_s^+ \to K^- K^+ 2\pi^+ \pi^-$ partial wave analyses

NODE=S034A33
NODE=S034A33

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
	309	ABLIKIM	22AB	BES3	$e^+ e^-$ at 4.178–4.226 GeV

$D_s^+ \to K_S^0 K_L^0 \pi^+$ partial wave analyses

NODE=S034A52
NODE=S034A52

VALUE	EVTS	DOCUMENT ID	
	2.35k	[1] ABLIKIM	25BR

[1] ABLIKIM 25BR amplitude analysis with 4 resonant modes plus one background component measures the asymmetry of the branching fractions of $D_s^+ \to K_S^0 K^*(892)^+$ and $D_s^+ \to K_L^0 K^*(892)^+$.

NODE=S034A52;LINKAGE=A

$D_s^+ - D_s^-$ *CP*-VIOLATING DECAY-RATE ASYMMETRIES

NODE=S034245

This is the difference between D_s^+ and D_s^- partial widths for the decay to state f, divided by the sum of the widths:
$A_{CP}(f) = [\Gamma(D_s^+ \to f) - \Gamma(D_s^- \to \overline{f})] \ / \ [\Gamma(D_s^+ \to f) + \Gamma(D_s^- \to \overline{f})]$.

NODE=S034245

$A_{CP}(\mu^\pm \nu)$ in $D_s^+ \to \mu^+ \nu$, $D_s^- \to \mu^- \overline{\nu}_\mu$

NODE=S034A13
NODE=S034A13

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
−0.2±2.5 OUR AVERAGE					
−1.2±2.5±1.0	2.2k	ABLIKIM	21BE	BES3	$e^+ e^-$ at 4.178, 4.226 GeV
4.8±6.1		ALEXANDER	09	CLEO	$e^+ e^-$ at 4170 MeV

$A_{CP}(\tau^\pm \nu)$ in $D_s^+ \to \tau^+ \nu_\tau$, $D_s^- \to \tau^- \overline{\nu}_\tau$

NODE=S034A30
NODE=S034A30

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
2.9±4.8±1.0	950	[1] ABLIKIM	21BE	BES3	$e^+ e^-$ at 4.178, 4.226 GeV

[1] ABLIKIM 21BE also reports that when constrained by the Standard Model ratio of $\Gamma(D_s^+ \to \tau^+ \nu_\tau)/\Gamma(D_s^+ \to \mu^+ \nu_\mu) = 9.75$, the result is $(-0.1 \pm 1.9 \pm 1.0)\%$.

NODE=S034A30;LINKAGE=A

$A_{CP}(K^\pm K_S^0)$ in $D_s^\pm \to K^\pm K_S^0$

NODE=S034A05
NODE=S034A05

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
0.07±0.24 OUR AVERAGE					
0.29±0.50±0.21		ABLIKIM	24BD	BES3	$e^+ e^-$, 4.128–4.226 GeV
−0.05±0.23±0.24	288k	[1] LEES	13E	BABR	$e^+ e^-$ at $\Upsilon(4S)$
0.12±0.36±0.22		KO	10	BELL	$e^+ e^- \approx \Upsilon(4S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.6 ±2.8 ±0.6	1.8k	[2] ABLIKIM	19AM	BES3	$e^+ e^-$ at 4178 MeV
2.6 ±1.5 ±0.6		ONYISI	13	CLEO	$e^+ e^-$ at 4.17 GeV
4.7 ±1.8 ±0.9	4.0k	MENDEZ	10	CLEO	See ONYISI 13
4.9 ±2.1 ±0.9		ALEXANDER	08	CLEO	See MENDEZ 10

[1] LEES 13E finds that after subtracting the contribution due to $K^0 - \overline{K}^0$ mixing, the *CP* asymmetry is $(+0.28 \pm 0.23 \pm 0.24)\%$.

NODE=S034A05;LINKAGE=LE

[2] Superseded by ABLIKIM 24BD.

NODE=S034A05;LINKAGE=A

$A_{CP}(K^\pm K_L^0)$ in $D_s^\pm \to K^\pm K_L^0$

NODE=S034A00
NODE=S034A00

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
−1.1±2.6±0.6	2.3k	ABLIKIM	19AM	BES3	$e^+ e^-$ at 4178 MeV

$A_{CP}(K^+ K^- \pi^\pm)$ in $D_s^\pm \to K^+ K^- \pi^\pm$

NODE=S034A06
NODE=S034A06

VALUE (%)	DOCUMENT ID		TECN	COMMENT
0.35±0.34 OUR AVERAGE				
0.48±0.26±0.24	ABLIKIM	24BD	BES3	$e^+ e^-$, 4.128–4.226 GeV
−0.5 ±0.8 ±0.4	ONYISI	13	CLEO	$e^+ e^-$ at 4.17 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.3 ±1.1 ±0.8	ALEXANDER	08	CLEO	See ONYISI 13

$A_{CP}(\phi \pi^\pm)$ in $D_s^\pm \to \phi \pi^\pm$

NODE=S034A20
NODE=S034A20

VALUE (%)	DOCUMENT ID		TECN	COMMENT
−0.38±0.26±0.08	ABAZOV	14B	D0	$p \overline{p}$ at 1.96 TeV

$A_{CP}(K^\pm K^0_S \pi^0)$ in $D_s^\pm \to K^\pm K^0_S \pi^0$

NODE=S034A15
NODE=S034A15

VALUE (%)	DOCUMENT ID		TECN	COMMENT
−0.9 ±1.9 OUR AVERAGE				
−0.85±1.97±0.46	ABLIKIM	24BD	BES3	$e^+ e^-$, 4.128–4.226 GeV
−1.6 ±6.0 ±1.1	ONYISI	13	CLEO	$e^+ e^-$ at 4.17 GeV

$A_{CP}(2K^0_S \pi^\pm)$ in $D_s^\pm \to 2K^0_S \pi^\pm$

NODE=S034A16
NODE=S034A16

VALUE (%)	DOCUMENT ID		TECN	COMMENT
1.3 ±1.6 OUR AVERAGE				
1.14±1.58±0.44	ABLIKIM	24BD	BES3	$e^+ e^-$, 4.128–4.226 GeV
3.1 ±5.2 ±0.6	ONYISI	13	CLEO	$e^+ e^-$ at 4.17 GeV

$A_{CP}(K^+ K^- \pi^\pm \pi^0)$ in $D_s^\pm \to K^+ K^- \pi^\pm \pi^0$

NODE=S034A07
NODE=S034A07

VALUE (%)	DOCUMENT ID		TECN	COMMENT
−0.6 ±0.9 OUR AVERAGE				
−0.66±0.91±0.33	ABLIKIM	24BD	BES3	$e^+ e^-$, 4.128–4.226 GeV
0.0 ±2.7 ±1.2	ONYISI	13	CLEO	$e^+ e^-$ at 4.17 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •				
−5.9 ±4.2 ±1.2	ALEXANDER	08	CLEO	See ONYISI 13

$A_{CP}(K^\pm K^0_S \pi^+ \pi^-)$ in $D_s^\pm \to K^\pm K^0_S \pi^+ \pi^-$

NODE=S034A14
NODE=S034A14

VALUE (%)	DOCUMENT ID		TECN	COMMENT
0.7 ±2.9 OUR AVERAGE Error includes scale factor of 1.3.				
2.00±2.37±0.70	ABLIKIM	24BD	BES3	$e^+ e^-$, 4.128–4.226 GeV
−5.7 ±5.3 ±0.9	ONYISI	13	CLEO	$e^+ e^-$ at 4.17 GeV

$A_{CP}(K^0_S K^\mp 2\pi^\pm)$ in $D_s^+ \to K^0_S K^\mp 2\pi^\pm$

NODE=S034A08
NODE=S034A08

VALUE (%)	DOCUMENT ID		TECN	COMMENT
0.7 ±1.8 OUR AVERAGE Error includes scale factor of 1.3.				
−0.24±1.05±1.07	ABLIKIM	24BD	BES3	$e^+ e^-$, 4.128–4.226 GeV
4.1 ±2.7 ±0.9	ONYISI	13	CLEO	$e^+ e^-$ at 4.17 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •				
−0.7 ±3.6 ±1.1	ALEXANDER	08	CLEO	See ONYISI 13

$A_{CP}(\pi^+ \pi^- \pi^\pm)$ in $D_s^\pm \to \pi^+ \pi^- \pi^\pm$

NODE=S034A09
NODE=S034A09

VALUE (%)	DOCUMENT ID		TECN	COMMENT
−0.9 ±1.1 OUR AVERAGE				
−0.88±1.17±0.38	ABLIKIM	24BD	BES3	$e^+ e^-$, 4.128–4.226 GeV
−0.7 ±3.0 ±0.6	ONYISI	13	CLEO	$e^+ e^-$ at 4.17 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •				
2.0 ±4.6 ±0.7	ALEXANDER	08	CLEO	See ONYISI 13

$A_{CP}(\pi^\pm \eta)$ in $D_s^\pm \to \pi^\pm \eta$

NODE=S034A10
NODE=S034A10

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
0.24±0.29 OUR AVERAGE					
−0.44±0.89±0.19		ABLIKIM	24BD	BES3	$e^+ e^-$, 4.128–4.226 GeV
0.32±0.51±0.12	136k	AAIJ	23E	LHCB	6 fb^{-1}, $p p$ at 13 TeV, $\eta \to \gamma \pi \pi$
0.8 ±0.7 ±0.5	38k	AAIJ	21U	LHCB	$p p$ at 13 TeV
0.2 ±0.3 ±0.3	22k	GUAN	21	BELL	$e^+ e^- \approx \Upsilon(4,5S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1.1 ±3.0 ±0.8		ONYISI	13	CLEO	$e^+ e^-$ at 4.17 GeV
−4.6 ±2.9 ±0.3	2.5k	MENDEZ	10	CLEO	See ONYISI 13
−8.2 ±5.2 ±0.8		ALEXANDER	08	CLEO	See MENDEZ 10

$A_{CP}(\pi^{\pm}\pi^{+}\pi^{-}\eta)$ in $D_s^{\pm} \to \pi^{\pm}\pi^{+}\pi^{-}\eta$

NODE=S034A48
NODE=S034A48

VALUE (%)	DOCUMENT ID		TECN	COMMENT
2.42±2.85±0.78	ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV

$A_{CP}(\pi^{\pm}\eta')$ in $D_s^{\pm} \to \pi^{\pm}\eta'$

NODE=S034A11
NODE=S034A11

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
−0.08±0.17 OUR AVERAGE		Error includes scale factor of 1.2.			
−0.59±0.76±0.20		ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
0.01±0.12±0.08	1M	AAIJ	23E	LHCB	6 fb^{-1}, pp at 13 TeV, $\eta \to \gamma\pi\pi$
−0.82±0.36±0.35	152k	AAIJ	17AF	LHCB	pp at 7, 8 TeV
−2.2 ±2.2 ±0.6		ONYISI	13	CLEO	e^+e^- at 4.17 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
−6.1 ±3.0 ±0.3	1.4k	MENDEZ	10	CLEO	See ONYISI 13
−5.5 ±3.7 ±1.2		ALEXANDER	08	CLEO	See MENDEZ 10

$A_{CP}(\eta\pi^{\pm}\pi^{0})$ in $D_s^{\pm} \to \eta\pi^{\pm}\pi^{0}$

NODE=S034A19
NODE=S034A19

VALUE (%)	DOCUMENT ID		TECN	COMMENT
0.9 ±1.5 OUR AVERAGE				
1.05±1.45±0.62	ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
−0.5 ±3.9 ±2.0	ONYISI	13	CLEO	e^+e^- at 4.17 GeV

$A_{CP}(\eta'\pi^{\pm}\pi^{0})$ in $D_s^{\pm} \to \eta'\pi^{\pm}\pi^{0}$

NODE=S034A17
NODE=S034A17

VALUE (%)	DOCUMENT ID		TECN	COMMENT
−1.5 ±2.5 OUR AVERAGE				
−1.60±2.57±0.64	ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
−0.4 ±7.4 ±1.9	ONYISI	13	CLEO	e^+e^- at 4.17 GeV

$A_{CP}(K^{\pm}\pi^{0})$ in $D_s^{\pm} \to K^{\pm}\pi^{0}$

NODE=S034A01
NODE=S034A01

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
2 ± 4 OUR AVERAGE		Error includes scale factor of 1.2.			
− 0.8± 3.9±1.2	2.8k	AAIJ	21U	LHCB	pp at 7, 8, 13 TeV
6.4± 4.4±1.1	12k	GUAN	21	BELL	$e^+e^- \approx \Upsilon(4,5S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
−26.6±23.8±0.9	202	MENDEZ	10	CLEO	e^+e^- at 4170 MeV
2 ±29		ADAMS	07A	CLEO	See MENDEZ 10

$A_{CP}(\overline{K}^{0}/K^{0}\pi^{\pm})$ in $D_s^{+} \to \overline{K}^{0}\pi^{+}$, $D_s^{-} \to K^{0}\pi^{-}$

NODE=S034A21
NODE=S034A21

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
0.4 ±0.5 OUR AVERAGE					
0.38±0.46±0.17	121k	[1] AAIJ	14BD	LHCB	pp at 7, 8 TeV
0.3 ±2.0 ±0.3	14k	LEES	13E	BABR	e^+e^- at $\Upsilon(4S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.61±0.83±0.14	26k	AAIJ	13W	LHCB	See AAIJ 14BD

[1] AAIJ 14BD reports its result as $A_{CP}(D_s^{\pm} \to K_S^0 K^{\pm})$ with CP-violation effects in the $K^0-\overline{K}^0$ system subtracted. It also measures $A_{CP}(D^{\pm} \to \overline{K}^0/K^0 K^{\pm}) + A_{CP}(D_s^{\pm} \to \overline{K}^0/K^0\pi^{\pm}) = (0.41 \pm 0.49 \pm 0.26)\%$.

NODE=S034A21;LINKAGE=AA

$A_{CP}(K_S^{0}\pi^{\pm})$ in $D_s^{\pm} \to K_S^{0}\pi^{\pm}$

NODE=S034A02
NODE=S034A02

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
0.20± 0.18 OUR AVERAGE					
0.16± 0.17±0.05	721k	AAIJ	19T	LHCB	pp at 7, 8, 13 TeV
0.6 ± 2.0 ±0.3	14k	LEES	13E	BABR	e^+e^- at $\Upsilon(4S)$
5.45± 2.50±0.33		KO	10	BELL	$e^+e^- \approx \Upsilon(4S)$
16.3 ± 7.3 ±0.3	0.4k	MENDEZ	10	CLEO	e^+e^- at 4170 MeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
27 ±11		ADAMS	07A	CLEO	See MENDEZ 10

$A_{CP}(K^{\pm}\pi^{+}\pi^{-})$ in $D_s^{\pm} \to K^{\pm}\pi^{+}\pi^{-}$

NODE=S034A12
NODE=S034A12

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
2.2 ±1.9 OUR AVERAGE					
1.81±2.01±0.45		ABLIKIM	24BD	BES3	e^+e^-, 4.128–4.226 GeV
4.5 ±4.8 ±0.6		ONYISI	13	CLEO	e^+e^- at 4.17 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
3.3 ±3.0 ±1.3	1.3k	[1] ABLIKIM	22AC	BES3	e^+e^-, 4.178–4.226 GeV
11.2 ±7.0 ±0.9		ALEXANDER	08	CLEO	See ONYISI 13

[1] Superseded by ABLIKIM 24BD.

NODE=S034A12;LINKAGE=A

$A_{CP}(K^0_S \pi^+ \pi^0)$ in $D^\pm_s \to K^0_S \pi^\pm \pi^0$

NODE=S034A28
NODE=S034A28

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
−2.17±4.65±1.10		ABLIKIM	24BD	BES3	$e^+ e^-$, 4.128–4.226 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
2.7 ±5.5 ±0.9	666	[1] ABLIKIM	21AB	BES3	$e^+ e^-$, 4.178–4.226 GeV

[1] ABLIKIM 21AB uses an amplitude analysis with 5 resonant modes plus one background component. Superseded by ABLIKIM 24BD.

NODE=S034A28;LINKAGE=A

$A_{CP}(K^\pm \pi^+ \pi^- \pi^0)$ in $D^\pm_s \to K^\pm \pi^+ \pi^- \pi^0$

NODE=S034A39
NODE=S034A39

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
6.6±5.4±0.7	776	ABLIKIM	22BL	BES3	$e^+ e^-$ at 4.178–4.226 GeV

$A_{CP}(K^\pm \eta)$ in $D^\pm_s \to K^\pm \eta$

NODE=S034A03
NODE=S034A03

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
1.8± 1.9 OUR AVERAGE					
0.9± 3.7±1.1	2.5k	AAIJ	21U	LHCB	$p p$ at 13 TeV
2.1± 2.1±0.4	14k	GUAN	21	BELL	$e^+ e^- \approx \Upsilon(4,5S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
9.3±15.2±0.9	222	MENDEZ	10	CLEO	$e^+ e^-$ at 4170 MeV
−20 ±18		ADAMS	07A	CLEO	See MENDEZ 10

$A_{CP}(K^\pm \eta'(958))$ in $D^\pm_s \to K^\pm \eta'(958)$

NODE=S034A04
NODE=S034A04

VALUE (%)	EVTS	DOCUMENT ID		TECN	COMMENT
6.0±18.9±0.9	56 ± 17	MENDEZ	10	CLEO	$e^+ e^-$ at 4170 MeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
−17 ±37		ADAMS	07A	CLEO	See MENDEZ 10

$D^\pm_s$ χ^2 TESTS OF *CP*-VIOLATION (*CPV*)

NODE=S034241

We list model-independent searches for local *CP* violation in phase-space distributions of multi-body decays.

NODE=S034241

Most of these searches divide phase space (Dalitz plot for 3-body decays, five-dimensional equivalent for 4-body decays) into bins, and perform a χ^2 test comparing normalised yields N_i, $\overline{N}_i$ in *CP*-conjugate bin pairs i: $\chi^2 = \Sigma_i(N_i - \alpha\,\overline{N}_i)/\sigma(N_i - \alpha\,\overline{N}_i)$. The factor $\alpha = (\Sigma_i N_i)/(\Sigma_i \overline{N}_i)$ removes the dependence on phase-space-integrated rate asymmetries. The result is used to obtain the probability (p-value) to obtain the measured χ^2 or larger under the assumption of CP conservation [AUBERT 08AO, BEDIAGA 09]. Alternative methods obtain p-values from other test variables based on unbinned analyses [WILLIAMS 11, AAIJ 14C]. Results can be combined using Fisher's method [MOSTELLER 48].

Local *CPV* in $D^\pm_s \to K^+ K^- K^\pm$

NODE=S034L01
NODE=S034L01

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.133	970k	AAIJ	23L	LHCB	χ^2

CP VIOLATING ASYMMETRIES OF *P*-ODD (*T*-ODD) MOMENTS

NODE=S034242

$A_{Tviol}(K^0_S K^\pm \pi^+ \pi^-)$ in $D^\pm_s \to K^0_S K^\pm \pi^+ \pi^-$

NODE=S034TV0

$C_T \equiv \vec{p}_{K^+} \cdot (\vec{p}_{\pi^+} \times \vec{p}_{\pi^-})$ is a parity-odd correlation of the K^+, π^+, and π^- momenta for the D^+_s. $\overline{C}_T \equiv \vec{p}_{K^-} \cdot (\vec{p}_{\pi^-} \times \vec{p}_{\pi^+})$ is the corresponding quantity for the D^-_s. Then
$A_T \equiv [\Gamma(C_T > 0) - \Gamma(C_T < 0)] / [\Gamma(C_T > 0) + \Gamma(C_T < 0)]$, and
$\overline{A}_T \equiv [\Gamma(-\overline{C}_T > 0) - \Gamma(-\overline{C}_T < 0)] / [\Gamma(-\overline{C}_T > 0) + \Gamma(-\overline{C}_T < 0)]$, and
$A_{Tviol} \equiv \frac{1}{2}(A_T - \overline{A}_T)$. C_T and $\overline{C}_T$ are commonly referred to as *T*-odd moments, because they are odd under *T* reversal. However, the *T*-conjugate process $K^0_S K^\pm \pi^+ \pi^- \to D^\pm_s$ is not accessible, while the *P*-conjugate process is.

NODE=S034TV0

NODE=S034TV0

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
− 8 ± 6 OUR AVERAGE					
− 4.6± 6.3± 3.8	70k	MOON	23	BELL	980 fb^{-1} at $\sim \Upsilon(4S)$
−13.6± 7.7± 3.4	29.8k	LEES	11E	BABR	$e^+ e^- \approx \Upsilon(4S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
−36 ±67 ±23	508	LINK	05E	FOCS	γ A, $\overline{E}_\gamma \approx 180$ GeV

$A_{Tviol}(K^0_S K^{\mp}\pi^{\pm}\pi^{\pm})$ in $D^{\pm}_s \to K^0_S K^{\mp}\pi^{\pm}\pi^{\pm}$

NODE=S034A51

$C_T \equiv \vec{p}_{K^0_S} \cdot (\vec{p}_{K^-} \times \vec{p}_{\pi^+})$ is a parity-odd correlation of the momenta of the K^0_S, K^-, and highest-momenta π^+ fortheD^+_s.$\overline{C}_T \equiv \vec{p}_{K^0_S} \cdot (\vec{p}_{K^+} \times \vec{p}_{\pi^-})$ is the corresponding quantity for the D^-_s. Then
$A_T \equiv [\Gamma(C_T > 0) - \Gamma(C_T < 0)]$ / $[\Gamma(C_T > 0) + \Gamma(C_T < 0)]$, and
$\overline{A}_T \equiv [\Gamma(-\overline{C}_T > 0) - \Gamma(-\overline{C}_T < 0)]$ / $[\Gamma(-\overline{C}_T > 0) + \Gamma(-\overline{C}_T < 0)]$,and
$A_{Tviol} \equiv \frac{1}{2}(A_T - \overline{A}_T)$. C_T and $\overline{C}_T$ are commonly referred to as *T*-odd moments, because they are odd under *T* reversal.However,the*T*-conjugate process $K^0_S K^{\pm}\pi^+\pi^- \to D^{\pm}_s$ is not accessible, while the *P*-conjugate process is.

NODE=S034A51

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
0.2±2.4±0.8	303k	[1] AGGARWAL	25	BEL2	$e^+e^- \approx \Upsilon(4S)$

NODE=S034A51

[1] AGGARWAL 25 measures $C_T \equiv \vec{p}_{K^0_S} \cdot (\vec{p}_{K^-} \times \vec{p}_{\pi^+})$ and other T-odd observables, all compatible with T-conservation, using Belle and Belle II data.

NODE=S034A51;LINKAGE=A

D^+_s Semileptonic Form Factors and Decay Constants

NODE=S034260

$r_2 \equiv A_2(0)/A_1(0)$ in $D^+_s \to \phi \ell^+ \nu_\ell$

NODE=S034FR2
NODE=S034FR2

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.83 ±0.08 OUR AVERAGE		Error includes scale factor of 1.8. See the ideogram below.			
0.71 ±0.14 ±0.02		[1] ABLIKIM	23BZ	BES3	$D^+_s \to K^+K^-\mu^+\nu_\mu$
0.816±0.036±0.030	25k	[2] AUBERT	08AN	BABR	$\phi e^+\nu_e$
0.713±0.202±0.284	793	LINK	04C	FOCS	$\phi\mu^+\nu_\mu$
1.57 ±0.25 ±0.19	271	AITALA	99D	E791	$\phi e^+\nu_e$, $\phi\mu^+\nu_\mu$
1.4 ±0.5 ±0.3	308	AVERY	94B	CLE2	$\phi e^+\nu_e$
1.1 ±0.8 ±0.1	90	FRABETTI	94F	E687	$\phi\mu^+\nu_\mu$
2.1 $^{+0.6}_{-0.5}$ ±0.2	19	KODAMA	93	E653	$\phi\mu^+\nu_\mu$

[1] Partial wave analysis of 939 $D^+_s \to K^+K^-\mu^+\nu_\mu$ events.

NODE=S034FR2;LINKAGE=A

[2] To compare with previous measurements, this AUBERT 08AN value is from a fit that fixes the pole masses at m_A = 2.5 GeV/c^2 and m_V = 2.1 GeV/c^2. A simultaneous fit to r_2, r_V, r_0 (a significant *s*-wave contribution) and m_A, gives $r_2 = 0.763 \pm 0.071 \pm 0.065$.

NODE=S034FR2;LINKAGE=AU



$r_v \equiv V(0)/A_1(0)$ in $D^+_s \to \phi \ell^+ \nu_\ell$

NODE=S034FRV
NODE=S034FRV

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
1.76 ±0.07 OUR AVERAGE		Error includes scale factor of 1.1.			
1.58 ±0.17 ±0.02		[1] ABLIKIM	23BZ	BES3	$D^+_s \to K^+K^-\mu^+\nu_\mu$
1.807±0.046±0.065	25k	[2] AUBERT	08AN	BABR	$\phi e^+\nu_e$
1.549±0.250±0.148	793	LINK	04C	FOCS	$\phi\mu^+\nu_\mu$

2.27 $\pm$0.35 $\pm$0.22	271		AITALA	99D	E791	$\phi e^+ \nu_e$, $\phi \mu^+ \nu_\mu$
0.9 $\pm$0.6 $\pm$0.3	308		AVERY	94B	CLE2	$\phi e^+ \nu_e$
1.8 $\pm$0.9 $\pm$0.2	90		FRABETTI	94F	E687	$\phi \mu^+ \nu_\mu$
2.3 $^{+1.1}_{-0.9}$ $\pm$0.4	19		KODAMA	93	E653	$\phi \mu^+ \nu_\mu$

[1] Partial wave analysis of 939 $D_s^+ \to K^+ K^- \mu^+ \nu_\mu$ events. NODE=S034FRV;LINKAGE=A

[2] To compare with previous measurements, this AUBERT 08AN value is from a fit that fixes the pole masses at m_A = 2.5 GeV/c^2 and m_V = 2.1 GeV/c^2. A simultaneous fit to r_2, r_v, r_0 (a significant s-wave contribution) and m_A, gives r_v = 1.849 $\pm$ 0.060 $\pm$ 0.095. NODE=S034FRV;LINKAGE=AU

Γ_L/Γ_T in $D_s^+ \to \phi \ell^+ \nu_\ell$

NODE=S034GLT

VALUE	EVTS		DOCUMENT ID		TECN	COMMENT
0.72$\pm$0.18 OUR AVERAGE						
1.0 $\pm$0.3 $\pm$0.2	308		AVERY	94B	CLE2	$\phi e^+ \nu_e$
1.0 $\pm$0.5 $\pm$0.1	90	1	FRABETTI	94F	E687	$\phi \mu^+ \nu_\mu$
0.54$\pm$0.21$\pm$0.10	19	1	KODAMA	93	E653	$\phi \mu^+ \nu_\mu$

[1] FRABETTI 94F and KODAMA 93 evaluate Γ_L/Γ_T for a lepton mass of zero. NODE=S034GLT;LINKAGE=BB

$f_+(0)\,|V_{cs}|$ in $D_s^+ \to \eta e^+ \nu_e$

NODE=S034A26

VALUE	EVTS		DOCUMENT ID		TECN	COMMENT
0.449 $\pm$0.009 OUR AVERAGE						
0.430 $\pm$0.021 $\pm$0.016	716	1	ABLIKIM	24CI	BES3	$e^+ e^-$ at 4237–4699 MeV
0.4519$\pm$0.0071$\pm$0.0065	4k		ABLIKIM	23BO	BES3	$e^+ e^-$ at 4128–4226 MeV
• • • We do not use the following data for averages, fits, limits, etc. • • •						
0.4455$\pm$0.0053$\pm$0.0044	1.8k	2	ABLIKIM	19S	BES3	$e^+ e^-$ at 4178 MeV

[1] Using a two parameter fit in the z expansion . NODE=S034A26;LINKAGE=B

[2] Superseded by ABLIKIM 23BO NODE=S034A26;LINKAGE=A

$f_+(0)\,|V_{cs}|$ in $D_s^+ \to \eta \mu^+ \nu_\mu$

NODE=S034A42

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.452$\pm$0.010$\pm$0.007	3.1k	ABLIKIM	24AQ	BES3	$e^+ e^-$, 4.128–4.266 GeV

$r_1 \equiv a_1/a_0$ in $D_s^+ \to \eta \mu^+ \nu_\mu$

NODE=S034A44

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
$-$2.9$\pm$0.6$\pm$0.2	3.1k	ABLIKIM	24AQ	BES3	$e^+ e^-$, 4.128–4.266 GeV

$\langle A^{\eta}_{FB} \rangle$ in $D_s^+ \to \eta \mu^+ \nu_\mu$

NODE=S034A46

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
$-$5.9$\pm$3.1$\pm$0.5	3.1k	ABLIKIM	24AQ	BES3	$e^+ e^-$, 4.128–4.266 GeV

$f_+(0)\,|V_{cs}|$ in $D_s^+ \to \eta' e^+ \nu_e$

NODE=S034A27

VALUE	EVTS		DOCUMENT ID		TECN	COMMENT
0.527$\pm$0.024 OUR AVERAGE						
0.542$\pm$0.062$\pm$0.023	134	1	ABLIKIM	24CI	BES3	$e^+ e^-$ at 4237–4699 MeV
0.525$\pm$0.024$\pm$0.009	675		ABLIKIM	23BO	BES3	$e^+ e^-$ at 4128–4226 MeV
• • • We do not use the following data for averages, fits, limits, etc. • • •						
0.477$\pm$0.049$\pm$0.011	261	2	ABLIKIM	19S	BES3	$e^+ e^-$ at 4178 MeV

[1] Using a two parameter fit in the z expansion. NODE=S034A27;LINKAGE=B

[2] Superseded by ABLIKIM 23BO NODE=S034A27;LINKAGE=A

$r_1 \equiv a_1/a_0$ in $D_s^+ \to \eta' \mu^+ \nu_\mu$

NODE=S034A45

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
$-$10.8$\pm$5.3$\pm$1.4	390	ABLIKIM	24AQ	BES3	$e^+ e^-$, 4.128–4.266 GeV

$\langle A^{\eta'}_{FB} \rangle$ in $D_s^+ \to \eta' \mu^+ \nu_\mu$

NODE=S034A47

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
$-$6.4$\pm$7.9$\pm$0.6	390	ABLIKIM	24AQ	BES3	$e^+ e^-$, 4.128–4.266 GeV

$f_+(0)\,|V_{cs}|$ in $D_s^+ \to \eta' \mu^+ \nu_\mu$

NODE=S034A43

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.504$\pm$0.037$\pm$0.012	390	ABLIKIM	24AQ	BES3	$e^+ e^-$, 4.128–4.266 GeV

$f_+(0)\,|V_{cs}|$ in $D_s^+ \to f_0(980) e^+ \nu_e$

NODE=S034A50

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.504±0.017±0.035	0.4k	[1] ABLIKIM	24AT	BES3	$e^+ e^-$ at 4128–4226 MeV

[1] From an analysis of $D_s^+ \to \pi^+ \pi^- e^+ \mu_e$ decays. ABLIKIM 24AT uses a simple pole parametrization of the hadronic form factor and the Flatte' formula for describing the $f_0(980)$ decay. NODE=S034A50;LINKAGE=A

$f_+(0)|V_{cd}|$ in $D_s^+ \to K^0 e^+ \nu_e$

NODE=S034A22

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.145±0.010 OUR AVERAGE					
0.143±0.011±0.003	228	[1] ABLIKIM	24CH	BES3	$e^+ e^-$ at 4128–4226 MeV
0.152±0.022±0.005	51	[1] ABLIKIM	24CI	BES3	$e^+ e^-$ at 4237–4699 MeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.162±0.019±0.003	117	[1,2] ABLIKIM	19D	BES3	$K_S^0 e^+ \nu_e$

[1] Using a two parameter fit in the z expansion. NODE=S034A22;LINKAGE=A

[2] Superseded by ABLIKIM 24CH. NODE=S034A22;LINKAGE=C

$r_v \equiv V(0)/A_1(0)$ in $D_s^+ \to K^*(892)^0 e^+ \nu_e$

NODE=S034A23

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
1.67±0.34±0.16	155	ABLIKIM	19D	BES3	$e^+ e^-$ at 4178 MeV

$r_2 \equiv A_2(0)/A_1(0)$ in $D_s^+ \to K^*(892)^0 e^+ \nu_e$

NODE=S034A24

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.77±0.28±0.07	155	ABLIKIM	19D	BES3	$e^+ e^-$ at 4178 MeV

$f_{D_s^+}\,|V_{cs}|$ in $D_s^+ \to \mu^+ \nu_\mu$

NODE=S034A25

VALUE (MeV)	EVTS	DOCUMENT ID		TECN	COMMENT
242.7±3.0 OUR AVERAGE					
246.5±5.9±3.6±0.5	0.5k	[1] ABLIKIM	24CG	BES3	$e^+ e^-$ at 4.237–4.699 GeV
241.8±2.5±2.2	2.5k	ABLIKIM	23BR	BES3	$e^+ e^-$ at 4.128–4.226 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
243.1±3.0±3.6±1.0	2.2K	[2,3] ABLIKIM	21BE	BES3	$e^+ e^-$ at 4.178, 4.226 GeV
246.2±3.6±3.5	1.1k	[3] ABLIKIM	19E	BES3	$e^+ e^-$ at 4.178 GeV

[1] The third uncertainty is due to the uncertainty of the D_s^+ lifetime. NODE=S034A25;LINKAGE=C

[2] The third uncertainty is dominated by the uncertainty of the D_s^+ lifetime. NODE=S034A25;LINKAGE=A

[3] Superseded by ABLIKIM 23BR. NODE=S034A25;LINKAGE=B

$f_{D_s^+}\,|V_{cs}|$ in $D_s^+ \to \tau^+ \nu_\tau$

NODE=S034A29

VALUE (MeV)	EVTS	DOCUMENT ID		TECN	COMMENT
247.5±2.3 OUR AVERAGE					
252.7±3.6±4.5±0.6	2.8k	[1] ABLIKIM	24CG	BES3	$e^+ e^-$ at 4.237–4.699 GeV
248.3±3.9±3.1±1.0	2.4k	[2] ABLIKIM	23BP	BES3	$e^+ e^-$ at 4.128–4.226 GeV
246.7±3.9±3.6	2.3k	[3] ABLIKIM	23BX	BES3	$e^+ e^-$ at 4.128–4.226 GeV
251.6±5.9±4.9	1.7k	[4] ABLIKIM	21AF	BES3	$e^+ e^-$ at 4.178, 4.226 GeV
244.4±2.3±2.9	4.9k	[5] ABLIKIM	21AZ	BES3	$e^+ e^-$ at 4.178, 4.226 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
243.0±5.8±4.0±1.0	950	[6,7] ABLIKIM	21BE	BES3	$e^+ e^-$ at 4.178, 4.226 GeV

[1] ABLIKIM 24CG uses $\tau^+ \to (e^+ \nu_e,\ \mu^+ \nu_\nu,\ \pi^+,\ \rho^+) \overline{\nu}_\tau$ decays. The third uncertainty is due to the uncertainty of the D_s^+ lifetime. NODE=S034A29;LINKAGE=H

[2] ABLIKIM 23BP uses $\tau^+ \to \pi^+ \overline{\nu}_\tau$ decays. The third uncertainty is due to the input parameters, mainly the D_s^+ lifetime. NODE=S034A29;LINKAGE=E

[3] ABLIKIM 23BX uses $\tau^+ \to \mu^+ \nu_\mu \overline{\nu}_\tau$ decays. NODE=S034A29;LINKAGE=F

[4] ABLIKIM 21AF uses $\tau^+ \to \pi^+ \pi^0 \overline{\nu}$ decays. NODE=S034A29;LINKAGE=A

[5] ABLIKIM 21AZ uses $\tau^+ \to e^+ \nu_e \overline{\nu}_\tau$ decays. NODE=S034A29;LINKAGE=B

[6] ABLIKIM 21BE uses $\tau^+ \to \pi^+ \overline{\nu}_\tau$ decays. When constrained by the Standard Model ratio of $\Gamma(D_s^+ \to \tau^+ \nu_\tau)/\Gamma(D_s^+ \to \mu^+ \nu_\mu) = 9.75$, the result is $243.2 \pm 2.3 \pm 3.3 \pm 1.0$. NODE=S034A29;LINKAGE=C

[7] The third uncertainty is dominated by the uncertainty of the D_s^+ lifetime. Superseded by ABLIKIM 23BP. NODE=S034A29;LINKAGE=D

$D_s^{\pm}$ REFERENCES

NODE=S034

ABLIKIM	25A	PRL 134 011904	M. Ablikim *et al.*	(BESIII Collab.)	REFID=63174
ABLIKIM	25BC	JHEP 2501 109	M. Ablikim *et al.*	(BESIII Collab.)	REFID=63432
ABLIKIM	25BR	PRL 135 161902	M. Ablikim *et al.*	(BESIII Collab.)	REFID=63611
ABLIKIM	25F	PRL 134 201902	M. Ablikim *et al.*	(BESIII Collab.)	REFID=63247
AGGARWAL	25	JHEP 2504 036	L. Aggarwal *et al.*	(BELLE and BELLE II Collab.)	REFID=63457
ABLIKIM	24AQ	PRL 132 091802	M. Ablikim *et al.*	(BESIII Collab.)	REFID=62712
ABLIKIM	24AT	PRL 132 141901	M. Ablikim *et al.*	(BESIII Collab.)	REFID=62723
ABLIKIM	24AV	PR D109 032011	M. Ablikim *et al.*	(BESIII Collab.)	REFID=62773
ABLIKIM	24BD	JHEP 2405 335	M. Ablikim *et al.*	(BESIII Collab.)	REFID=62863
ABLIKIM	24CF	PRL 133 121801	M. Ablikim	(BESIII Collab.)	REFID=63049
ABLIKIM	24CG	PR D110 052002	M. Ablikim *et al.*	(BESIII Collab.)	REFID=63076
ABLIKIM	24CH	PR D110 052012	M. Ablikim	(BESIII Collab.)	REFID=63080
ABLIKIM	24CI	PR D110 072017	M. Ablikim *et al.*	(BESIII Collab.)	REFID=63090
ABLIKIM	24CT	JHEP 2411 119	M. Ablikim *et al.*	(BESIII Collab.)	REFID=63138
AAIJ	23AN	JHEP 2307 204	R. Aaij *et al.*	(LHCb Collab.)	REFID=62395
AAIJ	23E	JHEP 2304 081	R. Aaij *et al.*	(LHCb Collab.)	REFID=62110
AAIJ	23L	JHEP 2307 067	R. Aaij *et al.*	(LHCb Collab.)	REFID=62158
ABLIKIM	23AL	PR D107 052010	M. Ablikim *et al.*	(BESIII Collab.)	REFID=62258
ABLIKIM	23AV	PR D108 032001	M. Ablikim *et al.*	(BESIII Collab.)	REFID=62341
ABLIKIM	23BO	PR D108 092003	M. Ablikim *et al.*	(BESIII Collab.)	REFID=62499
ABLIKIM	23BP	PR D108 092014	M. Ablikim *et al.*	(BESIII Collab.)	REFID=62503
ABLIKIM	23BR	PR D108 112001	M. Ablikim *et al.*	(BESIII Collab.)	REFID=62513
ABLIKIM	23BS	PR D108 112002	M. Ablikim *et al.*	(BESIII Collab.)	REFID=62514
ABLIKIM	23BX	JHEP 2309 124	M. Ablikim *et al.*	(BESIII Collab.)	REFID=62527
ABLIKIM	23BZ	JHEP 2312 072	M. Ablikim *et al.*	(BESIII Collab.)	REFID=62544
ADACHI	23G	PRL 131 171803	I. Adachi *et al.*	(BELLE II Collab.)	REFID=62458
LI	23G	PR D107 033003	L.K. Li *et al.*	(BELLE Collab.)	REFID=62251
MOON	23	PR D108 L111102	H.K. Moon *et al.*	(BELLE Collab.)	REFID=62511
ABLIKIM	22AA	JHEP 2204 058	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61787
ABLIKIM	22AB	JHEP 2207 051	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61810
ABLIKIM	22AC	JHEP 2208 196	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61820
ABLIKIM	22AH	PRL 129 182001	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61880
ABLIKIM	22BH	PR D106 112004	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61962
ABLIKIM	22BI	PR D106 112006	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61964
ABLIKIM	22BL	JHEP 2209 242	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61969
ABLIKIM	22F	PR D105 L051103	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61641
ABLIKIM	22J	PR D105 L031101	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61645
ABLIKIM	22Z	JHEP 2201 052	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61773
AAIJ	21T	JHEP 2106 044	R. Aaij *et al.*	(LHCb Collab.)	REFID=61314
AAIJ	21U	JHEP 2106 019	R. Aaij *et al.*	(LHCb Collab.)	REFID=61315
ABLIKIM	21AB	JHEP 2106 181	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61305
ABLIKIM	21AC	PR D104 012003	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61356
ABLIKIM	21AE	PR D104 012016	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61367
ABLIKIM	21AF	PR D104 032001	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61373
ABLIKIM	21AR	PR D104 L071101	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61453
ABLIKIM	21AZ	PRL 127 171801	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61502
ABLIKIM	21BE	PR D104 052009	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61516
ABLIKIM	21K	PR D103 092006	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61115
ABLIKIM	21U	PR D104 032011	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61155
ABLIKIM	21Y	PR D103 092004	M. Ablikim *et al.*	(BESIII Collab.)	REFID=61238
GUAN	21	PR D103 112005	Y. Guan *et al.*	(BELLE Collab.)	REFID=61246
LEES	21A	PR D104 072002	J.P. Lees *et al.*	(BABAR Collab.)	REFID=61442
ABLIKIM	20R	JHEP 2008 146	M. Ablikim *et al.*	(BESIII Collab.)	REFID=60528
AAIJ	19G	JHEP 1903 176	R. Aaij *et al.*	(LHCb Collab.)	REFID=59664
AAIJ	19T	PRL 122 191803	R. Aaij *et al.*	(LHCb Collab.)	REFID=59782
ABLIKIM	19AD	PR D99 072002	M. Ablikim *et al.*	(BESIII Collab.)	REFID=59854
ABLIKIM	19AH	PR D99 091101	M. Ablikim *et al.*	(BESIII Collab.)	REFID=59869
ABLIKIM	19AM	PR D99 112005	M. Ablikim *et al.*	(BESIII Collab.)	REFID=59888
ABLIKIM	19BD	PR D100 112008	M. Ablikim *et al.*	(BESIII Collab.)	REFID=60042
ABLIKIM	19BE	PRL 123 112001	M. Ablikim *et al.*	(BESIII Collab.)	REFID=60055
ABLIKIM	19D	PRL 122 061801	M. Ablikim *et al.*	(BESIII Collab.)	REFID=59592
ABLIKIM	19E	PRL 122 071802	M. Ablikim *et al.*	(BESIII Collab.)	REFID=59593
ABLIKIM	19O	PR D99 031101	M. Ablikim *et al.*	(BESIII Collab.)	REFID=59616
ABLIKIM	19S	PRL 122 121801	M. Ablikim *et al.*	(BESIII Collab.)	REFID=59766
ABLIKIM	18A	PR D97 012006	M. Ablikim *et al.*	(BESIII Collab.)	REFID=58717
AAIJ	17AF	PL B771 21	R. Aaij *et al.*	(LHCb Collab.)	REFID=57908
AAIJ	17AN	PRL 119 101801	R. Aaij *et al.*	(LHCb Collab.)	REFID=57951
ABLIKIM	16O	PR D94 072004	M. Ablikim *et al.*	(BESIII Collab.)	REFID=57521
ABLIKIM	16T	PR D94 112003	M. Ablikim *et al.*	(BESIII Collab.)	REFID=57619
ABLIKIM	15Z	PL B750 466	M. Ablikim *et al.*	(BESIII Collab.)	REFID=56929
HIETALA	15	PR D92 012009	J. Hietala *et al.*	(MINN, LUTH, OXF)	REFID=56599
LEES	15D	PR D91 019901 (errat.)	J.P. Lees *et al.*	(BABAR Collab.)	REFID=56429
AAIJ	14BD	JHEP 1410 025	R. Aaij *et al.*	(LHCb Collab.)	REFID=56173
AAIJ	14C	PL B728 585	R. Aaij *et al.*	(LHCb Collab.)	REFID=55630
ABAZOV	14B	PRL 112 111804	V.M. Abazov *et al.*	(D0 Collab.)	REFID=55834
AAIJ	13AF	PL B724 203	R. Aaij *et al.*	(LHCb Collab.)	REFID=55085
AAIJ	13V	JHEP 1306 065	R. Aaij *et al.*	(LHCb Collab.)	REFID=55034
AAIJ	13W	JHEP 1306 112	R. Aaij *et al.*	(LHCb Collab.)	REFID=55037
LEES	13E	PR D87 052012	J.P. Lees *et al.*	(BABAR Collab.)	REFID=54960
ONYISI	13	PR D88 032009	P.U.E. Onyisi *et al.*	(CLEO Collab.)	REFID=55177
ZUPANC	13	JHEP 1309 139	A. Zupanc *et al.*	(BELLE Collab.)	REFID=55420
DEL-AMO-SA...	11G	PR D83 052001	P. del Amo Sanchez *et al.*	(BABAR Collab.)	REFID=16489
LEES	11E	PR D84 031103	J.P. Lees *et al.*	(BABAR Collab.)	REFID=53773
LEES	11G	PR D84 072006	J.P. Lees *et al.*	(BABAR Collab.)	REFID=53808
MARTIN	11	PR D84 012005	L. Martin *et al.*	(CLEO Collab.)	REFID=16597
WILLIAMS	11	PR D84 054015	M. Williams	(LOIC)	REFID=56416
ASNER	10	PR D81 052007	D.M. Asner *et al.*	(CLEO Collab.)	REFID=53219
DEL-AMO-SA...	10J	PR D82 091103	P. del Amo Sanchez *et al.*	(BABAR Collab.)	REFID=53458
Also		PR D91 019901 (errat.)	J.P. Lees *et al.*	(BABAR Collab.)	REFID=56429
KO	10	PRL 104 181602	B.R. Ko *et al.*	(BELLE Collab.)	REFID=53302
MENDEZ	10	PR D81 052013	H. Mendez *et al.*	(CLEO Collab.)	REFID=53251
RUBIN	10	PR D82 092007	P. Rubin *et al.*	(CLEO Collab.)	REFID=53472
ALEXANDER	09	PR D79 052001	J.P. Alexander *et al.*	(CLEO Collab.)	REFID=52820
AUBERT	09O	PR D79 032003	B. Aubert *et al.*	(BABAR Collab.)	REFID=52795
BEDIAGA	09	PR D80 096006	I. Bediaga *et al.*	(CBPF, NDAM)	REFID=53161
DOBBS	09	PR D79 112008	S. Dobbs *et al.*	(CLEO Collab.)	REFID=52951

ECKLUND	09	PR D80 052009	K.M. Ecklund *et al.*	(CLEO Collab.)	REFID=53041
GE	09A	PR D80 051102	J.Y. Ge *et al.*	(CLEO Collab.)	REFID=53016
KO	09	PRL 102 221802	B.R. Ko *et al.*	(BELLE Collab.)	REFID=52831
MITCHELL	09A	PR D79 072008	R.E. Mitchell *et al.*	(CLEO Collab.)	REFID=52756
NAIK	09A	PR D80 112004	P. Naik *et al.*	(CLEO Collab.)	REFID=53171
ONYISI	09	PR D79 052002	P.U.E. Onyisi *et al.*	(CLEO Collab.)	REFID=52821
WON	09	PR D80 111101	E. Won *et al.*	(BELLE Collab.)	REFID=53164
YELTON	09	PR D80 052007	J. Yelton *et al.*	(CLEO Collab.)	REFID=53035
ALEXANDER	08	PRL 100 161804	J.P. Alexander *et al.*	(CLEO Collab.)	REFID=52188
ATHAR	08	PRL 100 181802	S.B. Athar *et al.*	(CLEO Collab.)	REFID=52241
AUBERT	08AN	PR D78 051101	B. Aubert *et al.*	(BABAR Collab.)	REFID=52362
AUBERT	08AO	PR D78 051102	B. Aubert *et al.*	(BABAR Collab.)	REFID=52363
ECKLUND	08	PRL 100 161801	K.M. Ecklund *et al.*	(CLEO Collab.)	REFID=52214
KLEMPT	08	EPJ C55 39	E. Klempt, M. Matveev, A.V. Sarantsev	(BONN+)	REFID=52286
LINK	08	PL B660 147	J.M. Link *et al.*	(FNAL FOCUS Collab.)	REFID=52187
WIDHALM	08	PRL 100 241801	L. Widhalm *et al.*	(BELLE Collab.)	REFID=52441
ADAMS	07A	PRL 99 191805	G.S. Adams *et al.*	(CLEO Collab.)	REFID=52020
AUBERT	07V	PRL 98 141801	B. Aubert *et al.*	(BABAR Collab.)	REFID=51749
PEDLAR	07A	PR D76 072002	T.K. Pedlar *et al.*	(CLEO Collab.)	REFID=51991
Also		PRL 99 071802	M. Artuso *et al.*	(CLEO Collab.)	REFID=51872
AUBERT	06N	PR D74 031103	B. Aubert *et al.*	(BABAR Collab.)	REFID=51142
HUANG	06B	PR D74 112005	G.S. Huang *et al.*	(CLEO Collab.)	REFID=51590
PDG	06	JP G33 1	W.-M. Yao *et al.*	(PDG Collab.)	REFID=51004
AUBERT	05V	PR D71 091104	B. Aubert *et al.*	(BABAR Collab.)	REFID=50636
LINK	05E	PL B622 239	J.M. Link *et al.*	(FNAL FOCUS Collab.)	REFID=50567
LINK	05J	PRL 95 052003	J.M. Link *et al.*	(FNAL FOCUS Collab.)	REFID=50693
LINK	05K	PL B624 166	J.M. Link *et al.*	(FNAL FOCUS Collab.)	REFID=50833
LINK	04	PL B585 200	J.M. Link *et al.*	(FNAL FOCUS Collab.)	REFID=49774
LINK	04C	PL B586 183	J.M. Link *et al.*	(FNAL FOCUS Collab.)	REFID=49887
LINK	04D	PL B586 191	J.M. Link *et al.*	(FNAL FOCUS Collab.)	REFID=49888
LINK	04F	PL B601 10	J.M. Link *et al.*	(FNAL FOCUS Collab.)	REFID=50131
ACOSTA	03D	PR D68 072004	D. Acosta *et al.*	(FNAL CDF-II Collab.)	REFID=49657
ANISOVICH	03	EPJ A16 229	V.V. Anisovich *et al.*		REFID=49401
LINK	03D	PL B561 225	J.M. Link *et al.*	(FNAL FOCUS Collab.)	REFID=49373
LINK	03F	PL B572 21	J.M. Link *et al.*	(FNAL FOCUS Collab.)	REFID=49533
AUBERT	02G	PR D65 091104	B. Aubert *et al.*	(BABAR Collab.)	REFID=48638
HEISTER	02I	PL B528 1	A. Heister *et al.*	(ALEPH Collab.)	REFID=48631
LINK	02I	PL B541 227	J.M. Link *et al.*	(FNAL FOCUS Collab.)	REFID=48776
LINK	02J	PL B541 243	J.M. Link *et al.*	(FNAL FOCUS Collab.)	REFID=48777
ABBIENDI	01L	PL B516 236	G. Abbiendi *et al.*	(OPAL Collab.)	REFID=48285
AITALA	01A	PRL 86 765	E.M. Aitala *et al.*	(FNAL E791 Collab.)	REFID=48004
IORI	01	PL B523 22	M. Iori *et al.*	(FNAL SELEX Collab.)	REFID=48474
LINK	01C	PRL 87 162001	J.M. Link *et al.*	(FNAL FOCUS Collab.)	REFID=48360
ALEXANDROV	00	PL B478 31	Y. Alexandrov *et al.*	(CERN BEATRICE Collab.)	REFID=47606
AITALA	99	PL B445 449	E.M. Aitala *et al.*	(FNAL E791 Collab.)	REFID=46573
AITALA	99D	PL B450 294	E.M. Aitala *et al.*	(FNAL E791 Collab.)	REFID=46992
AITALA	99G	PL B462 401	E.M. Aitala *et al.*	(FNAL E791 Collab.)	REFID=47185
BONVICINI	99	PRL 82 4586	G. Bonvicini *et al.*	(CLEO Collab.)	REFID=47018
CHADHA	98	PR D58 032002	M. Chada *et al.*	(CLEO Collab.)	REFID=46054
JESSOP	98	PR D58 052002	C.P. Jessop *et al.*	(CLEO Collab.)	REFID=46141
ACCIARRI	97F	PL B396 327	M. Acciarri *et al.*	(L3 Collab.)	REFID=45317
BALEST	97	PRL 79 1436	R. Balest *et al.*	(CLEO Collab.)	REFID=45589
FRABETTI	97C	PL B401 131	P.L. Frabetti *et al.*	(FNAL E687 Collab.)	REFID=45411
FRABETTI	97D	PL B407 79	P.L. Frabetti *et al.*	(FNAL E687 Collab.)	REFID=45554
ARTUSO	96	PL B378 364	M. Artuso *et al.*	(CLEO Collab.)	REFID=44726
BAI	95C	PR D52 3781	J.Z. Bai *et al.*	(BES Collab.)	REFID=44450
BRANDENB...	95	PRL 75 3804	G.W. Brandenburg *et al.*	(CLEO Collab.)	REFID=44554
FRABETTI	95B	PL B351 591	P.L. Frabetti *et al.*	(FNAL E687 Collab.)	REFID=44284
KODAMA	95	PL B345 85	K. Kodama *et al.*	(FNAL E653 Collab.)	REFID=44124
ACOSTA	94	PR D49 5690	D. Acosta *et al.*	(CLEO Collab.)	REFID=43734
AVERY	94B	PL B337 405	P. Avery *et al.*	(CLEO Collab.)	REFID=44019
BROWN	94	PR D50 1884	D. Brown *et al.*	(CLEO Collab.)	REFID=43868
BUTLER	94	PL B324 255	F. Butler *et al.*	(CLEO Collab.)	REFID=43764
FRABETTI	94F	PL B328 187	P.L. Frabetti *et al.*	(FNAL E687 Collab.)	REFID=43888
FRABETTI	93F	PRL 71 827	P.L. Frabetti *et al.*	(FNAL E687 Collab.)	REFID=43453
FRABETTI	93G	PL B313 253	P.L. Frabetti *et al.*	(FNAL E687 Collab.)	REFID=43468
KODAMA	93	PL B309 483	K. Kodama *et al.*	(FNAL E653 Collab.)	REFID=43434
ALBRECHT	92B	ZPHY C53 361	H. Albrecht *et al.*	(ARGUS Collab.)	REFID=41917
ALEXANDER	92	PRL 68 1275	J. Alexander *et al.*	(CLEO Collab.)	REFID=41912
AVERY	92	PRL 68 1279	P. Avery *et al.*	(CLEO Collab.)	REFID=41913
BARLAG	92C	ZPHY C55 383	S. Barlag *et al.*	(ACCMOR Collab.)	REFID=42202
Also		ZPHY C48 29	S. Barlag *et al.*	(ACCMOR Collab.)	REFID=41313
FRABETTI	92	PL B281 167	P.L. Frabetti *et al.*	(FNAL E687 Collab.)	REFID=42079
ALBRECHT	91	PL B255 634	H. Albrecht *et al.*	(ARGUS Collab.)	REFID=41443
ALVAREZ	91	PL B255 639	M.P. Alvarez *et al.*	(CERN NA14/2 Collab.)	REFID=41444
ALBRECHT	90D	PL B245 315	H. Albrecht *et al.*	(ARGUS Collab.)	REFID=41331
ALEXANDER	90B	PRL 65 1531	J. Alexander *et al.*	(CLEO Collab.)	REFID=41304
BARLAG	90C	ZPHY C46 563	S. Barlag *et al.*	(ACCMOR Collab.)	REFID=41097
FRABETTI	90	PL B251 639	P.L. Frabetti *et al.*	(FNAL E687 Collab.)	REFID=41441
ANJOS	89E	PL B223 267	J.C. Anjos *et al.*	(FNAL E691 Collab.)	REFID=40770
CHEN	89	PL B226 192	W.Y. Chen *et al.*	(CLEO Collab.)	REFID=40823
ALBRECHT	88	PL B207 349	H. Albrecht *et al.*	(ARGUS Collab.)	REFID=40269
ANJOS	88	PRL 60 897	J.C. Anjos *et al.*	(FNAL E691 Collab.)	REFID=40295
RAAB	88	PR D37 2391	J.R. Raab *et al.*	(FNAL E691 Collab.)	REFID=40355
BECKER	87B	PL B184 277	H. Becker *et al.*	(NA11 and NA32 Collabs.)	REFID=40322
BLAYLOCK	87	PRL 58 2171	G.T. Blaylock *et al.*	(Mark III Collab.)	REFID=40005
USHIDA	86	PRL 56 1767	N. Ushida *et al.*	(FNAL E531 Collab.)	REFID=11478
ALBRECHT	85D	PL 153B 343	H. Albrecht *et al.*	(ARGUS Collab.)	REFID=20562
DERRICK	85B	PRL 54 2568	M. Derrick *et al.*	(HRS Collab.)	REFID=11565
AIHARA	84D	PRL 53 2465	H. Aihara *et al.*	(TPC Collab.)	REFID=11561
ALTHOFF	84	PL 136B 130	M. Althoff *et al.*	(TASSO Collab.)	REFID=11562
BAILEY	84	PL 139B 320	R. Bailey *et al.*	(ACCMOR Collab.)	REFID=11466
CHEN	83C	PRL 51 634	A. Chen *et al.*	(CLEO Collab.)	REFID=11559
MOSTELLER	48	AST 2 No.5 30	R.A. Fisher, F. Mosteller		REFID=56417

OTHER RELATED PAPERS

RICHMAN	95	RMP 67 893	J.D. Richman, P.R. Burchat	(UCSB, STAN)	REFID=44678