



$$I(J^P) = 0(\frac{1}{2}^+) \text{ Status: } ***$$

In the quark model, a Λ_b^0 is an isospin-0 $u d b$ state. The lowest Λ_b^0 ought to have $J^P = 1/2^+$. None of I , J , or P have actually been measured.

NODE=S040

NODE=S040

Λ_b^0 MASS

NODE=S040205

NODE=S040M
NODE=S040M
 $m_{\Lambda_b^0}$

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
5619.57 ± 0.16 OUR AVERAGE				
5619.34 ± 0.06 ± 0.47		¹ AAIJ	24V LHCb	$p\bar{p}$ at 13 TeV
5619.62 ± 0.16 ± 0.13		² AAIJ	17AMLHCb	$p\bar{p}$ at 7, 8 TeV
5619.30 ± 0.34		³ AAIJ	14AA LHCb	$p\bar{p}$ at 7 TeV
5620.15 ± 0.31 ± 0.47		⁴ AALTONEN	14B CDF	$p\bar{p}$ at 1.96 TeV
5619.7 ± 0.7 ± 1.1		⁴ AAD	13U ATLS	$p\bar{p}$ at 7 TeV
5621 ± 4 ± 3		⁵ ABE	97B CDF	$p\bar{p}$ at 1.8 TeV
5668 ± 16 ± 8	4	⁶ ABREU	96N DLPH	$e^+e^- \rightarrow Z$
5614 ± 21 ± 4	4	⁶ BUSKULIC	96L ALEP	$e^+e^- \rightarrow Z$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
5619.65 ± 0.17 ± 0.17		⁷ AAIJ	16Y LHCb	Repl. by AAIJ 17AM
5619.44 ± 0.13 ± 0.38		⁴ AAIJ	13AV LHCb	Repl. by AAIJ 17AM
5619.19 ± 0.70 ± 0.30		⁴ AAIJ	12E LHCb	Repl. by AAIJ 13AV
5619.7 ± 1.2 ± 1.2		⁸ ACOSTA	06 CDF	Repl. by AALTO-NEN 14B
not seen		⁹ ABE	93B CDF	Repl. by ABE 97B
5640 ± 50 ± 30	16	¹⁰ ALBAJAR	91E UA1	$p\bar{p}$ 630 GeV
5640 $^{+100}_{-210}$	52	BARI	91 SFM	$\Lambda_b^0 \rightarrow p D^0 \pi^-$
5650 $^{+150}_{-200}$	90	BARI	91 SFM	$\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^+ \pi^- \pi^-$

OCCUR=2

¹ Uses $\Lambda_b^0 \rightarrow \Lambda_c^+ D_s^-$ decays.

² Uses $\Lambda_b^0 \rightarrow \chi_{c1} p K^-$, $\Lambda_b^0 \rightarrow \chi_{c2} p K^-$, $\Lambda_b^0 \rightarrow J/\psi \Lambda$, $\Lambda_b^0 \rightarrow p \psi(2S) K^-$, $\Lambda_b^0 \rightarrow p J/\psi \pi^+ \pi^- K^-$, and $\Lambda_b^0 \rightarrow p J/\psi K^-$ decays.

³ Uses exclusively reconstructed final states $\Lambda_b^0 \rightarrow \Lambda_c^+ D_s^-$, $\Lambda_c^+ D^-$ and $\bar{B}^0 \rightarrow D^+ D_s^-$ decays. The uncertainty includes both statistical and systematic contributions.

⁴ Uses $\Lambda_b^0 \rightarrow J/\psi \Lambda$ fully reconstructed decays.

⁵ ABE 97B observed 38 events with a background of 18 ± 1.6 events in the mass range 5.60–5.65 GeV/ c^2 , a significance of > 3.4 standard deviations.

⁶ Uses 4 fully reconstructed Λ_b events.

⁷ Uses $\Lambda_b^0 \rightarrow p \psi(2S) K^-$, $\Lambda_b^0 \rightarrow p J/\psi \pi^+ \pi^- K^-$, and $\Lambda_b^0 \rightarrow p J/\psi K^-$ decays.

⁸ Uses exclusively reconstructed final states containing a $J/\psi \rightarrow \mu^+ \mu^-$ decays.

⁹ ABE 93B states that, based on the signal claimed by ALBAJAR 91E, CDF should have found $30 \pm 23 \Lambda_b^0 \rightarrow J/\psi(1S) \Lambda$ events. Instead, CDF found not more than 2 events.

¹⁰ ALBAJAR 91E claims 16 ± 5 events above a background of 9 ± 1 events, a significance of about 5 standard deviations.

NODE=S040M;LINKAGE=J

NODE=S040M;LINKAGE=I

NODE=S040M;LINKAGE=H

NODE=S040M;LINKAGE=AA

NODE=S040M;LINKAGE=F

NODE=S040M;LINKAGE=E

NODE=S040M;LINKAGE=G

NODE=S040M;LINKAGE=AT

NODE=S040M;LINKAGE=D

NODE=S040M;LINKAGE=C

 $m_{\Lambda_b^0} - m_{B^0}$
NODE=S040DM
NODE=S040DM

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
339.2 ± 1.4 ± 0.1	¹ ACOSTA	06 CDF	$p\bar{p}$ at 1.96 TeV

¹ Uses exclusively reconstructed final states containing $J/\psi \rightarrow \mu^+ \mu^-$ decays.

NODE=S040DM;LINKAGE=AT

 $m_{\Lambda_b^0} - m_{B^+}$
NODE=S040DM2
NODE=S040DM2

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
339.72 ± 0.24 ± 0.18	¹ AAIJ	14AA LHCb	$p\bar{p}$ at 7 TeV
339.71 ± 0.71 ± 0.09	² AAIJ	12E LHCb	$p\bar{p}$ at 7 TeV

¹ Uses exclusively reconstructed final states $\Lambda_b^0 \rightarrow \Lambda_c^+ D_s^-$, $\Lambda_c^+ D^-$ and $\bar{B}^0 \rightarrow D^+ D_s^-$ decays.

NODE=S040DM2;LINKAGE=A

² Uses exclusively reconstructed final states containing $J/\psi \rightarrow \mu^+ \mu^-$ decays.

NODE=S040DM2;LINKAGE=AA

Λ_b^0 MEAN LIFE

NODE=S040T

See b -baryon Admixture section for data on b -baryon mean life average over species of b -baryon particles.

NODE=S040T

VALUE (10^{-12} s)	EVTS	DOCUMENT ID	TECN	COMMENT
1.468±0.009 OUR EVALUATION (Produced by HFLAV)				
1.477±0.027±0.009	1	SIRUNYAN	18BY CMS	pp at 8 TeV
1.415±0.027±0.006	2	AAIJ	14E LHCb	pp at 7 TeV
1.479±0.009±0.010	3	AAIJ	14U LHCb	pp at 7, 8 TeV
1.565±0.035±0.020	2	AALTONEN	14B CDF	$p\bar{p}$ at 1.96 TeV
1.449±0.036±0.017	2	AAD	13U ATLS	pp at 7 TeV
1.503±0.052±0.031	2	CHATRCHYAN	13AC CMS	pp at 7 TeV
1.303±0.075±0.035	2	ABAZOV	12U D0	$p\bar{p}$ at 1.96 TeV
1.401±0.046±0.035	4	AALTONEN	10B CDF	$p\bar{p}$ at 1.96 TeV
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.482±0.018±0.012	5	AAIJ	13BB LHCb	Repl. by AAIJ 14U
1.537±0.045±0.014	2	AALTONEN	11 CDF	Repl. by AALTONEN 14B
1.218 $^{+0.130}_{-0.115}$ ±0.042	2	ABAZOV	07S D0	Repl. by ABAZOV 12U
1.290 $^{+0.119+0.087}_{-0.110-0.091}$	6	ABAZOV	07U D0	$p\bar{p}$ at 1.96 TeV
1.593 $^{+0.083}_{-0.078}$ ±0.033	2	ABULENCIA	07A CDF	Repl. by AALTONEN 11
1.22 $^{+0.22}_{-0.18}$ ±0.04	2	ABAZOV	05C D0	Repl. by ABAZOV 07S
1.11 $^{+0.19}_{-0.18}$ ±0.05	7	ABREU	99W DLPH	$e^+e^- \rightarrow Z$
1.29 $^{+0.24}_{-0.22}$ ±0.06	7	ACKERSTAFF	98G OPAL	$e^+e^- \rightarrow Z$
1.21±0.11	7	BARATE	98D ALEP	$e^+e^- \rightarrow Z$
1.32±0.15±0.07	8	ABE	96M CDF	$p\bar{p}$ at 1.8 TeV
1.19 $^{+0.21+0.07}_{-0.18-0.08}$		ABREU	96D DLPH	Repl. by ABREU 99W
1.27 $^{+0.35}_{-0.29}$ ±0.09		ABREU	95S DLPH	Repl. by ABREU 99W
1.14 $^{+0.22}_{-0.19}$ ±0.07	69	AKERS	95K OPAL	Repl. by ACKERSTAFF 98G
1.02 $^{+0.23}_{-0.18}$ ±0.06	44	BUSKULIC	95L ALEP	Repl. by BARATE 98D

NODE=S040T

→ UNCHECKED ←

OCCUR=3

OCCUR=2

¹ Measured using $\Lambda_b^0 \rightarrow J/\psi \Lambda$ decays.

² Measured mean life using fully reconstructed $\Lambda_b^0 \rightarrow J/\psi \Lambda$ decays.

³ Used $\Lambda_b^0 \rightarrow J/\psi p K^-$ decays.

⁴ Measured mean life using fully reconstructed $\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-$ decays.

⁵ Measured the lifetime ratio of decays $\Lambda_b^0 \rightarrow J/\psi p K^-$ to $B^0 \rightarrow J/\psi \pi^+ K^-$ to be $0.976 \pm 0.012 \pm 0.006$ with $\tau_{B^0} = 1.519 \pm 0.007$ ps.

⁶ Measured using semileptonic decays $\Lambda_b^0 \rightarrow \Lambda_c^+ \mu \nu X$ and $\Lambda_c^+ \rightarrow K_S^0 p$.

⁷ Measured using $\Lambda_c \ell^-$ and $\Lambda \ell^+ \ell^-$.

⁸ Excess $\Lambda_c \ell^-$, decay lengths.

NODE=S040T;LINKAGE=A

NODE=S040T;LINKAGE=AB

NODE=S040T;LINKAGE=AI

NODE=S040T;LINKAGE=AA

NODE=S040T;LINKAGE=AJ

NODE=S040T;LINKAGE=AZ

NODE=S040T;LINKAGE=KK

NODE=S040T;LINKAGE=AE

$\tau_{\Lambda_b^0}/\tau_{\Lambda_b^0}$

VALUE	DOCUMENT ID	TECN	COMMENT
0.940±0.035±0.006	1 AAIJ	14E LHCb	pp at 7 TeV

¹ Measured using $\Lambda_b^0 \rightarrow J/\psi \Lambda$ decays.

NODE=S040DT

NODE=S040DT

NODE=S040DT;LINKAGE=A

$\tau_{\Lambda_b^0}/\tau_{B^0}$ MEAN LIFE RATIO

NODE=S040211

$\tau_{\Lambda_b^0}/\tau_{B^0}$ (direct measurements)

VALUE	DOCUMENT ID	TECN	COMMENT
0.964±0.007 OUR EVALUATION (Produced by HFLAV)			
0.970±0.009 OUR AVERAGE Error includes scale factor of 1.4. See the ideogram below.			
0.978±0.018±0.006	1	SIRUNYAN	18BY CMS
0.929±0.018±0.004	1	AAIJ	14E LHCb
0.974±0.006±0.004	2	AAIJ	14U LHCb
0.960±0.025±0.016	3	AAD	13U ATLS
0.864±0.052±0.033	4,5	ABAZOV	12U D0
1.020±0.030±0.008	4	AALTONEN	11 CDF

NODE=S040TR

NODE=S040TR

→ UNCHECKED ←

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.976 \pm 0.012 \pm 0.006$	⁶ AAIJ	13BB LHCb	Repl. by AAIJ 14U
$0.811^{+0.096}_{-0.087} \pm 0.034$	^{4,5} ABAZOV	07S D0	Repl. by ABAZOV 12U
1.041 ± 0.057	⁷ ABULENCIA	07A CDF	Repl. by AALTONEN 11
$0.87^{+0.17}_{-0.14} \pm 0.03$	⁷ ABAZOV	05C D0	Repl. by ABAZOV 07S

¹ Measured using $\Lambda_b^0 \rightarrow J/\psi \Lambda$ and $B^0 \rightarrow J/\psi K^*(892)^0$ decays.

² Used $\Lambda_b^0 \rightarrow J/\psi p K^-$ and $B^0 \rightarrow J/\psi K^*(892)^0$ decays.

³ Measured with $\Lambda_b^0 \rightarrow J/\psi(\mu^+ \mu^-) \Lambda^0(p \pi^-)$ decays.

⁴ Uses fully reconstructed $\Lambda_b \rightarrow J/\psi \Lambda$ decays.

⁵ Uses $B^0 \rightarrow J/\psi K_S^0$ decays for denominator.

⁶ Measures $1/\tau_{\Lambda_b^0} - 1/\tau_{B^0}$ and uses $\tau_{B^0} = 1.519 \pm 0.007$ ps to extract lifetime ratio.

⁷ Measured mean life ratio using fully reconstructed decays.

NODE=S040TR;LINKAGE=B

NODE=S040TR;LINKAGE=AA


NODE=S040TR;LINKAGE=AD

NODE=S040TR;LINKAGE=ZO

NODE=S040TR;LINKAGE=ZV

NODE=S040TR;LINKAGE=A

NODE=S040TR;LINKAGE=AB



Λ_b^0 DECAY MODES

The branching fractions $B(b\text{-baryon} \rightarrow \Lambda \ell^- \bar{\nu}_\ell \text{ anything})$ and $B(\Lambda_b^0 \rightarrow \Lambda_c^+ \ell^- \bar{\nu}_\ell \text{ anything})$ are not pure measurements because the underlying measured products of these with $B(b \rightarrow b\text{-baryon})$ were used to determine $B(b \rightarrow b\text{-baryon})$, as described in the note "Production and Decay of b -Flavored Hadrons."

For inclusive branching fractions, e.g., $\Lambda_b \rightarrow \bar{\Lambda}_c \text{ anything}$, the values usually are multiplicities, not branching fractions. They can be greater than one.

NODE=S040210;NODE=S040

NODE=S040

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1 $J/\psi(1S)\Lambda$	$(2.8 \pm 0.4) \times 10^{-4}$	DESIG=39
Γ_2 $J/\psi(1S)\Lambda\phi$	$(1.16 \pm 0.25) \times 10^{-5}$	DESIG=70
Γ_3 $\psi(2S)\Lambda$	$(1.40 \pm 0.23) \times 10^{-4}$	DESIG=40
Γ_4 $p D^0 \pi^-$	$(6.3 \pm 0.6) \times 10^{-4}$	DESIG=1
Γ_5 $\Lambda_c(2860)^+ \pi^-$, $\Lambda_c^+ \rightarrow D^0 p$		DESIG=58
Γ_6 $\Lambda_c(2880)^+ \pi^-$, $\Lambda_c^+ \rightarrow D^0 p$		DESIG=56
Γ_7 $\Lambda_c(2940)^+ \pi^-$, $\Lambda_c^+ \rightarrow D^0 p$		DESIG=57
Γ_8 $p D^+ \pi^- \pi^-$	$(2.8 \pm 0.4) \times 10^{-4}$	DESIG=79
Γ_9 $p D^*(2010)^+ \pi^- \pi^-$	$(5.3 \pm 1.0) \times 10^{-4}$	DESIG=80
Γ_{10} $p D^0 K^-$	$(4.6 \pm 0.8) \times 10^{-5}$	DESIG=28
Γ_{11} $p D K^-, D \rightarrow K^- \pi^+$		DESIG=76

Г ₁₂	pDK^- , $D \rightarrow K^+\pi^-$			DESIG=77
Г ₁₃	$pJ/\psi\pi^-$	$(2.6^{+0.5}_{-0.4}) \times 10^{-5}$		DESIG=32
Г ₁₄	$p\pi^-J/\psi$, $J/\psi \rightarrow \mu^+\mu^-$	$(1.6 \pm 0.8) \times 10^{-6}$		DESIG=55
Г ₁₅	$pJ/\psi K^-$	$(3.2^{+0.6}_{-0.5}) \times 10^{-4}$		DESIG=33
Г ₁₆	$J/\psi\Xi^-K^+$	$(3.3 \pm 0.7) \times 10^{-6}$		DESIG=105
Г ₁₇	$p\eta_c(1S)K^-$	$(1.06 \pm 0.26) \times 10^{-4}$		DESIG=71
Г ₁₈	$P_{c\bar{c}}(4312)^+K^-$, $P_{c\bar{c}}^+ \rightarrow p\eta_c(1S)$	$< 2.5 \times 10^{-5}$	CL=95%	DESIG=72
Г ₁₉	$P_{c\bar{c}}(4380)^+K^-$, $P_{c\bar{c}}^+ \rightarrow pJ/\psi$	[a] $(2.7 \pm 1.4) \times 10^{-5}$		DESIG=42
Г ₂₀	$P_c(4450)^+K^-$, $P_c \rightarrow pJ/\psi$	[a] $(1.3 \pm 0.4) \times 10^{-5}$		DESIG=43
Г ₂₁	$\chi_{c1}(1P)pK^-$	$(7.7^{+1.5}_{-1.3}) \times 10^{-5}$		DESIG=52
Г ₂₂	$\chi_{c1}(1P)p\pi^-$	$(5.1^{+1.3}_{-1.2}) \times 10^{-6}$		DESIG=74
Г ₂₃	$\chi_{c2}(1P)pK^-$	$(7.9^{+1.7}_{-1.4}) \times 10^{-5}$		DESIG=53
Г ₂₄	$\chi_{c2}(1P)p\pi^-$	$(4.8 \pm 1.9) \times 10^{-6}$		DESIG=75
Г ₂₅	$pJ/\psi(1S)\pi^+\pi^-K^-$	$(6.6^{+1.3}_{-1.1}) \times 10^{-5}$		DESIG=46
Г ₂₆	$p\psi(2S)K^-$	$(6.6^{+1.2}_{-1.0}) \times 10^{-5}$		DESIG=45
Г ₂₇	$\chi_{c1}(3872)pK^-$	$(2.8 \pm 1.2) \times 10^{-5}$		DESIG=67
Г ₂₈	$\chi_{c1}(3872)\Lambda(1520)$	$(1.6 \pm 0.8) \times 10^{-5}$		DESIG=66
Г ₂₉	$\psi(2S)p\pi^-$	$(7.5^{+1.6}_{-1.4}) \times 10^{-6}$		DESIG=59
Г ₃₀	$p\bar{K}^0\pi^-$	$(1.3 \pm 0.4) \times 10^{-5}$		DESIG=34
Г ₃₁	pK^0K^-	$< 3.5 \times 10^{-6}$	CL=90%	DESIG=35
Г ₃₂	$\Lambda_c^+\pi^-$	$(4.9 \pm 0.4) \times 10^{-3}$	S=1.2	DESIG=11
Г ₃₃	$\Lambda_c^+K^-$	$(3.56 \pm 0.28) \times 10^{-4}$	S=1.2	DESIG=29
Г ₃₄	$\Lambda_c^+a_1(1260)^-$	seen		DESIG=12
Г ₃₅	$\Lambda_c^+D^-$	$(4.6 \pm 0.6) \times 10^{-4}$		DESIG=31
Г ₃₆	$\Lambda_c^+D_s^-$	$(1.10 \pm 0.10) \%$		DESIG=30
Г ₃₇	$\Lambda_c^+D_s^{*-}$	$(1.83 \pm 0.18) \%$		DESIG=82
Г ₃₈	$\Lambda_c^+\bar{D}^0K^-$	$(2.13 \pm 0.20) \times 10^{-3}$		DESIG=83
Г ₃₉	$\Lambda_c^+\bar{D}^{*0}K^-$	$(6.6 \pm 0.7) \times 10^{-3}$		DESIG=84
Г ₄₀	$\Lambda_c^+\pi^+\pi^-\pi^-$	$(7.6 \pm 1.1) \times 10^{-3}$	S=1.1	DESIG=4
Г ₄₁	$\Lambda_c(2595)^+\pi^-$, $\Lambda_c(2595)^+ \rightarrow \Lambda_c^+\pi^+\pi^-$	$(3.4 \pm 1.4) \times 10^{-4}$		DESIG=22
Г ₄₂	$\Lambda_c(2625)^+\pi^-$, $\Lambda_c(2625)^+ \rightarrow \Lambda_c^+\pi^+\pi^-$	$(3.3 \pm 1.3) \times 10^{-4}$		DESIG=23
Г ₄₃	$\Sigma_c(2455)^0\pi^+\pi^-$, $\Sigma_c^0 \rightarrow \Lambda_c^+\pi^-$	$(5.7 \pm 2.2) \times 10^{-4}$		DESIG=24
Г ₄₄	$\Sigma_c(2455)^{++}\pi^-\pi^-$, $\Sigma_c^{++} \rightarrow \Lambda_c^+\pi^+$	$(3.2 \pm 1.5) \times 10^{-4}$		DESIG=25
Г ₄₅	$\Sigma_c(2455)^{++}D^-K^-$	$(6.0 \pm 0.8) \times 10^{-4}$		DESIG=86
Г ₄₆	$\Sigma_c(2455)^{++}D^{*-}K^-$	$(1.36 \pm 0.22) \times 10^{-3}$		DESIG=85
Г ₄₇	$\Sigma_c(2520)^{++}D^-K^-$	$(2.8 \pm 0.5) \times 10^{-4}$		DESIG=88
Г ₄₈	$\Sigma_c(2520)^{++}D^{*-}K^-$	$(5.4 \pm 1.1) \times 10^{-4}$		DESIG=87
Г ₄₉	$\Lambda_c^+K^+K^-\pi^-$	$(1.02 \pm 0.11) \times 10^{-3}$		DESIG=73
Г ₅₀	$\Lambda_c^+p\bar{p}\pi^-$	$(2.63 \pm 0.27) \times 10^{-4}$		DESIG=62
Г ₅₁	$\Sigma_c(2455)^0p\bar{p}$, $\Sigma_c^0 \rightarrow \Lambda_c^+\pi^-$	$(2.3 \pm 0.5) \times 10^{-5}$		DESIG=63
Г ₅₂	$\Sigma_c(2520)^0p\bar{p}$, $\Sigma_c(2520)^0 \rightarrow \Lambda_c^+\pi^-$	$(3.1 \pm 0.7) \times 10^{-5}$		DESIG=64
Г ₅₃	$\Lambda K^0 2\pi^+ 2\pi^-$			DESIG=2
Г ₅₄	$\Lambda_c^+\ell^-\bar{\nu}_\ell$ anything	[b] $(4.3 \pm 0.8) \%$		DESIG=6

Γ ₅₅	$\Lambda_c^+ \ell^- \bar{\nu}_\ell$	$(6.2^{+1.4}_{-1.3}) \%$		DESIG=15
Γ ₅₆	$\Lambda_c^+ \tau^- \bar{\nu}_\tau$	$(1.9 \pm 0.5) \%$		DESIG=78
Γ ₅₇	$\Lambda_c^+ \pi^+ \pi^- \ell^- \bar{\nu}_\ell$	$(5.6 \pm 3.1) \%$		DESIG=16
Γ ₅₈	$\Lambda_c(2595)^+ \ell^- \bar{\nu}_\ell$	$(7.9^{+4.0}_{-3.5}) \times 10^{-3}$		DESIG=18
Γ ₅₉	$\Lambda_c(2625)^+ \ell^- \bar{\nu}_\ell$	$(1.3^{+0.6}_{-0.5}) \%$		DESIG=19
Γ ₆₀	$\Sigma_c(2455)^0 \pi^+ \ell^- \bar{\nu}_\ell$			DESIG=20
Γ ₆₁	$\Sigma_c(2455)^{++} \pi^- \ell^- \bar{\nu}_\ell$			DESIG=21
Γ ₆₂	$p h^-$	$[c] < 2.3 \times 10^{-5}$	CL=90%	DESIG=17
Γ ₆₃	$p \pi^-$	$(1.85 \pm 0.30) \times 10^{-6}$		DESIG=9
Γ ₆₄	$p K^-$	$(2.2 \pm 0.4) \times 10^{-6}$		DESIG=10
Γ ₆₅	$p D_s^-$	$(1.25 \pm 0.13) \times 10^{-5}$		DESIG=36
Γ ₆₆	$p \mu^- \bar{\nu}_\mu$	$(4.1 \pm 1.0) \times 10^{-4}$		DESIG=41
Γ ₆₇	$\Lambda \mu^+ \mu^-$	$(1.08 \pm 0.28) \times 10^{-6}$		DESIG=26
Γ ₆₈	$p \pi^- \mu^+ \mu^-$	$(6.9 \pm 2.5) \times 10^{-8}$		DESIG=54
Γ ₆₉	$p K^- e^+ e^-$	$(3.1 \pm 0.6) \times 10^{-7}$		DESIG=68
Γ ₇₀	$p K^- \mu^+ \mu^-$	$(2.6^{+0.5}_{-0.4}) \times 10^{-7}$		DESIG=69
Γ ₇₁	$\Lambda(1520)^0 \mu^+ \mu^-$			DESIG=81
Γ ₇₂	$\Lambda \gamma$	$(7.1 \pm 1.7) \times 10^{-6}$		DESIG=13
Γ ₇₃	$\bar{p} K^- \gamma$			DESIG=104
Γ ₇₄	$\Lambda(1405)^0 \gamma$			DESIG=90
Γ ₇₅	$\Lambda(1520)^0 \gamma$			DESIG=91
Γ ₇₆	$\Lambda(1600)^0 \gamma$			DESIG=92
Γ ₇₇	$\Lambda(1670)^0 \gamma$			DESIG=93
Γ ₇₈	$\Lambda(1690)^0 \gamma$			DESIG=94
Γ ₇₉	$\Lambda(1800)^0 \gamma$			DESIG=95
Γ ₈₀	$\Lambda(1810)^0 \gamma$			DESIG=96
Γ ₈₁	$\Lambda(1820)^0 \gamma$			DESIG=97
Γ ₈₂	$\Lambda(1830)^0 \gamma$			DESIG=98
Γ ₈₃	$\Lambda(1890)^0 \gamma$			DESIG=99
Γ ₈₄	$\Lambda(2100)^0 \gamma$			DESIG=100
Γ ₈₅	$\Lambda(2110)^0 \gamma$			DESIG=101
Γ ₈₆	$\Lambda(2530)^0 \gamma$			DESIG=102
Γ ₈₇	$(\bar{p} K^-) \text{ nonresonant } \gamma$			DESIG=103
Γ ₈₈	$\Lambda \eta$	$(9^{+7}_{-5}) \times 10^{-6}$		DESIG=37
Γ ₈₉	$\Lambda \eta'(958)$	$< 3.1 \times 10^{-6}$	CL=90%	DESIG=38
Γ ₉₀	$\Lambda \pi^+ \pi^-$	$(6.4 \pm 0.9) \times 10^{-6}$		DESIG=47
Γ ₉₁	$\Lambda K^+ \pi^-$	$(5.5 \pm 0.7) \times 10^{-6}$		DESIG=48
Γ ₉₂	$\Lambda K^+ K^-$	$(1.28 \pm 0.12) \times 10^{-5}$		DESIG=49
Γ ₉₃	$\Lambda D^+ D^-$	$(1.24 \pm 0.35) \times 10^{-4}$		DESIG=89
Γ ₉₄	$\Lambda \phi$	$(3.9 \pm 0.9) \times 10^{-6}$		DESIG=44
Γ ₉₅	$p \pi^- \pi^+ \pi^-$	$(2.11 \pm 0.21) \times 10^{-5}$		DESIG=50
Γ ₉₆	$p K^- K^+ \pi^-$	$(4.1 \pm 0.6) \times 10^{-6}$		DESIG=51
Γ ₉₇	$p K^- \pi^+ \pi^-$	$(5.1 \pm 0.5) \times 10^{-5}$		DESIG=60
Γ ₉₈	$p K^- K^+ K^-$	$(1.27 \pm 0.13) \times 10^{-5}$		DESIG=61

[a] P_c^+ is a pentaquark-charmonium state.

LINKAGE=PTQ

[b] Not a pure measurement. See note at head of Λ_b^0 Decay Modes.

LINKAGE=X40

[c] Here h^- means π^- or K^- .

LINKAGE=HEX

FIT INFORMATION

An overall fit to 14 branching ratios uses 18 measurements to determine 9 parameters. The overall fit has a $\chi^2 = 12.0$ for 9 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$.

x_3	96							
x_{16}	76	73						
x_{32}	0	0	0					
x_{33}	0	0	0	92				
x_{40}	0	0	0	46	43			
x_{55}	0	0	0	13	12	6		
x_{63}	0	0	0	0	0	0	0	
x_{64}	0	0	0	0	0	0	0	78
	x_1	x_3	x_{16}	x_{32}	x_{33}	x_{40}	x_{55}	x_{63}

Λ_b^0 BRANCHING RATIOS

NODE=S040215

 $\Gamma(J/\psi(1S)\Lambda)/\Gamma_{\text{total}}$ Γ_1/Γ NODE=S040P12
NODE=S040P12

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

2.8 ± 0.4 OUR FIT**2.8 ± 0.4 OUR AVERAGE**

2.8 ± 0.4 ± 0.2

¹ ABAZOV

110

D0

 $p\bar{p}$ at 1.96 TeV

2.2 ± 1.1 ± 0.2

^{2,3} ABE

97B

CDF

 $p\bar{p}$ at 1.8 TeV

• • • We do not use the following data for averages, fits, limits, etc. • • •

85 ± 51 ± 6

16

⁴ ALBAJAR

91E

UA1

 $p\bar{p}$ at 630 GeV

¹ ABAZOV 110 reports $[\Gamma(\Lambda_b^0 \rightarrow J/\psi(1S)\Lambda)/\Gamma_{\text{total}}] \times [B(\bar{b} \rightarrow b\text{-baryon})] = (6.01 \pm 0.60 \pm 0.58 \pm 0.28) \times 10^{-5}$ which we divide by our best value $B(\bar{b} \rightarrow b\text{-baryon}) = (21.1 \pm 1.6) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=S040P12;LINKAGE=A

² ABE 97B reports $[B(\Lambda_b^0 \rightarrow J/\psi\Lambda) \times B(b \rightarrow \Lambda_b^0)] / [B(B^0 \rightarrow J/\psi K_S^0) \times B(b \rightarrow B^0)] = 0.27 \pm 0.12 \pm 0.05$. We multiply by our best value $B(B^0 \rightarrow J/\psi K_S^0) \times B(b \rightarrow B^0) = (1.74 \pm 0.08) \times 10^{-4}$ to obtain $(4.7 \pm 2.3 \pm 0.2) \times 10^{-5}$. Our first error is their experiment error and our second error is the systematic error from using our best value.

NODE=S040P12;LINKAGE=B

³ ABE 97B reports $[\Gamma(\Lambda_b^0 \rightarrow J/\psi(1S)\Lambda)/\Gamma_{\text{total}}] \times [B(\bar{b} \rightarrow b\text{-baryon})] = (4.7 \pm 2.3 \pm 0.2) \times 10^{-5}$ which we divide by our best value $B(\bar{b} \rightarrow b\text{-baryon}) = (21.1 \pm 1.6) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=S040P12;LINKAGE=C

⁴ ALBAJAR 91E reports $[\Gamma(\Lambda_b^0 \rightarrow J/\psi(1S)\Lambda)/\Gamma_{\text{total}}] \times [B(\bar{b} \rightarrow b\text{-baryon})] = (18 \pm 6 \pm 9) \times 10^{-4}$ which we divide by our best value $B(\bar{b} \rightarrow b\text{-baryon}) = (21.1 \pm 1.6) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=S040P12;LINKAGE=D

 $\Gamma(J/\psi(1S)\Lambda\phi)/\Gamma(\psi(2S)\Lambda)$ Γ_2/Γ_3 NODE=S040R65
NODE=S040R65

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

8.26 ± 0.90 ± 0.69

SIRUNYAN

20H

CMS

 pp at 13 TeV $\Gamma(\psi(2S)\Lambda)/\Gamma(J/\psi(1S)\Lambda)$ Γ_3/Γ_1 NODE=S040R31
NODE=S040R31

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

0.506 ± 0.023 OUR FIT**0.508 ± 0.023 OUR AVERAGE**

0.513 ± 0.023 ± 0.019

¹ AAIJ

19F

LHCB

 pp at 7, 8 TeV

0.50 ± 0.03 ± 0.02

² AAD

15CH

ATLS

 pp at 8 TeV

¹ AAIJ 19F uses $B(J/\psi \rightarrow \mu^+ \mu^-) = (5.961 \pm 0.033) \times 10^{-2}$ and $B(\psi(2S) \rightarrow e^+ e^-) = (7.93 \pm 0.17) \times 10^{-3}$ from PDG 18 with assumption of lepton universality. AAIJ 19F reports this result as $0.513 \pm 0.023 \pm 0.016 \pm 0.011$, where the last uncertainty is the contribution due to the external input of branching fractions used in the analysis.

NODE=S040R31;LINKAGE=B

² AAD 15CH uses $B(J/\psi \rightarrow \mu^+ \mu^-) = (5.961 \pm 0.033) \times 10^{-2}$ and $B(\psi(2S) \rightarrow \mu^+ \mu^-) = (7.89 \pm 0.17) \times 10^{-3}$ from PDG 14 with assumption of lepton universality.

NODE=S040R31;LINKAGE=A

$\Gamma(pD^0\pi^-)/\Gamma_{\text{total}} \quad \Gamma_4/\Gamma$

VALUE	EVTs	DOCUMENT ID	TECN	COMMENT
-------	------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen	52	BARI	91	SFM	$D^0 \rightarrow K^- \pi^+$
seen		BASILE	81	SFM	$D^0 \rightarrow K^- \pi^+$

NODE=S040R1
NODE=S040R1

 $\Gamma(\Lambda_c(2860)^+\pi^-, \Lambda_c^+ \rightarrow D^0 p)/\Gamma(\Lambda_c(2880)^+\pi^-, \Lambda_c^+ \rightarrow D^0 p) \quad \Gamma_5/\Gamma_6$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

$4.54^{+0.51+0.21}_{-0.39-0.59}$	AAIJ	17s	LHCB pp at 7, 8 TeV
----------------------------------	------	-----	-----------------------

NODE=S040R48
NODE=S040R48

 $\Gamma(\Lambda_c(2940)^+\pi^-, \Lambda_c^+ \rightarrow D^0 p)/\Gamma(\Lambda_c(2880)^+\pi^-, \Lambda_c^+ \rightarrow D^0 p) \quad \Gamma_7/\Gamma_6$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

$0.83^{+0.31+0.18}_{-0.10-0.43}$	AAIJ	17s	LHCB pp at 7, 8 TeV
----------------------------------	------	-----	-----------------------

NODE=S040R49
NODE=S040R49

 $\Gamma(pD^+\pi^-\pi^-)/\Gamma(\Lambda_c^+\pi^+\pi^-\pi^-) \quad \Gamma_8/\Gamma_{40}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
-----------	-------------	------	---------

$3.62 \pm 0.18 \pm 0.15$	¹ AAIJ	22R	LHCB pp at 7 and 8 TeV
--------------------------	-------------------	-----	--------------------------

¹ AAIJ 22R reports $[\Gamma(\Lambda_b^0 \rightarrow pD^+\pi^-\pi^-)/\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+\pi^+\pi^-\pi^-)] \times [B(D^+ \rightarrow K^- 2\pi^+)] / [B(\Lambda_c^+ \rightarrow pK^-\pi^+)] = 5.35 \pm 0.21 \pm 0.16 \%$ which we multiply or divide by our best values $B(D^+ \rightarrow K^- 2\pi^+) = (9.34 \pm 0.16) \times 10^{-2}$, $B(\Lambda_c^+ \rightarrow pK^-\pi^+) = (6.32 \pm 0.24) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best values.

NODE=S040R75
NODE=S040R75

NODE=S040R75;LINKAGE=A

 $\Gamma(pD^*(2010)^+\pi^-\pi^-)/\Gamma(pD^+\pi^-\pi^-) \quad \Gamma_9/\Gamma_8$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

1.90 ± 0.19	¹ AAIJ	22R	LHCB pp at 7 and 8 TeV
-----------------	-------------------	-----	--------------------------

¹ AAIJ 22R uses partial reconstruction of $pD^+\pi^-\pi^-$ final state.

NODE=S040R76
NODE=S040R76

NODE=S040R76;LINKAGE=A

 $\Gamma(pD^0K^-)/\Gamma(pD^0\pi^-) \quad \Gamma_{10}/\Gamma_4$

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

$7.3 \pm 0.8^{+0.5}_{-0.6}$	AAIJ	14H	LHCB pp at 7 TeV
-----------------------------	------	-----	--------------------

NODE=S040R22
NODE=S040R22

 $\Gamma(pDK^-, D \rightarrow K^-\pi^+)/\Gamma(pDK^-, D \rightarrow K^+\pi^-) \quad \Gamma_{11}/\Gamma_{12}$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

$7.1 \pm 0.8^{+0.4}_{-0.3}$	¹ AAIJ	21AD	LHCB pp at 7, 8, 13 TeV
-----------------------------	-------------------	------	---------------------------

¹ Measured in the full phase space.

NODE=S040R73
NODE=S040R73

NODE=S040R73;LINKAGE=A

 $\Gamma(pJ/\psi\pi^-)/\Gamma(pJ/\psi K^-) \quad \Gamma_{13}/\Gamma_{15}$

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

$8.24 \pm 0.25 \pm 0.42$	AAIJ	14K	LHCB pp at 7, 8 TeV
--------------------------	------	-----	-----------------------

NODE=S040R26
NODE=S040R26

 $\Gamma(pJ/\psi K^-)/\Gamma_{\text{total}} \quad \Gamma_{15}/\Gamma$

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

$3.17 \pm 0.04^{+0.57}_{-0.45}$	¹ AAIJ	16A	LHCB pp at 7, 8 TeV
---------------------------------	-------------------	-----	-----------------------

¹ AAIJ 16A reported the measurement of $(3.17 \pm 0.04 \pm 0.07 \pm 0.34^{+0.45}_{-0.28}) \times 10^{-4}$ where the first uncertainty is statistical, the second is systematic, the third is due to the branching fraction of $B^0 \rightarrow J/\psi K^*(892)^0$, and the fourth is due to the knowledge of f_{Λ_b}/f_d . We combined in quadrature second to fourth uncertainties to a total systematic uncertainty.

NODE=S040R36
NODE=S040R36

NODE=S040R36;LINKAGE=A

 $\Gamma(J/\psi\Xi^-K^+)/\Gamma(J/\psi(1S)\Lambda) \quad \Gamma_{16}/\Gamma_1$

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

1.21 ± 0.16 OUR FIT			
$1.17 \pm 0.14 \pm 0.08$	AAIJ	25AA	LHCB pp at 13 TeV

NODE=S040P10
NODE=S040P10

$\Gamma(J/\psi \Xi^- K^+)/\Gamma(\psi(2S)\Lambda)$ Γ_{16}/Γ_3 VALUE (units 10^{-2})

DOCUMENT ID

TECN

COMMENT

2.38±0.33 OUR FIT**3.38±1.19±0.03**¹ HAYRAPETY...24BA CMS pp at 13 TeV

¹ HAYRAPETYAN 24BA reports $(3.38 \pm 1.02 \pm 0.61 \pm 0.03) \times 10^{-2}$ from a measurement of $[\Gamma(\Lambda_b^0 \rightarrow J/\psi \Xi^- K^+)/\Gamma(\Lambda_b^0 \rightarrow \psi(2S)\Lambda)] \times [B(\Xi^- \rightarrow \Lambda\pi^-)] / [B(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-)]$ assuming $B(\Xi^- \rightarrow \Lambda\pi^-) = (99.887 \pm 0.035) \times 10^{-2}$, $B(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) = (34.68 \pm 0.30) \times 10^{-2}$, which we rescale to our best values $B(\Xi^- \rightarrow \Lambda\pi^-) = (99.887 \pm 0.035) \times 10^{-2}$, $B(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) = (34.68 \pm 0.34) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best values.

NODE=S040P06
NODE=S040P06

NODE=S040P06;LINKAGE=A

 $\Gamma(p\eta_c(1S)K^-)/\Gamma(pJ/\psi K^-)$ Γ_{17}/Γ_{15}

VALUE

DOCUMENT ID

TECN

COMMENT

0.333±0.050±0.037¹ AAIJ 20AK LHCB pp at 13 TeV

¹ AAIJ 20AK reported the measurement of $0.333 \pm 0.050 \pm 0.019 \pm 0.032$, where the last uncertainty is due to uncertainties of the used branching fractions of $J/\psi \rightarrow p\bar{p}$ and $\eta_c \rightarrow p\bar{p}$ decays. We combined in quadrature the systematic uncertainties.

NODE=S040R66
NODE=S040R66

NODE=S040R66;LINKAGE=A

 $\Gamma(P_{c\bar{c}}(4312)^+ K^-, P_{c\bar{c}}^+ \rightarrow p\eta_c(1S))/\Gamma(p\eta_c(1S)K^-)$ Γ_{18}/Γ_{17}

VALUE

CL%

DOCUMENT ID

TECN

COMMENT

<0.24

95

AAIJ

20AK LHCB

 pp at 13 TeVNODE=S040R67
NODE=S040R67 $\Gamma(P_{c\bar{c}}(4380)^+ K^-, P_{c\bar{c}}^+ \rightarrow pJ/\psi)/\Gamma_{\text{total}}$ Γ_{19}/Γ P_c^+ is a pentaquark-charmonium state.VALUE (units 10^{-5})

DOCUMENT ID

TECN

COMMENT

2.66±0.22^{+1.41}_{-1.38}¹ AAIJ 16A LHCB pp at 7, 8 TeV

¹ AAIJ 16 total systematic includes the uncertainties on $f(P_c^+)$ and $B(\Lambda_b \rightarrow pJ/\psi K^-)$.

NODE=S040R37

NODE=S040R37
NODE=S040R37

NODE=S040R37;LINKAGE=A

 $\Gamma(P_c(4450)^+ K^-, P_c \rightarrow pJ/\psi)/\Gamma_{\text{total}}$ Γ_{20}/Γ P_c^+ is a pentaquark-charmonium state.VALUE (units 10^{-5})

DOCUMENT ID

TECN

COMMENT

1.30±0.16^{+0.42}_{-0.39}¹ AAIJ 16A LHCB pp at 7, 8 TeV

¹ AAIJ 16 total systematic includes the uncertainties on $f(P_c^+)$ and $B(\Lambda_b \rightarrow pJ/\psi K^-)$.

NODE=S040R38

NODE=S040R38
NODE=S040R38

NODE=S040R38;LINKAGE=A

 $\Gamma(\chi_{c1}(1P)pK^-)/\Gamma(pJ/\psi K^-)$ Γ_{21}/Γ_{15}

VALUE

DOCUMENT ID

TECN

COMMENT

0.243±0.021 OUR AVERAGE [0.239 ± 0.021 OUR 2025 AVERAGE]**0.243±0.020±0.008**¹ AAIJ 17AMLHCB pp at 7, 8 TeV

¹ AAIJ 17AM reports $0.242 \pm 0.014 \pm 0.016$ from a measurement of $[\Gamma(\Lambda_b^0 \rightarrow \chi_{c1}(1P)pK^-)/\Gamma(\Lambda_b^0 \rightarrow pJ/\psi K^-)] \times [B(\chi_{c1}(1P) \rightarrow \gamma J/\psi(1S))]$ assuming $B(\chi_{c1}(1P) \rightarrow \gamma J/\psi(1S)) = (33.9 \pm 1.2) \times 10^{-2}$, which we rescale to our best value $B(\chi_{c1}(1P) \rightarrow \gamma J/\psi(1S)) = (33.8 \pm 1.2) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=S040R44
NODE=S040R44

NEW

NODE=S040R44;LINKAGE=A

 $\Gamma(\chi_{c1}(1P)p\pi^-)/\Gamma(\chi_{c1}(1P)pK^-)$ Γ_{22}/Γ_{21} VALUE (units 10^{-2})

DOCUMENT ID

TECN

COMMENT

6.59±1.01±0.22

AAIJ

21R LHCB

 pp at 13 TeVNODE=S040R70
NODE=S040R70 $\Gamma(\chi_{c2}(1P)pK^-)/\Gamma(pJ/\psi K^-)$ Γ_{23}/Γ_{15}

VALUE

DOCUMENT ID

TECN

COMMENT

0.249±0.027 OUR AVERAGE [0.244 ± 0.026 OUR 2025 AVERAGE]**0.249±0.025±0.010**¹ AAIJ 17AMLHCB pp at 7, 8 TeV

¹ AAIJ 17AM reports $0.248 \pm 0.02 \pm 0.017$ from a measurement of $[\Gamma(\Lambda_b^0 \rightarrow \chi_{c2}(1P)pK^-)/\Gamma(\Lambda_b^0 \rightarrow pJ/\psi K^-)] \times [B(\chi_{c2}(1P) \rightarrow \gamma J/\psi(1S))]$ assuming $B(\chi_{c2}(1P) \rightarrow \gamma J/\psi(1S)) = (19.2 \pm 0.7) \times 10^{-2}$, which we rescale to our best value $B(\chi_{c2}(1P) \rightarrow \gamma J/\psi(1S)) = (19.1 \pm 0.8) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=S040R45
NODE=S040R45

NEW

NODE=S040R45;LINKAGE=A

$\Gamma(\chi_{c2}(1P)pK^-)/\Gamma(\chi_{c1}(1P)pK^-)$
 Γ_{23}/Γ_{21}

VALUE	DOCUMENT ID	TECN	COMMENT
1.06±0.05±0.04±0.04	¹ AAIJ	21R LHCb	pp at 13 TeV

NODE=S040R71
NODE=S040R71

¹ The first uncertainty is statistical, the second is systematic and the third is related to the uncertainties in the branching fractions of the $\chi_{cJ} \rightarrow J/\psi \gamma$ decays.

NODE=S040R71;LINKAGE=A

 $\Gamma(\chi_{c2}(1P)p\pi^-)/\Gamma(\chi_{c1}(1P)p\pi^-)$
 Γ_{24}/Γ_{22}

VALUE	DOCUMENT ID	TECN	COMMENT
0.95±0.30±0.04±0.04	¹ AAIJ	21R LHCb	pp at 13 TeV

NODE=S040R72
NODE=S040R72

¹ Evidence for the $\Lambda_b^0 \rightarrow \chi_{c2} p \pi^-$ decay is obtained with a significance of 3.5 standard deviations. The first uncertainty is statistical, the second is systematic and the third is related to the uncertainties in the branching fractions of the $\chi_{cJ} \rightarrow J/\psi \gamma$ decays.

NODE=S040R72;LINKAGE=A

 $\Gamma(pJ/\psi(1S)\pi^+\pi^-K^-)/\Gamma(pJ/\psi K^-)$
 Γ_{25}/Γ_{15}

VALUE	DOCUMENT ID	TECN	COMMENT
0.2086±0.0096±0.0134	¹ AAIJ	16Y LHCb	pp at 7, 8 TeV

NODE=S040R40
NODE=S040R40

¹ Excludes $\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$.

NODE=S040R40;LINKAGE=A

 $\Gamma(p\psi(2S)K^-)/\Gamma(pJ/\psi K^-)$
 Γ_{26}/Γ_{15}

VALUE	DOCUMENT ID	TECN	COMMENT
0.2070±0.0076±0.0059	¹ AAIJ	16Y LHCb	pp at 7, 8 TeV

NODE=S040R39
NODE=S040R39

¹ AAIJ 16Y reports a measurement of $0.2070 \pm 0.0076 \pm 0.0046 \pm 0.0037$ where the third uncertainty is due to the knowledge of J/ψ and $\psi(2S)$ branching fractions. We have combined both systematic uncertainties in quadrature.

NODE=S040R39;LINKAGE=A

 $\Gamma(\chi_{c1}(3872)pK^-)/\Gamma(p\psi(2S)K^-)$
 Γ_{27}/Γ_{26}

VALUE	DOCUMENT ID	TECN	COMMENT
0.43±0.09±0.14	¹ AAIJ	19AN LHCb	pp at 7, 8, 13 TeV

NODE=S040R58
NODE=S040R58

¹ AAIJ 19AN reports $[\Gamma(\Lambda_b^0 \rightarrow \chi_{c1}(3872)pK^-)/\Gamma(\Lambda_b^0 \rightarrow p\psi(2S)K^-)] \times [B(\chi_{c1}(3872) \rightarrow \pi^+\pi^-J/\psi(1S))] / [B(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-)] = (5.4 \pm 1.1 \pm 0.2) \times 10^{-2}$ which we multiply or divide by our best values $B(\chi_{c1}(3872) \rightarrow \pi^+\pi^-J/\psi(1S)) = (4.3 \pm 1.4) \times 10^{-2}$, $B(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) = (34.68 \pm 0.34) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best values.

NODE=S040R58;LINKAGE=A

 $\Gamma(\chi_{c1}(3872)\Lambda(1520))/\Gamma(\chi_{c1}(3872)pK^-)$
 Γ_{28}/Γ_{27}

VALUE	DOCUMENT ID	TECN	COMMENT
0.58±0.15	AAIJ	19AN LHCb	pp at 7, 8, 13 TeV

NODE=S040R59
NODE=S040R59

 $\Gamma(\psi(2S)p\pi^-)/\Gamma(p\psi(2S)K^-)$
 Γ_{29}/Γ_{26}

VALUE (%)	DOCUMENT ID	TECN	COMMENT
11.4±1.3±0.2	AAIJ	18AF LHCb	pp at 7, 8, 13 TeV

NODE=S040R50
NODE=S040R50

 $\Gamma(p\bar{K}^0\pi^-)/\Gamma_{\text{total}}$
 Γ_{30}/Γ

VALUE (units 10^{-5})	DOCUMENT ID	TECN	COMMENT
1.26±0.19±0.36	¹ AAIJ	14Q LHCb	pp at 7 TeV

NODE=S040R27
NODE=S040R27

¹ Used the normalizing mode branching fraction value of $B(B^0 \rightarrow K^0 \pi^+ \pi^-) = (4.96 \pm 0.20) \times 10^{-5}$.

NODE=S040R27;LINKAGE=AA

 $\Gamma(pK^0K^-)/\Gamma_{\text{total}}$
 Γ_{31}/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<3.5 × 10⁻⁶	90	AAIJ	14Q LHCb	pp at 7 TeV

NODE=S040R28
NODE=S040R28

 $\Gamma(\Lambda_c^+ \pi^-)/\Gamma_{\text{total}}$
 Γ_{32}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
4.9 ± 0.4 OUR FIT				Error includes scale factor of 1.2.
4.8 ± 0.5 OUR AVERAGE				Error includes scale factor of 1.5.

NODE=S040R11
NODE=S040R11

4.60 ^{+0.31} _{-0.30} ± 0.14	¹ AAIJ	14I LHCb	pp at 7 TeV
5.97 ± 0.28 ± 0.81	² AAIJ	14Q LHCb	pp at 7 TeV
8.8 ± 2.8 ± 1.5	³ ABULENCIA	07B CDF	$p\bar{p}$ at 1.96 TeV

OCCUR=4

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen	3	ABREU	96N DLPH	$\Lambda_c^+ \rightarrow pK^- \pi^+$
seen	4	BUSKULIC	96L ALEP	$\Lambda_c^+ \rightarrow pK^- \pi^+,$ $p\bar{K}^0, \Lambda \pi^+ \pi^+ \pi^-$

¹ AAIJ 14I reports $(4.30 \pm 0.03^{+0.12}_{-0.11} \pm 0.26 \pm 0.21) \times 10^{-3}$ from a measurement of $[\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-)/\Gamma_{\text{total}}] \times [B(B^0 \rightarrow D^- \pi^+)]$ assuming $B(B^0 \rightarrow D^- \pi^+) = (2.68 \pm 0.13) \times 10^{-3}$, which we rescale to our best value $B(B^0 \rightarrow D^- \pi^+) = (2.51 \pm 0.08) \times 10^{-3}$. Our first error is their experiment's error and our second error is the systematic error from using our best value. Uses information on f_{baryon}/f_d from measurement in semileptonic decays by the same authors.

NODE=S040R11;LINKAGE=E

² Obtained using the branching fraction of $\Lambda_c^+ \rightarrow p K^- \pi^+$ decay.

NODE=S040R11;LINKAGE=AA

³ The result is obtained from $(f_{\text{baryon}}/f_d) (B(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-)/B(\bar{B}^0 \rightarrow D^+ \pi^-)) = 0.82 \pm 0.08 \pm 0.11 \pm 0.22$, assuming $f_{\text{baryon}}/f_d = 0.25 \pm 0.04$ and $B(\bar{B}^0 \rightarrow D^+ \pi^-) = (2.68 \pm 0.13) \times 10^{-3}$.

NODE=S040R11;LINKAGE=AB

$\Gamma(p D^0 \pi^-)/\Gamma(\Lambda_c^+ \pi^-)$

 Γ_4/Γ_{32}

VALUE	DOCUMENT ID	TECN	COMMENT
0.129±0.008 OUR AVERAGE	[0.130 ± 0.008 OUR 2025 AVERAGE]		

NODE=S040R21
NODE=S040R21
NEW

0.129±0.007±0.005 ¹ AAIJ 14H LHCB pp at 7 TeV

¹ AAIJ 14H reports $[\Gamma(\Lambda_b^0 \rightarrow p D^0 \pi^-)/\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-)] \times [B(D^0 \rightarrow K^- \pi^+)] / [B(\Lambda_c^+ \rightarrow p K^- \pi^+)] = (8.06 \pm 0.23 \pm 0.35) \times 10^{-2}$ which we multiply or divide by our best values $B(D^0 \rightarrow K^- \pi^+) = (3.949 \pm 0.031) \times 10^{-2}$, $B(\Lambda_c^+ \rightarrow p K^- \pi^+) = (6.32 \pm 0.24) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best values.

NODE=S040R21;LINKAGE=AA

$\Gamma(\Lambda_c^+ K^-)/\Gamma_{\text{total}}$

 Γ_{33}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
3.56±0.28 OUR FIT	Error includes scale factor of 1.2.		

NODE=S040R29
NODE=S040R29

3.55±0.44±0.50 ¹ AAIJ 14Q LHCB pp at 7 TeV

¹ Obtained using the branching fraction of $\Lambda_c^+ \rightarrow p K^- \pi^+$ decay.

NODE=S040R29;LINKAGE=AA

$\Gamma(\Lambda_c^+ K^-)/\Gamma(\Lambda_c^+ \pi^-)$

 Γ_{33}/Γ_{32}

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
7.31±0.22 OUR FIT			

NODE=S040R23
NODE=S040R23

7.31±0.16±0.16 AAIJ 14H LHCB pp at 7 TeV

$\Gamma(\Lambda_c^+ a_1(1260)^-)/\Gamma_{\text{total}}$

 Γ_{34}/Γ

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
seen	1	ABREU	96N	DLPH $\Lambda_c^+ \rightarrow p K^- \pi^+, a_1^- \rightarrow \rho^0 \pi^- \rightarrow \pi^+ \pi^- \pi^-$

NODE=S040R12
NODE=S040R12

$\Gamma(\Lambda_c^+ D_s^-)/\Gamma_{\text{total}}$

 Γ_{36}/Γ

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
1.1±0.1	¹ AAIJ	14AA	LHCB pp at 7 TeV

NODE=S040R24
NODE=S040R24

¹ Uses $B(\bar{B}^0 \rightarrow D^+ D_s^-) = (7.2 \pm 0.8) \times 10^{-3}$ and their measured $B(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-)/B(\bar{B}^0 \rightarrow D^+ \pi^-)$ values.

NODE=S040R24;LINKAGE=A

$\Gamma(\Lambda_c^+ D^-)/\Gamma(\Lambda_c^+ D_s^-)$

 Γ_{35}/Γ_{36}

VALUE	DOCUMENT ID	TECN	COMMENT
0.042±0.003±0.003	AAIJ	14AA	LHCB pp at 7 TeV

NODE=S040R25
NODE=S040R25

$\Gamma(\Lambda_c^+ D_s^{*-})/\Gamma(\Lambda_c^+ D_s^-)$

 Γ_{37}/Γ_{36}

VALUE	DOCUMENT ID	TECN	COMMENT
1.668±0.022^{+0.061}_{-0.055}	AAIJ	24x	LHCB pp at 13 TeV

NODE=S040R78
NODE=S040R78

$\Gamma(\Lambda_c^+ \bar{D}^0 K^-)/\Gamma(\Lambda_c^+ D_s^-)$

 Γ_{38}/Γ_{36}

VALUE	DOCUMENT ID	TECN	COMMENT
0.193±0.004±0.003	¹ AAIJ	24x	LHCB pp at 13 TeV

NODE=S040R79
NODE=S040R79

¹ AAIJ 24x reports $[\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ \bar{D}^0 K^-)/\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ D_s^-)] \times [B(D^0 \rightarrow K^- \pi^+)] / [B(D_s^+ \rightarrow K^+ K^- \pi^+)] = 0.1400^{+0.0026+0.0012}_{-0.0025-0.0013}$ which we multiply or divide by our best values $B(D^0 \rightarrow K^- \pi^+) = (3.949 \pm 0.031) \times 10^{-2}$, $B(D_s^+ \rightarrow K^+ K^- \pi^+) = (5.45 \pm 0.08) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best values.

NODE=S040R79;LINKAGE=A

$$\Gamma(\Lambda_c^+ \bar{D}^{*0} K^-) / \Gamma(\Lambda_c^+ D_s^-) \quad \Gamma_{39}/\Gamma_{36}$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.596 ± 0.027 OUR AVERAGE	[0.597 ± 0.027 OUR 2025 AVERAGE]		
0.596^{+0.025}_{-0.024} ± 0.010	¹ AAIJ	24X	LHCB pp at 13 TeV

¹ AAIJ 24X reports $[\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ \bar{D}^{*0} K^-) / \Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ D_s^-)] \times [B(D^0 \rightarrow K^- \pi^+)] / [B(D_s^+ \rightarrow K^+ K^- \pi^+)] = 0.432^{+0.013}_{-0.012} \pm 0.013$ which we multiply or divide by our best values $B(D^0 \rightarrow K^- \pi^+) = (3.949 \pm 0.031) \times 10^{-2}$, $B(D_s^+ \rightarrow K^+ K^- \pi^+) = (5.45 \pm 0.08) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best values.

NODE=S040R80
NODE=S040R80
NEW

NODE=S040R80;LINKAGE=A

$$\Gamma(\Lambda_c^+ \bar{D}^{*0} K^-) / \Gamma(\Lambda_c^+ \bar{D}^0 K^-) \quad \Gamma_{39}/\Gamma_{38}$$

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
3.09^{+0.11+0.09}_{-0.10-0.10}	AAIJ	24X	LHCB pp at 13 TeV

NODE=S040R81
NODE=S040R81

$$\Gamma(\Lambda_c^+ \pi^+ \pi^- \pi^-) / \Gamma_{\text{total}} \quad \Gamma_{40}/\Gamma$$

VALUE (units 10 ⁻³)	EVTS	DOCUMENT ID	TECN	COMMENT
7.6 ± 1.1 OUR FIT	Error includes scale factor of 1.1.			
14.8^{+3.8}_{-3.1} ± 1.1	¹ AALTONEN	12A	CDF	$p\bar{p}$ at 1.96 TeV

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen 90 BARI 91 SFM $\Lambda_c^+ \rightarrow p K^- \pi^+$
¹ AALTONEN 12A reports $[\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^+ \pi^- \pi^-) / \Gamma_{\text{total}}] / [B(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-)] = 3.04 \pm 0.33^{+0.70}_{-0.55}$ which we multiply by our best value $B(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-) = (4.9 \pm 0.4) \times 10^{-3}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=S040R4
NODE=S040R4

NODE=S040R4;LINKAGE=AA

$$\Gamma(\Lambda_c^+ \pi^+ \pi^- \pi^-) / \Gamma(\Lambda_c^+ \pi^-) \quad \Gamma_{40}/\Gamma_{32}$$

VALUE	DOCUMENT ID	TECN	COMMENT
1.57 ± 0.21 OUR FIT			
1.43 ± 0.16 ± 0.13	AAIJ	11E	LHCB pp at 7 TeV

NODE=S040R05
NODE=S040R05

$$\Gamma(\Lambda_c(2595)^+ \pi^-, \Lambda_c(2595)^+ \rightarrow \Lambda_c^+ \pi^+ \pi^-) / \Gamma(\Lambda_c^+ \pi^+ \pi^- \pi^-) \quad \Gamma_{41}/\Gamma_{40}$$

VALUE (units 10 ⁻²)	DOCUMENT ID	TECN	COMMENT
4.4 ± 1.7^{+0.6}_{-0.4}	AAIJ	11E	LHCB pp at 7 TeV

NODE=S040R06
NODE=S040R06

$$\Gamma(\Lambda_c(2625)^+ \pi^-, \Lambda_c(2625)^+ \rightarrow \Lambda_c^+ \pi^+ \pi^-) / \Gamma(\Lambda_c^+ \pi^+ \pi^- \pi^-) \quad \Gamma_{42}/\Gamma_{40}$$

VALUE (units 10 ⁻²)	DOCUMENT ID	TECN	COMMENT
4.3 ± 1.5 ± 0.4	AAIJ	11E	LHCB pp at 7 TeV

NODE=S040R07
NODE=S040R07

$$\Gamma(\Sigma_c(2455)^0 \pi^+ \pi^-, \Sigma_c^0 \rightarrow \Lambda_c^+ \pi^-) / \Gamma(\Lambda_c^+ \pi^+ \pi^- \pi^-) \quad \Gamma_{43}/\Gamma_{40}$$

VALUE (units 10 ⁻²)	DOCUMENT ID	TECN	COMMENT
7.4 ± 2.4 ± 1.2	AAIJ	11E	LHCB pp at 7 TeV

NODE=S040R08
NODE=S040R08

$$\Gamma(\Sigma_c(2455)^{++} \pi^- \pi^-, \Sigma_c^{++} \rightarrow \Lambda_c^+ \pi^+) / \Gamma(\Lambda_c^+ \pi^+ \pi^- \pi^-) \quad \Gamma_{44}/\Gamma_{40}$$

VALUE (units 10 ⁻²)	DOCUMENT ID	TECN	COMMENT
4.2 ± 1.8 ± 0.7	AAIJ	11E	LHCB pp at 7 TeV

NODE=S040R09
NODE=S040R09

$$\Gamma(\Sigma_c(2455)^{++} D^- K^-) / \Gamma(\Lambda_c^+ \bar{D}^0 K^-) \quad \Gamma_{45}/\Gamma_{38}$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.282 ± 0.016 ± 0.017	¹ AAIJ	24Y	LHCB pp at 13 TeV

¹ AAIJ 24Y uses $\Sigma_c(2455)^{++} \rightarrow \Lambda_c^+ \pi^+$, $D^- \rightarrow K^+ \pi^- \pi^-$ and $\bar{D}^0 \rightarrow K^+ \pi^-$, analyzing an integrated luminosity of 6 fb⁻¹.

NODE=S040R82
NODE=S040R82

NODE=S040R82;LINKAGE=A

$$\Gamma(\Sigma_c(2455)^{++} D^{*-} K^-) / \Gamma(\Sigma_c(2455)^{++} D^- K^-) \quad \Gamma_{46}/\Gamma_{45}$$

VALUE	DOCUMENT ID	TECN	COMMENT
2.261 ± 0.202 ± 0.137	¹ AAIJ	24Y	LHCB pp at 13 TeV

¹ AAIJ 24Y uses $\Sigma_c(2455)^{++} \rightarrow \Lambda_c^+ \pi^+$ and $D^- \rightarrow K^+ \pi^- \pi^-$, analyzing an integrated luminosity of 6 fb⁻¹.

NODE=S040R83
NODE=S040R83

NODE=S040R83;LINKAGE=A

$$\Gamma(\Sigma_c(2520)^{++} D^- K^-) / \Gamma(\Sigma_c(2455)^{++} D^- K^-) \quad \Gamma_{47}/\Gamma_{45}$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.460 ± 0.052 ± 0.028	¹ AAIJ	24Y LHCb	pp at 13 TeV
¹ AAIJ 24Y uses $\Sigma_c(2455)^{++} \rightarrow \Lambda_c^+ \pi^+$, $\Sigma_c(2520)^{++} \rightarrow \Lambda_c^+ \pi^+$, and $D^- \rightarrow K^+ \pi^- \pi^-$, analyzing an integrated luminosity of 6 fb ⁻¹ .			

NODE=S040R84
NODE=S040R84

NODE=S040R84;LINKAGE=A

$$\Gamma(\Sigma_c(2520)^{++} D^{*-} K^-) / \Gamma(\Sigma_c(2455)^{++} D^- K^-) \quad \Gamma_{48}/\Gamma_{45}$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.896 ± 0.137 ± 0.068	¹ AAIJ	24Y LHCb	pp at 13 TeV
¹ AAIJ 24Y uses $\Sigma_c(2455)^{++} \rightarrow \Lambda_c^+ \pi^+$, $\Sigma_c(2520)^{++} \rightarrow \Lambda_c^+ \pi^+$, and $D^- \rightarrow K^+ \pi^- \pi^-$ analyzing an integrated luminosity of 6 fb ⁻¹ .			

NODE=S040R85
NODE=S040R85

NODE=S040R85;LINKAGE=A

$$\Gamma(\Lambda_c^+ K^+ K^- \pi^-) / \Gamma(\Lambda_c^+ D_s^-) \quad \Gamma_{49}/\Gamma_{36}$$

VALUE (units 10 ⁻²)	DOCUMENT ID	TECN	COMMENT
9.26 ± 0.29 ± 0.53	¹ AAIJ	21B LHCb	pp at 7 and 8 TeV
¹ AAIJ 21B systematic uncertainty includes the contribution from the $D_s^- \rightarrow K^+ K^- \pi^-$ branching fraction.			

NODE=S040R68
NODE=S040R68

NODE=S040R68;LINKAGE=A

$$\Gamma(\Lambda_c^+ p \bar{p} \pi^-) / \Gamma(\Lambda_c^+ \pi^-) \quad \Gamma_{50}/\Gamma_{32}$$

VALUE (units 10 ⁻²)	DOCUMENT ID	TECN	COMMENT
5.40 ± 0.23 ± 0.32	AAIJ	18AW LHCb	pp at 7 and 8 TeV

NODE=S040R55
NODE=S040R55

$$\Gamma(\Sigma_c(2455)^0 p \bar{p}, \Sigma_c^0 \rightarrow \Lambda_c^+ \pi^-) / \Gamma(\Lambda_c^+ p \bar{p} \pi^-) \quad \Gamma_{51}/\Gamma_{50}$$

VALUE (units 10 ⁻²)	DOCUMENT ID	TECN	COMMENT
8.9 ± 1.5 ± 0.6	AAIJ	18AW LHCb	pp at 7 and 8 TeV

NODE=S040R56
NODE=S040R56

$$\Gamma(\Sigma_c(2520)^0 p \bar{p}, \Sigma_c(2520)^0 \rightarrow \Lambda_c^+ \pi^-) / \Gamma(\Lambda_c^+ p \bar{p} \pi^-) \quad \Gamma_{52}/\Gamma_{50}$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.119 ± 0.020 ± 0.014	AAIJ	18AW LHCb	pp at 7 and 8 TeV

NODE=S040R57
NODE=S040R57

$$\Gamma(\Lambda K^0 2\pi^+ 2\pi^-) / \Gamma_{\text{total}} \quad \Gamma_{53}/\Gamma$$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
seen	4	¹ ARENTON	86 FMPS	$\Lambda K_S^0 2\pi^+ 2\pi^-$

¹ See the footnote to the ARENTON 86 mass value.

NODE=S040R2
NODE=S040R2

NODE=S040R2;LINKAGE=B

$$\Gamma(\Lambda_c^+ \ell^- \bar{\nu}_\ell \text{ anything}) / \Gamma_{\text{total}} \quad \Gamma_{54}/\Gamma$$

The values and averages in this section serve only to show what values result if one assumes our $B(b \rightarrow b\text{-baryon})$. They cannot be thought of as measurements since the underlying product branching fractions were also used to determine $B(b \rightarrow b\text{-baryon})$ as described in the note on "Production and Decay of b -Flavored Hadrons."

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.043 ± 0.008 OUR AVERAGE				
[0.109 ± 0.022 OUR 2025 AVERAGE]				

NODE=S040R6
NODE=S040R6

NODE=S040R6
NEW

0.041 ± 0.007 ± 0.003		¹ BARATE	98D ALEP	$e^+ e^- \rightarrow Z$
0.056 ^{+0.019} _{-0.016} ± 0.004	29	² ABREU	95S DLPH	$e^+ e^- \rightarrow Z$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.036 ± 0.009 ± 0.003	55	³ BUSKULIC	95L ALEP	Repl. by BARATE 98D
0.071 ± 0.027 ± 0.005	21	⁴ BUSKULIC	92E ALEP	$\Lambda_c^+ \rightarrow p K^- \pi^+$

¹ BARATE 98D reports $[\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ \ell^- \bar{\nu}_\ell \text{ anything}) / \Gamma_{\text{total}}] \times [B(\bar{b} \rightarrow b\text{-baryon})] = 0.0086 \pm 0.0007 \pm 0.0014$ which we divide by our best value $B(\bar{b} \rightarrow b\text{-baryon}) = (21.1 \pm 1.6) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value. Measured using $\Lambda_c \ell^-$ and $\Lambda \ell^+ \ell^-$.

NODE=S040R6;LINKAGE=KK

² ABREU 95S reports $[\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ \ell^- \bar{\nu}_\ell \text{ anything}) / \Gamma_{\text{total}}] \times [B(\bar{b} \rightarrow b\text{-baryon})] = 0.0118 \pm 0.0026^{+0.0031}_{-0.0021}$ which we divide by our best value $B(\bar{b} \rightarrow b\text{-baryon}) = (21.1 \pm 1.6) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=S040R6;LINKAGE=CA

³ BUSKULIC 95L reports $[\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ \ell^- \bar{\nu}_\ell \text{ anything}) / \Gamma_{\text{total}}] \times [B(\bar{b} \rightarrow b\text{-baryon})] = 0.00755 \pm 0.0014 \pm 0.0012$ which we divide by our best value $B(\bar{b} \rightarrow b\text{-baryon}) = (21.1 \pm 1.6) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=S040R6;LINKAGE=BL

⁴ BUSKULIC 92E reports $[\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ \ell^- \bar{\nu}_\ell \text{ anything}) / \Gamma_{\text{total}}] \times [B(\bar{b} \rightarrow b\text{-baryon})] = 0.015 \pm 0.0035 \pm 0.0045$ which we divide by our best value $B(\bar{b} \rightarrow b\text{-baryon}) = (21.1 \pm 1.6) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value. Superseded by BUSKULIC 95L.

NODE=S040R6;LINKAGE=BA

$$\Gamma(\Lambda_c^+ \ell^- \bar{\nu}_\ell) / \Gamma_{\text{total}}$$

VALUE

DOCUMENT ID

TECN

COMMENT

$$\Gamma_{55} / \Gamma$$

NODE=S040R15
NODE=S040R15

$$0.062^{+0.014}_{-0.013} \text{ OUR FIT}$$

$$0.050^{+0.011+0.016}_{-0.008-0.012}$$

$$^1 \text{ ABDALLAH } 04A \text{ DLPH } e^+ e^- \rightarrow Z^0$$

¹ Derived from a combined likelihood and event rate fit to the distribution of the Isgur-Wise variable and using HQET. The slope of the form factor is measured to be $\rho^2 = 2.03 \pm 0.46^{+0.72}_{-1.00}$.

NODE=S040R15;LINKAGE=AB

$$\Gamma(\Lambda_c^+ \ell^- \bar{\nu}_\ell) / \Gamma(\Lambda_c^+ \pi^-)$$

VALUE

DOCUMENT ID

TECN

COMMENT

$$\Gamma_{55} / \Gamma_{32}$$

NODE=S040R04
NODE=S040R04

$$12.8^{+3.0}_{-2.7} \text{ OUR FIT}$$

$$16.6 \pm 3.0^{+2.8}_{-3.6}$$

$$\text{AALTONEN } 09E \text{ CDF } p\bar{p} \text{ at 1.96 TeV}$$

$$\Gamma(\Lambda_c^+ \tau^- \bar{\nu}_\tau) / \Gamma(\Lambda_c^+ \pi^+ \pi^- \pi^-)$$

VALUE

DOCUMENT ID

TECN

COMMENT

$$\Gamma_{56} / \Gamma_{40}$$

NODE=S040R74
NODE=S040R74

$$2.46 \pm 0.27 \pm 0.40$$

$$^1 \text{ AAIJ } 22K \text{ LHCb } pp \text{ at 7, 8 TeV}$$

¹ Uses $\tau^- \rightarrow \pi^- \pi^+ \pi^- (\pi^0) \nu_\tau$ decays.

NODE=S040R74;LINKAGE=A

$$\Gamma(\Lambda_c^+ \pi^+ \pi^- \ell^- \bar{\nu}_\ell) / \Gamma_{\text{total}}$$

VALUE

DOCUMENT ID

TECN

COMMENT

$$\Gamma_{57} / \Gamma$$

NODE=S040R16
NODE=S040R16

$$0.056^{+0.031}_{-0.030}$$

$$^1 \text{ ABDALLAH } 04A \text{ DLPH } e^+ e^- \rightarrow Z^0$$

¹ Derived from the fraction of $\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ \ell^- \bar{\nu}_\ell) / (\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ \ell^- \bar{\nu}_\ell) + \Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^+ \pi^- \ell^- \bar{\nu}_\ell)) = 0.47^{+0.10+0.07}_{-0.08-0.06}$.

NODE=S040R16;LINKAGE=AB

$$\Gamma(\Lambda_c^+ \ell^- \bar{\nu}_\ell) / [\Gamma(\Lambda_c^+ \ell^- \bar{\nu}_\ell) + \Gamma(\Lambda_c^+ \pi^+ \pi^- \ell^- \bar{\nu}_\ell)]$$

VALUE

DOCUMENT ID

TECN

COMMENT

$$\Gamma_{55} / (\Gamma_{55} + \Gamma_{57})$$

NODE=S040R17
NODE=S040R17

$$0.47^{+0.10+0.07}_{-0.08-0.06}$$

$$\text{ABDALLAH } 04A \text{ DLPH } e^+ e^- \rightarrow Z^0$$

$$\Gamma(\Lambda_c(2595)^+ \ell^- \bar{\nu}_\ell) / \Gamma(\Lambda_c^+ \ell^- \bar{\nu}_\ell)$$

VALUE

DOCUMENT ID

TECN

COMMENT

$$\Gamma_{58} / \Gamma_{55}$$

NODE=S040R01
NODE=S040R01

$$0.126 \pm 0.033^{+0.047}_{-0.038}$$

$$^1 \text{ AALTONEN } 09E \text{ CDF } p\bar{p} \text{ at 1.96 TeV}$$

¹ AALTONEN 09E assumes isospin conservation for $\Lambda_c(2595) \rightarrow \Lambda_c \pi^+ \pi^+$ and $\Lambda_c(2595) \rightarrow \Lambda_c \pi^0 \pi^0$. Significant isospin violation from thresholds in $\Lambda_c(2595) \rightarrow \Sigma_c(2455) \pi \rightarrow \Lambda_c \pi \pi$ may alter the recovered ratio.

NODE=S040R01;LINKAGE=A

$$\Gamma(\Lambda_c(2625)^+ \ell^- \bar{\nu}_\ell) / \Gamma(\Lambda_c^+ \ell^- \bar{\nu}_\ell)$$

VALUE

DOCUMENT ID

TECN

COMMENT

$$\Gamma_{59} / \Gamma_{55}$$

NODE=S040R02
NODE=S040R02

$$0.210 \pm 0.042^{+0.071}_{-0.050}$$

$$\text{AALTONEN } 09E \text{ CDF } p\bar{p} \text{ at 1.96 TeV}$$

$$[\frac{1}{2} \Gamma(\Sigma_c(2455)^0 \pi^+ \ell^- \bar{\nu}_\ell) + \frac{1}{2} \Gamma(\Sigma_c(2455)^{++} \pi^- \ell^- \bar{\nu}_\ell)] / \Gamma(\Lambda_c^+ \ell^- \bar{\nu}_\ell)$$

VALUE

DOCUMENT ID

TECN

COMMENT

$$(\frac{1}{2} \Gamma_{60} + \frac{1}{2} \Gamma_{61}) / \Gamma_{55}$$

NODE=S040R03
NODE=S040R03

$$0.054 \pm 0.022^{+0.021}_{-0.018}$$

$$\text{AALTONEN } 09E \text{ CDF } p\bar{p} \text{ at 1.96 TeV}$$

$$\Gamma(p h^-) / \Gamma_{\text{total}}$$

VALUE

CL%

DOCUMENT ID

TECN

COMMENT

$$\Gamma_{62} / \Gamma$$

NODE=S040R18
NODE=S040R18

$$< 2.3 \times 10^{-5}$$

90

$$^1 \text{ ACOSTA } 050 \text{ CDF } p\bar{p} \text{ at 1.96 TeV}$$

¹ Assumes $f_A / f_d = 0.25$, and equal momentum distribution for Λ_b and B mesons.

NODE=S040R18;LINKAGE=AC

$$\Gamma(p \pi^-) / \Gamma_{\text{total}}$$

VALUE (units 10^{-6})

CL%

DOCUMENT ID

TECN

COMMENT

$$\Gamma_{63} / \Gamma$$

NODE=S040R9
NODE=S040R9

$$1.85 \pm 0.30 \text{ OUR FIT}$$

$$[(4.6 \pm 0.8) \times 10^{-6} \text{ OUR 2025 FIT}]$$

$$1.6 \pm 0.4 \text{ OUR AVERAGE } [(4.1 \pm 1.1) \times 10^{-6} \text{ OUR 2025 AVERAGE}]$$

$$1.6 \pm 0.4 \pm 0.1 \quad ^1 \text{ AALTONEN } 09C \text{ CDF } p\bar{p} \text{ at 1.96 TeV}$$

• • • We do not use the following data for averages, fits, limits, etc. • • •

NEW

NEW

$$< 50$$

90

$$^2 \text{ BUSKULIC } 96V \text{ ALEP } e^+ e^- \rightarrow Z$$

- ¹ AALTONEN 09C reports $[\Gamma(\Lambda_b^0 \rightarrow p\pi^-)/\Gamma_{\text{total}}] / [B(B^0 \rightarrow K^+\pi^-)] \times [B(\bar{b} \rightarrow b\text{-baryon})] / [B(\bar{b} \rightarrow B^0)] = 0.042 \pm 0.007 \pm 0.006$ which we multiply or divide by our best values $B(B^0 \rightarrow K^+\pi^-) = (2.00 \pm 0.04) \times 10^{-5}$, $B(\bar{b} \rightarrow b\text{-baryon}) = (21.1 \pm 1.6) \times 10^{-2}$, $B(\bar{b} \rightarrow B^0) = (40.8 \pm 0.7) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best values.
- ² BUSKULIC 96V assumes PDG 96 production fractions for B^0 , B^+ , B_s , b baryons.

NODE=S040R9;LINKAGE=AL

NODE=S040R9;LINKAGE=BV

 $\Gamma(pK^-)/\Gamma_{\text{total}}$ Γ_{64}/Γ

VALUE (units 10^{-6})	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

2.2±0.4 OUR FIT[(5.5 ± 1.0) × 10⁻⁶ OUR 2025 FIT]**2.6±0.5 OUR AVERAGE** [(6.4 ± 1.5) × 10⁻⁶ OUR 2025 AVERAGE]**2.6±0.5±0.2**¹ AALTONEN 09C CDF $p\bar{p}$ at 1.96 TeV

• • • We do not use the following data for averages, fits, limits, etc. • • •

<360 90 ² ADAM 96D DLPH $e^+e^- \rightarrow Z$ < 50 90 ³ BUSKULIC 96V ALEP $e^+e^- \rightarrow Z$

- ¹ AALTONEN 09C reports $[\Gamma(\Lambda_b^0 \rightarrow pK^-)/\Gamma_{\text{total}}] / [B(B^0 \rightarrow K^+\pi^-)] \times [B(\bar{b} \rightarrow b\text{-baryon})] / [B(\bar{b} \rightarrow B^0)] = 0.066 \pm 0.009 \pm 0.008$ which we multiply or divide by our best values $B(B^0 \rightarrow K^+\pi^-) = (2.00 \pm 0.04) \times 10^{-5}$, $B(\bar{b} \rightarrow b\text{-baryon}) = (21.1 \pm 1.6) \times 10^{-2}$, $B(\bar{b} \rightarrow B^0) = (40.8 \pm 0.7) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best values.
- ² ADAM 96D assumes $f_{B^0} = f_{B^-} = 0.39$ and $f_{B_s} = 0.12$.
- ³ BUSKULIC 96V assumes PDG 96 production fractions for B^0 , B^+ , B_s , b baryons.

NODE=S040R10

NODE=S040R10

NEW

NEW

NODE=S040R10;LINKAGE=AL

NODE=S040R10;LINKAGE=DQ

NODE=S040R10;LINKAGE=BV

 $\Gamma(p\pi^-)/\Gamma(pK^-)$ Γ_{63}/Γ_{64}

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

0.83±0.09 OUR FIT

[0.84 ± 0.09 OUR 2025 FIT]

0.86±0.08±0.05AAIJ 12AR LHCB pp at 7 TeV

NODE=S040R20

NODE=S040R20

NEW

 $\Gamma(pD_s^-)/\Gamma_{\text{total}}$ Γ_{65}/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<4.8 × 10⁻⁴ 90 AAIJ 14Q LHCB pp at 7 TeV

NODE=S040R30

NODE=S040R30

 $\Gamma(pD_s^-)/\Gamma(\Lambda_c^+\pi^-)$ Γ_{65}/Γ_{32}

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

2.56±0.10±0.15¹ AAIJ 23K LHCB pp at 13 TeV

- ¹ AAIJ 23K reports this measurement as $(2.56 \pm 0.10 \pm 0.05 \pm 0.14) \times 10^{-3}$ where the last uncertainty is due to the branching fractions $B(D_s^- \rightarrow K^- K^+\pi^-)$ and $B(\Lambda_c^+ \rightarrow pK^- \pi^+)$ uncertainties.

NODE=S040R77

NODE=S040R77

NODE=S040R77;LINKAGE=A

 $\Gamma(p\mu^- \bar{\nu}_\mu)/\Gamma_{\text{total}}$ Γ_{66}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

4.1±1.0¹ AAIJ 15BG LHCB pp at 8 TeV

- ¹ The ratio of $B(\Lambda_b^0 \rightarrow p\mu^- \bar{\nu}_\mu)$ to $B(\Lambda_b^0 \rightarrow \Lambda_c^+ \mu^- \bar{\nu}_\mu)$ is measured within a restricted q^2 region. Combined with theoretical calculations of the form factors and the previously measured value of $|V_{cb}|$, the first $|V_{ub}| = (3.27 \pm 0.15 \pm 0.16 \pm 0.06) \times 10^{-3}$ measurement from the Λ_b decay is obtained, consistent with the exclusively measured world averages.

NODE=S040R34

NODE=S040R34

NODE=S040R34;LINKAGE=A

 $\Gamma(p\mu^- \bar{\nu}_\mu)/\Gamma(\Lambda_c^+ \ell^- \bar{\nu}_\ell)$ Γ_{66}/Γ_{55}

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.0±0.04±0.08 ¹ AAIJ 15BG LHCB pp at 8 TeV

- ¹ This measurement is a ratio of $\Gamma(\Lambda_b^0 \rightarrow p\mu^- \bar{\nu}_\mu)[q^2 > 15 \text{ GeV}/c^2]$ to $\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ \mu^- \bar{\nu}_\mu)[q^2 > 7 \text{ GeV}/c^2]$ within a restricted q^2 region. Combined with theoretical calculations of the form factors and the previously measured value of $|V_{cb}|$, the first $|V_{ub}| = (3.27 \pm 0.15 \pm 0.16 \pm 0.06) \times 10^{-3}$ measurement from the Λ_b decay is obtained, consistent with the exclusively measured world averages.

NODE=S040R35

NODE=S040R35

NODE=S040R35;LINKAGE=A

$\Gamma(\Lambda\mu^+\mu^-)/\Gamma_{\text{total}}$ VALUE (units 10^{-7})

DOCUMENT ID

TECN

COMMENT

 Γ_{67}/Γ NODE=S040R19
NODE=S040R19**10.8 $\pm$ 2.8 OUR AVERAGE**9.6 $\pm$ 1.6 $\pm$ 2.5¹ AAIJ

13AJ LHCb

 pp at 7 TeV17.3 $\pm$ 4.2 $\pm$ 5.5

AALTONEN

11AJ CDF

 $p\bar{p}$ at 1.96 TeV

¹ Uses $B(\Lambda_b^0 \rightarrow J/\psi \Lambda) = (6.2 \pm 1.4) \times 10^{-4}$. This measurement comes from the sum of the differential rates in q^2 regions excluding those corresponding to J/ψ and $\psi(2S)$ ([8.68,10.09] and [12.86, 14.18] GeV^2/c^4).

NODE=S040R19;LINKAGE=AA

 $\Gamma(p\pi^-\mu^+\mu^-)/\Gamma_{\text{total}}$ VALUE (units 10^{-8})

DOCUMENT ID

TECN

COMMENT

 Γ_{68}/Γ NODE=S040R47
NODE=S040R47**6.9 $\pm$ 1.9 $^{+1.7}_{-1.5}$** ¹ AAIJ

17P LHCb

 pp at 7, 8 TeV

¹ Excludes J/ψ and $\psi(2S)$ decays to $\mu^+\mu^-$.

NODE=S040R47;LINKAGE=A

 $\Gamma(p\pi^-\mu^+\mu^-)/\Gamma(p\pi^-J/\psi, J/\psi \rightarrow \mu^+\mu^-)$ Γ_{68}/Γ_{14} VALUE (units 10^{-2})

DOCUMENT ID

TECN

COMMENT

NODE=S040R46
NODE=S040R46**4.4 $\pm$ 1.2 $\pm$ 0.7**¹ AAIJ

17P LHCb

 pp at 7, 8 TeV

¹ The $p\pi^-\mu^+\mu^-$ mode excludes J/ψ and $\psi(2S)$ decays to $\mu^+\mu^-$.

NODE=S040R46;LINKAGE=A

 $\Gamma(pK^-e^+e^-)/\Gamma_{\text{total}}$ VALUE (units 10^{-6})

DOCUMENT ID

TECN

COMMENT

 Γ_{69}/Γ NODE=S040R62
NODE=S040R62**0.310 $\pm$ 0.040 $^{+0.054}_{-0.047}$** ^{1,2} AAIJ

20M LHCb

 pp at 7, 8, 13 TeV

¹ Measured over $0.1 < q^2 < 6.0 \text{ GeV}/c^2$, and $m_{pK} < 2.6 \text{ GeV}/c^2$.

NODE=S040R62;LINKAGE=A

² The first uncertainty is the statistical uncertainty and the second is the combination of all systematic uncertainties including those related to the normalization of $\Lambda_b^0 \rightarrow J/\psi pK^-$.

NODE=S040R62;LINKAGE=B

 $\Gamma(pK^-\mu^+\mu^-)/\Gamma_{\text{total}}$ VALUE (units 10^{-6})

DOCUMENT ID

TECN

COMMENT

 Γ_{70}/Γ NODE=S040R61
NODE=S040R61**0.265 $\pm$ 0.014 $^{+0.049}_{-0.039}$** ^{1,2} AAIJ

20M LHCb

 pp at 7, 8, 13 TeV

¹ Measured over $0.1 < q^2 < 6.0 \text{ GeV}/c^2$, and $m_{pK} < 2.6 \text{ GeV}/c^2$.

NODE=S040R61;LINKAGE=A

² The first uncertainty is the statistical uncertainty and the second is the combination of all systematic uncertainties including those related to the normalization of $\Lambda_b^0 \rightarrow J/\psi pK^-$.

NODE=S040R61;LINKAGE=B

 $\Gamma(pK^-\mu^+\mu^-)/\Gamma(pK^-e^+e^-)$ Γ_{70}/Γ_{69}

VALUE

DOCUMENT ID

TECN

COMMENT

NODE=S040R60
NODE=S040R60**0.86 $^{+0.14}_{-0.11}$ $\pm$ 0.05**¹ AAIJ

20M LHCb

 pp at 7, 8, 13 TeV

¹ Measured over $0.1 < q^2 < 6.0 \text{ GeV}/c^2$, and $m_{pK} < 2.6 \text{ GeV}/c^2$.

NODE=S040R60;LINKAGE=A

 $\Gamma(pK^-e^+e^-)/\Gamma(pJ/\psi K^-)$ Γ_{69}/Γ_{15} VALUE (units 10^{-4})

DOCUMENT ID

TECN

COMMENT

NODE=S040R64
NODE=S040R64**9.8 $^{+1.4}_{-1.3}$ $\pm$ 0.8**¹ AAIJ

20M LHCb

 pp at 7, 8, 13 TeV

¹ Measured over $0.1 < q^2 < 6.0 \text{ GeV}/c^2$, and $m_{pK} < 2.6 \text{ GeV}/c^2$.

NODE=S040R64;LINKAGE=A

 $\Gamma(pK^-\mu^+\mu^-)/\Gamma(pJ/\psi K^-)$ Γ_{70}/Γ_{15} VALUE (units 10^{-4})

DOCUMENT ID

TECN

COMMENT

NODE=S040R63
NODE=S040R63**8.4 $\pm$ 0.4 $\pm$ 0.4**¹ AAIJ

20M LHCb

 pp at 7, 8, 13 TeV

¹ Measured over $0.1 < q^2 < 6.0 \text{ GeV}/c^2$, and $m_{pK} < 2.6 \text{ GeV}/c^2$.

NODE=S040R63;LINKAGE=A

 $\Gamma(\Lambda\gamma)/\Gamma_{\text{total}}$ Γ_{72}/Γ VALUE (units 10^{-6})

CL%

DOCUMENT ID

TECN

COMMENT

NODE=S040R13
NODE=S040R13**7.1 $\pm$ 1.5 $\pm$ 0.9**¹ AAIJ

19Z LHCb

 pp at 13 TeV

• • • We do not use the following data for averages, fits, limits, etc. • • •

<1300

90

ACOSTA

02G CDF

 $p\bar{p}$ at 1.8 TeV

¹ AAIJ 19Z normalized to $B^0 \rightarrow K^{*0}\gamma$ and used an integrated luminosity of 1.7 fb^{-1} .

NODE=S040R13;LINKAGE=A

$\Gamma(\Lambda(1405)^0 \gamma) / \Gamma(\bar{p} K^- \gamma)$ $\Gamma_{74} / \Gamma_{73}$ VALUE (units 10^{-2})

DOCUMENT ID

TECN

COMMENT

 $3.5^{+0.3+1.9}_{-0.4-0.3}$ ¹ AAIJ

24P

LHCB

 pp at 7, 8, 13 TeV¹ AAIJ 24P employs a Dalitz plot analysis of $\Lambda_b^0 \rightarrow \bar{p} K^- \gamma$ decays.NODE=S040R87
NODE=S040R87

NODE=S040R87;LINKAGE=A

 $\Gamma(\Lambda(1520)^0 \gamma) / \Gamma(\bar{p} K^- \gamma)$ $\Gamma_{75} / \Gamma_{73}$ VALUE (units 10^{-2})

DOCUMENT ID

TECN

COMMENT

 $10.4^{+0.4+2.2}_{-0.2-1.2}$ ¹ AAIJ

24P

LHCB

 pp at 7, 8, 13 TeV¹ AAIJ 24P employs a Dalitz plot analysis of $\Lambda_b^0 \rightarrow \bar{p} K^- \gamma$ decays.NODE=S040R93
NODE=S040R93

NODE=S040R93;LINKAGE=A

 $\Gamma(\Lambda(1600)^0 \gamma) / \Gamma(\bar{p} K^- \gamma)$ $\Gamma_{76} / \Gamma_{73}$ VALUE (units 10^{-2})

DOCUMENT ID

TECN

COMMENT

 $15.6^{+0.6+4.3}_{-0.9-4.6}$ ¹ AAIJ

24P

LHCB

 pp at 7, 8, 13 TeV¹ AAIJ 24P employs a Dalitz plot analysis of $\Lambda_b^0 \rightarrow \bar{p} K^- \gamma$ decays.NODE=S040R94
NODE=S040R94

NODE=S040R94;LINKAGE=A

 $\Gamma(\Lambda(1670)^0 \gamma) / \Gamma(\bar{p} K^- \gamma)$ $\Gamma_{77} / \Gamma_{73}$ VALUE (units 10^{-2})

DOCUMENT ID

TECN

COMMENT

 $1.3 \pm 0.2^{+1.3}_{-0.2}$ ¹ AAIJ

24P

LHCB

 pp at 7, 8, 13 TeV¹ AAIJ 24P employs a Dalitz plot analysis of $\Lambda_b^0 \rightarrow \bar{p} K^- \gamma$ decays.NODE=S040R95
NODE=S040R95

NODE=S040R95;LINKAGE=A

 $\Gamma(\Lambda(1690)^0 \gamma) / \Gamma(\bar{p} K^- \gamma)$ $\Gamma_{78} / \Gamma_{73}$ VALUE (units 10^{-2})

DOCUMENT ID

TECN

COMMENT

 $7.7^{+0.4+6.2}_{-0.8-0.2}$ ¹ AAIJ

24P

LHCB

 pp at 7, 8, 13 TeV¹ AAIJ 24P employs a Dalitz plot analysis of $\Lambda_b^0 \rightarrow \bar{p} K^- \gamma$ decays.NODE=S040R96
NODE=S040R96

NODE=S040R96;LINKAGE=A

 $\Gamma(\Lambda(1800)^0 \gamma) / \Gamma(\bar{p} K^- \gamma)$ $\Gamma_{79} / \Gamma_{73}$ VALUE (units 10^{-2})

DOCUMENT ID

TECN

COMMENT

 $18.3^{+1.3+3.2}_{-1.6-6.2}$ ¹ AAIJ

24P

LHCB

 pp at 7, 8, 13 TeV¹ AAIJ 24P employs a Dalitz plot analysis of $\Lambda_b^0 \rightarrow \bar{p} K^- \gamma$ decays.NODE=S040R97
NODE=S040R97

NODE=S040R97;LINKAGE=A

 $\Gamma(\Lambda(1810)^0 \gamma) / \Gamma(\bar{p} K^- \gamma)$ $\Gamma_{80} / \Gamma_{73}$ VALUE (units 10^{-2})

DOCUMENT ID

TECN

COMMENT

 $0.1^{+0.9+4.8}_{-0.4-0.7}$ ¹ AAIJ

24P

LHCB

 pp at 7, 8, 13 TeV¹ AAIJ 24P employs a Dalitz plot analysis of $\Lambda_b^0 \rightarrow \bar{p} K^- \gamma$ decays.NODE=S040R98
NODE=S040R98

NODE=S040R98;LINKAGE=A

 $\Gamma(\Lambda(1820)^0 \gamma) / \Gamma(\bar{p} K^- \gamma)$ $\Gamma_{81} / \Gamma_{73}$ VALUE (units 10^{-2})

DOCUMENT ID

TECN

COMMENT

 $8.3^{+0.4+1.0}_{-0.7-5.7}$ ¹ AAIJ

24P

LHCB

 pp at 7, 8, 13 TeV¹ AAIJ 24P employs a Dalitz plot analysis of $\Lambda_b^0 \rightarrow \bar{p} K^- \gamma$ decays.NODE=S040R99
NODE=S040R99

NODE=S040R99;LINKAGE=A

 $\Gamma(\Lambda(1830)^0 \gamma) / \Gamma(\bar{p} K^- \gamma)$ $\Gamma_{82} / \Gamma_{73}$

VALUE

DOCUMENT ID

TECN

COMMENT

 $(0.3 \pm 0.4^{+1.6}_{-0.9}) \times 10^{-2}$ ¹ AAIJ

24P

LHCB

 pp at 7, 8, 13 TeV¹ AAIJ 24P employs a Dalitz plot analysis of $\Lambda_b^0 \rightarrow \bar{p} K^- \gamma$ decays.NODE=S040P00
NODE=S040P00

NODE=S040P00;LINKAGE=A

 $\Gamma(\Lambda(1890)^0 \gamma) / \Gamma(\bar{p} K^- \gamma)$ $\Gamma_{83} / \Gamma_{73}$ VALUE (units 10^{-2})

DOCUMENT ID

TECN

COMMENT

 $11.2^{+0.7+4.6}_{-0.6-4.9}$ ¹ AAIJ

24P

LHCB

 pp at 7, 8, 13 TeV¹ AAIJ 24P employs a Dalitz plot analysis of $\Lambda_b^0 \rightarrow \bar{p} K^- \gamma$ decays.NODE=S040P01
NODE=S040P01

NODE=S040P01;LINKAGE=A

$\Gamma(\Lambda(2100)^0 \gamma) / \Gamma(\bar{p} K^- \gamma)$ $\Gamma_{84} / \Gamma_{73}$ VALUE (units 10^{-2})

DOCUMENT ID

TECN

COMMENT

 $7.3 \pm 0.5^{+1.4}_{-2.9}$ ¹ AAIJ

24P

LHCB

 pp at 7, 8, 13 TeV¹ AAIJ 24P employs a Dalitz plot analysis of $\Lambda_b^0 \rightarrow \bar{p} K^- \gamma$ decays.NODE=S040P02
NODE=S040P02

NODE=S040P02;LINKAGE=A

 $\Gamma(\Lambda(2110)^0 \gamma) / \Gamma(\bar{p} K^- \gamma)$ $\Gamma_{85} / \Gamma_{73}$ VALUE (units 10^{-2})

DOCUMENT ID

TECN

COMMENT

 $6.5 \pm 0.6^{+6.3}_{-0.7-0.2}$ ¹ AAIJ

24P

LHCB

 pp at 7, 8, 13 TeV¹ AAIJ 24P employs a Dalitz plot analysis of $\Lambda_b^0 \rightarrow \bar{p} K^- \gamma$ decays.NODE=S040P03
NODE=S040P03

NODE=S040P03;LINKAGE=A

 $\Gamma(\Lambda(2530)^0 \gamma) / \Gamma(\bar{p} K^- \gamma)$ $\Gamma_{86} / \Gamma_{73}$ VALUE (units 10^{-2})

DOCUMENT ID

TECN

COMMENT

 $1.0 \pm 0.2^{+0.8}_{-0.1-0.1}$ ¹ AAIJ

24P

LHCB

 pp at 7, 8, 13 TeV¹ AAIJ 24P employs a Dalitz plot analysis of $\Lambda_b^0 \rightarrow \bar{p} K^- \gamma$ decays.NODE=S040P04
NODE=S040P04

NODE=S040P04;LINKAGE=A

 $\Gamma((\bar{p} K^-) \text{ nonresonant } \gamma) / \Gamma(\bar{p} K^- \gamma)$ $\Gamma_{87} / \Gamma_{73}$ VALUE (units 10^{-2})

DOCUMENT ID

TECN

COMMENT

 $2.8 \pm 0.5^{+2.4}_{-0.4-1.3}$ ¹ AAIJ

24P

LHCB

 pp at 7, 8, 13 TeV¹ AAIJ 24P employs a Dalitz plot analysis of $\Lambda_b^0 \rightarrow \bar{p} K^- \gamma$ decays.NODE=S040P05
NODE=S040P05

NODE=S040P05;LINKAGE=A

 $\Gamma(\Lambda \eta) / \Gamma_{\text{total}}$ Γ_{88} / Γ VALUE (units 10^{-6})

DOCUMENT ID

TECN

COMMENT

 $9 \pm 7 \pm 1$ ¹ AAIJ

15AH

LHCB

 pp at 7, 8 TeV¹ AAIJ 15AH reports $[\Gamma(\Lambda_b^0 \rightarrow \Lambda \eta) / \Gamma_{\text{total}}] / [B(B^0 \rightarrow \eta' K^0)] = 0.142^{+0.11}_{-0.08}$ which we multiply by our best value $B(B^0 \rightarrow \eta' K^0) = (6.6 \pm 0.4) \times 10^{-5}$. Our first error is their experiment's error and our second error is the systematic error from using our best value. The single uncertainty quoted with the original measurement combines in quadrature statistical and systematic uncertainties.NODE=S040R32
NODE=S040R32

NODE=S040R32;LINKAGE=A

 $\Gamma(\Lambda \eta' (958)) / \Gamma_{\text{total}}$ Γ_{89} / Γ

VALUE CL%

DOCUMENT ID

TECN

COMMENT

 $< 3.1 \times 10^{-6}$

90

¹ AAIJ

15AH

LHCB

 pp at 7, 8 TeV¹ AAIJ 15AH reports $[\Gamma(\Lambda_b^0 \rightarrow \Lambda \eta' (958)) / \Gamma_{\text{total}}] / [B(B^0 \rightarrow \eta' K^0)] < 0.047$ which we multiply by our best value $B(B^0 \rightarrow \eta' K^0) = 6.6 \times 10^{-5}$.NODE=S040R33
NODE=S040R33

NODE=S040R33;LINKAGE=A

 $\Gamma(\Lambda \pi^+ \pi^-) / \Gamma_{\text{total}}$ Γ_{90} / Γ VALUE (units 10^{-6})

DOCUMENT ID

TECN

COMMENT

 $6.4 \pm 0.7 \pm 0.5$ ¹ AAIJ

25J

LHCB

 pp at 7, 8, 13 TeV¹ AAIJ 25J reports $(5.3 \pm 0.4 \pm 0.7) \times 10^{-6}$ from a measurement of $[\Gamma(\Lambda_b^0 \rightarrow \Lambda \pi^+ \pi^-) / \Gamma_{\text{total}}] / [B(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-)] / [B(\Lambda_c^+ \rightarrow \Lambda \pi^+)]$ assuming $B(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-) = (4.30 \pm 0.36) \times 10^{-3}$, $B(\Lambda_c^+ \rightarrow \Lambda \pi^+) = (1.24 \pm 0.08) \times 10^{-2}$, which we rescale to our best values $B(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-) = (4.9 \pm 0.4) \times 10^{-3}$, $B(\Lambda_c^+ \rightarrow \Lambda \pi^+) = (1.31 \pm 0.05) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best values.NODE=S040P07
NODE=S040P07

NODE=S040P07;LINKAGE=B

 $\Gamma(\Lambda \pi^+ \pi^-) / \Gamma(\Lambda_c^+ \pi^-)$ $\Gamma_{90} / \Gamma_{32}$ VALUE (units 10^{-4})

DOCUMENT ID

TECN

COMMENT

 $9.6 \pm 3.8 \pm 0.4$ ¹ AAIJ

16W

LHCB

 pp at 7, 8 TeV¹ AAIJ 16W reports $[\Gamma(\Lambda_b^0 \rightarrow \Lambda \pi^+ \pi^-) / \Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-)] / [B(\Lambda_c^+ \rightarrow \Lambda \pi^+)] = (7.3 \pm 1.9 \pm 2.2) \times 10^{-2}$ which we multiply by our best value $B(\Lambda_c^+ \rightarrow \Lambda \pi^+) = (1.31 \pm 0.05) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.NODE=S040R41
NODE=S040R41

NODE=S040R41;LINKAGE=A

$\Gamma(\Lambda K^+ \pi^-)/\Gamma_{\text{total}}$ Γ_{91}/Γ VALUE (units 10^{-6})

DOCUMENT ID

TECN

COMMENT

 $5.5 \pm 0.5^{+0.5}_{-0.4}$ ¹ AAIJ

25J

LHCB

 pp at 7, 8, 13 TeV

¹ AAIJ 25J reports $(4.6 \pm 0.2 \pm 0.6) \times 10^{-6}$ from a measurement of $[\Gamma(\Lambda_b^0 \rightarrow \Lambda K^+ \pi^-)/\Gamma_{\text{total}}] / [B(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-)] / [B(\Lambda_c^+ \rightarrow \Lambda \pi^+)]$ assuming $B(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-) = (4.30 \pm 0.36) \times 10^{-3}$, $B(\Lambda_c^+ \rightarrow \Lambda \pi^+) = (1.24 \pm 0.08) \times 10^{-2}$, which we rescale to our best values $B(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-) = (4.9 \pm 0.4) \times 10^{-3}$, $B(\Lambda_c^+ \rightarrow \Lambda \pi^+) = (1.31 \pm 0.05) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best values.

NODE=S040P08
NODE=S040P08

NODE=S040P08;LINKAGE=B

 $\Gamma(\Lambda K^+ \pi^-)/\Gamma(\Lambda_c^+ \pi^-)$ Γ_{91}/Γ_{32} VALUE (units 10^{-4})

DOCUMENT ID

TECN

COMMENT

 11.7 ± 2.4 OUR AVERAGE $[(11.6 \pm 2.4) \times 10^{-4}]$ OUR 2025 AVERAGE] **$11.7 \pm 2.3 \pm 0.4$** ¹ AAIJ

16W

LHCB

 pp at 7, 8 TeV

¹ AAIJ 16W reports $[\Gamma(\Lambda_b^0 \rightarrow \Lambda K^+ \pi^-)/\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-)] / [B(\Lambda_c^+ \rightarrow \Lambda \pi^+)] = (8.9 \pm 1.2 \pm 1.3) \times 10^{-2}$ which we multiply by our best value $B(\Lambda_c^+ \rightarrow \Lambda \pi^+) = (1.31 \pm 0.05) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=S040R42
NODE=S040R42

NEW

NODE=S040R42;LINKAGE=A

 $\Gamma(\Lambda K^+ K^-)/\Gamma_{\text{total}}$ Γ_{92}/Γ VALUE (units 10^{-6})

DOCUMENT ID

TECN

COMMENT

 $12.8 \pm 0.6^{+1.1}_{-1.0}$ ¹ AAIJ

25J

LHCB

 pp at 7, 8, 13 TeV

¹ AAIJ 25J reports $(10.7 \pm 0.3 \pm 1.2) \times 10^{-6}$ from a measurement of $[\Gamma(\Lambda_b^0 \rightarrow \Lambda K^+ K^-)/\Gamma_{\text{total}}] / [B(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-)] / [B(\Lambda_c^+ \rightarrow \Lambda \pi^+)]$ assuming $B(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-) = (4.30 \pm 0.36) \times 10^{-3}$, $B(\Lambda_c^+ \rightarrow \Lambda \pi^+) = (1.24 \pm 0.08) \times 10^{-2}$, which we rescale to our best values $B(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-) = (4.9 \pm 0.4) \times 10^{-3}$, $B(\Lambda_c^+ \rightarrow \Lambda \pi^+) = (1.31 \pm 0.05) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best values.

NODE=S040P09
NODE=S040P09

NODE=S040P09;LINKAGE=B

 $\Gamma(\Lambda K^+ K^-)/\Gamma(\Lambda_c^+ \pi^-)$ Γ_{92}/Γ_{32} VALUE (units 10^{-3})

DOCUMENT ID

TECN

COMMENT

 $3.32 \pm 0.35 \pm 0.12$ ¹ AAIJ

16W

LHCB

 pp at 7, 8 TeV

¹ AAIJ 16W reports $[\Gamma(\Lambda_b^0 \rightarrow \Lambda K^+ K^-)/\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-)] / [B(\Lambda_c^+ \rightarrow \Lambda \pi^+)] = (25.3 \pm 1.9 \pm 1.9) \times 10^{-2}$ which we multiply by our best value $B(\Lambda_c^+ \rightarrow \Lambda \pi^+) = (1.31 \pm 0.05) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=S040R43
NODE=S040R43

NODE=S040R43;LINKAGE=A

 $\Gamma(\Lambda D^+ D^-)/\Gamma_{\text{total}}$ Γ_{93}/Γ VALUE (units 10^{-4})

DOCUMENT ID

TECN

COMMENT

 $1.24 \pm 0.15 \pm 0.32$ ¹ AAIJ

24R

LHCB

 pp at 13 TeV

¹ AAIJ 24R reports $(1.24 \pm 0.15 \pm 0.10 \pm 0.28 \pm 0.11) \times 10^{-4}$ from a measurement of $[\Gamma(\Lambda_b^0 \rightarrow \Lambda D^+ D^-)/\Gamma_{\text{total}}] / [B(B^0 \rightarrow D^- D^+ K^0)]$ assuming $B(B^0 \rightarrow D^- D^+ K^0) = (7.5 \pm 1.7) \times 10^{-4}$. The first error is statistical, the second experimental systematic, the third due to the B^0 branching fraction, and the fourth due to the cross-section ratio of Λ_b^0 to B^0 of 0.541 ± 0.048 .

NODE=S040R86
NODE=S040R86

NODE=S040R86;LINKAGE=B

 $\Gamma(\Lambda \phi)/\Gamma_{\text{total}}$ Γ_{94}/Γ VALUE (units 10^{-6})

DOCUMENT ID

TECN

COMMENT

 3.9 ± 0.9 OUR AVERAGE $[(9.8 \pm 2.6) \times 10^{-6}]$ OUR 2025 AVERAGE] **$3.9 \pm 0.8 \pm 0.5$** ¹ AAIJ

16J

LHCB

 pp at 7, 8 TeV

¹ AAIJ 16J reports $[\Gamma(\Lambda_b^0 \rightarrow \Lambda \phi)/\Gamma_{\text{total}}] / [B(B^0 \rightarrow K^0 \phi)] \times [B(\bar{b} \rightarrow b\text{-baryon})] / [B(\bar{b} \rightarrow B^0)] = 0.275 \pm 0.055 \pm 0.020$ which we multiply or divide by our best values $B(B^0 \rightarrow K^0 \phi) = (7.3 \pm 0.7) \times 10^{-6}$, $B(\bar{b} \rightarrow b\text{-baryon}) = (21.1 \pm 1.6) \times 10^{-2}$, $B(\bar{b} \rightarrow B^0) = (40.8 \pm 0.7) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best values.

NODE=S040R00
NODE=S040R00

NEW

NODE=S040R00;LINKAGE=A

$$\Gamma(p\pi^-\pi^+\pi^-)/\Gamma(\Lambda_c^+\pi^-)$$

 Γ_{95}/Γ_{32}

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
4.33±0.29 OUR AVERAGE	[(4.35 ± 0.30) × 10 ⁻³ OUR 2025 AVERAGE]		
4.33±0.24^{+0.16}_{-0.17}	¹ AAIJ	18Q LHCB	pp at 7, 8 TeV

¹ AAIJ 18Q reports $[\Gamma(\Lambda_b^0 \rightarrow p\pi^-\pi^+\pi^-)/\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+\pi^-)] / [B(\Lambda_c^+ \rightarrow pK^-\pi^+)]$
 $= (6.85 \pm 0.19 \pm 0.08 \pm 0.32) \times 10^{-2}$ which we multiply by our best value $B(\Lambda_c^+ \rightarrow pK^-\pi^+) = (6.32 \pm 0.24) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=S040R51
 NODE=S040R51

NEW

NODE=S040R51;LINKAGE=A

$$\Gamma(pK^-K^+\pi^-)/\Gamma(\Lambda_c^+\pi^-)$$

 Γ_{96}/Γ_{32}

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
0.83±0.11 OUR AVERAGE	[(0.84 ± 0.11) × 10 ⁻³ OUR 2025 AVERAGE]		
0.83±0.10±0.03	¹ AAIJ	18Q LHCB	pp at 7, 8 TeV

¹ AAIJ 18Q reports $[\Gamma(\Lambda_b^0 \rightarrow pK^-K^+\pi^-)/\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+\pi^-)] / [B(\Lambda_c^+ \rightarrow pK^-\pi^+)]$
 $= (1.32 \pm 0.09 \pm 0.09 \pm 0.10) \times 10^{-2}$ which we multiply by our best value $B(\Lambda_c^+ \rightarrow pK^-\pi^+) = (6.32 \pm 0.24) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=S040R52
 NODE=S040R52

NEW

NODE=S040R52;LINKAGE=A

$$\Gamma(pK^-\pi^+\pi^-)/\Gamma(\Lambda_c^+\pi^-)$$

 Γ_{97}/Γ_{32}

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
10.4±0.5±0.4	¹ AAIJ	18Q LHCB	pp at 7, 8 TeV

¹ AAIJ 18Q reports $[\Gamma(\Lambda_b^0 \rightarrow pK^-\pi^+\pi^-)/\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+\pi^-)] / [B(\Lambda_c^+ \rightarrow pK^-\pi^+)]$
 $= (16.4 \pm 0.3 \pm 0.2 \pm 0.7) \times 10^{-2}$ which we multiply by our best value $B(\Lambda_c^+ \rightarrow pK^-\pi^+) = (6.32 \pm 0.24) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=S040R53
 NODE=S040R53

NODE=S040R53;LINKAGE=A

$$\Gamma(pK^-K^+K^-)/\Gamma(\Lambda_c^+\pi^-)$$

 Γ_{98}/Γ_{32}

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
2.60±0.18 OUR AVERAGE	[(2.61 ± 0.18) × 10 ⁻³ OUR 2025 AVERAGE]		
2.60±0.15±0.10	¹ AAIJ	18Q LHCB	pp at 7, 8 TeV

¹ AAIJ 18Q reports $[\Gamma(\Lambda_b^0 \rightarrow pK^-K^+K^-)/\Gamma(\Lambda_b^0 \rightarrow \Lambda_c^+\pi^-)] / [B(\Lambda_c^+ \rightarrow pK^-\pi^+)]$
 $= (4.11 \pm 0.12 \pm 0.06 \pm 0.19) \times 10^{-2}$ which we multiply by our best value $B(\Lambda_c^+ \rightarrow pK^-\pi^+) = (6.32 \pm 0.24) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

NODE=S040R54
 NODE=S040R54

NEW

NODE=S040R54;LINKAGE=A

PARTIAL BRANCHING FRACTIONS

$$B(\Lambda_b \rightarrow \Lambda\mu^+\mu^-) (q^2 < 2.0 \text{ GeV}^2/c^4)$$

VALUE (units 10^{-7})	DOCUMENT ID	TECN	COMMENT
0.71±0.27 OUR AVERAGE			

0.72 ^{+0.24} _{-0.22} ± 0.14	¹ AAIJ	15AE LHCB	pp at 7, 8 TeV
0.15±2.01±0.05	AALTONEN	11AI CDF	$p\bar{p}$ at 1.96 TeV
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.56±0.76±0.80	² AAIJ	13AJ LHCB	Repl. by AAIJ 15AE

¹ AAIJ 15AE measurement covers $0.1 < q^2 < 2.0 \text{ GeV}^2/c^4$.

² Uses $B(\Lambda_b^0 \rightarrow J/\psi\Lambda) = (6.2 \pm 1.4) \times 10^{-4}$.

NODE=S040240

NODE=S040PB1
 NODE=S040PB1

NODE=S040PB1;LINKAGE=A

NODE=S040PB1;LINKAGE=AA

$$B(\Lambda_b \rightarrow \Lambda\mu^+\mu^-) (2.0 < q^2 < 4.3 \text{ GeV}^2/c^4)$$

VALUE (units 10^{-7})	DOCUMENT ID	TECN	COMMENT
0.28^{+0.28}_{-0.21} OUR AVERAGE			

0.253 ^{+0.276} _{-0.207} ± 0.046	¹ AAIJ	15AE LHCB	pp at 7, 8 TeV
1.8 ± 1.7 ± 0.6	AALTONEN	11AI CDF	$p\bar{p}$ at 1.96 TeV
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.71 ± 0.60 ± 0.23	² AAIJ	13AJ LHCB	Repl. by AAIJ 15AE

¹ AAIJ 15AE measurement covers $2.0 < q^2 < 4.0 \text{ GeV}^2/c^4$.

² Uses $B(\Lambda_b^0 \rightarrow J/\psi\Lambda) = (6.2 \pm 1.4) \times 10^{-4}$.

NODE=S040PB2
 NODE=S040PB2

NODE=S040PB2;LINKAGE=A

NODE=S040PB2;LINKAGE=AA

$B(\Lambda_b \rightarrow \Lambda \mu^+ \mu^-) (q^2 < 4.3 \text{ GeV}^2/c^4)$

VALUE (units 10^{-7})	DOCUMENT ID	TECN	COMMENT
$2.7 \pm 2.5 \pm 0.9$	AALTONEN	11AI CDF	$p\bar{p}$ at 1.96 TeV

NODE=S040PB8
NODE=S040PB8

 $B(\Lambda_b \rightarrow \Lambda \mu^+ \mu^-) (4.0 < q^2 < 6.0 \text{ GeV}^2/c^4)$

VALUE (units 10^{-7})	DOCUMENT ID	TECN	COMMENT
$0.04^{+0.18}_{-0.00} \pm 0.02$	AAIJ	15AE LHCB	pp at 7, 8 TeV

NODE=S040PB9
NODE=S040PB9

 $B(\Lambda_b \rightarrow \Lambda \mu^+ \mu^-) (1.0 < q^2 < 6.0 \text{ GeV}^2/c^4)$

VALUE (units 10^{-7})	DOCUMENT ID	TECN	COMMENT
$0.47^{+0.31}_{-0.27}$ OUR AVERAGE			

NODE=S040PB7
NODE=S040PB7

$0.45^{+0.30}_{-0.25} \pm 0.10$	¹ AAIJ	15AE LHCB	pp at 7 and 8 TeV
$1.3 \pm 2.1 \pm 0.4$	AALTONEN	11AI CDF	$p\bar{p}$ at 1.96 TeV
¹ AAIJ 15AE measurement covers $1.1 < q^2 < 6.0 \text{ GeV}^2/c^4$.			

NODE=S040PB7;LINKAGE=A

 $B(\Lambda_b \rightarrow \Lambda \mu^+ \mu^-) (6.0 < q^2 < 8.0 \text{ GeV}^2/c^4)$

VALUE (units 10^{-7})	DOCUMENT ID	TECN	COMMENT
$0.50^{+0.24}_{-0.22} \pm 0.10$	AAIJ	15AE LHCB	pp at 7, 8 TeV

NODE=S040PB0
NODE=S040PB0

 $B(\Lambda_b \rightarrow \Lambda \mu^+ \mu^-) (4.3 < q^2 < 8.68 \text{ GeV}^2/c^4)$

VALUE (units 10^{-7})	DOCUMENT ID	TECN	COMMENT
0.5 ± 0.7 OUR AVERAGE			
$0.66 \pm 0.74 \pm 0.18$	¹ AAIJ	13AJ LHCB	pp at 7 TeV
$-0.2 \pm 1.6 \pm 0.1$	AALTONEN	11AI CDF	$p\bar{p}$ at 1.96 TeV
¹ Uses $B(\Lambda_b^0 \rightarrow J/\psi \Lambda) = (6.2 \pm 1.4) \times 10^{-4}$.			

NODE=S040PB3
NODE=S040PB3

NODE=S040PB3;LINKAGE=AA

 $B(\Lambda_b \rightarrow \Lambda \mu^+ \mu^-) (10.09 < q^2 < 12.86 \text{ GeV}^2/c^4)$

VALUE (units 10^{-7})	DOCUMENT ID	TECN	COMMENT
2.2 ± 0.6 OUR AVERAGE			

NODE=S040PB4
NODE=S040PB4

$2.08^{+0.42}_{-0.39} \pm 0.42$	¹ AAIJ	15AE LHCB	pp at 7, 8 TeV
$3.0 \pm 1.5 \pm 1.0$	AALTONEN	11AI CDF	$p\bar{p}$ at 1.96 TeV
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$1.55 \pm 0.58 \pm 0.55$	² AAIJ	13AJ LHCB	Repl. by AAIJ 15AE
¹ AAIJ 15AE measurement covers $11.0 < q^2 < 12.5 \text{ GeV}^2/c^4$.			
² Uses $B(\Lambda_b^0 \rightarrow J/\psi \Lambda) = (6.2 \pm 1.4) \times 10^{-4}$.			

NODE=S040PB4;LINKAGE=A

NODE=S040PB4;LINKAGE=AA

 $B(\Lambda_b \rightarrow \Lambda \mu^+ \mu^-) (14.18 < q^2 < 16.0 \text{ GeV}^2/c^4)$

VALUE (units 10^{-7})	DOCUMENT ID	TECN	COMMENT
1.7 ± 0.5 OUR AVERAGE	Error includes scale factor of 1.1.		

NODE=S040PB5
NODE=S040PB5

$2.04^{+0.35}_{-0.33} \pm 0.42$	¹ AAIJ	15AE LHCB	pp at 7, 8 TeV
$1.0 \pm 0.7 \pm 0.3$	AALTONEN	11AI CDF	$p\bar{p}$ at 1.96 TeV
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$1.44 \pm 0.44 \pm 0.42$	² AAIJ	13AJ LHCB	Repl. by AAIJ 15AE
¹ AAIJ 15AE measurement covers $15.0 < q^2 < 16.0 \text{ GeV}^2/c^4$.			
² Uses $B(\Lambda_b^0 \rightarrow J/\psi \Lambda) = (6.2 \pm 1.4) \times 10^{-4}$.			

NODE=S040PB5;LINKAGE=A

NODE=S040PB5;LINKAGE=AA

 $B(\Lambda_b \rightarrow \Lambda \mu^+ \mu^-) (16.0 < q^2 \text{ GeV}^2/c^4)$

VALUE (units 10^{-7})	DOCUMENT ID	TECN	COMMENT
$7.0 \pm 1.9 \pm 2.2$	AALTONEN	11AI CDF	$p\bar{p}$ at 1.96 TeV

NODE=S040PB6
NODE=S040PB6

• • • We do not use the following data for averages, fits, limits, etc. • • •			
$4.73 \pm 0.77 \pm 1.25$	^{1,2} AAIJ	13AJ LHCB	Repl. by AAIJ 15AE
¹ Uses $B(\Lambda_b^0 \rightarrow J/\psi \Lambda) = (6.2 \pm 1.4) \times 10^{-4}$.			
² Requires $16.00 < q^2 < 20.30 \text{ GeV}^2/c^4$.			

NODE=S040PB6;LINKAGE=AA

NODE=S040PB6;LINKAGE=AI

 $B(\Lambda_b \rightarrow \Lambda \mu^+ \mu^-) (18.0 < q^2 < 20.0 \text{ GeV}^2/c^4)$

VALUE (units 10^{-7})	DOCUMENT ID	TECN	COMMENT
$2.44 \pm 0.28 \pm 0.50$	AAIJ	15AE LHCB	pp at 7, 8 TeV

NODE=S040PBA
NODE=S040PBA

$B(\Lambda_b \rightarrow \Lambda \mu^+ \mu^-)$ ($15.0 < q^2 < 20.0 \text{ GeV}^2/c^4$)

VALUE (units 10^{-7})	DOCUMENT ID	TECN	COMMENT
$6.00 \pm 0.45 \pm 1.25$	AAIJ	15AE LHCb	pp at 7, 8 TeV

NODE=S040PBB
NODE=S040PBB

 $B(\Lambda_b \rightarrow \Lambda(1520)^0 \mu^+ \mu^-)$ ($1.1 < q^2 < 6.0 \text{ GeV}^2/c^4$)

VALUE (units 10^{-8})	DOCUMENT ID	TECN	COMMENT
$9.56 \pm 1.13 \pm 0.78 \pm 1.81$	¹ AAIJ	23BB LHCb	pp at 7, 8, 13 TeV

NODE=S040A40
NODE=S040A40

¹ Uses $B(\Lambda_b \rightarrow J/\psi p K^-) = (3.2 \pm 0.6) \times 10^{-4}$. The last uncertainty is due to uncertainties of $B(\Lambda_b^0 \rightarrow p K^- J/\psi)$ and $B(J/\psi \rightarrow \mu^+ \mu^-)$ values.

NODE=S040A40;LINKAGE=A

 $B(\Lambda_b \rightarrow \Lambda(1520)^0 \mu^+ \mu^-)$ ($15.0 < q^2 < 17.0 \text{ GeV}^2/c^4$)

VALUE (units 10^{-8})	DOCUMENT ID	TECN	COMMENT
$1.14 \pm 0.48 \pm 0.26 \pm 0.22$	¹ AAIJ	23BB LHCb	pp at 7, 8, 13 TeV

NODE=S040A41
NODE=S040A41

¹ Uses $B(\Lambda_b \rightarrow J/\psi p K^-) = (3.2 \pm 0.6) \times 10^{-4}$. The last uncertainty is due to uncertainties of $B(\Lambda_b^0 \rightarrow p K^- J/\psi)$ and $B(J/\psi \rightarrow \mu^+ \mu^-)$ values.

NODE=S040A41;LINKAGE=A

CP VIOLATION

NODE=S040230

A_{CP} is defined as

NODE=S040230

$$A_{CP} = \frac{B(\Lambda_b^0 \rightarrow f) - B(\bar{\Lambda}_b^0 \rightarrow \bar{f})}{B(\Lambda_b^0 \rightarrow f) + B(\bar{\Lambda}_b^0 \rightarrow \bar{f})},$$

the CP-violation asymmetry of exclusive Λ_b^0 and $\bar{\Lambda}_b^0$ decay.

 $A_{CP}(\Lambda_b \rightarrow p \pi^-)$

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

0.3 ± 0.9 OUR AVERAGE

[-0.025 ± 0.029 OUR 2025 AVERAGE Scale factor = 1.2]

$0.2 \pm 0.8 \pm 0.4$ AAIJ 25o LHCb pp at 7, 8, 13 TeV

$6 \pm 7 \pm 3$ AALTONEN 14P CDF $p\bar{p}$ at 1.96 TeV

• • • We do not use the following data for averages, fits, limits, etc. • • •

$-3.5 \pm 1.7 \pm 2.0$ AAIJ 18AX LHCb Repl. by AAIJ 25o

$3 \pm 17 \pm 5$ AALTONEN 11N CDF Repl. by AALTONEN 14P

NODE=S040CP1
NODE=S040CP1
NEW

 $A_{CP}(\Lambda_b \rightarrow p K^-)$

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

-1.2 ± 0.8 OUR AVERAGE

[-0.025 ± 0.022 OUR 2025 AVERAGE]

$-1.1 \pm 0.7 \pm 0.4$ AAIJ 25o LHCb pp at 7, 8, 13 TeV

$-10 \pm 8 \pm 4$ AALTONEN 14P CDF $p\bar{p}$ at 1.96 TeV

• • • We do not use the following data for averages, fits, limits, etc. • • •

$-2.0 \pm 1.3 \pm 1.9$ AAIJ 18AX LHCb Repl. by AAIJ 25o

$37 \pm 17 \pm 3$ AALTONEN 11N CDF Repl. by AALTONEN 14P

NODE=S040CP2
NODE=S040CP2
NEW

 $A_{CP}(\Lambda_b \rightarrow D p K^-)$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

$0.12 \pm 0.09^{+0.02}_{-0.03}$ ¹ AAIJ 21AD LHCb pp at 7, 8, 13 TeV

¹ A_{CP} is measured from $(B(\Lambda_b^0 \rightarrow [K^+ \pi^-]_D p K^-) - B(\bar{\Lambda}_b^0 \rightarrow [K^- \pi^+]_D \bar{p} K^+)) / (B(\Lambda_b^0 \rightarrow [K^+ \pi^-]_D p K^-) + B(\bar{\Lambda}_b^0 \rightarrow [K^- \pi^+]_D \bar{p} K^+))$ in the full phase space.

NODE=S040A38
NODE=S040A38

NODE=S040A38;LINKAGE=A

 $A_{CP}(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-)$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

$0.007 \pm 0.008 \pm 0.005$ ¹ AAIJ 24AH LHCb pp at 7, 8, 13 TeV

¹ Analyzes the angular distribution of $\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-$.

NODE=S040A42
NODE=S040A42

NODE=S040A42;LINKAGE=A

 $A_{CP}(\Lambda_b^0 \rightarrow \Lambda_c^+ K^-)$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

$-0.032 \pm 0.029 \pm 0.006$ ¹ AAIJ 24AH LHCb pp at 7, 8, 13 TeV

¹ Analyzes the angular distribution of $\Lambda_b^0 \rightarrow \Lambda_c^+ K^-$.

NODE=S040A43
NODE=S040A43

NODE=S040A43;LINKAGE=A

$\Delta A_{CP}(pK^-/\pi^-)$

$$\Delta A_{CP} \equiv A_{CP}(pK^-) - A_{CP}(p\pi^-)$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.014±0.022±0.010	AAIJ	18AX LHCb	pp at 7 and 8 TeV

NODE=S040A19

NODE=S040A19
NODE=S040A19 **$A_{CP}(\Lambda_b \rightarrow p\bar{K}^0\pi^-)$**

VALUE	DOCUMENT ID	TECN	COMMENT
0.22±0.13±0.03	AAIJ	14Q LHCb	pp at 7 TeV

NODE=S040CP3
NODE=S040CP3 **$\Delta A_{CP}(J/\psi p\pi^-/K^-)$**

$$\Delta A_{CP} \equiv A_{CP}(J/\psi p\pi^-) - A_{CP}(J/\psi pK^-)$$

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
5.7±2.4±1.2	AAIJ	14K LHCb	pp at 7, 8 TeV

NODE=S040DCP
NODE=S040DCP
NODE=S040DCP **$A_{CP}(\Lambda_b \rightarrow \Lambda\pi^+\pi^-)$**

VALUE	DOCUMENT ID	TECN	COMMENT
-0.013±0.053±0.018	¹ AAIJ	25J LHCb	pp at 7, 8, 13 TeV

NODE=S040A56
NODE=S040A56¹ Measured relative to $\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-$ decay.

NODE=S040A56;LINKAGE=A

 $A_{CP}(\Lambda_b \rightarrow \Lambda K^+\pi^-)$

VALUE	DOCUMENT ID	TECN	COMMENT
-0.12 ±0.05 OUR AVERAGE	[-0.53 ± 0.25 OUR 2025 AVERAGE]		

NODE=S040A00
NODE=S040A00
NEW**-0.118±0.045±0.021** ¹ AAIJ 25J LHCb pp at 7, 8, 13 TeV

• • • We do not use the following data for averages, fits, limits, etc. • • •

-0.53 ±0.23 ±0.11 ¹ AAIJ 16W LHCb Repl. by AAIJ 25J¹ Measured relative to $\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-$ decay.

NODE=S040A00;LINKAGE=A

 $A_{CP}(\Lambda_b \rightarrow \Lambda K^+K^-)$

VALUE	DOCUMENT ID	TECN	COMMENT
0.083±0.028 OUR AVERAGE	[-0.28 ± 0.12 OUR 2025 AVERAGE]		

NODE=S040A05
NODE=S040A05
NEW**0.083±0.023±0.016** ¹ AAIJ 25J LHCb pp at 7, 8, 13 TeV

• • • We do not use the following data for averages, fits, limits, etc. • • •

-0.28 ±0.10 ±0.07 ¹ AAIJ 16W LHCb Repl. by AAIJ 25J¹ Measured relative to $\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-$ decay.

NODE=S040A05;LINKAGE=A

 $\Delta A_{CP}(\Lambda_b^0 \rightarrow pK^- \mu^+ \mu^-)$

$$\Delta A_{CP} \equiv A_{CP}(pK^- \mu^+ \mu^-) - A_{CP}(pK^- J/\psi)$$

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
-3.5±5.0±0.2	AAIJ	17T LHCb	pp at 7, 8 TeV

NODE=S040A10
NODE=S040A10
NODE=S040A10 **$\Delta A_{CP}(\Lambda_b^0 \rightarrow p\pi^- \pi^+ \pi^-)$**

$$\Delta A_{CP} \equiv A_{CP}(\Lambda_b^0 \rightarrow p\pi^- \pi^+ \pi^-) - A_{CP}(\Lambda_b^0 \rightarrow (\Lambda_c^+ \rightarrow p\pi^- \pi^+) \pi^-)$$

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
1.1±2.5±0.6	¹ AAIJ	19AH LHCb	pp at 7 and 8 TeV

NODE=S040A22
NODE=S040A22
NODE=S040A22¹ Full phase space.

NODE=S040A22;LINKAGE=A

 $\Delta A_{CP}(\Lambda_b^0 \rightarrow (p\pi^- \pi^+ \pi^-)_{LBM})$

$$\Delta A_{CP} \equiv A_{CP}(\Lambda_b^0 \rightarrow (p\pi^- \pi^+ \pi^-)_{LBM}) - A_{CP}(\Lambda_b^0 \rightarrow (\Lambda_c^+ \rightarrow p\pi^- \pi^+) \pi^-).$$

Two-body low invariant-mass region (LBM): $m(p\pi^-) < 2000\text{MeV}$ and $m(\pi^+ \pi^-) < 1640\text{MeV}$.

NODE=S040A23
NODE=S040A23

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
3.7±4.1±0.5	¹ AAIJ	19AH LHCb	pp at 7 and 8 TeV

NODE=S040A23

¹ Measurement done with $m(p\pi^-) < 2000\text{MeV}/c^2$ and $m(\pi^+ \pi^-) < 1640\text{MeV}/c^2$.

NODE=S040A23;LINKAGE=A

 $\Delta A_{CP}(\Lambda_b^0 \rightarrow p a_1(1260)^-)$

$$\Delta A_{CP} \equiv A_{CP}(\Lambda_b^0 \rightarrow p a_1(1260)^-) - A_{CP}(\Lambda_b^0 \rightarrow (\Lambda_c^+ \rightarrow p\pi^- \pi^+) \pi^-).$$

419 < $m(\pi^+ \pi^-) < 1500\text{MeV}$.

NODE=S040A29

NODE=S040A29

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
-1.5±4.2±0.6	AAIJ	19AH LHCb	pp at 7 and 8 TeV

NODE=S040A29

$\Delta A_{CP}(\Lambda_b^0 \rightarrow N(1520)^0 \rho(770)^0)$

$$\Delta A_{CP} \equiv A_{CP}(\Lambda_b^0 \rightarrow N(1520)^0 \rho(770)^0) - A_{CP}(\Lambda_b^0 \rightarrow (\Lambda_c^+ \rightarrow p \pi^- \pi^+) \pi^-).$$

1078 < m($p \pi^-$) < 1800 MeV and m($\pi^+ \pi^-$) < 1100 MeV.

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
2.0 ± 4.9 ± 0.4	AAIJ	19AH LHCB	pp at 7 and 8 TeV

NODE=S040A30

NODE=S040A30

NODE=S040A30

 $\Delta A_{CP}(\Lambda_b^0 \rightarrow \Delta(1232)^{++} \pi^- \pi^-)$

$$\Delta A_{CP} \equiv A_{CP}(\Lambda_b^0 \rightarrow \Delta(1232)^{++} \pi^- \pi^-) - A_{CP}(\Lambda_b^0 \rightarrow (\Lambda_c^+ \rightarrow p \pi^- \pi^+) \pi^-).$$

1078 < m($p \pi^+$) < 1432 MeV.

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
0.1 ± 3.2 ± 0.6	AAIJ	19AH LHCB	pp at 7 and 8 TeV

NODE=S040A31

NODE=S040A31

NODE=S040A31

 $\Delta A_{CP}(\Lambda_b^0 \rightarrow p K^- \pi^+ \pi^-)$

$$\Delta A_{CP} \equiv A_{CP}(\Lambda_b^0 \rightarrow p K^- \pi^+ \pi^-) - A_{CP}(\Lambda_b^0 \rightarrow (\Lambda_c^+ \rightarrow p K^- \pi^+) \pi^-)$$

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
2.5 ± 0.5 OUR AVERAGE [(3.2 ± 1.3) × 10 ⁻² OUR 2025 AVERAGE]			

2.45 ± 0.46 ± 0.10 ¹ AAIJ 25AB LHCB pp at 7, 8, 13 TeV

• • • We do not use the following data for averages, fits, limits, etc. • • •

3.2 ± 1.1 ± 0.6 ² AAIJ 19AH LHCB Repl. by AAIJ 25AB

¹ AAIJ 25AB provides also measurements in parts of the phase-space.

² Full phase space.

NODE=S040A24

NODE=S040A24

NODE=S040A24

NEW

NODE=S040A24;LINKAGE=B

NODE=S040A24;LINKAGE=A

 $\Delta A_{CP}(\Lambda_b^0 \rightarrow (p K^- \pi^+ \pi^-)_{LBM})$

$$\Delta A_{CP} \equiv A_{CP}(\Lambda_b^0 \rightarrow (p K^- \pi^+ \pi^-)_{LBM}) - A_{CP}(\Lambda_b^0 \rightarrow (\Lambda_c^+ \rightarrow p K^- \pi^+) \pi^-).$$

Two-body low invariant-mass region (LBM): m($p K^-$) < 2000 MeV and m($\pi^+ \pi^-$) < 1640 MeV.

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
3.5 ± 1.5 ± 0.5	¹ AAIJ	19AH LHCB	pp at 7 and 8 TeV

¹ Measurement done with m($p K^-$) < 2000 MeV/c² and m($\pi^+ \pi^-$) < 1640 MeV/c².

NODE=S040A25

NODE=S040A25

NODE=S040A25

NODE=S040A25;LINKAGE=A

 $\Delta A_{CP}(\Lambda_b^0 \rightarrow N(1520)^0 K^*(892)^0)$

$$\Delta A_{CP} \equiv A_{CP}(\Lambda_b^0 \rightarrow N(1520)^0 K^*(892)^0) - A_{CP}(\Lambda_b^0 \rightarrow (\Lambda_c^+ \rightarrow p K^- \pi^+) \pi^-).$$

1078 < m($p \pi^-$) < 1800 MeV and 750 < m($\pi^+ K^-$) < 1100 MeV.

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
5.5 ± 2.5 ± 0.5	AAIJ	19AH LHCB	pp at 7 and 8 TeV

NODE=S040A32

NODE=S040A32

NODE=S040A32

 $\Delta A_{CP}(\Lambda_b^0 \rightarrow \Lambda(1520) \rho(770)^0)$

$$\Delta A_{CP} \equiv A_{CP}(\Lambda_b^0 \rightarrow \Lambda(1520) \rho(770)^0) - A_{CP}(\Lambda_b^0 \rightarrow (\Lambda_c^+ \rightarrow p K^- \pi^+) \pi^-).$$

1460 < m($p K^-$) < 1580 MeV and m($\pi^+ \pi^-$) < 1100 MeV.

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
0.6 ± 6.0 ± 0.5	AAIJ	19AH LHCB	pp at 7 and 8 TeV

NODE=S040A33

NODE=S040A33

NODE=S040A33

 $\Delta A_{CP}(\Lambda_b^0 \rightarrow \Delta(1232)^{++} K^- \pi^-)$

$$\Delta A_{CP} \equiv A_{CP}(\Lambda_b^0 \rightarrow \Delta(1232)^{++} K^- \pi^-) - A_{CP}(\Lambda_b^0 \rightarrow (\Lambda_c^+ \rightarrow p K^- \pi^+) \pi^-).$$

1078 < m($p \pi^+$) < 1432 MeV.

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
4.4 ± 2.6 ± 0.6	AAIJ	19AH LHCB	pp at 7 and 8 TeV

NODE=S040A34

NODE=S040A34

NODE=S040A34

 $\Delta A_{CP}(\Lambda_b^0 \rightarrow p K_1(1410)^-)$

$$\Delta A_{CP} \equiv A_{CP}(\Lambda_b^0 \rightarrow p K_1(1410)^-) - A_{CP}(\Lambda_b^0 \rightarrow (\Lambda_c^+ \rightarrow p K^- \pi^+) \pi^-).$$

1200 < m($K^- \pi^+ \pi^-$) < 1600 MeV.

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
4.7 ± 3.5 ± 0.8	AAIJ	19AH LHCB	pp at 7 and 8 TeV

NODE=S040A35

NODE=S040A35

NODE=S040A35

 $\Delta A_{CP}(\Lambda_b^0 \rightarrow p K^- K^+ \pi^-)$

$$\Delta A_{CP} \equiv A_{CP}(\Lambda_b^0 \rightarrow p K^- K^+ \pi^-) - A_{CP}(\Lambda_b^0 \rightarrow (\Lambda_c^+ \rightarrow p \pi^- \pi^+) \pi^-)$$

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
-6.9 ± 4.9 ± 0.8	¹ AAIJ	19AH LHCB	pp at 7 and 8 TeV

¹ Full phase space.

NODE=S040A26

NODE=S040A26

NODE=S040A26

NODE=S040A26;LINKAGE=A

$\Delta A_{CP}(\Lambda_b^0 \rightarrow p K^- K^+ K^-)$

$\Delta A_{CP} \equiv A_{CP}(\Lambda_b^0 \rightarrow p K^- K^+ K^-) - A_{CP}(\Lambda_b^0 \rightarrow (\Lambda_c^+ \rightarrow p K^- \pi^+) \pi^-)$			
VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
$0.2 \pm 1.8 \pm 0.6$	¹ AAIJ	19AH LHCb	pp at 7 and 8 TeV

¹ Full phase space.

NODE=S040A27

NODE=S040A27
NODE=S040A27

NODE=S040A27;LINKAGE=A

 $\Delta A_{CP}(\Lambda_b^0 \rightarrow \Lambda(1520) \phi(1020))$

$\Delta A_{CP} \equiv A_{CP}(\Lambda_b^0 \rightarrow \Lambda(1520) \phi(1020)) - A_{CP}(\Lambda_b^0 \rightarrow (\Lambda_c^+ \rightarrow p K^- \pi^+) \pi^-)$.			
1460 < $m(p K^-)$ < 1600 MeV and 1005 < $m(K^+ K^-)$ < 1040 MeV.			
VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
$4.3 \pm 5.6 \pm 0.4$	AAIJ	19AH LHCb	pp at 7 and 8 TeV

NODE=S040A36

NODE=S040A36

NODE=S040A36

 $\Delta A_{CP}(\Lambda_b^0 \rightarrow (p K^-)_{highmass} \phi(1020))$

$\Delta A_{CP} \equiv A_{CP}(\Lambda_b^0 \rightarrow (p K^-)_{highmass} \phi(1020)) - A_{CP}(\Lambda_b^0 \rightarrow (\Lambda_c^+ p K^- \pi^+) \pi^-)$. $m(p K^-) > 1600$ MeV and 1005 < $m(K^+ K^-)$ < 1040 MeV.			
VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
$-0.7 \pm 3.3 \pm 0.7$	¹ AAIJ	19AH LHCb	pp at 7 and 8 TeV

¹ Measurement done with $m(p K^-) > 1600$ MeV/ c^2 .

NODE=S040A37

NODE=S040A37

NODE=S040A37

NODE=S040A37;LINKAGE=A

 $\Delta A_{CP}(\Lambda_b^0 \rightarrow (p K^- K^+ K^-)_{LBM})$

$\Delta A_{CP} \equiv A_{CP}(\Lambda_b^0 \rightarrow (p K^- K^+ K^-)_{LBM}) - A_{CP}(\Lambda_b^0 \rightarrow (\Lambda_c^+ \rightarrow p K^- \pi^+) \pi^-)$. Two-body low invariant-mass region (LBM): $m(p K^-) < 2000$ MeV and $m(K^+ K^-) < 1675$ MeV.			
VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
$2.7 \pm 2.3 \pm 0.6$	¹ AAIJ	19AH LHCb	pp at 7 and 8 TeV

¹ Measurement done with $m(p K^-) < 2000$ MeV/ c^2 and $m(K^+ K^-) < 1675$ MeV/ c^2 .

NODE=S040A28

NODE=S040A28

NODE=S040A28

NODE=S040A28;LINKAGE=A

CP AND T VIOLATION PARAMETERS

Measured values of the triple-product asymmetry parameters, odd under time-reversal, are defined as $A_{c(s)}(\Lambda/\phi) = (N_{c(s)}^+ - N_{c(s)}^-) / (\text{sum})$

where $N_{c(s)}^+$, $N_{c(s)}^-$ are the number of Λ or ϕ candidates for which the $\cos(\phi)$ and $\sin(\phi)$ observables are positive and negative, respectively. Angles $\cos(\phi)$ and $\sin(\phi)$ are defined as in LEITNER 07.

NODE=S040270

NODE=S040270

 $A_c(\Lambda)$

VALUE	DOCUMENT ID	TECN	COMMENT
$-0.22 \pm 0.12 \pm 0.06$	AAIJ	16J LHCb	pp at 7, 8 TeV

NODE=S040TCL

NODE=S040TCL

 $A_s(\Lambda)$

VALUE	DOCUMENT ID	TECN	COMMENT
$0.13 \pm 0.12 \pm 0.05$	AAIJ	16J LHCb	pp at 7, 8 TeV

NODE=S040TSL

NODE=S040TSL

 $A_c(\phi)$

VALUE	DOCUMENT ID	TECN	COMMENT
$-0.01 \pm 0.12 \pm 0.03$	AAIJ	16J LHCb	pp at 7, 8 TeV

NODE=S040TCP

NODE=S040TCP

 $A_s(\phi)$

VALUE	DOCUMENT ID	TECN	COMMENT
$-0.07 \pm 0.12 \pm 0.01$	AAIJ	16J LHCb	pp at 7, 8 TeV

NODE=S040TSP

NODE=S040TSP

 $a_{CP}(\Lambda_b^0 \rightarrow p \pi^- \pi^+ \pi^-)$

Observable calculated as half of the difference between triple products for Λ_b^0 and $\bar{\Lambda}_b^0$, which is sensitive to CP violation.

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$-0.7 \pm 0.7 \pm 0.2$	¹ AAIJ	20AB LHCb	pp at 7, 8, 13 TeV

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.15 ± 1.45 ± 0.32 ² AAIJ 17H LHCb Repl. by AAIJ 20AB¹ Used both triple product asymmetries and the unbinned energy test method.² Measured over full phase space of the decay.

NODE=S040A08

NODE=S040A08

NODE=S040A08

NODE=S040A08;LINKAGE=C

NODE=S040A08;LINKAGE=A

$a_{CP}(\Lambda_b^0 \rightarrow p K^- \pi^+ \pi^-)$

Observable calculated as half of the difference between triple products for Λ_b^0 and $\bar{\Lambda}_b^0$, which is sensitive to CP violation.

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$-0.81 \pm 0.84 \pm 0.31$	¹ AAIJ	18AG LHCb	pp at 7, 8 TeV

¹ Measured over full phase space of the decay.

NODE=S040A14

NODE=S040A14

NODE=S040A14

NODE=S040A14;LINKAGE=A

 $a_{CP}(\Lambda_b^0 \rightarrow p K^- K^+ \pi^-)$

Observable calculated as half of the difference between triple products for Λ_b^0 and $\bar{\Lambda}_b^0$, which is sensitive to CP violation.

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$-0.93 \pm 4.54 \pm 0.42$	¹ AAIJ	17H LHCb	pp at 7, 8 TeV

¹ Measured over full phase space of the decay.

NODE=S040A09

NODE=S040A09

NODE=S040A09

NODE=S040A09;LINKAGE=A

 $a_{CP}(\Lambda_b^0 \rightarrow p K^- K^+ K^-)$

Observable calculated as half of the difference between triple products for Λ_b^0 and $\bar{\Lambda}_b^0$, which is sensitive to CP violation.

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$1.12 \pm 1.51 \pm 0.32$	¹ AAIJ	18AG LHCb	pp at 7, 8 TeV

¹ Measured over full phase space of the decay.

NODE=S040A15

NODE=S040A15

NODE=S040A15

NODE=S040A15;LINKAGE=A

 $a_{CP}(\Lambda_b^0 \rightarrow p K^- \mu^+ \mu^-)$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$1.2 \pm 5.0 \pm 0.7$	AAIJ	17T LHCb	pp at 7, 8 TeV

NODE=S040A12

NODE=S040A12

P VIOLATION PARAMETERS

Observables calculated as average of the triple products for Λ_b^0 and $\bar{\Lambda}_b^0$, which is sensitive to parity violation.

NODE=S040280

NODE=S040280

 $a_P(\Lambda_b^0 \rightarrow p \pi^- \pi^+ \pi^-)$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$-4.0 \pm 0.7 \pm 0.2$	¹ AAIJ	20AB LHCb	pp at 7, 8, 13 TeV

• • • We do not use the following data for averages, fits, limits, etc. • • •

$-3.71 \pm 1.45 \pm 0.32$	² AAIJ	17H LHCb	Repl. by AAIJ 20AB
---------------------------	-------------------	----------	--------------------

¹ Used both triple product asymmetries and the unbinned energy test method.

² Measured over full phase space of the decay.

NODE=S040A06

NODE=S040A06

NODE=S040A06;LINKAGE=C

NODE=S040A06;LINKAGE=A

 $a_P(\Lambda_b^0 \rightarrow p K^- \pi^+ \pi^-)$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$-0.60 \pm 0.84 \pm 0.31$	¹ AAIJ	18AG LHCb	pp at 7, 8 TeV

¹ Measured over full phase space of the decay.

NODE=S040A16

NODE=S040A16

NODE=S040A16;LINKAGE=A

 $a_P(\Lambda_b^0 \rightarrow p K^- K^+ \pi^-)$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$3.62 \pm 4.54 \pm 0.42$	¹ AAIJ	17H LHCb	pp at 7, 8 TeV

¹ Measured over full phase space of the decay.

NODE=S040A07

NODE=S040A07

NODE=S040A07;LINKAGE=A

 $a_P(\Lambda_b^0 \rightarrow p K^- K^+ K^-)$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$-1.56 \pm 1.51 \pm 0.32$	¹ AAIJ	18AG LHCb	pp at 7, 8 TeV

¹ Measured over full phase space of the decay.

NODE=S040A17

NODE=S040A17

NODE=S040A17;LINKAGE=A

 $a_P(\Lambda_b^0 \rightarrow p K^- \mu^+ \mu^-)$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$-4.8 \pm 5.0 \pm 0.7$	AAIJ	17T LHCb	pp at 7, 8 TeV

NODE=S040A11

NODE=S040A11

Λ_b^0 DECAY PARAMETERS

See the note on “Baryon Decay Parameters” in the neutron Listings.

α decay parameter for $\Lambda_b \rightarrow J/\psi \Lambda$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

-0.017 ± 0.026 OUR AVERAGE

$-0.022^{+0.027}_{-0.026}$	¹ AAIJ	200	LHCB pp at 7, 8, 13 TeV
$-0.14 \pm 0.14 \pm 0.10$	² SIRUNYAN	18R	CMS pp at 7, 8 TeV
$0.30 \pm 0.16 \pm 0.06$	³ AAD	14L	ATLS pp at 7 TeV

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.05 \pm 0.17 \pm 0.07$	⁴ AAIJ	13AG	LHCB Repl. by AAIJ 200
--------------------------	-------------------	------	------------------------

¹ Extracted using a Bayesian analysis. The most probable value is given as -0.022 , with a 68% credibility interval $[-0.048, 0.005]$. Transverse polarizations of Λ_b^0 of -0.004 (68% credibility interval $[-0.064, 0.051]$), 0.001 (68% credibility interval $[-0.035, 0.045]$), and 0.032 (68% credibility interval $[-0.011, 0.065]$) are also reported at 7 TeV, 8 TeV and 13 TeV, respectively. Note that both statistical and systematic uncertainties are included.

² An angular analysis of $\Lambda_b \rightarrow J/\psi \Lambda$ decay is performed. Note that the sign of α in CMS definition is the opposite to that used by AAIJ 13AG and AAD 14L. Λ_b transverse production polarization of $0.00 \pm 0.06 \pm 0.06$ is also reported, as well as squares of the helicity amplitudes.

³ An angular analysis of $\Lambda_b \rightarrow J/\psi \Lambda$ decay is performed and magnitudes of all helicity amplitudes are also reported.

⁴ An angular analysis of $\Lambda_b \rightarrow J/\psi \Lambda$ decay is performed and a Λ_b transverse production polarization of $0.06 \pm 0.07 \pm 0.02$ is also reported.

NODE=S040250

NODE=S040250

NODE=S040A01
NODE=S040A01

NODE=S040A01;LINKAGE=C

NODE=S040A01;LINKAGE=B

NODE=S040A01;LINKAGE=A

NODE=S040A01;LINKAGE=AA

CP-averaged α decay parameter for $\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

$-1.003 \pm 0.008 \pm 0.005$ ¹ AAIJ 24AH LHCB pp at 7, 8, 13 TeV

¹ Analyzes the angular distribution of $\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-$.

NODE=S040A44
NODE=S040A44

NODE=S040A44;LINKAGE=A

CP-averaged α decay parameter for $\Lambda_b^0 \rightarrow \Lambda_c^+ K^-$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

$-0.964 \pm 0.028 \pm 0.015$ ¹ AAIJ 24AH LHCB pp at 7, 8, 13 TeV

¹ Analyzes the angular distribution of $\Lambda_b^0 \rightarrow \Lambda_c^+ K^-$.

NODE=S040A45
NODE=S040A45

NODE=S040A45;LINKAGE=A

α_γ decay parameter for $\Lambda_b \rightarrow \Lambda \gamma$

Measures asymmetry between left- and right-handed photons in the decay.

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

$0.82^{+0.17+0.04}_{-0.26-0.13}$ ¹ AAIJ 22M LHCB pp at 13 TeV

¹ AAIJ 22M provides a combined measurement as well as measured $\alpha_\gamma^- = 1.26 \pm 0.42 \pm 0.20$ and $\alpha_\gamma^+ = 0.55 \pm 0.32 \pm 0.16$ for Λ_b^0 and $\bar{\Lambda}_b^0$ separately.

NODE=S040A39
NODE=S040A39
NODE=S040A39

NODE=S040A39;LINKAGE=A

$f_L(\mu\mu)$ longitudinal polarization fraction in $\Lambda_b \rightarrow \Lambda \mu^+ \mu^-$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

$0.61^{+0.11}_{-0.14} \pm 0.03$ ¹ AAIJ 15AE LHCB pp at 7, 8 TeV

¹ AAIJ 15AE measurement covers $15.0 < q^2 < 20.0 \text{ GeV}^2/c^4$.

NODE=S040A04
NODE=S040A04

NODE=S040A04;LINKAGE=A

FORWARD-BACKWARD ASYMMETRIES

The forward-backward asymmetry is defined as $A_{FB}(\Lambda_b^0) = [N(F) - N(B)] / [N(F) + N(B)]$, where the forward (F) direction corresponds to a particle (Λ_b^0 or Λ_b^-) sharing valence quark flavors with a beam particle with the same sign of rapidity.

NODE=S040260

NODE=S040260

$A_{FB}(\Lambda_b^0 \rightarrow J/\psi \Lambda)$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

$0.04 \pm 0.07 \pm 0.02$ ¹ ABAZOV 15I D0 pp at 1.96 TeV

¹ The measured asymmetry integrated over rapidity y in the range of $0.1 < |y| < 2.0$.

NODE=S040FBL
NODE=S040FBL

NODE=S040FBL;LINKAGE=A

$A_{FB}^{\ell}(\mu\mu)$ in $\Lambda_b \rightarrow \Lambda\mu^+\mu^-$

VALUE	DOCUMENT ID	TECN	COMMENT
$-0.39 \pm 0.04 \pm 0.01$	¹ AAIJ	18AP LHCB	pp at 7, 8, 13 TeV
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$-0.05 \pm 0.09 \pm 0.03$	² AAIJ	15AE LHCB	Repl. by AAIJ 18AP.
¹ The measurement covers $15.0 < q^2 < 20.0 \text{ GeV}^2/c^4$.			
² AAIJ 15AE measurement covers $15.0 < q^2 < 20.0 \text{ GeV}^2/c^4$.			

NODE=S040A02
 NODE=S040A02

NODE=S040A02;LINKAGE=C
 NODE=S040A02;LINKAGE=A

 $\Delta(A_{FB}^{\ell}(\mu\mu))$ in $\Lambda_b \rightarrow \Lambda\mu^+\mu^-$

Difference of asymmetries $A_{FB}^{\ell}(\mu\mu)$ in $\Lambda_b \rightarrow \Lambda\mu^+\mu^-$ between Λ_b and $\bar{\Lambda}_b$ decays

VALUE	DOCUMENT ID	TECN	COMMENT
$-0.05 \pm 0.09 \pm 0.03$	AAIJ	18AO LHCB	pp at 7, 8 TeV

NODE=S040A21

NODE=S040A21
 NODE=S040A21

 $A_{FB}^h(p\pi)$ in $\Lambda_b \rightarrow \Lambda(p\pi)\mu^+\mu^-$

VALUE	DOCUMENT ID	TECN	COMMENT
$-0.30 \pm 0.05 \pm 0.02$	¹ AAIJ	18AP LHCB	pp at 7, 8, 13 TeV
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$-0.29 \pm 0.07 \pm 0.03$	² AAIJ	15AE LHCB	Repl. by AAIJ 18AP.
¹ The measurement covers $15.0 < q^2 < 20.0 \text{ GeV}^2/c^4$.			
² AAIJ 15AE measurement covers $15.0 < q^2 < 20.0 \text{ GeV}^2/c^4$.			

NODE=S040A03
 NODE=S040A03

NODE=S040A03;LINKAGE=C
 NODE=S040A03;LINKAGE=A

 A_{FB}^{lh} in $\Lambda_b \rightarrow \Lambda\mu^+\mu^-$

VALUE	DOCUMENT ID	TECN	COMMENT
$0.25 \pm 0.04 \pm 0.01$	¹ AAIJ	18AP LHCB	pp at 7, 8, 13 TeV
¹ The measurement covers $15.0 < q^2 < 20.0 \text{ GeV}^2/c^4$.			

NODE=S040A18
 NODE=S040A18

NODE=S040A18;LINKAGE=A

 $\Lambda_b^0 - \bar{\Lambda}_b^0$ Production Asymmetry

$$A_P(\Lambda_b^0) = [\sigma(\Lambda_b^0) - \sigma(\bar{\Lambda}_b^0)] / [\sigma(\Lambda_b^0) + \sigma(\bar{\Lambda}_b^0)]$$

NODE=S040255

NODE=S040255

 $A_P(\Lambda_b^0)$

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
1.4 ± 0.4 OUR AVERAGE	Error includes scale factor of 1.8.		
1.92 ± 0.35	¹ AAIJ	21AJ LHCB	pp at 7 TeV
1.09 ± 0.29	¹ AAIJ	21AJ LHCB	pp at 8 TeV
$-0.11 \pm 2.53 \pm 1.08$	² AAIJ	17BF LHCB	pp at 7 TeV
$3.44 \pm 1.61 \pm 0.76$	² AAIJ	17BF LHCB	pp at 8 TeV
¹ Integrated over the kinematic range $2 < p_T < 27 \text{ GeV}/c$ and $2.15 < y < 4.10$.			
² Indirect determination in kinematic range $2 < p_T < 30 \text{ GeV}/c$ and $2.1 < \eta < 4.5$ from production asymmetries of B^+ , B^0 and B_s^0 .			

NODE=S040A13
 NODE=S040A13

OCCUR=2

OCCUR=2

NODE=S040A13;LINKAGE=B
 NODE=S040A13;LINKAGE=A

 Λ_b^0 REFERENCES

NODE=S040

AAIJ	25AA EPJ C85 812	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	25AB NAT 643 1223	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	25J PRL 134 101802	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	25O PR D111 092004	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	24AH PRL 133 261804	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	24P JHEP 2406 098	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	24R JHEP 2407 140	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	24V EPJ C84 237	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	24X EPJ C84 575	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	24Y PR D110 L031104	R. Aaij <i>et al.</i>	(LHCb Collab.)
HAYRAPETYAN...	24BA EPJ C84 1062	A. Hayrapetyan <i>et al.</i>	(CMS Collab.)
AAIJ	23BB PRL 131 151801	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	23K JHEP 2307 075	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	22K PRL 128 191803	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	22M PR D105 L051104	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	22R JHEP 2203 153	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	21AD PR D104 112008	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	21AJ JHEP 2110 060	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	21B PL B815 136172	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	21R JHEP 2105 095	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	20AB PR D102 051101	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	20AK PR D102 112012	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	20M JHEP 2005 040	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	20O JHEP 2006 110	R. Aaij <i>et al.</i>	(LHCb Collab.)
SIRUNYAN	20H PL B802 135203	A.M. Sirunyan <i>et al.</i>	(CMS Collab.)
AAIJ	19AH EPJ C79 745	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	19AN JHEP 1909 028	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	19F JHEP 1903 126	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	19Z PRL 123 031801	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	18AF JHEP 1808 131	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	18AG JHEP 1808 039	R. Aaij <i>et al.</i>	(LHCb Collab.)

REFID=63510
 REFID=63550
 REFID=63319
 REFID=63399
 REFID=63074
 REFID=62865
 REFID=62871
 REFID=62886
 REFID=62893
 REFID=62928
 REFID=63149
 REFID=62580
 REFID=62156
 REFID=61678
 REFID=61726
 REFID=61783
 REFID=61478
 REFID=61553
 REFID=61102
 REFID=61303
 REFID=60645
 REFID=60748
 REFID=60494
 REFID=60503
 REFID=60384
 REFID=59963
 REFID=60080
 REFID=59659
 REFID=59802
 REFID=59141
 REFID=59146

AAIJ	18AO	JHEP 1809 145 (errat.)	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=59343
AAIJ	18AP	JHEP 1809 146	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=59344
AAIJ	18AW	PL B784 101	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=59397
AAIJ	18AX	PL B787 124	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=59409
AAIJ	18Q	JHEP 1802 098	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=59075
PDG	18	PR D98 030001	M. Tanabashi <i>et al.</i>	(PDG Collab.)	REFID=59304
SIRUNYAN	18BY	EPJ C78 457	A.M. Sirunyan <i>et al.</i>	(CMS Collab.)	REFID=59185
SIRUNYAN	18R	PR D97 072010	A.M. Sirunyan <i>et al.</i>	(CMS Collab.)	REFID=58922
AAIJ	17AM	PRL 119 062001	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=57948
AAIJ	17BF	PL B774 139	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=58252
AAIJ	17H	NATP 13 391	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=57763
AAIJ	17P	JHEP 1704 029	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=57805
AAIJ	17S	JHEP 1705 030	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=57813
AAIJ	17T	JHEP 1706 108	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=57816
AAIJ	16	JHEP 1601 012	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=57025
AAIJ	16A	CP C40 011001	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=57151
AAIJ	16J	PL B759 282	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=57234
AAIJ	16W	JHEP 1605 081	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=57331
AAIJ	16Y	JHEP 1605 132	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=57333
AAD	15CH	PL B751 63	G. Aad <i>et al.</i>	(ATLAS Collab.)	REFID=56932
AAIJ	15AE	JHEP 1506 115	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=56631
Also		JHEP 1809 145 (errat.)	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=59343
AAIJ	15AH	JHEP 1509 006	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=56641
AAIJ	15BG	NATP 11 743	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=57095
ABAZOV	15I	PR D91 072008	V.M. Abazov <i>et al.</i>	(D0 Collab.)	REFID=56732
AAD	14L	PR D89 092009	G. Aad <i>et al.</i>	(ATLAS Collab.)	REFID=55783
AAIJ	14AA	PRL 112 202001	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=55843
AAIJ	14E	JHEP 1404 114	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=55689
AAIJ	14H	PR D89 032001	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=55694
AAIJ	14I	JHEP 1408 143	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=55722
AAIJ	14K	JHEP 1407 103	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=55724
AAIJ	14Q	JHEP 1404 087	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=55730
AAIJ	14U	PL B734 122	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=55763
AALTONEN	14B	PR D89 072014	T. Aaltonen <i>et al.</i>	(CDF Collab.)	REFID=55804
AALTONEN	14P	PRL 113 242001	T. Aaltonen <i>et al.</i>	(CDF Collab.)	REFID=56259
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)	REFID=55687
AAD	13U	PR D87 032002	G. Aad <i>et al.</i>	(ATLAS Collab.)	REFID=54939
AAIJ	13AG	PL B724 27	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=55086
AAIJ	13AJ	PL B725 25	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=55089
AAIJ	13AV	PRL 110 182001	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=55206
AAIJ	13BB	PRL 111 102003	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=55228
CHATRCHYAN	13AC	JHEP 1307 163	S. Chatrchyan <i>et al.</i>	(CMS Collab.)	REFID=55044
AAIJ	12AR	JHEP 1210 037	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=54595
AAIJ	12E	PL B708 241	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=54043
AALTONEN	12A	PR D85 032003	T. Aaltonen <i>et al.</i>	(CDF Collab.)	REFID=54045
ABAZOV	12U	PR D85 112003	V.M. Abazov <i>et al.</i>	(D0 Collab.)	REFID=54350
AAIJ	11E	PR D84 092001	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=53856
Also		PR D85 039904 (errat.)	R. Aaij <i>et al.</i>	(LHCb Collab.)	REFID=54371
AALTONEN	11	PRL 106 121804	T. Aaltonen <i>et al.</i>	(CDF Collab.)	REFID=53674
AALTONEN	11AI	PRL 107 201802	T. Aaltonen <i>et al.</i>	(CDF Collab.)	REFID=53836
AALTONEN	11N	PRL 106 181802	T. Aaltonen <i>et al.</i>	(CDF Collab.)	REFID=16447
ABAZOV	11O	PR D84 031102	V.M. Abazov <i>et al.</i>	(D0 Collab.)	REFID=53707
AALTONEN	10B	PRL 104 102002	T. Aaltonen <i>et al.</i>	(CDF Collab.)	REFID=53241
AALTONEN	09C	PRL 103 031801	T. Aaltonen <i>et al.</i>	(CDF Collab.)	REFID=52698
AALTONEN	09E	PR D79 032001	T. Aaltonen <i>et al.</i>	(CDF Collab.)	REFID=52701
ABAZOV	07S	PRL 99 142001	V.M. Abazov <i>et al.</i>	(D0 Collab.)	REFID=52008
ABAZOV	07U	PRL 99 182001	V.M. Abazov <i>et al.</i>	(D0 Collab.)	REFID=52043
ABULENCIA	07A	PRL 98 122001	A. Abulencia <i>et al.</i>	(FNAL CDF Collab.)	REFID=51662
ABULENCIA	07B	PRL 98 122002	A. Abulencia <i>et al.</i>	(FNAL CDF Collab.)	REFID=51663
LEITNER	07	NPBPS 174 169	O. Leitner, Z.J. Ajaltouni		REFID=57586
ACOSTA	06	PRL 96 202001	D. Acosta <i>et al.</i>	(CDF Collab.)	REFID=51231
ABAZOV	05C	PRL 94 102001	V.M. Abazov <i>et al.</i>	(D0 Collab.)	REFID=50511
ACOSTA	05O	PR D72 051104	D. Acosta <i>et al.</i>	(CDF Collab.)	REFID=50888
ABDALLAH	04A	PL B585 63	J. Abdallah <i>et al.</i>	(DELPHI Collab.)	REFID=49834
ACOSTA	02G	PR D66 112002	D. Acosta <i>et al.</i>	(CDF Collab.)	REFID=49132
ABREU	99W	EPJ C10 185	P. Abreu <i>et al.</i>	(DELPHI Collab.)	REFID=47301
ACKERSTAFF	98G	PL B426 161	K. Akerstaff <i>et al.</i>	(OPAL Collab.)	REFID=45875
BARATE	98D	EPJ C2 197	R. Barate <i>et al.</i>	(ALEPH Collab.)	REFID=45878
ABE	97B	PR D55 1142	F. Abe <i>et al.</i>	(CDF Collab.)	REFID=45267
ABE	96M	PRL 77 1439	F. Abe <i>et al.</i>	(CDF Collab.)	REFID=44810
ABREU	96D	ZPHY C71 199	P. Abreu <i>et al.</i>	(DELPHI Collab.)	REFID=44691
ABREU	96N	PL B374 351	P. Abreu <i>et al.</i>	(DELPHI Collab.)	REFID=44895
ADAM	96D	ZPHY C72 207	W. Adam <i>et al.</i>	(DELPHI Collab.)	REFID=45276
BUSKULIC	96L	PL B380 442	D. Buskulic <i>et al.</i>	(ALEPH Collab.)	REFID=44845
BUSKULIC	96V	PL B384 471	D. Buskulic <i>et al.</i>	(ALEPH Collab.)	REFID=44909
PDG	96	PR D54 1	R. M. Barnett <i>et al.</i>	(PDG Collab.)	REFID=44495
ABREU	95S	ZPHY C68 375	P. Abreu <i>et al.</i>	(DELPHI Collab.)	REFID=44466
AKERS	95K	PL B353 402	R. Akers <i>et al.</i>	(OPAL Collab.)	REFID=44324
BUSKULIC	95L	PL B357 685	D. Buskulic <i>et al.</i>	(ALEPH Collab.)	REFID=44468
ABE	93B	PR D47 2639	F. Abe <i>et al.</i>	(CDF Collab.)	REFID=43282
BUSKULIC	92E	PL B294 145	D. Buskulic <i>et al.</i>	(ALEPH Collab.)	REFID=42241
ALBAJAR	91E	PL B273 540	C. Albajar <i>et al.</i>	(UA1 Collab.)	REFID=41642
BARI	91	NC 104A 1787	G. Bari <i>et al.</i>	(CERN R422 Collab.)	REFID=41918
ARENTON	86	NP B274 707	M.W. Arenton <i>et al.</i>	(ARIZ, NDAM, VAND)	REFID=12155
BASILE	81	LNC 31 97	M. Basile <i>et al.</i>	(CERN R415 Collab.)	REFID=12151