

$\Delta(1910) 1/2^+$ $I(J^P) = \frac{3}{2}(\frac{1}{2}^+)$ Status: ****Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014). **$\Delta(1910)$ POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1830 to 1890 (≈ 1860) OUR ESTIMATE			
1840 \pm 40	SOKHOYAN	15A	DPWA Multichannel
1896 \pm 11	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
1880 \pm 30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1801	HUNT	19	DPWA Multichannel
1799	ROENCHEN	15A	DPWA Multichannel
1840 \pm 40	GUTZ	14	DPWA Multichannel
1850 \pm 40	ANISOVICH	12A	DPWA Multichannel
1771	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1880	VRANA	00	DPWA Multichannel
1874	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.**−2×IMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
200 to 400 (≈ 300) OUR ESTIMATE			
370 \pm 60	SOKHOYAN	15A	DPWA Multichannel
302 \pm 22	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
200 \pm 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
224	HUNT	19	DPWA Multichannel
648	ROENCHEN	15A	DPWA Multichannel
370 \pm 60	GUTZ	14	DPWA Multichannel
350 \pm 45	ANISOVICH	12A	DPWA Multichannel
479	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
496	VRANA	00	DPWA Multichannel
283	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79. **$\Delta(1910)$ ELASTIC POLE RESIDUE****MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
20 to 30 (≈ 25) OUR ESTIMATE			
25 \pm 6	SOKHOYAN	15A	DPWA Multichannel
29 \pm 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
20 \pm 4	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

90	ROENCHEN	15A	DPWA	Multichannel
25 ± 6	GUTZ	14	DPWA	Multichannel
24 ± 6	ANISOVICH	12A	DPWA	Multichannel
45	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
38	HOEHLER	93	SPED	$\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

PHASE θ

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
−180 to −80 (≈ −130) OUR ESTIMATE			
−155 ± 30	SOKHOYAN	15A	DPWA Multichannel
−83 ± 4 ± 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
−90 ± 30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

−83	ROENCHEN	15A	DPWA	Multichannel
−155 ± 30	GUTZ	14	DPWA	Multichannel
−145 ± 30	ANISOVICH	12A	DPWA	Multichannel
+172	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$

¹ Fit to the amplitudes of HOEHLER 79.

$\Delta(1910)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow \Delta(1910) \rightarrow \Sigma K$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.07 ± 0.02	−110 ± 30	ANISOVICH	12A	DPWA Multichannel
0.019	−123	ROENCHEN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1910) \rightarrow \Delta\pi, P$ -wave

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.24 ± 0.10	85 ± 35	SOKHOYAN	15A	DPWA Multichannel
0.58	131	ROENCHEN	15A	DPWA Multichannel
0.16 ± 0.09	95 ± 40	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1910) \rightarrow \Delta(1232)\eta$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.11 ± 0.04	−150 ± 50	GUTZ	14	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1910) \rightarrow N(1440)\pi$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.06 \pm 0.03	170 \pm 45	SOKHOYAN	15A DPWA	Multichannel

 $\Delta(1910)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1850 to 1950 (\approx 1900) OUR ESTIMATE			
1846 \pm 18	¹ HUNT	19 DPWA	Multichannel
1845 \pm 40	SOKHOYAN	15A DPWA	Multichannel
2067.9 \pm 1.7	¹ ARNDT	06 DPWA	$\pi N \rightarrow \pi N, \eta N$
1910 \pm 40	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
1888 \pm 20	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1845 \pm 40	GUTZ	14 DPWA	Multichannel
1860 \pm 40	ANISOVICH	12A DPWA	Multichannel
1934 \pm 5	¹ SHRESTHA	12A DPWA	Multichannel
1995 \pm 12	VRANA	00 DPWA	Multichannel

¹Statistical error only. **$\Delta(1910)$ BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
200 to 400 (\approx 300) OUR ESTIMATE			
260 \pm 57	¹ HUNT	19 DPWA	Multichannel
360 \pm 60	SOKHOYAN	15A DPWA	Multichannel
543 \pm 10	¹ ARNDT	06 DPWA	$\pi N \rightarrow \pi N, \eta N$
225 \pm 50	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
280 \pm 50	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
360 \pm 60	GUTZ	14 DPWA	Multichannel
350 \pm 55	ANISOVICH	12A DPWA	Multichannel
211 \pm 11	¹ SHRESTHA	12A DPWA	Multichannel
713 \pm 465	VRANA	00 DPWA	Multichannel

¹Statistical error only. **$\Delta(1910)$ DECAY MODES**

The following branching fractions are our estimates, not fits or averages.

<u>Mode</u>	<u>Fraction (Γ_i/Γ)</u>
Γ_1 $N\pi$	15–30 %
Γ_2 ΣK	4–14 %
Γ_3 $N\pi\pi$	
Γ_4 $\Delta(1232)\pi$	34–66 %
Γ_5 $N(1440)\pi$	3–9 %
Γ_6 $\Delta(1232)\eta$	5–13 %
Γ_7 $N\gamma$, helicity=1/2	0.0–0.02 %

$\Delta(1910)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$ **Γ_1/Γ**
VALUE (%) DOCUMENT ID TECN COMMENT

15 to 30 (≈ 20) OUR ESTIMATE

13 \pm 3	¹ HUNT	19	DPWA	Multichannel
12 \pm 3	SOKHOYAN	15A	DPWA	Multichannel
23.9 \pm 0.1	¹ ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
19 \pm 3	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
24 \pm 6	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

12 \pm 3	GUTZ	14	DPWA	Multichannel
12 \pm 3	ANISOVICH	12A	DPWA	Multichannel
17 \pm 1	¹ SHRESTHA	12A	DPWA	Multichannel
29 \pm 21	VRANA	00	DPWA	Multichannel

¹Statistical error only.

$\Gamma(\Sigma K)/\Gamma_{\text{total}}$ **Γ_2/Γ**
VALUE (%) DOCUMENT ID TECN COMMENT

9 \pm 5	ANISOVICH	12A	DPWA	Multichannel
-----------	-----------	-----	------	--------------

$\Gamma(\Delta(1232)\pi)/\Gamma_{\text{total}}$ **Γ_4/Γ**
VALUE (%) DOCUMENT ID TECN COMMENT

50 \pm 16	SOKHOYAN	15A	DPWA	Multichannel
-------------	----------	-----	------	--------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

60 \pm 28	ANISOVICH	12A	DPWA	Multichannel
-------------	-----------	-----	------	--------------

$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$ **Γ_5/Γ**
VALUE (%) DOCUMENT ID TECN COMMENT

33 \pm 12	¹ HUNT	19	DPWA	Multichannel
6 \pm 3	SOKHOYAN	15A	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

47 \pm 6	¹ SHRESTHA	12A	DPWA	Multichannel
56 \pm 7	VRANA	00	DPWA	Multichannel

¹Statistical error only.

$\Gamma(\Delta(1232)\eta)/\Gamma_{\text{total}}$ **Γ_6/Γ**
VALUE (%) DOCUMENT ID TECN COMMENT

9 \pm 4	GUTZ	14	DPWA	Multichannel
-----------	------	----	------	--------------

$\Delta(1910)$ PHOTON DECAY AMPLITUDES AT THE POLE **$\Delta(1910) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$**

<u>MODULUS ($\text{GeV}^{-1/2}$)</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.027 ± 0.009	-30 ± 60	SOKHOYAN	15A	DPWA Multichannel
$-0.246^{+0.024}_{-0.047}$	159^{+9}_{-4}	ROENCHEN	14	DPWA
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.321	39	ROENCHEN	15A	DPWA Multichannel

 $\Delta(1910)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES **$\Delta(1910) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$**

<u>VALUE ($\text{GeV}^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.010 to 0.030 (≈ 0.020) OUR ESTIMATE			
0.203 ± 0.056	¹ HUNT	19	DPWA Multichannel
0.026 ± 0.008	SOKHOYAN	15A	DPWA Multichannel
-0.002 ± 0.008	¹ ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.026 ± 0.008	GUTZ	14	DPWA Multichannel
0.022 ± 0.009	ANISOVICH	12A	DPWA Multichannel
0.030 ± 0.002	¹ SHRESTHA	12A	DPWA Multichannel
¹ Statistical error only.			

 $\Delta(1910)$ REFERENCESFor early references, see Physics Letters **111B** 1 (1982).

HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
ROENCHEN	14	EPJ A50 101	D. Roenchen <i>et al.</i>	
Also		EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>	
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
ARNDT	96	PR C53 430	R.A. Arndt, I.I. Strakovsky, R.L. Workman	(VPI)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP