

$D_{s1}(2460)^\pm$

$$I(J^P) = 0(1^+)^\pm$$

$D_{s1}(2460)^\pm$ MASS

The fit includes D^\pm , D^0 , D_s^\pm , $D^{*\pm}$, D^{*0} , $D_s^{*\pm}$, $D_1(2420)^0$, $D_2^*(2460)^0$, and $D_{s1}(2536)^\pm$ mass and mass difference measurements.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
2459.5±0.6 OUR FIT	Error includes scale factor of 1.1.			
2459.6±0.9 OUR AVERAGE	Error includes scale factor of 1.3.			
2460.1±0.2±0.8		¹ AUBERT	06P BABR	10.6 e^+e^-
2458.0±1.0±1.0	195	AUBERT	04E BABR	10.6 e^+e^-
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
2459.5±1.2±3.7	920	AUBERT	06P BABR	10.6 $e^+e^- \rightarrow D_s^+ \gamma X$
2458.6±1.0±2.5	560	AUBERT	06P BABR	10.6 $e^+e^- \rightarrow D_s^+ \pi^0 \gamma X$
2460.2±0.2±0.8	123	AUBERT	06P BABR	10.6 $e^+e^- \rightarrow D_s^+ \pi^+ \pi^- X$
2458.9±1.5	112	² AUBERT,B	04S BABR	$B \rightarrow D_{s1}(2460)^+ \bar{D}^{*0}$
2461.1±1.6	139	³ AUBERT,B	04S BABR	$B \rightarrow D_{s1}(2460)^+ \bar{D}^{*0}$
2456.5±1.3±1.3	126	^{4,5} MIKAMI	04 BELL	10.6 e^+e^-
2459.5±1.3±2.0	152	^{6,7} MIKAMI	04 BELL	10.6 e^+e^-
2459.9±0.9±1.6	60	^{6,7} MIKAMI	04 BELL	10.6 e^+e^-
2459.2±1.6±2.0	57	KROKOVNY	03B BELL	10.6 e^+e^-

¹ The average of the values obtained from the $D_s^+ \gamma$, $D_s^+ \pi^0 \gamma$, $D_s^+ \pi^+ \pi^-$ final state.

² Systematic errors not evaluated. From the decay to $D_s^{*+} \pi^0$.

³ Systematic errors not evaluated. From the decay to $D_s^+ \gamma$.

⁴ Not independent of the corresponding $m_{D_{s1}(2460)^\pm} - m_{D_s^{*\pm}}$.

⁵ Using $m_{D_s^{*+}} = 2112.4 \pm 0.7$ MeV.

⁶ Not independent of the corresponding $m_{D_{s1}(2460)^\pm} - m_{D_s^\pm}$.


⁷ Using $m_{D_s^+} = 1968.5 \pm 0.6$ MeV.

$m_{D_{s1}(2460)^\pm} - m_{D_s^{*\pm}}$

The fit includes D^\pm , D^0 , D_s^\pm , $D^{*\pm}$, D^{*0} , $D_s^{*\pm}$, $D_1(2420)^0$, $D_2^*(2460)^0$, and $D_{s1}(2536)^\pm$ mass and mass difference measurements.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
347.3±0.7 OUR FIT	Error includes scale factor of 1.2.			
347.1±2.2 OUR AVERAGE	Error includes scale factor of 1.9. See the ideogram below.			
344.1±1.3±1.1	126	MIKAMI	04 BELL	10.6 e^+e^-
351.2±1.7±1.0	41	BESSION	03 CLE2	10.6 e^+e^-
346.8±1.6±1.9	57	⁸ KROKOVNY	03B BELL	10.6 e^+e^-

⁸ Recalculated by us using $m_{D_s^{*+}} = 2112.4 \pm 0.7$ MeV.



$m_{D_{s1}(2460)^{\pm}} - m_{D_s^{\pm}}$

The fit includes D^{\pm} , D^0 , D_s^{\pm} , $D_s^{*\pm}$, D_s^{*0} , $D_s^{*\pm}$, $D_1(2420)^0$, $D_2^*(2460)^0$, and $D_{s1}(2536)^{\pm}$ mass and mass difference measurements.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
491.2±0.6 OUR FIT	Error includes scale factor of 1.1.			
491.3±1.4 OUR AVERAGE				
491.0±1.3±1.9	152	⁹ MIKAMI	04 BELL	10.6 e^+e^-
491.4±0.9±1.5	60	¹⁰ MIKAMI	04 BELL	10.6 e^+e^-

⁹ From the decay to $D_s^{\pm}\gamma$.

¹⁰ From the decay to $D_s^{\pm}\pi^+\pi^-$.

$D_{s1}(2460)^{\pm}$ WIDTH

VALUE (MeV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
< 3.5	95	123	AUBERT	06P BABR	10.6 $e^+e^- \rightarrow D_s^+\pi^+\pi^- X$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 6.3	95	560	AUBERT	06P	BABR	10.6	$e^+e^- \rightarrow D_s^+ \pi^0 \gamma X$
< 10		195	AUBERT	04E	BABR	10.6	e^+e^-
< 5.5	90	126	MIKAMI	04	BELL	10.6	e^+e^-
< 7	90	41	BESSION	03	CLE2	10.6	e^+e^-

$D_{s1}(2460)^+$ DECAY MODES

$D_{s1}(2460)^-$ modes are charge conjugates of the modes below.

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1 $D_s^{*+} \pi^0$	(48 ± 11) %	
Γ_2 $D_s^+ \gamma$	(18 ± 4) %	
Γ_3 $D_s^+ \pi^+ \pi^-$	(4.3 ± 1.3) %	S=1.1
Γ_4 $D_s^{*+} \gamma$	< 8 %	CL=90%
Γ_5 $D_{s0}^*(2317)^+ \gamma$	(3.7 ^{+5.0} _{-2.4}) %	
Γ_6 $D_s^+ \pi^0$		
Γ_7 $D_s^+ \pi^0 \pi^0$		
Γ_8 $D_s^+ \gamma \gamma$		

CONSTRAINED FIT INFORMATION

An overall fit to 7 branching ratios uses 8 measurements and one constraint to determine 5 parameters. The overall fit has a $\chi^2 = 3.4$ for 4 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_2	80		
x_3	68	62	
x_5	-3	25	26
	x_1	x_2	x_3

$D_{s1}(2460)^\pm$ BRANCHING RATIOS

$\Gamma(D_s^{*+} \pi^0) / \Gamma_{\text{total}}$	Γ_1 / Γ			
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.48 ± 0.11 OUR FIT				
0.56 ± 0.13 ± 0.09	¹¹	AUBERT	06N	BABR $B \rightarrow D_{s1}(2460)^- \bar{D}^*$

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen	41	BESSION	03	CLE2	10.6	e^+e^-
------	----	---------	----	------	------	----------

¹¹ Evaluated in AUBERT 06N including measurements from AUBERT, B 04s.

$$\Gamma(D_s^+ \gamma) / \Gamma_{\text{total}} \quad \Gamma_2 / \Gamma$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.18 ± 0.04 OUR FIT			
0.16 ± 0.04 ± 0.03	¹² AUBERT	06N	BABR $B \rightarrow D_{s1}(2460)^- \bar{D}^{(*)}$
¹² Evaluated in AUBERT 06N including measurements from AUBERT, B 04s.			

$$\Gamma(D_s^+ \gamma) / \Gamma(D_s^{*+} \pi^0) \quad \Gamma_2 / \Gamma_1$$

VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
0.38 ± 0.05 OUR FIT					
0.44 ± 0.09 OUR AVERAGE					
0.55 ± 0.13 ± 0.08		152	MIKAMI	04	BELL 10.6 e ⁺ e ⁻
0.38 ± 0.11 ± 0.04		38	KROKOVNY	03B	BELL 10.6 e ⁺ e ⁻
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.274 ± 0.045 ± 0.020		251	¹³ AUBERT, B	04S	BABR $B \rightarrow D_{s1}(2460)^+ \bar{D}^{(*)}$
< 0.49		90	BESSION	03	CLE2 10.6 e ⁺ e ⁻
¹³ Used by AUBERT 06N in their measurement of $B(D_s^{*-} \pi^0)$ and $B(D_s^- \gamma)$.					

$$\Gamma(D_s^+ \pi^+ \pi^-) / \Gamma(D_s^{*+} \pi^0) \quad \Gamma_3 / \Gamma_1$$

VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
0.090 ± 0.020 OUR FIT	Error includes scale factor of 1.2.				
0.14 ± 0.04 ± 0.02		60	MIKAMI	04	BELL 10.6 e ⁺ e ⁻
• • • We do not use the following data for averages, fits, limits, etc. • • •					
< 0.08		90	BESSION	03	CLE2 10.6 e ⁺ e ⁻

$$\Gamma(D_s^{*+} \gamma) / \Gamma(D_s^{*+} \pi^0) \quad \Gamma_4 / \Gamma_1$$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
< 0.16	90	BESSION	03	CLE2 10.6 e ⁺ e ⁻
• • • We do not use the following data for averages, fits, limits, etc. • • •				
< 0.31	90	MIKAMI	04	BELL 10.6 e ⁺ e ⁻

$$\Gamma(D_{s0}^*(2317)^+ \gamma) / \Gamma(D_s^{*+} \pi^0) \quad \Gamma_5 / \Gamma_1$$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
< 0.22	95	AUBERT	04E	BABR 10.6 e ⁺ e ⁻
• • • We do not use the following data for averages, fits, limits, etc. • • •				
< 0.58	90	BESSION	03	CLE2 10.6 e ⁺ e ⁻

$$\Gamma(D_s^{*+} \pi^0) / [\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)] \quad \Gamma_1 / (\Gamma_1 + \Gamma_5)$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.93 ± 0.09 OUR FIT			
0.97 ± 0.09 ± 0.05	AUBERT	06P	BABR 10.6 e ⁺ e ⁻

$$\Gamma(D_s^+ \gamma) / [\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)] \quad \Gamma_2 / (\Gamma_1 + \Gamma_5)$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.35 ± 0.04 OUR FIT			
0.337 ± 0.036 ± 0.038	AUBERT	06P	BABR 10.6 e ⁺ e ⁻

$\Gamma(D_s^+ \pi^+ \pi^-) / [\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$		$\Gamma_3 / (\Gamma_1 + \Gamma_5)$		
VALUE	CL%	DOCUMENT ID	TECN	COMMENT
0.083 ± 0.017 OUR FIT				Error includes scale factor of 1.2.
0.077 ± 0.013 ± 0.008		AUBERT	06P	BABR 10.6 e ⁺ e ⁻
$\Gamma(D_s^{*+} \gamma) / [\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$		$\Gamma_4 / (\Gamma_1 + \Gamma_5)$		
VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.24	95	AUBERT	06P	BABR 10.6 e ⁺ e ⁻
$\Gamma(D_{s0}^*(2317)^+ \gamma) / [\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$		$\Gamma_5 / (\Gamma_1 + \Gamma_5)$		
VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.25	95	AUBERT	06P	BABR 10.6 e ⁺ e ⁻
$\Gamma(D_s^+ \pi^0) / [\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$		$\Gamma_6 / (\Gamma_1 + \Gamma_5)$		
VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.042	95	AUBERT	06P	BABR 10.6 e ⁺ e ⁻
$\Gamma(D_s^+ \pi^0 \pi^0) / [\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$		$\Gamma_7 / (\Gamma_1 + \Gamma_5)$		
VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.68	95	AUBERT	06P	BABR 10.6 e ⁺ e ⁻
$\Gamma(D_s^+ \gamma \gamma) / [\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$		$\Gamma_8 / (\Gamma_1 + \Gamma_5)$		
VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.33	95	AUBERT	06P	BABR 10.6 e ⁺ e ⁻

$D_{s1}(2460)^\pm$ REFERENCES

AUBERT	06N	PR D74 031103	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	06P	PR D74 032007	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	04E	PR D69 031101	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT,B	04S	PRL 93 181801	B. Aubert <i>et al.</i>	(BABAR Collab.)
MIKAMI	04	PRL 92 012002	Y. Mikami <i>et al.</i>	(BELLE Collab.)
BESSION	03	PR D68 032002	D. Besson <i>et al.</i>	(CLEO Collab.)
KROKOVNY	03B	PRL 91 262002	P. Krokovny <i>et al.</i>	(BELLE Collab.)