

$N(1700) \ 3/2^-$ $I(J^P) = \frac{1}{2}(3/2^-)$ Status: ***

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

 $N(1700)$ POLE POSITION**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1650 to 1750 (≈ 1700) OUR ESTIMATE			
1780 \pm 35	SOKHOYAN	15A	DPWA Multichannel
1757 \pm 4 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
1660 \pm 30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1647	HUNT	19	DPWA Multichannel
1770 \pm 40	ANISOVICH	12A	DPWA Multichannel
1806 \pm 23	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1704	VRANA	00	DPWA Multichannel
1700	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹Fit to the amplitudes of HOEHLER 79.

-2 \times IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
100 to 300 (≈ 200) OUR ESTIMATE			
420 \pm 140	SOKHOYAN	15A	DPWA Multichannel
136 \pm 7 \pm 4	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
90 \pm 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
79	HUNT	19	DPWA Multichannel
420 \pm 180	ANISOVICH	12A	DPWA Multichannel
129 \pm 33	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
156	VRANA	00	DPWA Multichannel
120	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹Fit to the amplitudes of HOEHLER 79.

 $N(1700)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
5 to 50 (≈ 10) OUR ESTIMATE			
60 \pm 30	SOKHOYAN	15A	DPWA Multichannel
7 \pm 1 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
6 \pm 3	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
50 \pm 40	ANISOVICH	12A	DPWA Multichannel
7	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
5	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹Fit to the amplitudes of HOEHLER 79.

PHASE θ

<u>VALUE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
–120 to 0 (\approx –90) OUR ESTIMATE			
–115 \pm 30	SOKHOYAN	15A	DPWA Multichannel
–113 \pm 4 \pm 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
0 \pm 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
–100 \pm 40	ANISOVICH	12A	DPWA Multichannel
– 34	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
¹ Fit to the amplitudes of HOEHLER 79.			

 $N(1700)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1700) \rightarrow \Delta\pi$, S-wave

<u>MODULUS</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.33 \pm 0.10	–70 \pm 25	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.34 \pm 0.21	–60 \pm 40	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1700) \rightarrow \Delta\pi$, D-wave

<u>MODULUS</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.10 \pm 0.06	75 \pm 30	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.08 \pm 0.06	90 \pm 35	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1700) \rightarrow N\sigma$

<u>MODULUS</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.13 \pm 0.08	–100 \pm 35	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1700) \rightarrow N(1440)\pi$

<u>MODULUS</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.13 \pm 0.05	40 \pm 35	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1700) \rightarrow N(1520)\pi$, P-wave

<u>MODULUS</u>	<u>PHASE ($^{\circ}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.07 \pm 0.03	160 \pm 45	SOKHOYAN	15A	DPWA Multichannel

 $N(1700)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1650 to 1800 (\approx 1720) OUR ESTIMATE			
1653 \pm 5	¹ HUNT	19	DPWA Multichannel
1800 \pm 35	SOKHOYAN	15A	DPWA Multichannel
1675 \pm 25	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1731 \pm 15	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1790 ± 40	ANISOVICH	12A	DPWA	Multichannel
1665 ± 3	¹ SHRESTHA	12A	DPWA	Multichannel
1817 ± 22	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
1736 ± 33	VRANA	00	DPWA	Multichannel

¹Statistical error only.

N(1700) BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
100 to 300 (≈ 200) OUR ESTIMATE			
81 ± 13	¹ HUNT	19	DPWA Multichannel
400 ± 100	SOKHOYAN	15A	DPWA Multichannel
90 ± 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
110 ± 30	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

390 ± 140	ANISOVICH	12A	DPWA	Multichannel
56 ± 8	¹ SHRESTHA	12A	DPWA	Multichannel
134 ± 37	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
175 ± 133	VRANA	00	DPWA	Multichannel

¹Statistical error only.

N(1700) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	7–17 %
Γ_2 $N\eta$	seen
Γ_3 $N\omega$	10–34 %
Γ_4 ΛK	
Γ_5 $N\pi\pi$	60–90 %
Γ_6 $\Delta(1232)\pi$	55–85 %
Γ_7 $\Delta(1232)\pi, S\text{-wave}$	50–80 %
Γ_8 $\Delta(1232)\pi, D\text{-wave}$	4–14 %
Γ_9 $N(1440)\pi$	3–11 %
Γ_{10} $N(1520)\pi$	<4 %
Γ_{11} $N\rho, S=3/2, S\text{-wave}$	32–44 %
Γ_{12} $N\sigma$	2–14 %
Γ_{13} $p\gamma$	0.01–0.05 %
Γ_{14} $p\gamma, \text{helicity}=1/2$	0.0–0.024 %
Γ_{15} $p\gamma, \text{helicity}=3/2$	0.002–0.026 %
Γ_{16} $n\gamma$	0.01–0.13 %
Γ_{17} $n\gamma, \text{helicity}=1/2$	0.0–0.09 %
Γ_{18} $n\gamma, \text{helicity}=3/2$	0.01–0.05 %

$N(1700)$ BRANCHING RATIOS **$\Gamma(N\pi)/\Gamma_{\text{total}}$ Γ_1/Γ**

VALUE (%)	¹ DOCUMENT ID	TECN	COMMENT
-----------	--------------------------	------	---------

7 to 17 (≈ 12) OUR ESTIMATE

3.7 \pm 0.1	¹ HUNT	19	DPWA Multichannel
15 \pm 6	SOKHOYAN	15A	DPWA Multichannel
11 \pm 5	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
8 \pm 3	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
12 \pm 5	ANISOVICH	12A	DPWA Multichannel
2.8 \pm 0.5	¹ SHRESTHA	12A	DPWA Multichannel
9 \pm 6	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
4 \pm 2	VRANA	00	DPWA Multichannel

¹Statistical error only. **$\Gamma(N\eta)/\Gamma_{\text{total}}$ Γ_2/Γ**

VALUE (%)	¹ DOCUMENT ID	TECN	COMMENT
-----------	--------------------------	------	---------

1.1 \pm 0.6	¹ HUNT	19	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
14 \pm 5	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
10 \pm 5	THOMA	08	DPWA Multichannel
0 \pm 1	VRANA	00	DPWA Multichannel

¹Statistical error only. **$\Gamma(N\omega)/\Gamma_{\text{total}}$ Γ_3/Γ**

VALUE (%)	DOCUMENT ID	TECN	COMMENT
-----------	-------------	------	---------

22 \pm 12	DENISENKO	16	DPWA Multichannel
-------------	-----------	----	-------------------

 $\Gamma(\Lambda K)/\Gamma_{\text{total}}$ Γ_4/Γ

VALUE (%)	¹ DOCUMENT ID	TECN	COMMENT
-----------	--------------------------	------	---------

1.3 \pm 0.7	¹ HUNT	19	DPWA Multichannel
---------------	-------------------	----	-------------------

¹Statistical error only. **$\Gamma(\Delta(1232)\pi, S\text{-wave})/\Gamma_{\text{total}}$ Γ_7/Γ**

VALUE (%)	¹ DOCUMENT ID	TECN	COMMENT
-----------	--------------------------	------	---------

11 \pm 8	¹ HUNT	19	DPWA Multichannel
65 \pm 15	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
72 \pm 23	ANISOVICH	12A	DPWA Multichannel
31 \pm 9	¹ SHRESTHA	12A	DPWA Multichannel
11 \pm 1	VRANA	00	DPWA Multichannel

¹Statistical error only.

$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$ Γ_8/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
13 ± 5	¹ HUNT 19	DPWA	Multichannel
9 ± 5	SOKHOYAN 15A	DPWA	Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
<10	ANISOVICH 12A	DPWA	Multichannel
3 ± 2	¹ SHRESTHA 12A	DPWA	Multichannel
79 ± 56	VRANA 00	DPWA	Multichannel

¹Statistical error only. $\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$ Γ_9/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
7 ± 4	SOKHOYAN 15A	DPWA	Multichannel

 $\Gamma(N(1520)\pi)/\Gamma_{\text{total}}$ Γ_{10}/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
<4	SOKHOYAN 15A	DPWA	Multichannel

 $\Gamma(N\rho, S=3/2, S\text{-wave})/\Gamma_{\text{total}}$ Γ_{11}/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
7.5 ± 3.6	¹ HUNT 19	DPWA	Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
38 ± 6	¹ SHRESTHA 12A	DPWA	Multichannel
7 ± 1	VRANA 00	DPWA	Multichannel

¹Statistical error only. $\Gamma(N\sigma)/\Gamma_{\text{total}}$ Γ_{12}/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
62 ± 9	¹ HUNT 19	DPWA	Multichannel
8 ± 6	SOKHOYAN 15A	DPWA	Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
24 ± 6	¹ SHRESTHA 12A	DPWA	Multichannel
18 ± 12	THOMA 08	DPWA	Multichannel
0 ± 1	VRANA 00	DPWA	Multichannel

¹Statistical error only. **$N(1700)$ PHOTON DECAY AMPLITUDES AT THE POLE** **$N(1700) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
0.047 ± 0.016	75 ± 30	SOKHOYAN 15A	DPWA	Multichannel

 $N(1700) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
-0.041 ± 0.014	0 ± 20	SOKHOYAN 15A	DPWA	Multichannel

$N(1700)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES **$N(1700) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.032±0.005	¹ HUNT	19	DPWA Multichannel
0.041±0.017	ANISOVICH	12A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.021±0.005	¹ SHRESTHA	12A	DPWA Multichannel

¹Statistical error only.

 $N(1700) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.034±0.006	¹ HUNT	19	DPWA Multichannel
-0.037±0.014	SOKHOYAN	15A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-0.034±0.013	ANISOVICH	12A	DPWA Multichannel
0.050±0.009	¹ SHRESTHA	12A	DPWA Multichannel

¹Statistical error only.

 $N(1700) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.005±0.011	¹ HUNT	19	DPWA Multichannel
0.025±0.010	ANISOVICH	13B	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-0.049±0.008	¹ SHRESTHA	12A	DPWA Multichannel

¹Statistical error only.

 $N(1700) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.094±0.017	¹ HUNT	19	DPWA Multichannel
-0.032±0.018	ANISOVICH	13B	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-0.092±0.014	¹ SHRESTHA	12A	DPWA Multichannel

¹Statistical error only.

 $N(1700)$ REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)

SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
THOMA	08	PL B659 87	U. Thoma <i>et al.</i>	(CB-ELSA Collab.)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
