

$N(1895) 1/2^-$ $I(J^P) = \frac{1}{2}(\frac{1}{2}^-)$ Status: ****

Before our 2012 *Review*, this state appeared in our Listings as the $N(2090)$. Any structure in the S_{11} wave above 1800 MeV is listed here. A few early results that are now obsolete have been omitted.

 $N(1895)$ POLE POSITION**REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1890 to 1930 (\approx 1910) OUR ESTIMATE			
1895 \pm 15	ANISOVICH	17A	DPWA Multichannel
1906 \pm 17	¹ ANISOVICH	17A	L+P $\gamma p, \pi^- p \rightarrow K \Lambda$
1917 \pm 19 \pm 1	² SVARC	14	L+P $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1956	HUNT	19	DPWA Multichannel
1907 \pm 10	ANISOVICH	17C	DPWA Multichannel
1907 \pm 10	SOKHOYAN	15A	DPWA Multichannel
1900 \pm 15	ANISOVICH	12A	DPWA Multichannel
1797 \pm 26	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1795	VRANA	00	DPWA Multichannel
2150 \pm 70	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

¹ Statistical error only.² Fit to the amplitudes of HOEHLER 79.**–2×IMAGINARY PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
80 to 140 (\approx 110) OUR ESTIMATE			
132 \pm 30	ANISOVICH	17A	DPWA Multichannel
100 \pm 10	¹ ANISOVICH	17A	L+P $\gamma p, \pi^- p \rightarrow K \Lambda$
101 \pm 36 \pm 1	^{1,2} SVARC	14	L+P $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
449	HUNT	19	DPWA Multichannel
100 ⁺ 40 – 10	ANISOVICH	17C	DPWA Multichannel
100 ⁺ 40 – 15	SOKHOYAN	15A	DPWA Multichannel
90 ⁺ 30 – 15	ANISOVICH	12A	DPWA Multichannel
420 \pm 45	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
220	VRANA	00	DPWA Multichannel
350 \pm 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

¹ Statistical error only.² Fit to the amplitudes of HOEHLER 79.

$N(1895)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1 to 5 (≈ 3) OUR ESTIMATE			
3 ± 2	SOKHOYAN	15A	DPWA Multichannel
3.1 ± 1.4	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1 ± 1	ANISOVICH	12A	DPWA Multichannel
60	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
40 ± 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

¹Fit to the amplitudes of HOEHLER 79.**PHASE θ**

<u>VALUE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
125 ± 45	SOKHOYAN	15A	DPWA Multichannel
$-107 \pm 23 \pm 2$	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
0 ± 90	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-164	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

¹Fit to the amplitudes of HOEHLER 79. **$N(1895)$ INELASTIC POLE RESIDUE**The "normalized residue" is the residue divided by $\Gamma_{pole}/2$.**Normalized residue in $N\pi \rightarrow N(1895) \rightarrow \Lambda K$**

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.09 ± 0.03	8 ± 30	ANISOVICH	17A	DPWA Multichannel
0.06 ± 0.02	87 ± 27	¹ ANISOVICH	17A	L+P $\gamma p, \pi^- p \rightarrow K\Lambda$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.05 ± 0.02	-90 ± 30	ANISOVICH	12A	DPWA Multichannel

¹Statistical error only.**Normalized residue in $N\pi \rightarrow N(1895) \rightarrow \Sigma K$**

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.06 ± 0.02	40 ± 30	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1895) \rightarrow \Delta(1232)\pi$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.05 ± 0.025	-100 ± 45	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1895) \rightarrow N(1440)\pi$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.05 ± 0.025	-100 ± 45	SOKHOYAN	15A	DPWA Multichannel

$N(1895)$ BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1870 to 1920 (≈ 1895) OUR ESTIMATE			
2000 ± 29	¹ HUNT	19	DPWA Multichannel
1890^{+9}_{-23}	KASHEVAROV	17	DPWA $\gamma p \rightarrow \eta p, \eta' p$
1905 ± 12	SOKHOYAN	15A	DPWA Multichannel
1880 ± 20	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1895 ± 15	ANISOVICH	12A	DPWA Multichannel
1910 ± 15	¹ SHRESTHA	12A	DPWA Multichannel
1812 ± 25	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1822 ± 43	VRANA	00	DPWA Multichannel
2180 ± 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
¹ Statistical error only.			

 $N(1895)$ BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
80 to 200 (≈ 120) OUR ESTIMATE			
466 ± 72	¹ HUNT	19	DPWA Multichannel
150 ± 57	KASHEVAROV	17	DPWA $\gamma p \rightarrow \eta p, \eta' p$
100^{+30}_{-10}	SOKHOYAN	15A	DPWA Multichannel
95 ± 30	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
90^{+30}_{-15}	ANISOVICH	12A	DPWA Multichannel
502 ± 47	¹ SHRESTHA	12A	DPWA Multichannel
405 ± 40	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
248 ± 185	VRANA	00	DPWA Multichannel
350 ± 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
¹ Statistical error only.			

 $N(1895)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	2–18 %
Γ_2 $N\eta$	15–40 %
Γ_3 $N\eta'$	10–40 %
Γ_4 $N\omega$	16–40 %
Γ_5 ΛK	13–23 %
Γ_6 ΣK	6–20 %
Γ_7 $N\pi\pi$	
Γ_8 $\Delta(1232)\pi$	

Γ_9	$\Delta(1232)\pi$, <i>D</i> -wave	3–11 %
Γ_{10}	$N\rho$	
Γ_{11}	$N\rho$, $S=1/2$, <i>S</i> -wave	seen
Γ_{12}	$N\rho$, $S=3/2$, <i>D</i> -wave	3–12 %
Γ_{13}	$\Lambda K^*(892)$	4–9 %
Γ_{14}	$N\sigma$	seen
Γ_{15}	$N(1440)\pi$	1–4 %
Γ_{16}	$p\gamma$, helicity=1/2	0.01–0.06 %
Γ_{17}	$n\gamma$, helicity=1/2	0.003–0.05 %

$N(1895)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$						Γ_1/Γ
<u>VALUE (%)</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
2 to 18 (≈ 10) OUR ESTIMATE						
8 \pm 4	¹	HUNT	19	DPWA	Multichannel	
2.5 \pm 1.5		SOKHOYAN	15A	DPWA	Multichannel	
9 \pm 5		HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●						
2 \pm 1		ANISOVICH	12A	DPWA	Multichannel	
17 \pm 2	¹	SHRESTHA	12A	DPWA	Multichannel	
32 \pm 6		BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$	
17 \pm 3		VRANA	00	DPWA	Multichannel	
18 \pm 8		CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$	
¹ Statistical error only.						

$\Gamma(N\eta)/\Gamma_{\text{total}}$						Γ_2/Γ
<u>VALUE (%)</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
15 to 40 (≈ 25) OUR ESTIMATE						
37 \pm 9	¹	HUNT	19	DPWA	Multichannel	
10 \pm 5		ANISOVICH	17C	DPWA	Multichannel	
20 \pm 6	²	KASHEVAROV	17	DPWA	$\gamma p \rightarrow \eta p, \eta' p$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●						
21 \pm 6		ANISOVICH	12A	DPWA	Multichannel	
40 \pm 4	¹	SHRESTHA	12A	DPWA	Multichannel	
22 \pm 10		BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$	
41 \pm 4		VRANA	00	DPWA	Multichannel	
¹ Statistical error only.						
² Assuming $A_{1/2} = -0.030 \text{ GeV}^{-1/2}$.						

$\Gamma(N\eta')/\Gamma_{\text{total}}$						Γ_3/Γ
<u>VALUE</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
0.10 to 0.40 (≈ 0.20) OUR ESTIMATE						
0.13 \pm 0.05		ANISOVICH	17C	DPWA	Multichannel	
0.38 \pm 0.20	¹	KASHEVAROV	17	DPWA	$\gamma p \rightarrow \eta p, \eta' p$	
¹ Assuming $A_{1/2} = -0.030 \text{ GeV}^{-1/2}$.						

$\Gamma(N\omega)/\Gamma_{\text{total}}$ Γ_4/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
28±12	DENISENKO 16	DPWA	Multichannel

$\Gamma(\Lambda K)/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
7 ±4	¹ HUNT 19	DPWA	Multichannel
18 ±5	ANISOVICH 12A	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.8±0.8	¹ SHRESTHA 12A	DPWA	Multichannel
---------	---------------------------	------	--------------

¹Statistical error only.

$\Gamma(\Sigma K)/\Gamma_{\text{total}}$ Γ_6/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
13±7	ANISOVICH 12A	DPWA	Multichannel

$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$ Γ_9/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
<10	¹ HUNT 19	DPWA	Multichannel
7±4	SOKHOYAN 15A	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

7±3	¹ SHRESTHA 12A	DPWA	Multichannel
1±1	VRANA 00	DPWA	Multichannel

¹Statistical error only.

$\Gamma(N\rho, S=1/2, S\text{-wave})/\Gamma_{\text{total}}$ Γ_{11}/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
<18	¹ HUNT 19	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 2	¹ SHRESTHA 12A	DPWA	Multichannel
36±1	VRANA 00	DPWA	Multichannel

¹Statistical error only.

$\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$ Γ_{12}/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
23±9	¹ HUNT 19	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

9±3	¹ SHRESTHA 12A	DPWA	Multichannel
1±1	VRANA 00	DPWA	Multichannel

¹Statistical error only.

$\Gamma(\Lambda K^*(892))/\Gamma_{\text{total}}$ Γ_{13}/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
0.063±0.025	ANISOVICH 17B	DPWA	Multichannel

$\Gamma(N\sigma)/\Gamma_{\text{total}}$		Γ_{14}/Γ
VALUE (%)	DOCUMENT ID	TECN COMMENT
<13	¹ HUNT 19	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •		
< 2	¹ SHRESTHA 12A	DPWA Multichannel
2±1	VRANA 00	DPWA Multichannel
¹ Statistical error only.		

$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$		Γ_{15}/Γ
VALUE (%)	DOCUMENT ID	TECN COMMENT
7 ±5	¹ HUNT 19	DPWA Multichannel
2.5±1.5	SOKHOYAN 15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •		
24 ±4	¹ SHRESTHA 12A	DPWA Multichannel
2 ±1	VRANA 00	DPWA Multichannel
¹ Statistical error only.		

$N(1895)$ PHOTON DECAY AMPLITUDES AT THE POLE

$N(1895) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
-0.015 ± 0.006	-35 ± 35	ANISOVICH	17C	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.015 ± 0.006	145 ± 35	SOKHOYAN	15A	DPWA Multichannel

$N(1895)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

$N(1895) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.017 ± 0.005	¹ HUNT 19	DPWA	Multichannel
-0.016 ± 0.006	SOKHOYAN 15A	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.012 ± 0.006	¹ SHRESTHA 12A	DPWA	Multichannel
¹ Statistical error only.			

$N(1895) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.002 ± 0.013	¹ HUNT 19	DPWA	Multichannel
0.013 ± 0.006	ANISOVICH 13B	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.003 ± 0.007	¹ SHRESTHA 12A	DPWA	Multichannel
¹ Statistical error only.			

N(1895) REFERENCES

HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ANISOVICH	17A	PRL 119 062004	A.V. Anisovich <i>et al.</i>	
ANISOVICH	17B	PL B771 142	A.V. Anisovich <i>et al.</i>	
ANISOVICH	17C	PL B772 247	A.V. Anisovich <i>et al.</i>	
KASHEVAROV	17	PRL 118 212001	V.L. Kashevarov <i>et al.</i>	(A2/MAMI Collab.)
DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
