

$f_J(2220)$

$$I^G(J^{PC}) = 0^+(2^{++} \text{ or } 4^{++})$$

OMITTED FROM SUMMARY TABLE

Needs confirmation. See our mini-review in the 2004 edition of this Review, PDG 04.

 $f_J(2220)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
2231.1 ± 3.5	OUR AVERAGE			
2235 ± 4 ± 6	74	BAI	96B BES	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\pi^+\pi^-$
2230 $^{+6}_{-7}$ ± 16	46	BAI	96B BES	$e^+e^- \rightarrow J/\psi \rightarrow \gamma K^+K^-$
2232 $^{+8}_{-7}$ ± 15	23	BAI	96B BES	$e^+e^- \rightarrow J/\psi \rightarrow \gamma K_S^0 K_S^0$
2235 ± 4 ± 5	32	BAI	96B BES	$e^+e^- \rightarrow J/\psi \rightarrow \gamma p\bar{p}$
2209 $^{+17}_{-15}$ ± 10		ASTON	88F LASS	11 $K^-p \rightarrow K^+K^-\Lambda$
2230 ± 20		BOLONKIN	88 SPEC	40 $\pi^-p \rightarrow K_S^0 K_S^0 n$
2220 ± 10	41	¹ ALDE	86B GA24	38–100 $\pi p \rightarrow n\eta\eta'$
2230 ± 6 ± 14	93	BALTRUSAIT..86D	MRK3	$e^+e^- \rightarrow \gamma K^+K^-$
2232 ± 7 ± 7	23	BALTRUSAIT..86D	MRK3	$e^+e^- \rightarrow \gamma K_S^0 K_S^0$
•••				We do not use the following data for averages, fits, limits, etc. •••
2223.9 ± 2.5		² VLADIMIRSK...08	SPEC	40 $\pi^-p \rightarrow K_S^0 K_S^0 n + m\pi^0$
2246 ± 36		BAI	98H BES	$J/\psi \rightarrow \gamma\pi^0\pi^0$

¹ALDE 86B uses data from both the GAMS-2000 and GAMS-4000 detectors.² $J^{PC} = 2^{++}$. Systematic uncertainties not evaluated **$f_J(2220)$ WIDTH**

VALUE (MeV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
23 $^{+}_{-}$ $^{8}_{7}$	OUR AVERAGE				
19 $^{+}_{-}$ $^{13}_{11}$ ± 12		74	BAI	96B BES	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\pi^+\pi^-$
20 $^{+}_{-}$ $^{20}_{15}$ ± 17		46	BAI	96B BES	$e^+e^- \rightarrow J/\psi \rightarrow \gamma K^+K^-$
20 $^{+}_{-}$ $^{25}_{16}$ ± 14		23	BAI	96B BES	$e^+e^- \rightarrow J/\psi \rightarrow \gamma K_S^0 K_S^0$
15 $^{+}_{-}$ $^{12}_{9}$ ± 9		32	BAI	96B BES	$e^+e^- \rightarrow J/\psi \rightarrow \gamma p\bar{p}$
60 $^{+}_{-}$ $^{107}_{57}$			ASTON	88F LASS	11 $K^-p \rightarrow K^+K^-\Lambda$
80 ± 30			BOLONKIN	88 SPEC	40 $\pi^-p \rightarrow K_S^0 K_S^0 n$
26 $^{+}_{-}$ $^{20}_{16}$ ± 17		93	BALTRUSAIT..86D	MRK3	$e^+e^- \rightarrow \gamma K^+K^-$
18 $^{+}_{-}$ $^{23}_{15}$ ± 10		23	BALTRUSAIT..86D	MRK3	$e^+e^- \rightarrow \gamma K_S^0 K_S^0$

••• We do not use the following data for averages, fits, limits, etc. •••

8.6 ± 2.5 ¹VLADIMIRSK...08 SPEC 40 π⁻ p → K_S⁰ K_S⁰ n
 + mπ⁰
 <80 90 ALDE 87C GAM2 38 π⁻ p → η' η n
¹ J^{PC} = 2⁺⁺. Systematic uncertainties not evaluated

f_J(2220) DECAY MODES

Mode	Fraction (Γ _i /Γ)
Γ ₁ π π	not seen
Γ ₂ π ⁺ π ⁻	not seen
Γ ₃ K K̄	not seen
Γ ₄ p p̄	not seen
Γ ₅ γ γ	not seen
Γ ₆ η η'(958)	seen
Γ ₇ φ φ	not seen
Γ ₈ η η	not seen

f_J(2220) Γ(i)Γ(γγ)/Γ(total)

Γ(K K̄) × Γ(γγ)/Γ _{total}				Γ ₃ Γ ₅ /Γ	
VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT	
< 1.4	95	¹ ACCIARRI 01H L3		γγ → K _S ⁰ K _S ⁰ , E _{cm} ^{ee} = 91, 183–209 GeV	

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 5.6	95	¹ GODANG 97 CLE2		γγ → K _S ⁰ K _S ⁰
< 86	95	¹ ALBRECHT 90G ARG		γγ → K ⁺ K ⁻
<1000	95	² ALTHOFF 85B TASS		γγ, K K̄ π

Γ(π π) × Γ(γγ)/Γ _{total}				Γ ₁ Γ ₅ /Γ	
VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT	
<2.5	95	ALAM 98C CLE2		γγ → π ⁺ π ⁻	

¹ Assuming J^P = 2⁺.

² True for J^P = 0⁺ and J^P = 2⁺.

f_J(2220) Γ(i)Γ(p p̄)/Γ²(total)

Γ(p p̄)/Γ _{total} × Γ(π π)/Γ _{total}				Γ ₄ /Γ × Γ ₁ /Γ	
VALUE (units 10 ⁻⁵)	CL%	DOCUMENT ID	TECN	COMMENT	
<18	95	¹ AMSLER 01 CBAR		1.4–1.5 p p̄ → π ⁰ π ⁰	

• • • We do not use the following data for averages, fits, limits, etc. • • •

<(11–42)	99	² HASAN 96 SPEC		1.35–1.55 p p̄ → π ⁺ π ⁻
----------	----	----------------------------	--	--

Γ(p p̄)/Γ _{total} × Γ(φ φ)/Γ _{total}				Γ ₄ /Γ × Γ ₇ /Γ	
VALUE (units 10 ⁻⁵)	CL%	DOCUMENT ID	TECN	COMMENT	
<6	95	³ EVANGELIS... 98 SPEC		1.1–2.0 p p̄ → φ φ	

$$\Gamma(\rho\bar{\rho})/\Gamma_{\text{total}} \times \Gamma(\eta\eta)/\Gamma_{\text{total}} \qquad \Gamma_4/\Gamma \times \Gamma_8/\Gamma$$

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT
<4	95	¹ AMSLER	01	CBAR 1.4–1.5 $\rho\bar{\rho} \rightarrow \eta\eta$

¹ For $J^P = 2^+$ in the mass range 2222–2240 MeV and the total width between 10 and 20 MeV.

² For $J^P = 2^+$ and $J^P = 4^+$ in the mass range 2220–2245 MeV and the total width of 15 MeV.

³ For $J^P = 2^+$, the mass of 2235 MeV and the total width of 15 MeV.

$f_J(2220)$ BRANCHING RATIOS

$$\Gamma(\pi\pi)/\Gamma_{\text{total}} \qquad \Gamma_1/\Gamma$$

VALUE	DOCUMENT ID	COMMENT
not seen	¹ DOBBS 15	$J/\psi \rightarrow \gamma\pi\pi$
not seen	¹ DOBBS 15	$\psi(2S) \rightarrow \gamma\pi\pi$

¹ Using CLEO-c data but not authored by the CLEO Collaboration.

$$\Gamma(K\bar{K})/\Gamma_{\text{total}} \qquad \Gamma_3/\Gamma$$

VALUE	DOCUMENT ID	COMMENT
not seen	¹ DOBBS 15	$J/\psi \rightarrow \gamma K\bar{K}$
not seen	¹ DOBBS 15	$\psi(2S) \rightarrow \gamma K\bar{K}$

¹ Using CLEO-c data but not authored by the CLEO Collaboration.

$$\Gamma(\pi\pi)/\Gamma(K\bar{K}) \qquad \Gamma_1/\Gamma_3$$

VALUE	DOCUMENT ID	TECN	COMMENT
1.0±0.5	BAI	96B	BES $e^+e^- \rightarrow J/\psi \rightarrow \gamma 2\pi, K\bar{K}$

$$\Gamma(\rho\bar{\rho})/\Gamma_{\text{total}} \qquad \Gamma_4/\Gamma$$

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

not seen		¹ AUBERT	07AV	BABR	$B \rightarrow \rho\bar{\rho}K^{(*)}$
not seen		WANG	05A	BELL	$B^+ \rightarrow \bar{\rho}\rho K^+$
<3.0	95	² EVANGELIS...	97	SPEC	1.96-2.40 $\bar{\rho}\rho \rightarrow K_S^0 K_S^0$
<1.1	99.7	³ BARNES	93	SPEC	1.3-1.57 $\bar{\rho}\rho \rightarrow K_S^0 K_S^0$
<2.6	99.7	³ BARDIN	87	CNTR	1.3-1.5 $\bar{\rho}\rho \rightarrow K^+ K^-$
<3.6	99.7	³ SCULLI	87	CNTR	1.29-1.55 $\bar{\rho}\rho \rightarrow K^+ K^-$

¹ Assuming $\Gamma < 30$ MeV.

² Assuming $\Gamma \sim 20$ MeV, $J^P = 2^+$ and $B(f_J(2220) \rightarrow K\bar{K}) = 100\%$.

³ Assuming $\Gamma = 30$ -35 MeV, $J^P = 2^+$ and $B(f_J(2220) \rightarrow K\bar{K}) = 100\%$.

$$\Gamma(\rho\bar{\rho})/\Gamma(K\bar{K}) \qquad \Gamma_4/\Gamma_3$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.17±0.09	BAI	96B	BES $e^+e^- \rightarrow J/\psi \rightarrow \gamma\rho\bar{\rho}, K\bar{K}$

$f_J(2220)$ REFERENCES

DOBBS	15	PR D91 052006	S. Dobbs <i>et al.</i>	(NWES)
VLADIMIRSK...	08	PAN 71 2129	V.V. Vladimisky <i>et al.</i>	(ITEP)
		Translated from YAF 71 2166.		
AUBERT	07AV	PR D76 092004	B. Aubert <i>et al.</i>	(BABAR Collab.)
WANG	05A	PL B617 141	M.-Z. Wang <i>et al.</i>	(BELLE Collab.)
PDG	04	PL B592 1	S. Eidelman <i>et al.</i>	(PDG Collab.)
ACCIARRI	01H	PL B501 173	M. Acciarri <i>et al.</i>	(L3 Collab.)
AMSLER	01	PL B520 175	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ALAM	98C	PRL 81 3328	M.S. Alam <i>et al.</i>	(CLEO Collab.)
BAI	98H	PRL 81 1179	J.Z. Bai <i>et al.</i>	(BES Collab.)
EVANGELIS...	98	PR D57 5370	C. Evangelista <i>et al.</i>	(JETSET Collab.)
EVANGELIS...	97	PR D56 3803	C. Evangelista <i>et al.</i>	(LEAR Collab.)
GODANG	97	PRL 79 3829	R. Godang <i>et al.</i>	(CLEO Collab.)
BAI	96B	PRL 76 3502	J.Z. Bai <i>et al.</i>	(BES Collab.)
HASAN	96	PL B388 376	A. Hasan, D.V. Bugg	(BRUN, LOQM)
BARNES	93	PL B309 469	P.D. Barnes <i>et al.</i>	(PS185 Collab.)
ALBRECHT	90G	ZPHY C48 183	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ASTON	88F	PL B215 199	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS) JP
BOLONKIN	88	NP B309 426	B.V. Bolonkin <i>et al.</i>	(ITEP, SERP)
ALDE	87C	SJNP 45 255	D. Alde <i>et al.</i>	
		Translated from YAF 45 405.		
BARDIN	87	PL B195 292	G. Bardin <i>et al.</i>	(SACL, FERR, CERN, PADO+)
SCULLI	87	PRL 58 1715	J. Sculli <i>et al.</i>	(NYU, BNL)
ALDE	86B	PL B177 120	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP)
BALTRUSAIT...	86D	PRL 56 107	R.M. Baltrusaitis	(CIT, UCSC, ILL, SLAC+)
ALTHOFF	85B	ZPHY C29 189	M. Althoff <i>et al.</i>	(TASSO Collab.)

OTHER RELATED PAPERS

DEL-AMO-SA... 100	PRL 105 172001	P. del Amo Sanchez <i>et al.</i>	(BABAR Collab.)
-------------------	----------------	----------------------------------	-----------------