

**$f_2(1565)$**  $I^G(J^{PC}) = 0^+(2^{++})$ 

Seen mostly in antinucleon-nucleon annihilation. See the review on  
"Spectroscopy of Light Meson Resonances."

 **$f_2(1565)$  T-MATRIX POLE  $\sqrt{s}$** 

Note that  $\Gamma = -2 \operatorname{Im}(\sqrt{s})$ .

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>(1495–1560) – <math>i</math> (40–110) OUR ESTIMATE</b>			
(1560 ± 15) – $i$ (140 ± 20)	<sup>1</sup> ANISOVICH 09	RVUE	0.0 $\bar{p}p, \pi N$
(1552 ± 13) – $i$ (57 ± 12)	AMSLER 02	CBAR	0.9 $\bar{p}p \rightarrow \pi^0 \eta \eta, \pi^0 \pi^0 \pi^0$
(1507 ± 15) – $i$ (65 ± 10)	BERTIN 97C	OBLX	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
(1534 ± 20) – $i$ (90 ± 30)	<sup>2</sup> ABELE 96C	RVUE	Compilation
(~1552) – $i$ (~71)	<sup>3</sup> AMSLER 95D	CBAR	0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0, \pi^0 \eta \eta, \pi^0 \pi^0 \eta$

<sup>1</sup> On sheet II in a two-pole solution.

<sup>2</sup> T-matrix pole, large coupling to  $\rho\rho$  and  $\omega\omega$ , could be  $f_2(1640)$ .

<sup>3</sup> Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.

 **$f_2(1565)$  MASS**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1571±13 OUR AVERAGE</b>			
1575±18	<sup>1</sup> BERTIN 98	OBLX	0.05–0.405 $\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
1565±20	<sup>1</sup> MAY 90	ASTE	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1590±10	AMELIN 06	VES	$36 \pi^- p \rightarrow \omega \omega n$
1550±10±20	AMELIN 00	VES	$37 \pi^- p \rightarrow \eta \pi^+ \pi^- n$
1598±11± 9	BAKER 99B	SPEC	$0 \bar{p}p \rightarrow \omega \omega \pi^0$
1598±72	BALOSHIN 95	SPEC	$40 \pi^- C \rightarrow K_S^0 K_S^0 X$
$1566^{+80}_{-50}$	<sup>2</sup> ANISOVICH 94	CBAR	0.0 $\bar{p}p \rightarrow 3\pi^0, \eta \eta \pi^0$
1502± 9	ADAMO 93	OBLX	$\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
1488±10	<sup>3</sup> ARMSTRONG 93C	E760	$\bar{p}p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
1508±10	<sup>3</sup> ARMSTRONG 93D	E760	$\bar{p}p \rightarrow 3\pi^0 \rightarrow 6\gamma$
1525±10	<sup>3</sup> ARMSTRONG 93D	E760	$\bar{p}p \rightarrow \eta \pi^0 \pi^0 \rightarrow 6\gamma$
~1504	<sup>4</sup> WEIDENAUER 93	ASTE	$0.0 \bar{p}N \rightarrow 3\pi^- 2\pi^+$
1540±15	<sup>3</sup> ADAMO 92	OBLX	$\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
1515±10	<sup>5</sup> AKER 91	CBAR	$0.0 \bar{p}p \rightarrow 3\pi^0$
1477± 5	BRIDGES 86C	DBC	$0.0 \bar{p}N \rightarrow 3\pi^- 2\pi^+$

<sup>1</sup> Breit-Wigner mass.

<sup>2</sup> From a simultaneous analysis of the annihilations  $\bar{p}p \rightarrow 3\pi^0, \pi^0 \eta \eta$  including AKER 91 data.

<sup>3</sup>  $J^P$  not determined, could be partly  $f_0(1500)$ .

<sup>4</sup>  $J^P$  not determined.

<sup>5</sup> Superseded by AMSLER 95B.

## $f_2(1565)$ WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>132 ± 23 OUR AVERAGE</b>			Error includes scale factor of 1.1.
119 ± 24	<sup>1</sup> BERTIN 98	OBLX	0.05–0.405 $\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
170 ± 40	<sup>1</sup> MAY 90	ASTE	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
140 ± 11	<sup>1,2</sup> AMELIN 06	VES	36 $\pi^- p \rightarrow \omega \omega n$
130 ± 20 ± 40	<sup>1</sup> AMELIN 00	VES	37 $\pi^- p \rightarrow \eta \pi^+ \pi^- n$
263 ± 101	BALOSHIN 95	SPEC	40 $\pi^- C \rightarrow K_S^0 K_S^0 X$
$166^{+80}_{-20}$	<sup>3</sup> ANISOVICH 94	CBAR	0.0 $\bar{p}p \rightarrow 3\pi^0, \eta \eta \pi^0$
130 ± 10	<sup>4</sup> ADAMO 93	OBLX	$\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
148 ± 27	<sup>5</sup> ARMSTRONG 93C	E760	$\bar{p}p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
103 ± 15	<sup>5</sup> ARMSTRONG 93D	E760	$\bar{p}p \rightarrow 3\pi^0 \rightarrow 6\gamma$
111 ± 10	<sup>5</sup> ARMSTRONG 93D	E760	$\bar{p}p \rightarrow \eta \pi^0 \pi^0 \rightarrow 6\gamma$
~206	<sup>6</sup> WEIDENAUER 93	ASTE	0.0 $\bar{p}N \rightarrow 3\pi^- 2\pi^+$
132 ± 37	<sup>5</sup> ADAMO 92	OBLX	$\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
120 ± 10	<sup>7</sup> AKER 91	CBAR	0.0 $\bar{p}p \rightarrow 3\pi^0$
116 ± 9	BRIDGES 86C	DBC	0.0 $\bar{p}N \rightarrow 3\pi^- 2\pi^+$

<sup>1</sup> Breit-Wigner width.<sup>2</sup> Supersedes the  $\omega \omega$  state of BELADIDZE 92B earlier assigned to the  $f_2(1640)$ .<sup>3</sup> From a simultaneous analysis of the annihilations  $\bar{p}p \rightarrow 3\pi^0, \pi^0 \eta \eta$  including AKER 91 data.<sup>4</sup> Supersedes ADAMO 92.<sup>5</sup>  $J^P$  not determined, could be partly  $f_0(1500)$ .<sup>6</sup>  $J^P$  not determined.<sup>7</sup> Superseded by AMSLER 95B.

## $f_2(1565)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 \pi \pi$	seen
$\Gamma_2 \pi^+ \pi^-$	seen
$\Gamma_3 \pi^0 \pi^0$	seen
$\Gamma_4 \rho^0 \rho^0$	seen
$\Gamma_5 2\pi^+ 2\pi^-$	seen
$\Gamma_6 \eta \eta$	seen
$\Gamma_7 \omega \omega$	seen
$\Gamma_8 K \bar{K}$	seen
$\Gamma_9 \gamma \gamma$	seen

**$f_2(1565)$  PARTIAL WIDTHS** **$\Gamma(\eta\eta)$**  **$\Gamma_6$** 

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

$1.2 \pm 0.3$       870      <sup>1</sup> SCHEGELSKY 06A RVUE  $\gamma\gamma \rightarrow K_S^0 K_S^0$

<sup>1</sup> From analysis of L3 data at 91 and 183–209 GeV, using  $f_2(1565)$  mass of 1570 MeV, width of 160 MeV,  $\Gamma(\pi\pi) = 25$  MeV, and SU(3) relations.

 **$\Gamma(K\bar{K})$**  **$\Gamma_8$** 

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

$2.0 \pm 1.0$       870      <sup>1</sup> SCHEGELSKY 06A RVUE  $\gamma\gamma \rightarrow K_S^0 K_S^0$

<sup>1</sup> From analysis of L3 data at 91 and 183–209 GeV, using  $f_2(1565)$  mass of 1570 MeV, width of 160 MeV,  $\Gamma(\pi\pi) = 25$  MeV, and SU(3) relations.

 **$\Gamma(\gamma\gamma)$**  **$\Gamma_9$** 

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.70 \pm 0.14$       870      <sup>1</sup> SCHEGELSKY 06A RVUE  $\gamma\gamma \rightarrow K_S^0 K_S^0$

<sup>1</sup> From analysis of L3 data at 91 and 183–209 GeV, using  $f_2(1565)$  mass of 1570 MeV, width of 160 MeV,  $\Gamma(\pi\pi) = 25$  MeV, and SU(3) relations.

 **$f_2(1565)$  BRANCHING RATIOS** **$\Gamma(\pi\pi)/\Gamma_{\text{total}}$**  **$\Gamma_1/\Gamma$** 

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen                    BAKER      99B SPEC  $0 \bar{p}p \rightarrow \omega\omega\pi^0$

 **$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$**  **$\Gamma_2/\Gamma$** 

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen                    BERTIN      98 OBLX  $0.05\text{--}0.405 \bar{p}p \rightarrow \pi^+\pi^+\pi^-$

not seen                <sup>1</sup> ANISOVICH      94B RVUE  $\bar{p}p \rightarrow \pi^+\pi^-\pi^0$

seen                    MAY      89 ASTE  $\bar{p}p \rightarrow \pi^+\pi^-\pi^0$

<sup>1</sup> ANISOVICH 94B is from a reanalysis of MAY 90.

 **$\Gamma(\pi^0\pi^0)/\Gamma_{\text{total}}$**  **$\Gamma_3/\Gamma$** 

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

seen                    AMSLER      95B CBAR  $0.0 \bar{p}p \rightarrow 3\pi^0$

 **$\Gamma(\pi^+\pi^-)/\Gamma(\rho^0\rho^0)$**  **$\Gamma_2/\Gamma_4$** 

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.042 \pm 0.013$       BRIDGES      86B DBC  $\bar{p}N \rightarrow 3\pi^- 2\pi^+$

$\Gamma(\eta\eta)/\Gamma(\pi^0\pi^0)$	$\Gamma_6/\Gamma_3$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •	
0.024±0.005±0.012	<sup>1</sup> ARMSTRONG 93C E760 $\bar{p}p \rightarrow \pi^0\eta\eta \rightarrow 6\gamma$
$1 J^P$ not determined, could be partly $f_0(1500)$ .	
$\Gamma(\omega\omega)/\Gamma_{\text{total}}$	$\Gamma_7/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •	
seen	BAKER 99B SPEC 0 $\bar{p}p \rightarrow \omega\omega\pi^0$

## $f_2(1565)$ REFERENCES

ANISOVICH 09	IJMP A24 2481	V.V. Anisovich, A.V. Sarantsev	(PNPI)
AMELIN 06	PAN 69 690	D.V. Amelin <i>et al.</i>	(VES Collab.)
Translated from YAF 69 715.			
SCHEGELSKY 06A	EPJ A27 207	V.A. Schegelsky <i>et al.</i>	
AMSLER 02	EPJ C23 29	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMELIN 00	NP A668 83	D. Amelin <i>et al.</i>	(VES Collab.)
BAKER 99B	PL B467 147	C.A. Baker <i>et al.</i>	
BERTIN 98	PR D57 55	A. Bertin <i>et al.</i>	(OBELIX Collab.)
BERTIN 97C	PL B408 476	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ABELE 96C	NP A609 562	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER 95B	PL B342 433	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER 95C	PL B353 571	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER 95D	PL B355 425	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
BALOSHIN 95	PAN 58 46	O.N. Baloshin <i>et al.</i>	(ITEP)
Translated from YAF 58 50.			
AMSLER 94D	PL B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH 94	PL B323 233	V.V. Anisovich <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH 94B	PR D50 1972	V.V. Anisovich <i>et al.</i>	(LOQM)
ADAMO 93	NP A558 13C	A. Adamo <i>et al.</i>	(OBELIX Collab.)
ARMSTRONG 93C	PL B307 394	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
ARMSTRONG 93D	PL B307 399	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
WEIDENAUER 93	ZPHY C59 387	P. Weidenauer <i>et al.</i>	(ASTERIX Collab.)
ADAMO 92	PL B287 368	A. Adamo <i>et al.</i>	(OBELIX Collab.)
BELADIDZE 92B	ZPHY C54 367	G.M. Beladidze <i>et al.</i>	(VES Collab.)
AKER 91	PL B260 249	E. Aker <i>et al.</i>	(Crystal Barrel Collab.)
MAY 90	ZPHY C46 203	B. May <i>et al.</i>	(ASTERIX Collab.)
MAY 89	PL B225 450	B. May <i>et al.</i>	(ASTERIX Collab.) IJP
BRIDGES 86B	PRL 56 215	D.L. Bridges <i>et al.</i>	(SYRA, CASE)
BRIDGES 86C	PRL 57 1534	D.L. Bridges <i>et al.</i>	(SYRA)