

**$\chi_{c0}(3860)$**  $I^G(J^{PC}) = 0^+(0^{++})$ 

## OMITTED FROM SUMMARY TABLE

The assignment  $J^P = 0^+$  is preferred over  $2^+$  by 2.5 sigma.

Observed by CHILIKIN 17 using full amplitude analysis of the process  $e^+ e^- \rightarrow J/\psi D\bar{D}$ , where  $D = D^0, D^+$ . Not seen by AAIJ 20AI in the decay  $B^+ \rightarrow D^+ D^- K^+$ .

 **$\chi_{c0}(3860)$  MASS**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>3862</b> $+26$ $-32$ <b>40</b> $-13$	CHILIKIN	17	BELL $e^+ e^- \rightarrow J/\psi D\bar{D}$

 **$\chi_{c0}(3860)$  WIDTH**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>201</b> $+154$ $-67$ <b>88</b> $-82$	CHILIKIN	17	BELL $e^+ e^- \rightarrow J/\psi D\bar{D}$

 **$\chi_{c0}(3860)$  DECAY MODES**

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 D^0 \bar{D}^0$	seen
$\Gamma_2 D^+ D^-$	seen

 **$\chi_{c0}(3860)$  BRANCHING RATIOS**

$\Gamma(D^0 \bar{D}^0)/\Gamma_{\text{total}}$	$\Gamma_1/\Gamma$
<b>seen</b>	CHILIKIN 17 BELL $e^+ e^- \rightarrow J/\psi D^0 \bar{D}^0$

$\Gamma(D^+ D^-)/\Gamma_{\text{total}}$	$\Gamma_2/\Gamma$
<b>seen</b>	CHILIKIN 17 BELL $e^+ e^- \rightarrow J/\psi D^+ D^-$

 **$\chi_{c0}(3860)$  REFERENCES**

AAIJ CHILIKIN	20AI 17	PR D102 112003 PR D95 112003	R. Aaij <i>et al.</i> K. Chilikin <i>et al.</i>	(LHCb Collab.) (BELLE Collab.) JPC
------------------	------------	---------------------------------	--	---------------------------------------