

$N(2100) \ 1/2^+$ $I(J^P) = \frac{1}{2}(\frac{1}{2}^+)$ Status: *** **$N(2100)$ POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2050 to 2150 (≈ 2100) OUR ESTIMATE			
2120 \pm 25	SOKHOYAN 15A	DPWA	Multichannel
2052 \pm 6 \pm 3	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
2120 \pm 40	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2217	HUNT 19	DPWA	Multichannel
2120 \pm 47	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$
1810	VRANA 00	DPWA	Multichannel

¹ Fit to the amplitudes of HOEHLER 79.**-2 \times IMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
240 to 340 (≈ 300) OUR ESTIMATE			
290 \pm 30	SOKHOYAN 15A	DPWA	Multichannel
337 \pm 10 \pm 4	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
240 \pm 80	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
545	HUNT 19	DPWA	Multichannel
346 \pm 80	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$
622	VRANA 00	DPWA	Multichannel

¹ Fit to the amplitudes of HOEHLER 79. **$N(2100)$ ELASTIC POLE RESIDUE****MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
15 to 30 (≈ 20) OUR ESTIMATE			
23 \pm 5	SOKHOYAN 15A	DPWA	Multichannel
30 \pm 1 \pm 1	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
14 \pm 7	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
33	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$

¹ Fit to the amplitudes of HOEHLER 79.**PHASE θ**

VALUE (°)	DOCUMENT ID	TECN	COMMENT
-100 to -60 (≈ -80) OUR ESTIMATE			
- 70 \pm 25	SOKHOYAN 15A	DPWA	Multichannel
- 92 \pm 3 \pm 2	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
35 \pm 25	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
- 59	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$

¹ Fit to the amplitudes of HOEHLER 79.

N(2100) INELASTIC POLE RESIDUE

Normalized residue in $N\pi \rightarrow N(2100) \rightarrow \Delta(1232)\pi$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.11 ± 0.05	20 ± 60	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2100) \rightarrow N\sigma$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.18 ± 0.06	125 ± 25	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2100) \rightarrow N(1535)\pi$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.22 ± 0.06	-40 ± 25	SOKHOYAN	15A	DPWA Multichannel

N(2100) BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2050 to 2150 (≈ 2100) OUR ESTIMATE			
2221 ± 92	¹ HUNT	19	DPWA Multichannel
2115 ± 20	SOKHOYAN	15A	DPWA Multichannel
2125 ± 75	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
2050 ± 20	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2157 ± 42	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
$2068 \pm 3^{+15}_{-40}$	ABLIKIM	06K	BES2 $J/\psi \rightarrow (p\pi^-)\bar{n}$
2084 ± 93	VRANA	00	DPWA Multichannel

¹ Statistical error only.

N(2100) BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
200 to 320 (≈ 260) OUR ESTIMATE			
545 ± 170	¹ HUNT	19	DPWA Multichannel
290 ± 20	SOKHOYAN	15A	DPWA Multichannel
260 ± 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
200 ± 30	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
355 ± 88	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
$165 \pm 14 \pm 40$	ABLIKIM	06K	BES2 $J/\psi \rightarrow (p\pi^-)\bar{n}$
1077 ± 643	VRANA	00	DPWA Multichannel

¹ Statistical error only.

***N(2100)* DECAY MODES**

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\pi$	8–32 %
$\Gamma_2 N\eta$	5–45 %
$\Gamma_3 N\eta'$	5–11 %
$\Gamma_4 N\omega$	10–25 %
$\Gamma_5 \Lambda K$	<1.0 %
$\Gamma_6 N\pi\pi$	>55 %
$\Gamma_7 \Delta(1232)\pi$, <i>P</i> -wave	6–14 %
$\Gamma_8 N\rho$, $S=1/2$, <i>P</i> -wave	35–70
$\Gamma_9 N\sigma$	14–35 %
$\Gamma_{10} N(1535)\pi$	26–34 %
$\Gamma_{11} \Lambda K^*(892)$	3–11 %
$\Gamma_{12} p\gamma$, helicity=1/2	0.001–0.13 %
$\Gamma_{13} n\gamma$, helicity=1/2	0.004–0.09 %

***N(2100)* BRANCHING RATIOS** **$\Gamma(N\pi)/\Gamma_{\text{total}}$**

VALUE (%)

8–32 % OUR ESTIMATE

	DOCUMENT ID	TECN	COMMENT
21 ± 11	¹ HUNT	19	DPWA Multichannel
16 ± 5	SOKHOYAN	15A	DPWA Multichannel
12 ± 3	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
10 ± 4	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. **• • •**

16 ± 5	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
2 ± 5	VRANA	00	DPWA Multichannel

¹ Statistical error only. **$\Gamma(N\eta)/\Gamma_{\text{total}}$**

VALUE (%)

5–45 % OUR ESTIMATE

	DOCUMENT ID	TECN	COMMENT
30 ± 15	MUELLER	20	DPWA Multichannel
< 4.7	¹ HUNT	19	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
83 ± 5	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
61 ± 61	VRANA	00	DPWA Multichannel

¹ Statistical error only. **$\Gamma(N\eta')/\Gamma_{\text{total}}$**

VALUE (%)

5–11 % OUR ESTIMATE

	DOCUMENT ID	TECN	COMMENT
8 ± 3	ANISOVICH	17C	DPWA Multichannel

 Γ_1/Γ **Γ_2/Γ** **Γ_3/Γ**

$\Gamma(N\omega)/\Gamma_{\text{total}}$

VALUE (%)

10–25 % OUR ESTIMATE 15 ± 10 DOCUMENT ID TECN COMMENT Γ_4/Γ

DENISENKO 16 DPWA Multichannel

 $\Gamma(\Lambda K)/\Gamma_{\text{total}}$

VALUE (%)

<1.0 % OUR ESTIMATE < 1.0 DOCUMENT ID TECN COMMENT Γ_5/Γ

1 HUNT 19 DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • • 21 ± 20

VRANA 00 DPWA Multichannel

¹ Statistical error only. $\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)

6–14 % OUR ESTIMATE < 7.5 DOCUMENT ID TECN COMMENT 10 ± 4

SOKHOYAN 15A DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • • 2 ± 1

VRANA 00 DPWA Multichannel

¹ Statistical error only. Γ_7/Γ

1 HUNT 19 DPWA Multichannel

 $\Gamma(N\rho, S=1/2, P\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)

35–70 OUR ESTIMATE 52 ± 19 DOCUMENT ID TECN COMMENT**• • • We do not use the following data for averages, fits, limits, etc. • • •** 4 ± 1

VRANA 00 DPWA Multichannel

¹ Statistical error only. Γ_8/Γ

1 HUNT 19 DPWA Multichannel

 $\Gamma(\Lambda K^*(892))/\Gamma_{\text{total}}$

VALUE (%)

3–11 % OUR ESTIMATE 7 ± 4 DOCUMENT ID TECN COMMENT

ANISOVICH 17B DPWA Multichannel

 Γ_{11}/Γ $\Gamma(N\sigma)/\Gamma_{\text{total}}$

VALUE (%)

14–35 % OUR ESTIMATE < 35 DOCUMENT ID TECN COMMENT 20 ± 6

1 HUNT 19 DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • • 10 ± 1

SOKHOYAN 15A DPWA Multichannel

¹ Statistical error only. Γ_9/Γ

10 ± 1 DPWA Multichannel

 $\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$

VALUE (%)

26–34 % OUR ESTIMATE 30 ± 4 DOCUMENT ID TECN COMMENT Γ_{10}/Γ

SOKHOYAN 15A DPWA Multichannel

N(2100)* PHOTON DECAY AMPLITUDES AT THE POLE**N(2100) → pγ, helicity-1/2 amplitude A_{1/2}***

<i>MODULUS (GeV^{-1/2})</i>	<i>PHASE (°)</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
0.011±0.004	65 ± 30	SOKHOYAN	15A	DPWA Multichannel

N(2100) → nγ, helicity-1/2 amplitude A_{1/2}

<i>MODULUS</i>	<i>PHASE (°)</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
0.029±0.009	35 ± 20	ANISOVICH	17E	DPWA Multichannel

N(2100) BREIT-WIGNER PHOTON DECAY AMPLITUDES***N(2100) → pγ, helicity-1/2 amplitude A_{1/2}***

<i>VALUE (GeV^{-1/2})</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
0.032±0.014	1 HUNT	19	DPWA Multichannel
0.010±0.004	SOKHOYAN	15A	DPWA Multichannel

¹ Statistical error only.

N(2100) → nγ, helicity-1/2 amplitude A_{1/2}

<i>VALUE (GeV^{-1/2})</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
0.026±0.013	1 HUNT	19	DPWA Multichannel
0.029±0.010	ANISOVICH	17E	DPWA Multichannel

¹ Statistical error only.

N(2100) REFERENCES

MUELLER	20	PL B803 135323	J. Mueller <i>et al.</i>	(CBELSA/TAPS Collab.)
HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ANISOVICH	17B	PL B771 142	A.V. Anisovich <i>et al.</i>	
ANISOVICH	17C	PL B772 247	A.V. Anisovich <i>et al.</i>	
ANISOVICH	17E	PR C96 055202	A.V. Anisovich <i>et al.</i>	(BONN, PNPI, JLAB+)
DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
ABLIKIM	06K	PRL 97 062001	M. Ablikim <i>et al.</i>	(BES II Collab.)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP