

**$f_0(2100)$**

$I^G(J^{PC}) = 0^+(0^{++})$

OMMITTED FROM SUMMARY TABLE  
Needs confirmation.

### **$f_0(2100)$ MASS**

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>2095^{+17}_{-19}</math> OUR AVERAGE</b>				
2116 $\pm 27 \pm 17$		LEES	21A BABR	$\gamma\gamma \rightarrow \eta_c(1S) \rightarrow \eta'\pi^+\pi^-$
2081 $\pm 13^{+24}_{-36}$	5.5k	<sup>1</sup> ABLIKIM	13N BES3	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta\eta$
2090 $\pm 30$		BAI	00A BES	$J/\psi \rightarrow \gamma(\pi^+\pi^-\pi^+\pi^-)$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
2075 $\pm 20$		SARANTSEV	21 RVUE	$J/\psi(1S) \rightarrow \gamma(\pi\pi, K\bar{K}, \eta\eta, \omega\phi)$
2090 $\pm 10 \pm 6$	529	<sup>2,3</sup> DOBBS	15	$J/\psi \rightarrow \gamma\pi^+\pi^-$
2099 $\pm 17 \pm 8$	283	<sup>2,3</sup> DOBBS	15	$\psi(2S) \rightarrow \gamma\pi^+\pi^-$
2105 $\pm 8$	80k	<sup>4</sup> UMAN	06 E835	$5.2 \bar{p}p \rightarrow \eta\eta\pi^0$
2102 $\pm 13$		<sup>5</sup> ANISOVICH	00J SPEC	$2.0 \bar{p}p \rightarrow \eta\pi^0\pi^0, \pi^0\pi^0, \eta\eta, \eta\eta', \pi^+\pi^-$
2105 $\pm 10$		ANISOVICH	99K SPEC	$0.6-1.94 \bar{p}p \rightarrow \eta\eta, \eta\eta'$
$\sim 2104$		BUGG	95	$J/\psi \rightarrow \gamma\pi^+\pi^-\pi^+\pi^-$
$\sim 2122$		HASAN	94 RVUE	$\bar{p}p \rightarrow \pi\pi$

<sup>1</sup> From partial wave analysis including all possible combinations of  $0^{++}$ ,  $2^{++}$ , and  $4^{++}$  resonances.

<sup>2</sup> Using CLEO-c data but not authored by the CLEO Collaboration.

<sup>3</sup> From a fit to a Breit-Wigner line shape with fixed  $\Gamma = 209$  MeV.

<sup>4</sup> Statistical error only.

<sup>5</sup> Includes the data of ANISOVICH 00B indicating to exotic decay pattern.

### **$f_0(2100)$ WIDTH**

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>287^{+32}_{-24}</math> OUR AVERAGE</b>				
289 $\pm 34 \pm 15$		LEES	21A BABR	$\gamma\gamma \rightarrow \eta_c(1S) \rightarrow \eta'\pi^+\pi^-$
$273^{+27+70}_{-24-23}$	5.5k	<sup>1</sup> ABLIKIM	13N BES3	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta\eta$
330 $\pm 100$		BAI	00A BES	$J/\psi \rightarrow \gamma(\pi^+\pi^-\pi^+\pi^-)$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
260 $\pm 25$		SARANTSEV	21 RVUE	$J/\psi(1S) \rightarrow \gamma(\pi\pi, K\bar{K}, \eta\eta, \omega\phi)$
236 $\pm 14$	80k	<sup>2</sup> UMAN	06 E835	$5.2 \bar{p}p \rightarrow \eta\eta\pi^0$
211 $\pm 29$		<sup>3</sup> ANISOVICH	00J SPEC	$2.0 \bar{p}p \rightarrow \eta\pi^0\pi^0, \pi^0\pi^0, \eta\eta, \eta\eta', \pi^+\pi^-$
200 $\pm 25$		ANISOVICH	99K SPEC	$0.6-1.94 \bar{p}p \rightarrow \eta\eta, \eta\eta'$
$\sim 203$		BUGG	95	$J/\psi \rightarrow \gamma\pi^+\pi^-\pi^+\pi^-$
$\sim 273$		HASAN	94 RVUE	$\bar{p}p \rightarrow \pi\pi$

<sup>1</sup> From partial wave analysis including all possible combinations of  $0^{++}$ ,  $2^{++}$ , and  $4^{++}$  resonances.

<sup>2</sup> Statistical error only.

<sup>3</sup> Includes the data of ANISOVICH 00B indicating to exotic decay pattern.

---

## **f<sub>0</sub>(2100) REFERENCES**

---

LEES	21A	PR D104 072002	J.P. Lees <i>et al.</i>	(BABAR Collab.)
SARANTSEV	21	PL B816 136227	A.V. Sarantsev <i>et al.</i>	(BONN, PNPI)
DOBBS	15	PR D91 052006	S. Dobbs <i>et al.</i>	(NWES)
ABLIKIM	13N	PR D87 092009	M. Ablikim <i>et al.</i>	(BESIII Collab.)
UMAN	06	PR D73 052009	I. Uman <i>et al.</i>	(FNAL E835)
ANISOVICH	00B	NP A662 319	A.V. Anisovich <i>et al.</i>	
ANISOVICH	00J	PL B491 47	A.V. Anisovich <i>et al.</i>	(RAL, LOQM, PNPI+)
BAI	00A	PL B472 207	J.Z. Bai <i>et al.</i>	(BES Collab.)
ANISOVICH	99K	PL B468 309	A.V. Anisovich <i>et al.</i>	
BUGG	95	PL B353 378	D.V. Bugg <i>et al.</i>	(LOQM, PNPI, WASH)
HASAN	94	PL B334 215	A. Hasan, D.V. Bugg	(LOQM)

---