

**$\Delta(1700) \ 3/2^-$**  $I(J^P) = \frac{3}{2}(\frac{3}{2}^-)$  Status: \*\*\*

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

 **$\Delta(1700)$  POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1640 to 1690 (<math>\approx 1665</math>) OUR ESTIMATE</b>			
1637 $\pm$ 32	ROENCHEN 22	DPWA	Multichannel
1685 $\pm$ 10	SOKHOYAN 15A	DPWA	Multichannel
1643 $\pm$ 6 $\pm$ 3	<sup>1</sup> SVARC 14	L+P	$\pi N \rightarrow \pi N$
1675 $\pm$ 25	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1693	HUNT 19	DPWA	Multichannel
1677	ROENCHEN 15A	DPWA	Multichannel
1685 $\pm$ 10	GUTZ 14	DPWA	Multichannel
1680 $\pm$ 10	ANISOVICH 12A	DPWA	Multichannel
1632	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
1726	VRANA 00	DPWA	Multichannel
1651	HOEHLER 93	SPED	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

**-2xIMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>200 to 300 (<math>\approx 250</math>) OUR ESTIMATE</b>			
295 $\pm$ 29	ROENCHEN 22	DPWA	Multichannel
300 $\pm$ 15	SOKHOYAN 15A	DPWA	Multichannel
217 $\pm$ 10 $\pm$ 8	<sup>1</sup> SVARC 14	L+P	$\pi N \rightarrow \pi N$
220 $\pm$ 40	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
213	HUNT 19	DPWA	Multichannel
305	ROENCHEN 15A	DPWA	Multichannel
300 $\pm$ 15	GUTZ 14	DPWA	Multichannel
305 $\pm$ 15	ANISOVICH 12A	DPWA	Multichannel
253	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
118	VRANA 00	DPWA	Multichannel
159	HOEHLER 93	SPED	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

 **$\Delta(1700)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>10 to 40 (<math>\approx 25</math>) OUR ESTIMATE</b>			
15 $\pm$ 12	ROENCHEN 22	DPWA	Multichannel
40 $\pm$ 6	SOKHOYAN 15A	DPWA	Multichannel
13 $\pm$ 1 $\pm$ 1	<sup>1</sup> SVARC 14	L+P	$\pi N \rightarrow \pi N$
13 $\pm$ 3	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

24	ROENCHEN	15A	DPWA	Multichannel
40 $\pm$ 6	GUTZ	14	DPWA	Multichannel
42 $\pm$ 7	ANISOVICH	12A	DPWA	Multichannel
18	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
10	HOEHLER	93	SPED	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## PHASE $\theta$

VALUE ( $^{\circ}$ )	DOCUMENT ID	TECN	COMMENT
<b>-40 to 0 (<math>\approx -20</math>) OUR ESTIMATE</b>			
-13 $\pm$ 74	ROENCHEN	22	DPWA Multichannel
-1 $\pm$ 10	SOKHOYAN	15A	DPWA Multichannel
-30 $\pm$ 4 $\pm$ 3	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
-40	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
-20 $\pm$ 25	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-7.3	ROENCHEN	15A	DPWA Multichannel
-1 $\pm$ 10	GUTZ	14	DPWA Multichannel
-3 $\pm$ 15	ANISOVICH	12A	DPWA Multichannel

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## $\Delta(1700)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

### Normalized residue in $N\pi \rightarrow \Delta(1700) \rightarrow \Delta\eta$

MODULUS	PHASE ( $^{\circ}$ )	DOCUMENT ID	TECN	COMMENT
0.12 $\pm$ 0.02	-60 $\pm$ 12	GUTZ	14	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.12 $\pm$ 0.03	-60 $\pm$ 15	ANISOVICH	12A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1700) \rightarrow \Sigma K$

MODULUS	PHASE ( $^{\circ}$ )	DOCUMENT ID	TECN	COMMENT
<b>0.007 <math>\pm</math> 0.008</b>	<b>-176 <math>\pm</math> 160</b>	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.011	-147	ROENCHEN	15A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1700) \rightarrow N(1535)\pi$

MODULUS	PHASE ( $^{\circ}$ )	DOCUMENT ID	TECN	COMMENT
0.035 $\pm$ 0.015	-75 $\pm$ 30	GUTZ	14	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1700) \rightarrow \Delta(1232)\pi, S\text{-wave}$

MODULUS	PHASE ( $^{\circ}$ )	DOCUMENT ID	TECN	COMMENT
0.20 $\pm$ 0.15	146 $\pm$ 133	ROENCHEN	22	DPWA Multichannel
0.25 $\pm$ 0.12	135 $\pm$ 45	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.39	151	ROENCHEN	15A	DPWA Multichannel

**Normalized residue in  $N\pi \rightarrow \Delta(1700) \rightarrow \Delta(1232)\pi$ ,  $D$ -wave**

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.038 ± 0.039	127 ± 127	ROENCHEN	22	DPWA Multichannel
0.12 ± 0.06	−160 ± 30	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.054	166	ROENCHEN	15A	DPWA Multichannel

**Normalized residue in  $N\pi \rightarrow \Delta(1700) \rightarrow N(1520)\pi$ ,  $P$ -wave**

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.10 ± 0.03	−10 ± 20	SOKHOYAN	15A	DPWA Multichannel

 **$\Delta(1700)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1690 to 1730 (<math>\approx 1710</math>) OUR ESTIMATE</b>				
1704 ± 8		GOLOVATCH	19	DPWA $\gamma p \rightarrow \pi^+ \pi^- p$
1720 ± 5		<sup>1</sup> HUNT	19	DPWA Multichannel
1715 ± 20		SOKHOYAN	15A	DPWA Multichannel
1695.0 ± 1.3		<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1710 ± 30		CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1680 ± 70		HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1715 ± 20		GUTZ	14	DPWA Multichannel
1715 +30 −15		ANISOVICH	12A	DPWA Multichannel
1691 ± 4		<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
1678 ± 1		PENNER	02C	DPWA Multichannel
1732 ± 23		VRANA	00	DPWA Multichannel

<sup>1</sup> Statistical error only.

 **$\Delta(1700)$  BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>220 to 380 (<math>\approx 300</math>) OUR ESTIMATE</b>				
295 ± 35		GOLOVATCH	19	DPWA $\gamma p \rightarrow \pi^+ \pi^- p$
226 ± 14		<sup>1</sup> HUNT	19	DPWA Multichannel
300 ± 25		SOKHOYAN	15A	DPWA Multichannel
375.5 ± 7.0		<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
280 ± 80		CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
230 ± 80		HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
300 ± 25		GUTZ	14	DPWA Multichannel
310 +40 −15		ANISOVICH	12A	DPWA Multichannel
248 ± 9		<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
606 ± 15		PENNER	02C	DPWA Multichannel
119 ± 70		VRANA	00	DPWA Multichannel

<sup>1</sup> Statistical error only.

## $\Delta(1700)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 N\pi$	10–20 %
$\Gamma_2 N\pi\pi$	>31 %
$\Gamma_3 \Delta(1232)\pi$	9–70 %
$\Gamma_4 \Delta(1232)\pi$ , <i>S</i> -wave	5–54 %
$\Gamma_5 \Delta(1232)\pi$ , <i>D</i> -wave	4–16 %
$\Gamma_6 N\rho$ , <i>S</i> =3/2, <i>S</i> -wave	22–32 %
$\Gamma_7 N(1520)\pi$ , <i>P</i> -wave	1–5 %
$\Gamma_8 N(1535)\pi$	0.5–1.5 %
$\Gamma_9 \Delta(1232)\eta$	3–7 %
$\Gamma_{10} N\gamma$	0.22–0.60 %
$\Gamma_{11} N\gamma$ , helicity=1/2	0.12–0.30 %
$\Gamma_{12} N\gamma$ , helicity=3/2	0.10–0.30 %

## $\Delta(1700)$ BRANCHING RATIOS

### $\Gamma(N\pi)/\Gamma_{\text{total}}$

VALUE (%)

#### **10 to 20 OUR ESTIMATE**

		DOCUMENT ID	TECN	COMMENT
15 ± 2		HUNT 19	DPWA	Multichannel
22 ± 4		SOKHOYAN 15A	DPWA	Multichannel
15.6 ± 0.1		1 ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
12 ± 3		CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
20 ± 3		HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
22 ± 4		GUTZ 14	DPWA	Multichannel
22 ± 4		ANISOVICH 12A	DPWA	Multichannel
14 ± 1		1 SHRESTHA 12A	DPWA	Multichannel
14 ± 1		PENNER 02C	DPWA	Multichannel
5 ± 1		VRANA 00	DPWA	Multichannel

<sup>1</sup> Statistical error only.

### $\Gamma_1/\Gamma$

### $\Gamma(N\pi\pi)/\Gamma_{\text{total}}$

VALUE

**0.89±0.11**

	DOCUMENT ID	TECN	COMMENT
GOLOVATCH 19	DPWA	$\gamma p \rightarrow \pi^+ \pi^- p$	

### $\Gamma_2/\Gamma$

### $\Gamma(\Delta(1232)\pi, S\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)

49 ± 5

20 ± 15

	DOCUMENT ID	TECN	COMMENT
1 HUNT 19	DPWA	Multichannel	
SOKHOYAN 15A	DPWA	Multichannel	

### $\Gamma_4/\Gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$20^{+25}_{-13}$	ANISOVICH	12A	DPWA	Multichannel
$54 \pm 3$	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
$90 \pm 2$	VRANA	00	DPWA	Multichannel

<sup>1</sup> Statistical error only.

### $\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$

$\Gamma_5/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$7.6 \pm 0.3$	<sup>1</sup> HUNT	19	DPWA Multichannel
$10 \pm 6$	SOKHOYAN	15A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$12^{+14}_{-7}$	ANISOVICH	12A	DPWA	Multichannel
$1 \pm 1$	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
$4 \pm 1$	VRANA	00	DPWA	Multichannel

<sup>1</sup> Statistical error only.

### $\Gamma(N\rho, S=3/2, S\text{-wave})/\Gamma_{\text{total}}$

$\Gamma_6/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$27 \pm 5$	<sup>1</sup> HUNT	19	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$30 \pm 3$	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
$1 \pm 1$	VRANA	00	DPWA	Multichannel

<sup>1</sup> Statistical error only.

### $\Gamma(N(1520)\pi, P\text{-wave})/\Gamma_{\text{total}}$

$\Gamma_7/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$3 \pm 2$	SOKHOYAN	15A	DPWA Multichannel

### $\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$

$\Gamma_8/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$1.0 \pm 0.5$	GUTZ	14	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$4 \pm 2$	HORN	08A	DPWA	Multichannel
-----------	------	-----	------	--------------

### $\Gamma(\Delta(1232)\eta)/\Gamma_{\text{total}}$

$\Gamma_9/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$5 \pm 2$	GUTZ	14	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$5 \pm 2$	ANISOVICH	12A	DPWA	Multichannel
-----------	-----------	-----	------	--------------

### $\Gamma(N(1535)\pi)/\Gamma(\Delta(1232)\eta)$

$\Gamma_8/\Gamma_9$

VALUE	DOCUMENT ID	TECN	COMMENT
$0.67$	KASHEVAROV 09	CBAL	$\gamma p \rightarrow p\pi^0\eta$

## $\Delta(1700)$ PHOTON DECAY AMPLITUDES AT THE POLE

### $\Delta(1700) \rightarrow N\gamma$ , helicity-1/2 amplitude $A_{1/2}$

MODULUS ( $\text{GeV}^{-1/2}$ )	PHASE ( $^\circ$ )	DOCUMENT ID	TECN	COMMENT
$0.163 \pm 0.060$	$-4.4 \pm 39$	ROENCHEN	22	DPWA Multichannel
$0.175 \pm 0.020$	$50 \pm 10$	SOKHOYAN	15A	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.123	1.1	ROENCHEN	15A	DPWA Multichannel

### $\Delta(1700) \rightarrow N\gamma$ , helicity-3/2 amplitude $A_{3/2}$

MODULUS ( $\text{GeV}^{-1/2}$ )	PHASE ( $^\circ$ )	DOCUMENT ID	TECN	COMMENT
$0.221 \pm 0.093$	$-12 \pm 40$	ROENCHEN	22	DPWA Multichannel
$0.180 \pm 0.020$	$45 \pm 10$	SOKHOYAN	15A	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.124	22	ROENCHEN	15A	DPWA Multichannel

## $\Delta(1700)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

### $\Delta(1700) \rightarrow N\gamma$ , helicity-1/2 amplitude $A_{1/2}$

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
<b>0.100 to 0.160 (<math>\approx 0.130</math>) OUR ESTIMATE</b>			
$0.0872 \pm 0.0189$	GOLOVATCH	19	DPWA $\gamma p \rightarrow \pi^+ \pi^- p$
$0.156 \pm 0.017$	<sup>1</sup> HUNT	19	DPWA Multichannel
$0.165 \pm 0.020$	SOKHOYAN	15A	DPWA Multichannel
$0.132 \pm 0.005$	<sup>1</sup> DUGGER	13	DPWA $\gamma N \rightarrow \pi N$
$0.105 \pm 0.005$	<sup>1</sup> WORKMAN	12A	DPWA $\gamma N \rightarrow \pi N$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
$0.165 \pm 0.020$	GUTZ	14	DPWA Multichannel
$0.160 \pm 0.020$	ANISOVICH	12A	DPWA Multichannel
$0.058 \pm 0.010$	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
$0.226$	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
$0.125 \pm 0.003$	DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
$0.096$	PENNER	02D	DPWA Multichannel

<sup>1</sup> Statistical error only.

### $\Delta(1700) \rightarrow N\gamma$ , helicity-3/2 amplitude $A_{3/2}$

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
<b>0.090 to 0.170 (<math>\approx 0.130</math>) OUR ESTIMATE</b>			
$0.0872 \pm 0.0164$	GOLOVATCH	19	DPWA $\gamma p \rightarrow \pi^+ \pi^- p$
$0.0125 \pm 0.0016$	<sup>1</sup> HUNT	19	DPWA Multichannel
$0.170 \pm 0.025$	SOKHOYAN	15A	DPWA Multichannel
$0.108 \pm 0.005$	<sup>1</sup> DUGGER	13	DPWA $\gamma N \rightarrow \pi N$
$0.092 \pm 0.004$	<sup>1</sup> WORKMAN	12A	DPWA $\gamma N \rightarrow \pi N$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
$0.170 \pm 0.025$	GUTZ	14	DPWA Multichannel
$0.165 \pm 0.025$	ANISOVICH	12A	DPWA Multichannel
$0.097 \pm 0.008$	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel

0.210	DRECHSEL	07	DPWA	$\gamma N \rightarrow \pi N$
0.105 $\pm 0.003$	DUGGER	07	DPWA	$\gamma N \rightarrow \pi N$
0.154	PENNER	02D	DPWA	Multichannel

<sup>1</sup> Statistical error only.

## $\Delta(1700)$ REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

ROENCHEN	22	EPJ A58 229	D. Roenchen <i>et al.</i>	(JULI, GWU, BONN+)
GOLOVATCH	19	PL B788 371	E. Golovatch <i>et al.</i>	(CLAS Collab.)
HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
DUGGER	13	PR C88 065203	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
KASHEVAROV	09	EPJ A42 141	V.L. Kashevarov <i>et al.</i>	(MAMI Crystal Ball/TAPS)
HORN	08A	EPJ A38 173	I. Horn <i>et al.</i>	(CB-ELSA Collab.)
Also		PRL 101 202002	I. Horn <i>et al.</i>	(CB-ELSA Collab.)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP