

N(2190) 7/2⁻ $I(J^P) = \frac{1}{2}(\frac{7}{2}^-)$ Status: ***

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

N(2190) POLE POSITION**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

1950 to 2150 (\approx 2050) OUR ESTIMATE

1965 \pm 6	ROENCHEN	22	DPWA Multichannel
2140 \pm 20	AFZAL	20	DPWA Multichannel
2150 \pm 25	SOKHOYAN	15A	DPWA Multichannel
2079 \pm 4 \pm 9	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
2100 \pm 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2162	HUNT	19	DPWA Multichannel
2074	ROENCHEN	15A	DPWA Multichannel
2150 \pm 25	ANISOVICH	12A	DPWA Multichannel
2063 \pm 32	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
2070	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
2107	VRANA	00	DPWA Multichannel
2042	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

 $-2 \times$ IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

300 to 500 (\approx 400) OUR ESTIMATE

287 \pm 33	ROENCHEN	22	DPWA Multichannel
420 $^{+120}_{-40}$	AFZAL	20	DPWA Multichannel
325 \pm 25	SOKHOYAN	15A	DPWA Multichannel
509 \pm 7 \pm 16	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
400 \pm 160	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
407	HUNT	19	DPWA Multichannel
327	ROENCHEN	15A	DPWA Multichannel
330 \pm 30	ANISOVICH	12A	DPWA Multichannel
330 \pm 101	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
520	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
380	VRANA	00	DPWA Multichannel
482	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

N(2190) ELASTIC POLE RESIDUE**MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
20 to 60 (≈ 40) OUR ESTIMATE			
18 \pm 4	ROENCHEN	22	DPWA Multichannel
30 \pm 4	SOKHOYAN	15A	DPWA Multichannel
54 \pm 1 \pm 3	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
25 \pm 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
35	ROENCHEN	15A	DPWA Multichannel
30 \pm 5	ANISOVICH	12A	DPWA Multichannel
34	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
72	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
45	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

PHASE θ

VALUE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
-30 to 30 (≈ 0) OUR ESTIMATE			
-45 \pm 14	ROENCHEN	22	DPWA Multichannel
28 \pm 10	SOKHOYAN	15A	DPWA Multichannel
-18 \pm 1 \pm 3	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
-30 \pm 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-40	ROENCHEN	15A	DPWA Multichannel
30 \pm 10	ANISOVICH	12A	DPWA Multichannel
-19	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
-32	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$

¹ Fit to the amplitudes of HOEHLER 79.

N(2190) INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(2190) \rightarrow \Lambda K$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.026 \pm 0.007	-78 \pm 15	ROENCHEN	22	DPWA Multichannel
0.03 \pm 0.01	20 \pm 15	ANISOVICH	12A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.005	-51	ROENCHEN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2190) \rightarrow \Sigma K$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.005 \pm 0.001	-92 \pm 16	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.013	-69	ROENCHEN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2190) \rightarrow N\eta$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.021±0.005	-65 ± 15	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.016	129	ROENCHEN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2190) \rightarrow \Delta(1232)\pi, D\text{-wave}$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.27±0.04	-165 ± 20	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2190) \rightarrow N\sigma$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.13±0.05	50 ± 15	SOKHOYAN	15A	DPWA Multichannel

 $N(2190)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2140 to 2220 (≈ 2180) OUR ESTIMATE			
2222 ± 15	¹ HUNT	19	DPWA Multichannel
2205 ± 18	SOKHOYAN	15A	DPWA Multichannel
2152.4 ± 1.4	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
2200 ± 70	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
2140 ± 12	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2180 ± 20	ANISOVICH	12A	DPWA Multichannel
2150 ± 26	¹ SHRESTHA	12A	DPWA Multichannel
2125 ± 61	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
2168 ± 18	VRANA	00	DPWA Multichannel

¹ Statistical error only.

 $N(2190)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
300 to 500 (≈ 400) OUR ESTIMATE			
442 ± 40	¹ HUNT	19	DPWA Multichannel
355 ± 30	SOKHOYAN	15A	DPWA Multichannel
484 ± 13	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
500 ± 150	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
390 ± 30	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
335 ± 40	ANISOVICH	12A	DPWA Multichannel
500 ± 74	¹ SHRESTHA	12A	DPWA Multichannel
381 ± 160	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
453 ± 101	VRANA	00	DPWA Multichannel

¹ Statistical error only.

N(2190) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\pi$	10–20 %
$\Gamma_2 N\eta$	1–5 %
$\Gamma_3 N\omega$	8–20 %
$\Gamma_4 \Lambda K$	0.2–0.8 %
$\Gamma_5 N\pi\pi$	22–51 %
$\Gamma_6 \Delta(1232)\pi$, <i>D</i> -wave	19–31 %
$\Gamma_7 N\rho$, $S=3/2$, <i>D</i> -wave	<11 %
$\Gamma_8 N\sigma$	3–9 %
$\Gamma_9 \Lambda K^*(892)$	0.2–0.8 %
$\Gamma_{10} p\gamma$	<0.08 %
$\Gamma_{11} p\gamma$, helicity=1/2	<0.06 %
$\Gamma_{12} p\gamma$, helicity=3/2	<0.02 %
$\Gamma_{13} n\gamma$	<0.04 %
$\Gamma_{14} n\gamma$, helicity=1/2	<0.01 %
$\Gamma_{15} n\gamma$, helicity=3/2	<0.03 %

N(2190) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$

VALUE (%)

10–20 % OUR ESTIMATE

22.9 \pm 0.6

16 \pm 2

23.8 \pm 0.1

12 \pm 6

14 \pm 2

• • • We do not use the following data for averages, fits, limits, etc. • • •

16 \pm 2

20 \pm 1

18 \pm 12

20 \pm 4

¹ Statistical error only.

Γ_1/Γ

	DOCUMENT ID	TECN	COMMENT
¹ HUNT	19	DPWA	Multichannel
SOKHOYAN	15A	DPWA	Multichannel
¹ ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$
ANISOVICH	12A	DPWA	Multichannel
¹ SHRESTHA	12A	DPWA	Multichannel
BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
VRANA	00	DPWA	Multichannel

$\Gamma(N\eta)/\Gamma_{\text{total}}$

VALUE (%)

1–5 % OUR ESTIMATE

4 \pm 2

2.7 \pm 2.2

• • • We do not use the following data for averages, fits, limits, etc. • • •

2 \pm 1

0.1 \pm 0.3

0 \pm 1

¹ Statistical error only.

Γ_2/Γ

	DOCUMENT ID	TECN	COMMENT
MUELLER	20	DPWA	Multichannel
¹ HUNT	19	DPWA	Multichannel
SHRESTHA	12A	DPWA	Multichannel
BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
VRANA	00	DPWA	Multichannel

$\Gamma(N\omega)/\Gamma_{\text{total}}$	Γ_3/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
8–20 % OUR ESTIMATE	
14±6	DENISENKO 16 DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •	
seen	WILLIAMS 09 IPWA $\gamma p \rightarrow p\omega$
$\Gamma(\Lambda K)/\Gamma_{\text{total}}$	Γ_4/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
0.2–0.8 % OUR ESTIMATE	
0.6±0.1	¹ HUNT 19 DPWA Multichannel
0.5±0.3	ANISOVICH 12A DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •	
<1	¹ SHRESTHA 12A DPWA Multichannel
¹ Statistical error only.	
$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$	Γ_6/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
19–31 % OUR ESTIMATE	
25±6	SOKHOYAN 15A DPWA Multichannel
$\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$	Γ_7/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
<11 % OUR ESTIMATE	
<11	¹ HUNT 19 DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •	
29±28	VRANA 00 DPWA Multichannel
¹ Statistical error only.	
$\Gamma(N\sigma)/\Gamma_{\text{total}}$	Γ_8/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
3–9 % OUR ESTIMATE	
6±3	SOKHOYAN 15A DPWA Multichannel
$\Gamma(\Lambda K^*(892))/\Gamma_{\text{total}}$	Γ_9/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
0.2–0.8 % OUR ESTIMATE	
0.5±0.3	ANISOVICH 17B DPWA Multichannel

N(2190) PHOTON DECAY AMPLITUDES AT THE POLE

$N(2190) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$	
<u>MODULUS ($\text{GeV}^{-1/2}$)</u>	<u>PHASE ($^\circ$)</u>
−0.015±0.004	111 ± 9
0.068±0.005	−170 ± 12
• • • We do not use the following data for averages, fits, limits, etc. • • •	
−0.041	−21
	ROENCHEN 22 DPWA Multichannel
	SOKHOYAN 15A DPWA Multichannel
	ROENCHEN 15A DPWA Multichannel

$N(2190) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
0.062 \pm 0.011	179 \pm 13	ROENCHEN	22	DPWA Multichannel
0.025 \pm 0.010	22 \pm 10	SOKHOYAN	15A	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.085	-22	ROENCHEN	15A	DPWA Multichannel

 $N(2190) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
0.030 \pm 0.007	5 \pm 15	ANISOVICH	17E	DPWA Multichannel

 $N(2190) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
-0.023 \pm 0.008	13 \pm 20	ANISOVICH	17E	DPWA Multichannel

 $N(2190)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES **$N(2190) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.001 \pm 0.002	1 HUNT	19	DPWA Multichannel
-0.071 \pm 0.006	SOKHOYAN	15A	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
-0.065 \pm 0.008	ANISOVICH	12A	DPWA Multichannel

¹ Statistical error only.

 $N(2190) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.015 \pm 0.003	1 HUNT	19	DPWA Multichannel
0.027 \pm 0.010	SOKHOYAN	15A	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
0.035 \pm 0.017	ANISOVICH	12A	DPWA Multichannel

¹ Statistical error only.

 $N(2190) \rightarrow p\gamma$, ratio of helicity amplitudes $A_{3/2}/A_{1/2}$

VALUE	DOCUMENT ID	TECN	COMMENT
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
-0.17 \pm 0.15	WILLIAMS	09	IPWA $\gamma p \rightarrow p\omega$

 $N(2190) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.01 \pm 0.02	1 HUNT	19	DPWA Multichannel
0.030 \pm 0.007	ANISOVICH	17E	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
-0.015 \pm 0.013	ANISOVICH	13B	DPWA Multichannel

¹ Statistical error only.

$N(2190) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.023 ± 0.022	1 HUNT	19	DPWA Multichannel
-0.023 ± 0.008	ANISOVICH	17E	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.034 ± 0.022	ANISOVICH	13B	DPWA Multichannel
¹ Statistical error only.			

 $N(2190)$ REFERENCESFor early references, see Physics Letters **111B** 1 (1982).

ROENCHEN	22	EPJ A58 229	D. Roenchen <i>et al.</i>	(JULI, GWU, BONN+)
AFZAL	20	PRL 125 152002	F. Afzal <i>et al.</i>	(CBELSA/TAPS Collab.)
MUELLER	20	PL B803 135323	J. Mueller <i>et al.</i>	(CBELSA/TAPS Collab.)
HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ANISOVICH	17B	PL B771 142	A.V. Anisovich <i>et al.</i>	
ANISOVICH	17E	PR C96 055202	A.V. Anisovich <i>et al.</i>	(BONN, PNPI, JLAB+)
DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>	
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
WILLIAMS	09	PR C80 065209	M. Williams <i>et al.</i>	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP