$a_2(1320)$

$I^G(J^{PC}) = 1^-(2^{++})$

$a_2(1320)$ MASS

VALUE (MeV)	DOCUMENT ID
1318.1±0.7 OUR AVERAGE	Includes data from the 4 datablocks that follow this one. Error includes scale factor of 1.2.

3π MODE

VALUE (MeV)	EVTS	DOCUMENT ID		TECN	CHG	COMMENT
The data in this block is included in the average printed for a previous datablock.						
1317.6± 1.5 OUR AVERAGE		Error includes scale factor of 1.4. See the ideogram below.				
1311.3± 1.6±3.0	72400	AMELIN	96	VES		36 $\pi^- p \rightarrow \pi^+ \pi^- \pi^0 n$
1315 ± 5 ±2		[1] AMSLER	94D	CBAR		0.0 $\overline{p}p \rightarrow \pi^0 \pi^0 \eta$
1310 ± 5		ARMSTRONG	90	OMEG	0	300.0 $pp \rightarrow pp\pi^+ \pi^- \pi^0$
1323.8± 2.3	4022	AUGUSTIN	89	DM2	±	$J/\psi \rightarrow \rho^\pm a_2^\mp$
1320.6± 3.1	3562	AUGUSTIN	89	DM2	0	$J/\psi \rightarrow \rho^0 a_2^0$
1317 ± 2	25000	[2] DAUM	80C	SPEC	−	63,94 $\pi^- p \rightarrow 3\pi p$
1320 ±10	1097	[2] BALTAY	78B	HBC	+0	15 $\pi^+ p \rightarrow p4\pi$
1306 ± 8		FERRERSORIA	78	OMEG	−	9 $\pi^- p \rightarrow p3\pi$
1318 ± 7	1600	[2] EMMS	75	DBC	0	4 $\pi^+ n \rightarrow p(3\pi)^0$
1315 ± 5		[2] ANTIPOV	73C	CNTR	−	25,40 $\pi^- p \rightarrow p\eta\pi^-$
1306 ± 9	1580	CHALOUPKA	73	HBC	−	3.9 $\pi^- p$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
1305 ±14		CONDO	93	SHF		$\gamma p \rightarrow \eta\pi^+\pi^+\pi^-$
1310 ± 2		[2] EVANGELISTA	81	OMEG	−	12 $\pi^- p \rightarrow 3\pi p$
1343 ±11	490	BALTAY	78B	HBC	0	15 $\pi^+ p \rightarrow \Delta 3\pi$
1309 ± 5	5000	BINNIE	71	MMS	−	$\pi^- p$ near a_2 threshold
1299 ± 6	28000	BOWEN	71	MMS	−	5 $\pi^- p$
1300 ± 6	24000	BOWEN	71	MMS	+	5 $\pi^+ p$
1309 ± 4	17000	BOWEN	71	MMS	−	7 $\pi^- p$
1306 ± 4	941	ALSTON-...	70	HBC	+	7.0 $\pi^+ p \rightarrow 3\pi p$

[1] The systematic error of 2 MeV corresponds to the spread of solutions.
[2] From a fit to $J^P = 2^+$ $\rho\pi$ partial wave.



$a_2(1320)$ mass, 3π mode (MeV)

$K^{\pm}K^0_S$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID		TECN	CHG	COMMENT
The data in this block is included in the average printed for a previous datablock.						
1318.1± 0.7 OUR AVERAGE						
1319 ± 5	4700	[3,4] CLELAND	82B	SPEC	+	50 $\pi^+ p \rightarrow K^0_S K^+ p$
1324 ± 6	5200	[3,4] CLELAND	82B	SPEC	−	50 $\pi^- p \rightarrow K^0_S K^- p$
1320 ± 2	4000	CHABAUD	80	SPEC	−	17 π^- A → $K^0_S K^-$ A
1312 ± 4	11000	CHABAUD	78	SPEC	−	9.8 $\pi^- p \rightarrow K^- K^0_S p$
1316 ± 2	4730	CHABAUD	78	SPEC	−	18.8 $\pi^- p \rightarrow K^- K^0_S p$
1318 ± 1		[3,5] MARTIN	78D	SPEC	−	10 $\pi^- p \rightarrow K^0_S K^- p$
1320 ± 2	2724	MARGULIE	76	SPEC	−	23 $\pi^- p \rightarrow K^- K^0_S p$
1313 ± 4	730	FOLEY	72	CNTR	−	20.3 $\pi^- p \rightarrow K^- K^0_S p$
1319 ± 3	1500	[5] GRAYER	71	ASPK	−	17.2 $\pi^- p \rightarrow K^- K^0_S p$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
1330 ±11	1000	[3,4] CLELAND	82B	SPEC	+	30 $\pi^+ p \rightarrow K^0_S K^+ p$
1324 ± 5	350	HYAMS	78	ASPK	+	12.7 $\pi^+ p \rightarrow K^+ K^0_S p$

[3] From a fit to $J^P = 2^+$ partial wave.
[4] Number of events evaluated by us.
[5] Systematic error in mass scale subtracted.

$\eta\pi$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID		TECN	CHG	COMMENT
The data in this block is included in the average printed for a previous datablock.						
1319.4±2.1 OUR AVERAGE						
1325.1±5.1		AOYAGI	93	BKEI		$\pi^- p \rightarrow \eta\pi^- p$
1317.7±1.4±2.0		BELADIDZE	93	VES		$37\pi^- N \rightarrow \eta\pi^- N$
1323 ±8	1000	[6] KEY	73	OSPK	−	6 $\pi^- p \rightarrow p\pi^- \eta$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
1324 ±5		ARMSTRONG	93C	SPEC	0	$\overline{p}p \rightarrow \pi^0\eta\eta \rightarrow 6\gamma$
1336.2±1.7	2561	DELFOSSE	81	SPEC	+	$\pi^{\pm} p \rightarrow p\pi^{\pm}\eta$
1330.7±2.4	1653	DELFOSSE	81	SPEC	−	$\pi^{\pm} p \rightarrow p\pi^{\pm}\eta$
1324 ±8	6200	[6,7] CONFORTO	73	OSPK	−	6 $\pi^- p \rightarrow p$MM$^-$

[6] Error includes 5 MeV systematic mass-scale error.
[7] Missing mass with enriched MMS = $\eta\pi^-$, $\eta = 2\gamma$.

$\eta'\pi$ MODE

VALUE (MeV)	DOCUMENT ID		TECN	COMMENT
The data in this block is included in the average printed for a previous datablock.				
1327.0±10.7	BELADIDZE	93	VES	$37\pi^- N \rightarrow \eta'\pi^- N$

$a_2(1320)$ WIDTH

3π MODE

VALUE (MeV)	EVTS	DOCUMENT ID		TECN	CHG	COMMENT
105.5± 1.8 OUR AVERAGE						
103.0± 6.0±3.3	72400	AMELIN	96	VES		36 $\pi^- p \rightarrow \pi^+\pi^-\pi^0 n$
112 ± 3 ±2		[8] AMSLER	94D	CBAR		0.0 $\overline{p}p \rightarrow \pi^0\pi^0\eta$
120 ±10		ARMSTRONG	90	OMEG	0	300.0$pp \rightarrow pp\pi^+\pi^-\pi^0$
107.0± 9.7	4022	AUGUSTIN	89	DM2	±	$J/\psi \rightarrow \rho^{\pm} a_2^{\mp}$
118.5±12.5	3562	AUGUSTIN	89	DM2	0	$J/\psi \rightarrow \rho^0 a_2^0$
97 ± 5		[9] EVANGELISTA	81	OMEG	−	12 $\pi^- p \rightarrow 3\pi p$
96 ± 9	25000	[9] DAUM	80C	SPEC	−	63,94 $\pi^- p \rightarrow 3\pi p$
110 ±15	1097	[9] BALTAY	78B	HBC	+0	15 $\pi^+ p \rightarrow p4\pi$

112	±18	1600	[9]	EMMS	75	DBC	0	$4\ \pi^+ n \rightarrow\ p(3\pi)^0$
122	±14	1200	[9,10]	WAGNER	75	HBC	0	$7\ \pi^+ p \rightarrow\ \Delta^{++}(3\pi)^0$
115	±15		[9]	ANTIPOV	73C	CNTR	–	$25,40\ \pi^- p \rightarrow\ p\eta\pi^-$
99	±15	1580		CHALOUPKA	73	HBC	–	$3.9\ \pi^- p$
105	± 5	28000		BOWEN	71	MMS	–	$5\ \pi^- p$
99	± 5	24000		BOWEN	71	MMS	+	$5\ \pi^+ p$
103	± 5	17000		BOWEN	71	MMS	–	$7\ \pi^- p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

120	±40			CONDO	93	SHF		$\gamma p \rightarrow\ \eta\pi^+\pi^+\pi^-$
115	±14	490		BALTAY	78B	HBC	0	$15\ \pi^+ p \rightarrow\ \Delta 3\pi$
72	±16	5000		BINNIE	71	MMS	–	$\pi^- p$ near a_2 threshold
79	±12	941		ALSTON-...	70	HBC	+	$7.0\ \pi^+ p \rightarrow\ 3\pi p$

[8] The systematic error of 2 MeV corresponds to the spread of solutions.
[9] From a fit to $J^P = 2^+$ $\rho\pi$ partial wave.
[10] Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.

$K^\pm K^0_S$ AND $\eta\pi$ MODES

VALUE (MeV)	*DOCUMENT ID*
107 ±5 OUR ESTIMATE	
109.8±2.0 OUR AVERAGE	Includes data from the 2 datablocks that follow this one.

$K^\pm K^0_S$ MODE

VALUE (MeV)	*EVTS*	*DOCUMENT ID*		*TECN*	*CHG*	*COMMENT*
The data in this block is included in the average printed for a previous datablock.						
109.8± 2.4 OUR AVERAGE						
112 ±20	4700	[11,12]	CLELAND	82B	SPEC	+ $50\ \pi^+ p \rightarrow\ K^0_S K^+ p$
120 ±25	5200	[11,12]	CLELAND	82B	SPEC	– $50\ \pi^- p \rightarrow\ K^0_S K^- p$
106 ± 4	4000		CHABAUD	80	SPEC	– $17\ \pi^-$ A $\rightarrow\ K^0_S K^-$ A
126 ±11	11000		CHABAUD	78	SPEC	– $9.8\ \pi^- p \rightarrow\ K^- K^0_S p$
101 ± 8	4730		CHABAUD	78	SPEC	– $18.8\ \pi^- p \rightarrow\ K^- K^0_S p$
113 ± 4		[11,13]	MARTIN	78D	SPEC	– $10\ \pi^- p \rightarrow\ K^0_S K^- p$
105 ± 8	2724	[13]	MARGULIE	76	SPEC	– $23\ \pi^- p \rightarrow\ K^- K^0_S p$
113 ±19	730		FOLEY	72	CNTR	– $20.3\ \pi^- p \rightarrow\ K^- K^0_S p$
123 ±13	1500	[13]	GRAYER	71	ASPK	– $17.2\ \pi^- p \rightarrow\ K^- K^0_S p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

121	±51	1000	[11,12]	CLELAND	82B	SPEC	+	$30\ \pi^+ p \rightarrow\ K^0_S K^+ p$
110	±18	350		HYAMS	78	ASPK	+	$12.7\ \pi^+ p \rightarrow\ K^+ K^0_S p$

[11] From a fit to $J^P = 2^+$ partial wave.
[12] Number of events evaluated by us.
[13] Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.

$\eta\pi$ MODE

VALUE (MeV)	*EVTS*	*DOCUMENT ID*		*TECN*	*CHG*	*COMMENT*
The data in this block is included in the average printed for a previous datablock.						
110.0± 3.5 OUR AVERAGE						
103 ± 6 ±3			BELADIDZE	93	VES	$37\pi^- N \rightarrow\ \eta\pi^- N$
112.2± 5.7	2561		DELFOSSE	81	SPEC	+ $\pi^\pm p \rightarrow\ p\pi^\pm\eta$
116.6± 7.7	1653		DELFOSSE	81	SPEC	– $\pi^\pm p \rightarrow\ p\pi^\pm\eta$
108 ± 9	1000		KEY	73	OSPK	– $6\ \pi^- p \rightarrow\ p\pi^-\eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

118	±10			ARMSTRONG	93C	SPEC	0	$\overline{p}p \rightarrow\ \pi^0\eta\eta \rightarrow\ 6\gamma$
104	± 9	6200	[14]	CONFORTO	73	OSPK	–	$6\ \pi^- p \rightarrow\ pMM^-$

[14] Model dependent.

$\eta'\pi$ MODE

VALUE (MeV)	DOCUMENT ID		TECN	COMMENT
106±32	BELADIDZE	93	VES	$37\pi^- N \rightarrow \eta'\pi^- N$

$a_2(1320)$ DECAY MODES

	Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1	$\rho\pi$	(70.1±2.7) %	S=1.2
Γ_2	$\eta\pi$	(14.5±1.2) %	
Γ_3	$\omega\pi\pi$	(10.6±3.2) %	S=1.3
Γ_4	$K\overline{K}$	(4.9±0.8) %	
Γ_5	$\eta'(958)\pi$	(5.7±1.1) $\times 10^{-3}$	
Γ_6	$\pi^\pm\gamma$	(2.8±0.6) $\times 10^{-3}$	
Γ_7	$\gamma\gamma$	(9.7±1.0) $\times 10^{-6}$	
Γ_8	$\pi^+\pi^-\pi^-$	< 8 %	CL=90%
Γ_9	e^+e^-	< 2.3 $\times 10^{-7}$	CL=90%

CONSTRAINED FIT INFORMATION

An overall fit to 5 branching ratios uses 18 measurements and one constraint to determine 4 parameters. The overall fit has a $\chi^2 = 9.3$ for 15 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i/\Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_2	10		
x_3	−89	−46	
x_4	−1	−2	−24
	x_1	x_2	x_3

$a_2(1320)$ PARTIAL WIDTHS

$\Gamma(\pi^\pm\gamma)$ Γ_6

VALUE (keV)	DOCUMENT ID		TECN	CHG	COMMENT
295± 60	CIHANGIR	82	SPEC	+	200 π^+ A
• • • We do not use the following data for averages, fits, limits, etc. • • •					
461±110	[14] MAY	77	SPEC	±	9.7 γ A

$\Gamma(\gamma\gamma)$ Γ_7

VALUE (keV)	EVTS	DOCUMENT ID		TECN	CHG	COMMENT
1.04±0.09 OUR AVERAGE						
1.26±0.26±0.18	36	BARU	90	MD1		$e^+e^- \rightarrow e^+e^-\pi^+\pi^-\pi^0$
1.00±0.07±0.15	415	BEHREND	90C	CELL	0	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-\pi^0$
1.03±0.13±0.21		BUTLER	90	MRK2		$e^+e^- \rightarrow e^+e^-\pi^+\pi^-\pi^0$
1.01±0.14±0.22	85	OEST	90	JADE		$e^+e^- \rightarrow e^+e^-\pi^0\eta$
0.90±0.27±0.15	56	[15] ALTHOFF	86	TASS	0	$e^+e^- \rightarrow e^+e^-3\pi$
1.14±0.20±0.26		[16] ANTREASYAN	86	CBAL	0	$e^+e^- \rightarrow e^+e^-\pi^0\eta$
1.06±0.18±0.19		BERGER	84C	PLUT	0	$e^+e^- \rightarrow e^+e^-3\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
$0.81\pm0.19^{+0.42}_{-0.11}$	35	[15] BEHREND	83B	CELL	0	$e^+e^- \rightarrow e^+e^-3\pi$
0.84±0.07±0.15		[15] FRAZER	83	JADE	0	$e^+e^- \rightarrow e^+e^-3\pi$
0.77±0.18±0.27	22	[16] EDWARDS	82F	CBAL	0	$e^+e^- \rightarrow e^+e^-\pi^0\eta$

[15] From $\rho\pi$ decay mode.
[16] From $\eta\pi^0$ decay mode.

$\Gamma(e^+e^-)$ Γ_9

VALUE (eV)	CL%	DOCUMENT ID		TECN	COMMENT
<25	90	VOROBYEV	88	ND	$e^+e^- \to \pi^0\eta$

$a_2(1320)$ $\Gamma(i)\Gamma(\gamma\gamma)/\Gamma(total)$

$\Gamma(K\overline{K}) \times \Gamma(\gamma\gamma)/\Gamma_{total}$ $\Gamma_4\Gamma_7/\Gamma$

VALUE (keV)	DOCUMENT ID		TECN	COMMENT
0.126±0.007±0.028	[17] ALBRECHT	90G	ARG	$e^+e^- \to e^+e^-K^+K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.081±0.006±0.027	[18] ALBRECHT	90G	ARG	$e^+e^- \to e^+e^-K^+K^-$

[17] Using an incoherent background.
[18] Using a coherent background.

$a_2(1320)$ BRANCHING RATIOS

$\Gamma(K\overline{K})/\Gamma(\rho\pi)$ Γ_4/Γ_1

VALUE	EVTS	DOCUMENT ID		TECN	CHG	COMMENT
0.070±0.012 OUR FIT						
0.078±0.017		CHABAUD	78	RVUE		
• • • We do not use the following data for averages, fits, limits, etc. • • •						
0.056±0.014	50	[19] CHALOUPKA	73	HBC	−	3.9 $\pi^- p$
0.097±0.018	113	[19] ALSTON-...	71	HBC	+	7.0 $\pi^+ p$
0.06 ±0.03		[19] ABRAMOVI...	70B	HBC	−	3.93 $\pi^- p$
0.054±0.022		[19] CHUNG	68	HBC	−	3.2 $\pi^- p$

[19] Included in CHABAUD 78 review.

$\Gamma(\eta\pi)/[\Gamma(\rho\pi)+\Gamma(\eta\pi)+\Gamma(K\overline{K})]$ $\Gamma_2/(\Gamma_1+\Gamma_2+\Gamma_4)$

VALUE	EVTS	DOCUMENT ID		TECN	CHG	COMMENT
0.162±0.012 OUR FIT						
0.140±0.028 OUR AVERAGE						
0.13 ±0.04		ESPIGAT	72	HBC	±	0.0 $\overline{p}p$
0.15 ±0.04	34	BARNHAM	71	HBC	+	3.7 $\pi^+ p$

$\Gamma(\eta\pi)/\Gamma(\rho\pi)$ Γ_2/Γ_1

VALUE	EVTS	DOCUMENT ID		TECN	CHG	COMMENT
0.207±0.018 OUR FIT						
0.213±0.020 OUR AVERAGE						
0.18 ±0.05		FORINO	76	HBC		11 $\pi^- p$
0.22 ±0.05	52	ANTIPOV	73	CNTR	−	40 $\pi^- p$
0.211±0.044	149	CHALOUPKA	73	HBC	−	3.9 $\pi^- p$
0.246±0.042	167	ALSTON-...	71	HBC	+	7.0 $\pi^+ p$
0.25 ±0.09	15	BOECKMANN	70	HBC	+	5.0 $\pi^+ p$
0.23 ±0.08	22	ASCOLI	68	HBC	−	5 $\pi^- p$
0.12 ±0.08		CHUNG	68	HBC	−	3.2 $\pi^- p$
0.22 ±0.09		CONTE	67	HBC	−	11.0 $\pi^- p$

$\Gamma(\eta'(958)\pi)/\Gamma_{total}$ Γ_5/Γ

VALUE	CL%	DOCUMENT ID		TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<0.006	95	ALDE	92B	GAM2		38,100 $\pi^- p \to \eta'\pi^0 n$
<0.02	97	BARNHAM	71	HBC	+	3.7 $\pi^+ p$
0.004±0.004		BOESEBECK	68	HBC	+	8 $\pi^+ p$

$\Gamma(\eta'(958)\pi)/\Gamma(\rho\pi)$ Γ_5/Γ_1

VALUE	CL%	DOCUMENT ID		TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<0.011	90	EISENSTEIN	73	HBC	−	5 $\pi^- p$
<0.04		ALSTON-...	71	HBC	+	7.0 $\pi^+ p$
$0.04\ ^{+0.03}_{-0.04}$		BOECKMANN	70	HBC	0	5.0 $\pi^+ p$

$\Gamma(K\overline{K})/[\Gamma(\rho\pi)+\Gamma(\eta\pi)+\Gamma(K\overline{K})]$ $\Gamma_4/(\Gamma_1+\Gamma_2+\Gamma_4)$

VALUE	EVTS	DOCUMENT ID		TECN	CHG	COMMENT
0.054±0.009 OUR FIT						
0.048±0.012 OUR AVERAGE						
0.05 ±0.02		TOET	73	HBC	+	5 $\pi^+ p$
0.09 ±0.04		TOET	73	HBC	0	5 $\pi^+ p$
0.03 ±0.02	8	DAMERI	72	HBC	−	11 $\pi^- p$
0.06 ±0.03	17	BARNHAM	71	HBC	+	3.7 $\pi^+ p$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
0.020±0.004		[20] ESPIGAT	72	HBC	±	0.0 $\overline{p}p$

[20] Not averaged because of discrepancy between masses from $K\overline{K}$ and $\rho\pi$ modes.

$\Gamma(\pi^+\pi^-\pi^-)/\Gamma(\rho\pi)$ Γ_8/Γ_1

VALUE	CL%	DOCUMENT ID		TECN	CHG	COMMENT
<0.12	90	ABRAMOVI...	70B	HBC	−	3.93 $\pi^- p$

$\Gamma(\pi^\pm\gamma)/\Gamma_{\text{total}}$ Γ_6/Γ

VALUE	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$0.005^{+0.005}_{-0.003}$	[21] EISENBERG	72	HBC	4.3,5.25,7.5 γp

[21] Pion-exchange model used in this estimation.

$\Gamma(\omega\pi\pi)/\Gamma(\rho\pi)$ Γ_3/Γ_1

VALUE	EVTS	DOCUMENT ID		TECN	CHG	COMMENT
0.15±0.05 OUR FIT Error includes scale factor of 1.3.						
0.15±0.05 OUR AVERAGE Error includes scale factor of 1.3. See the ideogram below.						
0.28±0.09	60	DIAZ	74	DBC	0	6 $\pi^+ n$
0.18±0.08		[22] KARSHON	74	HBC		Avg. of above two
0.10±0.05	279	CHALOUPKA	73	HBC	−	3.9 $\pi^- p$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
0.29±0.08	140	[22] KARSHON	74	HBC	0	4.9 $\pi^+ p$
0.10±0.04	60	[22] KARSHON	74	HBC	+	4.9 $\pi^+ p$
0.19±0.08		DEFOIX	73	HBC	0	0.7 $\overline{p}p$

[22] KARSHON 74 suggest an additional $I = 0$ state strongly coupled to $\omega\pi\pi$ which could explain discrepancies in branching ratios and masses. We use a central value and a systematic spread.



$\Gamma(\eta'(958)\pi)/\Gamma(\eta\pi)$ Γ_5/Γ_2

VALUE	DOCUMENT ID		TECN	COMMENT
0.040±0.007 OUR AVERAGE				
0.047±0.010±0.004	[23] BELADIDZE	93	VES	$37\pi^- N \rightarrow a_2^- N$
0.034±0.008±0.005	BELADIDZE	92	VES	$36\pi^- C \rightarrow a_2^- C$

[23] Using $B(\eta' \rightarrow \pi^+\pi^-\eta) = 0.441$, $B(\eta \rightarrow \gamma\gamma) = 0.389$ and $B(\eta \rightarrow \pi^+\pi^-\pi^0) = 0.236$.

$a_2(1320)$ REFERENCES

AMELIN	96	ZPHY C70 71	+Berdnikov, Bityukov+	(SERP, TBIL)
AMSLER	94D	PL B333 277	+Anisovich, Spanier+	(Crystal Barrel Collab.)
AOYAGI	93	PL B314 246	+Fukui, Hasegawa+	(BKEI Collab.)
ARMSTRONG	93C	PL B307 394	+Bettoni+	(FNAL, FERR, GENO, UCI, NWES+)
BELADIDZE	93	PL 313 276	+Berdnikov, Bityukov+	(VES Collab.)
CONDO	93	PR D48 3045	+Handler, Bugg+	(SLAC Hybrid Collab.)
ALDE	92B	ZPHY C54 549	+Binon+	(SERP, BELG, LANL, LAPP, PISA, KEK)
BELADIDZE	92	ZPHY C54 235	+Bityukov, Borisov+	(VES Collab.)
ALBRECHT	90G	ZPHY C48 183	+Ehrlichmann, Harder+	(ARGUS Collab.)
ARMSTRONG	90	ZPHY C48 213	+Benayoun, Beusch	(WA76 Collab.)
BARU	90	ZPHY C48 581	+Blinov, Blinov+	(MD-1 Collab.)
BEHREND	90C	ZPHY C46 583	+Criegee+	(CELLO Collab.)
BUTLER	90	PR D42 1368	+Boyer+	(Mark II Collab.)
OEST	90	ZPHY C47 343	+Olsson+	(JADE Collab.)
AUGUSTIN	89	NP B320 1	+Cosme	(DM2 Collab.)
VOROBYEV	88	SJNP 48 273	+Golubev, Dolinsky, Druzhinin+	(NOVO)
		Translated from YAF 48 436.		
ALTHOFF	86	ZPHY C31 537	+Boch, Foster, Bernardi+	(TASSO Collab.)
ANTREASYAN	86	PR D33 1847	+Aschman, Besset, Bienlein+	(Crystal Ball Collab.)
BERGER	84C	PL 149B 427	+Klovning, Burger+	(PLUTO Collab.)
BEHREND	83B	PL 125B 518	+D'Agostini+	(CELLO Collab.)
FRAZER	83	Aachen Conf.		(UCSD)
CIHANGIR	82	PL 117B 123	+Berg, Biel, Chandlee+	(FNAL, MINN, ROCH)
CLELAND	82B	NP B208 228	+Delfosse, Dorsaz, Gloor	(DURH, GEVA, LAUS, PITT)
EDWARDS	82F	PL 110B 82	+Partridge, Peck+	(CIT, HARV, PRIN, STAN, SLAC)
DELFOSSE	81	NP B183 349	+Guisan, Martin, Muhlemann, Weill+	(GEVA, LAUS)
EVANGELISTA	81	NP B178 197	+	(BARI, BONN, CERN, DARE, LIVP+)
CHABAUD	80	NP B175 189	+Hyams, Papadopoulou+	(CERN, MPIM, AMST)
DAUM	80C	PL 89B 276	+Hertzberger+	(AMST, CERN, CRAC, MPIM, OXF+) JP
BALTAY	78B	PR D17 62	+Cautis, Cohen, Csorna+	(COLU, BING)
CHABAUD	78	NP B145 349	+Hyams, Jones, Weilhammer, Blum+	(CERN, MPIM)
FERRERSORIA	78	PL 74B 287	+Treille+	(ORSAY, CERN, CDEF, EPOL)
HYAMS	78	NP B146 303	+Jones, Weilhammer, Blum+	(CERN, MPIM, ATEN)
MARTIN	78D	PL 74B 417	+Ozmutlu, Baldi, Bohringer, Dorsaz+	(DURH, GEVA) JP
MAY	77	PR D16 1983	+Abramson, Andrews, Busnello+	(ROCH, CORN)
FORINO	76	NC 35A 465	+Gessaroli+	(BGNA, FIRZ, GENO, MILA, OXF, PAVI)
MARGULIE	76	PR D14 667	+Kramer, Foley, Love, Lindenbaum+	(BNL, CUNY)
EMMS	75	PL 58B 117	+Jones, Kinson, Stacey, Bell+	(BIRM, DURH, RHEL) JP
WAGNER	75	PL 58B 201	+Tabak, Chew	(LBL) JP
DIAZ	74	PRL 32 260	+Dibianca, Fickinger, Anderson+	(CASE, CMU)
KARSHON	74	PRL 32 852	+Mikenberg, Pitluck, Eisenberg, Ronat+	(REHO)
ANTIPOV	73	NP B63 175	+Ascoli, Busnello, Focacci+	(CERN, SERP) JP
ANTIPOV	73C	NP B63 153	+Ascoli, Busnello, Focacci+	(CERN, SERP) JP
CHALOUPKA	73	PL 44B 211	+Dobrzynski, Ferrando, Losty+	(CERN)
CONFORTO	73	PL 45B 154	+Mobley, Key+	(EFI, FNAL, TNTO, WISC)
DEFOIX	73	PL 43B 141	+Dobrzynski, Espigat, Nascimento+	(CDEF)
EISENSTEIN	73	PR D7 278	+Schultz, Ascoli, Ioffredo+	(ILL)
KEY	73	PRL 30 503	+Conforto, Mobley+	(TNTO, EFI, FNAL, WISC)
TOET	73	NP B63 248	+Thuan, Major+	(NIJM, BONN, DURH, TORI)
DAMERI	72	NC 9A 1	+Borzatta, Goussu+	(GENO, MILA, SACL)
EISENBERG	72	PR D5 15	+Ballam, Dagan+	(REHO, SLAC, TELA)
ESPIGAT	72	NP B36 93	+Ghesquiere, Lillestol, Montanet	(CERN, CDEF)
FOLEY	72	PR D6 747	+Love, Ozaki, Platner, Lindenbaum+	(BNL, CUNY)
ALSTON-...	71	PL 34B 156	Alston-Garnjost, Barbaro, Buhl, Derenzo+	(LRL)
BARNHAM	71	PRL 26 1494	+Abrams, Butler, Coyne, Goldhaber, Hall+	(LBL)
BINNIE	71	PL 36B 257	+Camilleri, Duane, Faruqi, Burton+	(LOIC, SHMP)
BOWEN	71	PRL 26 1663	+Earles, Faissler, Blieden+	(NEAS, STON)
GRAYER	71	PL 34B 333	+Hyams, Jones, Schlein, Blum+	(CERN, MPIM)
ABRAMOVI...	70B	NP B23 466	Abramovich, Blumenfeld, Bruyant+	(CERN) JP
ALSTON-...	70	PL 33B 607	Alston-Garnjost, Barbaro, Buhl, Derenzo+	(LRL)
BOECKMANN	70	NP B16 221	+Major+	(BONN, DURH, NIJM, EPOL, TORI)
ASCOLI	68	PRL 20 1321	+Crawley, Mortara, Shapiro, Bridges+	(ILL) JP
BOESEBECK	68	NP B4 501	+Deutschmann+	(AACH, BERL, CERN)
CHUNG	68	PR 165 1491	+Dahl, Kirz, Miller	(LRL)
CONTE	67	NC 51A 175	+Tomasini, Cords+	(GENO, HAMB, MILA, SACL)

OTHER RELATED PAPERS

JENNI	83	PR D27 1031	+Burke, Telnov, Abrams, Blocker+	(SLAC, LBL)
BEHREND	82C	PL 114B 378	+Chen, Fenner, Field+	(CELLO Collab.)
ABOLINS	65	Athens Conf.	+Carmony, Lander, Xuong, Yager	(UCSD) I
ADERHOLZ	65	PR 138B 897	(AACH3, BERL, BIRM, BONN, HAMB, LOIC, MPIM)	
ALITTI	65	PL 15 69	+Baton, Deler, Crussard+	(SACL, BGNA) JP
CHUNG	65	PRL 15 325	+Dahl, Hardy, Hess, Jacobs, Kirz	(LRL)
FORINO	65B	PL 19 68	+Gessaroli+	(BGNA, BARI, FIRZ, ORSAY, SACL)

LEFEBVRES	65	PL 19 434	+Levrat+	(CERN Missing Mass Spect. Collab.)
SEIDLITZ	65	PRL 15 217	+Dahl, Miller	(LRL)
ADERHOLZ	64	PL 10 226	+	(AACH3, BERL, BIRM, BONN, DESY, HAMB+)
CHUNG	64	PRL 12 621	+Dahl, Hardy, Hess, Kalbfleisch, Kirz	(LRL)
GOLDHABER	64B	Dubna Conf. 1 480	+Goldhaber, O'Halloran, Shen	(LRL)
Also	64	PRL 12 336	Goldhaber, Brown, Kadyk, Shen+	(LRL, UCB)
LANDER	64	PRL 13 346A	+Abolins, Carmony, Hendricks, Xuong+	(UCSD)