

$\Lambda(1670) S_{01}$ $I(J^P) = 0(\frac{1}{2}^-)$ Status: ***

The measurements of the mass, width, and elasticity published before 1974 are now obsolete and have been omitted. They were last listed in our 1982 edition Physics Letters **111B** (1982).

 $\Lambda(1670)$ MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1660 to 1680 (≈ 1670) OUR ESTIMATE			
1670.8 \pm 1.7	KOISO	85	DPWA $K^- p \rightarrow \Sigma \pi$
1667 \pm 5	GOPAL	80	DPWA $\bar{K}N \rightarrow \bar{K}N$
1671 \pm 3	ALSTON-...	78	DPWA $\bar{K}N \rightarrow \bar{K}N$
1670 \pm 5	GOPAL	77	DPWA $\bar{K}N$ multichannel
1675 \pm 2	HEPP	76B	DPWA $K^- N \rightarrow \Sigma \pi$
1679 \pm 1	KANE	74	DPWA $K^- p \rightarrow \Sigma \pi$
1665 \pm 5	PREVOST	74	DPWA $K^- N \rightarrow \Sigma(1385)\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1669 \pm 2	ABAEV	96	DPWA $\pi^- p \rightarrow \eta n$
1664	¹ MARTIN	77	DPWA $\bar{K}N$ multichannel

 $\Lambda(1670)$ WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
25 to 50 (≈ 35) OUR ESTIMATE			
34.1 \pm 3.7	KOISO	85	DPWA $K^- p \rightarrow \Sigma \pi$
29 \pm 5	GOPAL	80	DPWA $\bar{K}N \rightarrow \bar{K}N$
29 \pm 5	ALSTON-...	78	DPWA $\bar{K}N \rightarrow \bar{K}N$
45 \pm 10	GOPAL	77	DPWA $\bar{K}N$ multichannel
46 \pm 5	HEPP	76B	DPWA $K^- N \rightarrow \Sigma \pi$
40 \pm 3	KANE	74	DPWA $K^- p \rightarrow \Sigma \pi$
19 \pm 5	PREVOST	74	DPWA $K^- N \rightarrow \Sigma(1385)\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
21 \pm 4	ABAEV	96	DPWA $\pi^- p \rightarrow \eta n$
12	¹ MARTIN	77	DPWA $\bar{K}N$ multichannel

 $\Lambda(1670)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\bar{K}$	15–25 %
$\Gamma_2 \Sigma\pi$	20–60 %
$\Gamma_3 \Lambda\eta$	15–35 %
$\Gamma_4 \Sigma(1385)\pi$	

The above branching fractions are our estimates, not fits or averages.

$\Lambda(1670)$ BRANCHING RATIOS

See "Sign conventions for resonance couplings" in the Note on Λ and Σ Resonances.

 $\Gamma(N\bar{K})/\Gamma_{\text{total}}$

VALUE	DOCUMENT ID	TECN	COMMENT	Γ_1/Γ
0.15 to 0.25 OUR ESTIMATE				
0.18 \pm 0.03	GOPAL	80	DPWA $\bar{K}N \rightarrow \bar{K}N$	
0.17 \pm 0.03	ALSTON-...	78	DPWA $\bar{K}N \rightarrow \bar{K}N$	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.20 \pm 0.03	GOPAL	77	DPWA See GOPAL 80	
0.15	¹ MARTIN	77	DPWA $\bar{K}N$ multichannel	

 $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(1670) \rightarrow \Sigma\pi$

VALUE	DOCUMENT ID	TECN	COMMENT	$(\Gamma_1\Gamma_2)^{1/2}/\Gamma$
-0.26 \pm 0.02	KOISO	85	DPWA $K^- p \rightarrow \Sigma\pi$	
-0.31 \pm 0.03	GOPAL	77	DPWA $\bar{K}N$ multichannel	
-0.29 \pm 0.03	HEPP	76B	DPWA $K^- N \rightarrow \Sigma\pi$	
-0.23 \pm 0.03	LONDON	75	HLBC $K^- p \rightarrow \Sigma^0\pi^0$	
-0.27 \pm 0.02	KANE	74	DPWA $K^- p \rightarrow \Sigma\pi$	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
-0.13	¹ MARTIN	77	DPWA $\bar{K}N$ multichannel	

 $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(1670) \rightarrow \Lambda\eta$

VALUE	DOCUMENT ID	TECN	COMMENT	$(\Gamma_1\Gamma_3)^{1/2}/\Gamma$
+0.20 \pm 0.05	BAXTER	73	DPWA $K^- p \rightarrow$ neutrals	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.06	ABAEV	96	DPWA $\pi^- p \rightarrow \eta n$	
0.24	KIM	71	DPWA K-matrix analysis	
0.26	ARMENTEROS69C	HBC		
0.20 or 0.23	BERLEY	65	HBC	

 $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(1670) \rightarrow \Sigma(1385)\pi$

VALUE	DOCUMENT ID	TECN	COMMENT	$(\Gamma_1\Gamma_4)^{1/2}/\Gamma$
-0.18 \pm 0.05	PREVOST	74	DPWA $K^- N \rightarrow \Sigma(1385)\pi$	

 $\Lambda(1670)$ FOOTNOTES

¹MARTIN 77 obtains identical resonance parameters from a T-matrix pole and from a Breit-Wigner fit.

$\Lambda(1670)$ REFERENCES

ABAEV	96	PR C53 385	+Nefkens	(UCLA)
KOISO	85	NP A433 619	+Sai, Yamamoto, Kofler	(TOKY, MASA)
PDG	82	PL 111B	Roos, Porter, Aguilar-Benitez+	(HELS, CIT, CERN)
GOPAL	80	Toronto Conf. 159		(RHEL) IJP
ALSTON-...	78	PR D18 182	Alston-Garnjost, Kenney+	(LBL, MTHO, CERN) IJP
Also	77	PRL 38 1007	Alston-Garnjost, Kenney+	(LBL, MTHO, CERN) IJP
GOPAL	77	NP B119 362	+Ross, VanHorn, McPherson+	(LOIC, RHEL) IJP
MARTIN	77	NP B127 349	+Pidcock, Moorhouse	(LOUC, GLAS) IJP
Also	77B	NP B126 266	Martin, Pidcock	(LOUC)
Also	77C	NP B126 285	Martin, Pidcock	(LOUC) IJP
HEPP	76B	PL 65B 487	+Braun, Grimm, Strobel+	(CERN, HEIDH, MPIM) IJP
LONDON	75	NP B85 289	+Yu, Boyd+	(BNL, CERN, EPOL, ORSAY, TORI)
KANE	74	LBL-2452		(LBL) IJP
PREVOST	74	NP B69 246	+Barloutaud+	(SACL, CERN, HEID)
BAXTER	73	NP B67 125	+Buckingham, Corbett, Dunn+	(OXF) IJP
KIM	71	PRL 27 356	Kim	(HARV) IJP
Also	70	Duke Conf. 161	+Baillon+	(HARV) IJP
ARMENTEROS	69C	Lund Paper 229		(CERN, HEID, SACL) IJP
Values are quoted in LEVI-SETTI 69.				
BERLEY	65	PRL 15 641	+Connolly, Hart, Rahm, Stonehill+	(BNL) IJP
