

$\chi_{c1}(1P)$ $I^G(J^{PC}) = 0^+(1^{++})$ **$\chi_{c1}(1P)$ MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
3510.53 ± 0.12 OUR AVERAGE				
3510.53 \pm 0.04 \pm 0.12	513	ARMSTRONG 92	E760	$\bar{p}p \rightarrow e^+ e^- \gamma$
3511.3 \pm 0.4 \pm 0.4	30	BAGLIN 86B	SPEC	$\bar{p}p \rightarrow e^+ e^- X$
3512.3 \pm 0.3 \pm 4.0		¹ GAISER 86	CBAL	$\psi(2S) \rightarrow \gamma X$
3507.4 \pm 1.7	91	² LEMOIGNE 82	GOLI	$190 \pi^- Be \rightarrow \gamma 2\mu$
3510.4 \pm 0.6		OREGLIA 82	CBAL	$e^+ e^- \rightarrow J/\psi 2\gamma$
3510.1 \pm 1.1	254	³ HIMEL 80	MRK2	$e^+ e^- \rightarrow J/\psi 2\gamma$
3509 \pm 11	21	BRANDELIK 79B	DASP	$e^+ e^- \rightarrow J/\psi 2\gamma$
3507 \pm 3		³ BARTEL 78B	CNTR	$e^+ e^- \rightarrow J/\psi 2\gamma$
3505.0 \pm 4 \pm 4		^{3,4} TANENBAUM 78	MRK1	$e^+ e^-$
3513 \pm 7	367	³ BIDDICK 77	CNTR	$\psi(2S) \rightarrow \gamma X$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
3500 \pm 10	40	TANENBAUM 75	MRK1	Hadrons γ

¹ Using mass of $\psi(2S) = 3686.0$ MeV.² $J/\psi(1S)$ mass constrained to 3097 MeV.³ Mass value shifted by us by amount appropriate for $\psi(2S)$ mass = 3686 MeV and $J/\psi(1S)$ mass = 3097 MeV.⁴ From a simultaneous fit to radiative and hadronic decay channels. **$\chi_{c1}(1P)$ WIDTH**

VALUE (MeV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
$0.88 \pm 0.11 \pm 0.08$		513	ARMSTRONG 92	E760	$\bar{p}p \rightarrow e^+ e^- \gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<1.3		95	BAGLIN 86B	SPEC	$\bar{p}p \rightarrow e^+ e^- X$
<3.8		90	GAISER 86	CBAL	$\psi(2S) \rightarrow \gamma X$

 $\chi_{c1}(1P)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Hadronic decays	
Γ_1 $3(\pi^+ \pi^-)$	(2.2 \pm 0.8) %
Γ_2 $2(\pi^+ \pi^-)$	(1.6 \pm 0.5) %
Γ_3 $\pi^+ \pi^- K^+ K^-$	(9 \pm 4) $\times 10^{-3}$
Γ_4 $\rho^0 \pi^+ \pi^-$	(3.9 \pm 3.5) $\times 10^{-3}$
Γ_5 $K^+ \bar{K}^*(892)^0 \pi^- + c.c.$	(3.2 \pm 2.1) $\times 10^{-3}$
Γ_6 $\pi^+ \pi^- p \bar{p}$	(1.4 \pm 0.9) $\times 10^{-3}$
Γ_7 $p \bar{p}$	(8.6 \pm 1.2) $\times 10^{-5}$
Γ_8 $\pi^+ \pi^- + K^+ K^-$	< 2.1 $\times 10^{-3}$

Radiative decays

Γ_9	$\gamma J/\psi(1S)$	(27.3±1.6) %
Γ_{10}	$\gamma\gamma$	

 $\chi_{c1}(1P)$ PARTIAL WIDTHS

$\Gamma(p\bar{p})$	Γ_7
<u>VALUE (eV)</u>	<u>EVTS</u>
74± 9 OUR AVERAGE	
76±10±5	513
69 ⁺¹⁶ ₋₁₃ ±4	
5 Restated by us using $B(\chi_{c1}(1P) \rightarrow J/\psi(1S)\gamma)B(J/\psi(1S) \rightarrow e^+e^-) = 0.0171 \pm 0.0011$.	

 $\chi_{c1}(1P)$ BRANCHING RATIOS

 HADRONIC DECAYS

 $\Gamma(3(\pi^+\pi^-))/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.022±0.008			

 Γ_1/Γ

⁶	TANENBAUM	78	MRK1	$\psi(2S) \rightarrow \gamma\chi_{c1}$
--------------	-----------	----	------	--

 $\Gamma(2(\pi^+\pi^-))/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.016±0.005			

 Γ_2/Γ

⁶	TANENBAUM	78	MRK1	$\psi(2S) \rightarrow \gamma\chi_{c1}$
--------------	-----------	----	------	--

 $\Gamma(\pi^+\pi^-K^+K^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10⁻⁴)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
90±40			

 Γ_3/Γ

⁶	TANENBAUM	78	MRK1	$\psi(2S) \rightarrow \gamma\chi_{c1}$
--------------	-----------	----	------	--

 $\Gamma(\rho^0\pi^+\pi^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10⁻⁴)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
39±35			

 Γ_4/Γ

⁶	TANENBAUM	78	MRK1	$\psi(2S) \rightarrow \gamma\chi_{c1}$
--------------	-----------	----	------	--

 $\Gamma(K^+\bar{K}^*(892)^0\pi^- + \text{c.c.})/\Gamma_{\text{total}}$

<u>VALUE (units 10⁻⁴)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
32±21			

 Γ_5/Γ

⁶	TANENBAUM	78	MRK1	$\psi(2S) \rightarrow \gamma\chi_{c1}$
--------------	-----------	----	------	--

 $\Gamma(\pi^+\pi^-p\bar{p})/\Gamma_{\text{total}}$

<u>VALUE (units 10⁻⁴)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
14±9			

 Γ_6/Γ

⁶	TANENBAUM	78	MRK1	$\psi(2S) \rightarrow \gamma\chi_{c1}$
--------------	-----------	----	------	--

 $\Gamma(p\bar{p})/\Gamma_{\text{total}}$

<u>VALUE (units 10⁻⁴)</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.86±0.12		513	⁷	ARMSTRONG 92 E760	$\bar{p}p \rightarrow e^+e^-\gamma$

 Γ_7/Γ

⁷	ARMSTRONG	92	E760	$\bar{p}p \rightarrow e^+e^-\gamma$
--------------	-----------	----	------	-------------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

> 0.54	95	BAGLIN	86B SPEC	$\bar{p}p \rightarrow e^+e^-X$
<12.0	90	⁶ BRANDELIK	79B DASP	$\psi(2S) \rightarrow \gamma\chi_{c1}$

$\Gamma(\pi^+\pi^-) + \Gamma(K^+K^-)/\Gamma_{\text{total}}$ Γ_8/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
<21		6 FELDMAN	77 MRK1	$\psi(2S) \rightarrow \gamma \chi_{c1}$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<38	90	6 BRANDELIK	79B DASP	$\psi(2S) \rightarrow \gamma \chi_{c1}$
6				Estimated using $B(\psi(2S) \rightarrow \gamma \chi_{c1}(1P)) = 0.087$. The errors do not contain the uncertainty in the $\psi(2S)$ decay.
7				Restated by us using $B(\chi_{c1}(1P) \rightarrow J/\psi(1S)\gamma)B(J/\psi(1S) \rightarrow e^+e^-) = 0.0171 \pm 0.0011$.

RADIATIVE DECAYS $\Gamma(\gamma J/\psi(1S))/\Gamma_{\text{total}}$ Γ_9/Γ

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.273±0.016 OUR AVERAGE				
0.284±0.021		GAISER	86 CBAL	$\psi(2S) \rightarrow \gamma X$
0.274±0.046	943	8 OREGLIA	82 CBAL	$\psi(2S) \rightarrow \gamma \chi_{c1}$
0.28 ± 0.07		8 HIMEL	80 MRK2	$\psi(2S) \rightarrow \gamma \chi_{c1}$
0.19 ± 0.05		8 BRANDELIK	79B DASP	$\psi(2S) \rightarrow \gamma \chi_{c1}$
0.29 ± 0.05		8 BARTEL	78B CNTR	$\psi(2S) \rightarrow \gamma \chi_{c1}$
0.28 ± 0.09		8 TANENBAUM	78 MRK1	$\psi(2S) \rightarrow \gamma \chi_{c1}$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.57 ± 0.17		8 BIDDICK	77 CNTR	$\psi(2S) \rightarrow \gamma X$

 $\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ Γ_{10}/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.0015	90	8 YAMADA	77 DASP	$e^+e^- \rightarrow 3\gamma$
8				Estimated using $B(\psi(2S) \rightarrow \gamma \chi_{c1}(1P)) = 0.087$. The errors do not contain the uncertainty in the $\psi(2S)$ decay.

 $\chi_{c1}(1P)$ REFERENCES

ARMSTRONG	92	NP B373 35	+Bettoni+	(FNAL, FERR, GENO, UCI, NWES+)
Also	92B	PRL 68 1468	Armstrong, Bettoni+(FNAL, FERR, GENO, UCI, NWES+)	
BAGLIN	86B	PL B172 455	(LAPP, CERN, GENO, LYON, OSLO, ROMA+)	
GAISER	86	PR D34 711	+Bloom, Bulos, Godfrey+(Crystal Ball Collab.)	
LEMOIGNE	82	PL 113B 509	+Barate, Astbury+(SACL, LOIC, SHMP, IND)	
OREGLIA	82	PR D25 2259	+Partridge+(SLAC, CIT, HARV, PRIN, STAN)	
Also	82B	Private Comm.	Oreglia (EFI)	
HIMEL	80	PRL 44 920	+Abrams, Alam, Blocker+(LBL, SLAC)	
Also	82	Private Comm.	Trilling (LBL, UCB)	
BRANDELIK	79B	NP B160 426	+Cords+(DASP Collab.)	
BARTEL	78B	PL 79B 492	+Dittmann, Duinker, Olsson, O'Neill+(DESY, HEIDP)	
TANENBAUM	78	PR D17 1731	+Alam, Boyarski+(SLAC, LBL)	
Also	82	Private Comm.	Trilling (LBL, UCB)	
BIDDICK	77	PRL 38 1324	+Burnett+(UCSD, UMD, PAVI, PRIN, SLAC, STAN)	
FELDMAN	77	PRPL 33C 285	+Perl (LBL, SLAC)	
YAMADA	77	Hamburg Conf. 69	+Whitaker, Abrams+(DASP Collab.)	
TANENBAUM	75	PRL 35 1323	(LBL, SLAC)	

OTHER RELATED PAPERS

BARATE	83	PL 121B 449	+Bareyre, Bonamy+(SACL, LOIC, SHMP, IND)	
BRAUNSCH...	75B	PL 57B 407	Braunschweig, Konigs+(DASP Collab.)	
SIMPSON	75	PRL 35 699	+Beron, Ford, Hilger, Hofstadter+(STAN, PENN)	