$\Upsilon(2S)$

$I^G(J^{PC}) = 0^-(1^{--})$

$\Upsilon(2S)$ MASS

VALUE (GeV)	DOCUMENT ID	TECN	COMMENT
10.02326±0.00031 OUR AVERAGE			
10.0235 ±0.0005	[1] ARTAMONOV 00	MD1	$e^+e^- \to$ hadrons
10.0231 ±0.0004	BARBER 84	REDE	$e^+e^- \to$ hadrons
• • • We do not use the following data for averages, fits, limits, etc. • • •			
10.0236 ±0.0005	[2,3] BARU 86B	REDE	$e^+e^- \to$ hadrons

[1] Reanalysis of BARU 86B using new electron mass (COHEN 87).
[2] Reanalysis of ARTAMONOV 84.
[3] Superseded by ARTAMONOV 00.

$\Upsilon(2S)$ WIDTH

VALUE (keV)	DOCUMENT ID
44±7 OUR EVALUATION	See the Note on Width Determinations of the Υ states

$\Upsilon(2S)$ DECAY MODES

	Mode	Fraction (Γ_i/Γ)	Confidence level
Γ_1	$\Upsilon(1S)\pi^+\pi^-$	(18.8 ±0.6) %	
Γ_2	$\Upsilon(1S)\pi^0\pi^0$	(9.0 ±0.8) %	
Γ_3	$\tau^+\tau^-$	(1.7 ±1.6) %	
Γ_4	$\mu^+\mu^-$	(1.31±0.21) %	
Γ_5	e^+e^-	(1.18±0.20) %	
Γ_6	$\Upsilon(1S)\pi^0$	$< 1.1 \times 10^{-3}$	90%
Γ_7	$\Upsilon(1S)\eta$	$< 2 \times 10^{-3}$	90%
Γ_8	$J/\psi(1S)$anything	$< 6 \times 10^{-3}$	90%
	Radiative decays		
Γ_9	$\gamma\chi_{b1}(1P)$	(6.8 ±0.7) %	
Γ_{10}	$\gamma\chi_{b2}(1P)$	(7.0 ±0.6) %	
Γ_{11}	$\gamma\chi_{b0}(1P)$	(3.8 ±0.6) %	
Γ_{12}	$\gamma f_0(1710)$	$< 5.9 \times 10^{-4}$	90%
Γ_{13}	$\gamma f_2'(1525)$	$< 5.3 \times 10^{-4}$	90%
Γ_{14}	$\gamma f_2(1270)$	$< 2.41 \times 10^{-4}$	90%
Γ_{15}	$\gamma f_J(2220)$		

$\Upsilon(2S)$ $\Gamma(i)\Gamma(e^+e^-)/\Gamma(\text{total})$

$\Gamma(e^+e^-) \times \Gamma(\mu^+\mu^-)/\Gamma_{\text{total}}$ — $\Gamma_5\Gamma_4/\Gamma$

VALUE (eV)	DOCUMENT ID	TECN	COMMENT
6.5±1.5±1.0	KOBEL 92	CBAL	$e^+e^- \to \mu^+\mu^-$

$\Gamma(\text{hadrons}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ — $\Gamma_0\Gamma_5/\Gamma$

VALUE (keV)	DOCUMENT ID		TECN	COMMENT
0.553±0.023 OUR AVERAGE				
0.552±0.031±0.017	[4] BARU	96	MD1	$e^+e^- \to$ hadrons
0.54 ±0.04 ±0.02	[4] JAKUBOWSKI	88	CBAL	$e^+e^- \to$ hadrons
0.58 ±0.03 ±0.04	[5] GILES	84B	CLEO	$e^+e^- \to$ hadrons
0.60 ±0.12 ±0.07	[5] ALBRECHT	82	DASP	$e^+e^- \to$ hadrons
0.54 ±0.07 $^{+0.09}_{-0.05}$	[5] NICZYPORUK	81C	LENA	$e^+e^- \to$ hadrons
0.41 ±0.18	[5] BOCK	80	CNTR	$e^+e^- \to$ hadrons

[4] Radiative corrections evaluated following KURAEV 85.
[5] Radiative corrections reevaluated by BUCHMUELLER 88 following KURAEV 85.

$\Upsilon(2S)$ PARTIAL WIDTHS

$\Gamma(e^+e^-)$ — Γ_5

VALUE (keV)	DOCUMENT ID		TECN	COMMENT
0.52 ±0.03 ±0.01	[6] ALBRECHT	95E	ARG	$e^+e^- \to$ hadrons

[6] Applying the formula of Kuraev and Fadin.

$\Upsilon(2S)$ BRANCHING RATIOS

$\Gamma(J/\psi(1S)\text{anything})/\Gamma_{\text{total}}$ — Γ_8/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.006	90	MASCHMANN	90	CBAL	$e^+e^- \to$ hadrons

$\Gamma(\Upsilon(1S)\pi^+\pi^-)/\Gamma_{\text{total}}$ — Γ_1/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.188±0.006 OUR AVERAGE					
0.192±0.002±0.010	52.6k	[7] ALEXANDER	98	CLE2	$\pi^+\pi^-\ell^+\ell^-$, $\pi^+\pi^-$ MM
0.181±0.005±0.010	11.6k	ALBRECHT	87	ARG	$e^+e^- \to \pi^+\pi^-$ MM
0.169±0.040		GELPHMAN	85	CBAL	$e^+e^- \to e^+e^-\pi^+\pi^-$
0.191±0.012±0.006		BESSON	84	CLEO	$\pi^+\pi^-$ MM
0.189±0.026		FONSECA	84	CUSB	$e^+e^- \to \ell^+\ell^-\pi^+\pi^-$
0.21 ±0.07	7	NICZYPORUK	81B	LENA	$e^+e^- \to \ell^+\ell^-\pi^+\pi^-$

[7] Using B($\Upsilon(1S) \to e^+e^-$) = (2.52 ± 0.17)% and B($\Upsilon(1S) \to \mu^+\mu^-$) = (2.48 ± 0.07)%.

$\Gamma(\Upsilon(1S)\pi^0\pi^0)/\Gamma_{\text{total}}$ — Γ_2/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.090±0.008 OUR AVERAGE					
0.092±0.006±0.008	275	[8] ALEXANDER	98	CLE2	$e^+e^- \to \ell^+\ell^-\pi^0\pi^0$
0.095±0.019±0.019	25	ALBRECHT	87	ARG	$e^+e^- \to \pi^0\pi^0\ell^+\ell^-$
0.080±0.015		GELPHMAN	85	CBAL	$e^+e^- \to \ell^+\ell^-\pi^0\pi^0$
0.103±0.023		FONSECA	84	CUSB	$e^+e^- \to \ell^+\ell^-\pi^0\pi^0$

[8] Using B($\Upsilon(1S) \to e^+e^-$) = (2.52 ± 0.17)% and B($\Upsilon(1S) \to \mu^+\mu^-$) = (2.48 ± 0.07)%.

$\Gamma(\tau^+\tau^-)/\Gamma_{total}$ — Γ_3/Γ

VALUE	DOCUMENT ID		TECN	COMMENT
0.017±0.015±0.006	HAAS	84B	CLEO	$e^+e^- \to \tau^+\tau^-$

$\Gamma(\mu^+\mu^-)/\Gamma_{total}$ — Γ_4/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
0.0131±0.0021 OUR AVERAGE					
0.0122±0.0028±0.0019		[9] KOBEL	92	CBAL	$e^+e^- \to \mu^+\mu^-$
0.0138±0.0025±0.0015		KAARSBERG	89	CSB2	$e^+e^- \to \mu^+\mu^-$
0.009 ±0.006 ±0.006		[10] ALBRECHT	85	ARG	$e^+e^- \to \mu^+\mu^-$
0.018 ±0.008 ±0.005		HAAS	84B	CLEO	$e^+e^- \to \mu^+\mu^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.038	90	NICZYPORUK	81C	LENA	$e^+e^- \to \mu^+\mu^-$

[9] Taking into account interference between the resonance and continuum.
[10] Re-evaluated using B($\Upsilon(1S) \to \mu^+\mu^-$) = 0.026.

$\Gamma(\Upsilon(1S)\pi^0)/\Gamma_{total}$ — Γ_6/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.0011	90	ALEXANDER	98	CLE2	$e^+e^- \to \ell^+\ell^-\gamma\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.008	90	LURZ	87	CBAL	$e^+e^- \to \ell^+\ell^-\gamma\gamma$

$\Gamma(\Upsilon(1S)\eta)/\Gamma_{total}$ — Γ_7/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.002	90	FONSECA	84	CUSB	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.0028	90	ALEXANDER	98	CLE2	$e^+e^- \to \ell^+\ell^-\eta$
<0.005	90	ALBRECHT	87	ARG	$e^+e^- \to \pi^+\pi^-\ell^+\ell^-$ MM
<0.007	90	LURZ	87	CBAL	$e^+e^- \to \ell^+\ell^-(\gamma\gamma, 3\pi^0)$
<0.010	90	BESSON	84	CLEO	

$\Gamma(\gamma\chi_{b1}(1P))/\Gamma_{total}$ — Γ_9/Γ

VALUE	DOCUMENT ID		TECN	COMMENT
0.068±0.007 OUR AVERAGE				
0.069±0.005±0.009	EDWARDS	99	CLE2	$\Upsilon(2S) \to \gamma\chi(1P)$
0.091±0.018±0.022	ALBRECHT	85E	ARG	$e^+e^- \to \gamma$ conv. X
0.065±0.007±0.012	NERNST	85	CBAL	$e^+e^- \to \gamma X$
0.080±0.017±0.016	HAAS	84	CLEO	$e^+e^- \to \gamma$ conv. X
0.059±0.014	KLOPFEN...	83	CUSB	$e^+e^- \to \gamma X$

$\Gamma(\gamma\chi_{b2}(1P))/\Gamma_{total}$ — Γ_{10}/Γ

VALUE	DOCUMENT ID		TECN	COMMENT
0.070±0.006 OUR AVERAGE				
0.074±0.005±0.008	EDWARDS	99	CLE2	$\Upsilon(2S) \to \gamma\chi(1P)$
0.098±0.021±0.024	ALBRECHT	85E	ARG	$e^+e^- \to \gamma$ conv. X
0.058±0.007±0.010	NERNST	85	CBAL	$e^+e^- \to \gamma X$
0.102±0.018±0.021	HAAS	84	CLEO	$e^+e^- \to \gamma$ conv. X
0.061±0.014	KLOPFEN...	83	CUSB	$e^+e^- \to \gamma X$

$\Gamma(\gamma\chi_{b0}(1P))/\Gamma_{total}$ — Γ_{11}/Γ

VALUE	DOCUMENT ID		TECN	COMMENT
0.038±0.006 OUR AVERAGE				
0.034±0.005±0.006	EDWARDS	99	CLE2	$\Upsilon(2S) \to \gamma\chi(1P)$
0.064±0.014±0.016	ALBRECHT	85E	ARG	$e^+e^- \to \gamma$ conv. X
0.036±0.008±0.009	NERNST	85	CBAL	$e^+e^- \to \gamma X$
0.044±0.023±0.009	HAAS	84	CLEO	$e^+e^- \to \gamma$ conv. X
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.035±0.014	KLOPFEN...	83	CUSB	$e^+e^- \to \gamma X$

$\Gamma(\gamma f_0(1710))/\Gamma_{total}$ — Γ_{12}/Γ

VALUE (units 10^{-5})	CL%		DOCUMENT ID		TECN	COMMENT
<59	90	[11]	ALBRECHT	89	ARG	$\Upsilon(2S) \to \gamma K^+K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
< 5.9	90	[12]	ALBRECHT	89	ARG	$\Upsilon(2S) \to \gamma\pi^+\pi^-$

[11] Re-evaluated assuming $B(f_0(1710) \to K^+K^-) = 0.19$.
[12] Includes unknown branching ratio of $f_0(1710) \to \pi^+\pi^-$.

$\Gamma(\gamma f_2'(1525))/\Gamma_{total}$ — Γ_{13}/Γ

VALUE (units 10^{-5})	CL%		DOCUMENT ID		TECN	COMMENT
<53	90	[13]	ALBRECHT	89	ARG	$\Upsilon(2S) \to \gamma K^+K^-$

[13] Re-evaluated assuming $B(f_2'(1525) \to K\overline{K}) = 0.71$.

$\Gamma(\gamma f_2(1270))/\Gamma_{total}$ — Γ_{14}/Γ

VALUE (units 10^{-5})	CL%		DOCUMENT ID		TECN	COMMENT
<24.1	90	[14]	ALBRECHT	89	ARG	$\Upsilon(2S) \to \gamma\pi^+\pi^-$

[14] Using $B(f_2(1270) \to \pi\pi) = 0.84$.

$\Gamma(\gamma f_J(2220))/\Gamma_{total}$ — Γ_{15}/Γ

VALUE (units 10^{-5})	CL%		DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<6.8	90	[15]	ALBRECHT	89	ARG	$\Upsilon(2S) \to \gamma K^+K^-$

[15] Includes unknown branching ratio of $f_J(2220) \to K^+K^-$.

$\Upsilon(2S)$ REFERENCES

ARTAMONOV 00 PL B474 427 A.S. Artamonov et al.
EDWARDS 99 PR D59 032003 K.W. Edwards et al. (CLEO Collab.)
ALEXANDER 98 PR D58 052004 J.P. Alexander et al. (CLEO Collab.)
BARU 96 PRPL 267 71 S.E. Baru et al. (NOVO)
ALBRECHT 95E ZPHY C65 619 H. Albrecht et al. (ARGUS Collab.)
KOBEL 92 ZPHY C53 193 M. Kobel et al. (Crystal Ball Collab.)
MASCHMANN 90 ZPHY C46 555 W.S. Maschmann et al. (Crystal Ball Collab.)
ALBRECHT 89 ZPHY C42 349 H. Albrecht et al. (ARGUS Collab.)
KAARSBERG 89 PRL 62 2077 T.M. Kaarsberg et al. (CUSB Collab.)
BUCHMUEL... 88 HE e^+e^- Physics 412 W. Buchmueller, S. Cooper (HANN, DESY, MIT)
Editors: A. Ali and P. Soeding, World Scientific, Singapore
JAKUBOWSKI 88 ZPHY C40 49 Z. Jakubowski et al. (Crystal Ball Collab.) IGJPC
ALBRECHT 87 ZPHY C35 283 H. Albrecht et al. (ARGUS Collab.)
COHEN 87 RMP 59 1121 E.R. Cohen, B.N. Taylor (RISC, NBS)
LURZ 87 ZPHY C36 383 B. Lurz et al. (Crystal Ball Collab.)
BARU 86B ZPHY C32 622 S.E. Baru et al. (NOVO)
ALBRECHT 85 ZPHY C28 45 H. Albrecht et al. (ARGUS Collab.)

ALBRECHT	85E	PL 160B 331	H. Albrecht *et al.*	(ARGUS Collab.)
GELPHMAN	85	PR D11 2893	D. Gelphman *et al.*	(Crystal Ball Collab.)
KURAEV	85	SJNP 41 466	E.A. Kuraev, V.S. Fadin	(NOVO)
		Translated from YAF 41 733.		
NERNST	85	PRL 54 2195	R. Nernst *et al.*	(Crystal Ball Collab.)
ARTAMONOV	84	PL 137B 272	A.S. Artamonov *et al.*	(NOVO)
BARBER	84	PL 135B 498	D.P. Barber *et al.*	
BESSON	84	PR D30 1433	D. Besson *et al.*	(CLEO Collab.)
FONSECA	84	NP B242 31	V. Fonseca *et al.*	(CUSB Collab.)
GILES	84B	PR D29 1285	R. Giles *et al.*	(CLEO Collab.)
HAAS	84	PRL 52 799	J. Haas *et al.*	(CLEO Collab.)
HAAS	84B	PR D30 1996	J. Haas *et al.*	(CLEO Collab.)
KLOPFEN...	83	PRL 51 160	C. Klopfenstein *et al.*	(CUSB Collab.)
ALBRECHT	82	PL 116B 383	H. Albrecht *et al.*	(DESY, DORT, HEIDH+)
NICZYPORUK	81B	PL 100B 95	B. Niczyporuk *et al.*	(LENA Collab.)
NICZYPORUK	81C	PL 99B 169	B. Niczyporuk *et al.*	(LENA Collab.)
BOCK	80	ZPHY C6 125	P. Bock *et al.*	(HEIDP, MPIM, DESY, HAMB)

OTHER RELATED PAPERS

ALEXANDER	89	NP B320 45	J.P. Alexander *et al.*	(LBL, MICH, SLAC)
WALK	86	PR D34 2611	W.S. Walk *et al.*	(Crystal Ball Collab.)
ALBRECHT	84	PL 134B 137	H. Albrecht *et al.*	(ARGUS Collab.)
ARTAMONOV	84	PL 137B 272	A.S. Artamonov *et al.*	(NOVO)
ANDREWS	83	PRL 50 807	D.E. Andrews *et al.*	(CLEO Collab.)
GREEN	82	PRL 49 617	J. Green *et al.*	(CLEO Collab.)
BIENLEIN	78	PL 78B 360	J.K. Bienlein *et al.*	(DESY, HAMB, HEIDP+)
DARDEN	78	PL 76B 246	C.W. Darden *et al.*	(DESY, DORT, HEIDH+)
KAPLAN	78	PRL 40 435	D.M. Kaplan *et al.*	(STON, FNAL, COLU)
YOH	78	PRL 41 684	J.K. Yoh *et al.*	(COLU, FNAL, STON)
COBB	77	PL 72B 273	J.H. Cobb *et al.*	(BNL, CERN, SYRA, YALE)
HERB	77	PRL 39 252	S.W. Herb *et al.*	(COLU, FNAL, STON)
INNES	77	PRL 39 1240	W.R. Innes *et al.*	(COLU, FNAL, STON)