

$\rho(1450)$ $I^G(J^{PC}) = 1^+(1^{--})$ See the mini-review under the $\rho(1700)$. **$\rho(1450)$ MASS**VALUE (MeV)DOCUMENT ID **1465 ± 25 OUR ESTIMATE**

This is only an educated guess; the error given is larger than the error on the average of the published values.

 1452 ± 8 OUR AVERAGE

Includes data from the 2 datablocks that follow this one.

 $\eta\rho^0$ MODEVALUE (MeV)DOCUMENT IDTECNCOMMENT

The data in this block is included in the average printed for a previous datablock.

1470 \pm 20

ANTONELLI 88 DM2

 $e^+ e^- \rightarrow \eta\pi^+\pi^-$ 1446 \pm 10

FUKUI 88 SPEC

 $8.95 \pi^- p \rightarrow \eta\pi^+\pi^- n$ **$\omega\pi$ MODE**VALUE (MeV)DOCUMENT IDTECNCOMMENT

The data in this block is included in the average printed for a previous datablock.

1463 \pm 25

1 CLEGG 94 RVUE

• • • We do not use the following data for averages, fits, limits, etc. • • •

1250

2 ASTON 80C OMEG 20–70 $\gamma p \rightarrow \omega\pi^0 p$ 1290 \pm 402 BARBER 80C SPEC 3–5 $\gamma p \rightarrow \omega\pi^0 p$ ¹ Using data from BISELLO 91B, DOLINSKY 86 and ALBRECHT 87L.² Not separated from $b_1(1235)$, not pure $J^P = 1^-$ effect. **$\pi\pi$ MODE**VALUE (MeV)DOCUMENT IDTECNCOMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

 ~ 1368 3 ABELE 99C CBAR 0.0 $\bar{p}d \rightarrow \pi^+\pi^-\pi^- p$ 1348 \pm 33BERTIN 98 OBLX 0.05–0.405 $\bar{n}p \rightarrow$ $\pi^+\pi^+\pi^-$ 1411 \pm 144 ABELE 97 CBAR $\bar{p}n \rightarrow \pi^-\pi^0\pi^0$ 1370^{+90}_{-70} ACHASOV 97 RVUE $e^+ e^- \rightarrow \pi^+\pi^-$ 1380 \pm 245 BARATE 97M ALEP $\tau^- \rightarrow \pi^-\pi^0\nu_\tau$ 1359 \pm 406 BERTIN 97C OBLX 0.0 $\bar{p}p \rightarrow \pi^+\pi^-\pi^0$ 1282 \pm 37BERTIN 97D OBLX 0.05 $\bar{p}p \rightarrow 2\pi^+2\pi^-$ 1424 \pm 25BISELLO 89 DM2 $e^+ e^- \rightarrow \pi^+\pi^-$ 1292 \pm 177 KURDADZE 83 OLYA 0.64–1.4 $e^+ e^- \rightarrow$ $\pi^+\pi^-$ ³ $\rho(1700)$ mass and width fixed at 1780 MeV and 275 MeV respectively.⁴ T-matrix pole.⁵ Fixing $\rho(1450)$ width to 310 MeV and $\rho(1700)$ mass and width to 1700 MeV and 235 MeV respectively.⁶ $\rho(1700)$ mass and width fixed at 1700 MeV and 235 MeV, respectively.⁷ Using for $\rho(1700)$ mass and width 1600 ± 20 and 300 ± 10 MeV respectively.

$\pi^+\pi^-\pi^+\pi^-$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1350 \pm 50	ACHASOV 97 RVUE	$e^+e^- \rightarrow 2(\pi^+\pi^-)$	
1449 \pm 4	⁸ ARMSTRONG 89E OMEG	$p p \rightarrow$ $p p 2(\pi^+\pi^-)$	

⁸ Not clear whether this observation has $I=1$ or 0.

$\phi\pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1480 \pm 40	^{9,10} BITYUKOV 87 SPEC	0	32.5	$\pi^- p \rightarrow \phi\pi^0 n$

⁹ DONNACHIE 91 suggests this is a different particle.

¹⁰ Not seen by ABELE 97H.

$K\bar{K}$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1422.8 \pm 6.5	27k	¹¹ ABELE	99D CBAR	\pm	$0.0 \bar{p}p \rightarrow K^+ K^- \pi^0$

¹¹ K-matrix pole. Isospin not determined, could be $\omega(1420)$.

MIXED MODES

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1265.5 \pm 75.3	DUBNICKA 89 RVUE	$e^+e^- \rightarrow \pi^+\pi^-$	

$\rho(1450)$ WIDTH

VALUE (MeV)	DOCUMENT ID
310 \pm 60 OUR ESTIMATE	This is only an educated guess; the error given is larger than the error on the average of the published values.

$\eta\rho^0$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
230 \pm 30	ANTONELLI 88 DM2	$e^+e^- \rightarrow \eta\pi^+\pi^-$	
60 \pm 15	FUKUI 88 SPEC	$8.95 \pi^- p \rightarrow \eta\pi^+\pi^- n$	

$\omega\pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
The data in this block is included in the average printed for a previous datablock.			

311 \pm 62 ¹² CLEGG 94 RVUE

• • • We do not use the following data for averages, fits, limits, etc. **• • •**

300 ¹³ ASTON 80C OMEG $20-70 \gamma p \rightarrow \omega\pi^0 p$

320 \pm 100 ¹³ BARBER 80C SPEC $3-5 \gamma p \rightarrow \omega\pi^0 p$

¹² Using data from BISELLO 91B, DOLINSKY 86 and ALBRECHT 87L.

¹³ Not separated from $b_1(1235)$, not pure $J^P = 1^-$ effect.

$\pi\pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
~374	14 ABELE	99C CBAR	$0.0 \bar{p}d \rightarrow \pi^+ \pi^- \pi^- p$
275 ± 10	BERTIN	98 OBLX	$0.05 - 0.405 \bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
343 ± 20	15 ABELE	97 CBAR	$\bar{p}n \rightarrow \pi^- \pi^0 \pi^0$
310 ± 40	16 BERTIN	97C OBLX	$0.0 \bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
236 ± 36	BERTIN	97D OBLX	$0.05 \bar{p}p \rightarrow 2\pi^+ 2\pi^-$
269 ± 31	BISELLO	89 DM2	$e^+ e^- \rightarrow \pi^+ \pi^-$
218 ± 46	17 KURDADZE	83 OLYA	$0.64 - 1.4 e^+ e^- \rightarrow \pi^+ \pi^-$

14 $\rho(1700)$ mass and width fixed at 1780 MeV and 275 MeV respectively.

15 T-matrix pole.

16 $\rho(1700)$ mass and width fixed at 1700 MeV and 235 MeV, respectively.17 Using for $\rho(1700)$ mass and width 1600 ± 20 and 300 ± 10 MeV respectively. **$\phi\pi$ MODE**

VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
130 ± 60	18,19 BITYUKOV	87 SPEC	0	$32.5 \pi^- p \rightarrow \phi \pi^0 n$

18 DONNACHIE 91 suggests this is a different particle.

19 Not seen by ABELE 97H.

 $K\bar{K}$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
146.5 ± 10.5	27k	20 ABELE	99D CBAR	\pm	$0.0 \bar{p}p \rightarrow K^+ K^- \pi^0$

20 K-matrix pole. Isospin not determined, could be $\omega(1420)$.**MIXED MODES**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
391 ± 70	DUBNICKA	89 RVUE	$e^+ e^- \rightarrow \pi^+ \pi^-$

 $\rho(1450)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Confidence level
$\Gamma_1 \pi\pi$	seen	
$\Gamma_2 4\pi$	seen	
$\Gamma_3 \omega\pi$	<2.0 %	95%
$\Gamma_4 e^+ e^-$	seen	
$\Gamma_5 \eta\rho$	<4 %	
$\Gamma_6 a_2(1320)\pi$	not seen	
$\Gamma_7 \phi\pi$	<1 %	
$\Gamma_8 K\bar{K}$	$<1.6 \times 10^{-3}$	95%

$\rho(1450) \Gamma(i) \Gamma(e^+ e^-)/\Gamma(\text{total})$

$\Gamma(\pi\pi) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$

$\Gamma_1 \Gamma_4/\Gamma$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
0.12	21 DIEKMAN	88 RVUE	$e^+ e^- \rightarrow \pi^+ \pi^-$
$0.027^{+0.015}_{-0.010}$	22 KURDADZE	83 OLYA	$0.64-1.4 e^+ e^- \rightarrow \pi^+ \pi^-$

21 Using total width = 235 MeV.

22 Using for $\rho(1700)$ mass and width 1600 ± 20 and 300 ± 10 MeV respectively.

$\Gamma(\eta\rho) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$

$\Gamma_5 \Gamma_4/\Gamma$

VALUE (eV)	DOCUMENT ID	TECN	COMMENT
91±19	ANTONELLI	88 DM2	$e^+ e^- \rightarrow \eta \pi^+ \pi^-$

$\Gamma(\phi\pi) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$

$\Gamma_7 \Gamma_4/\Gamma$

VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT
<70	90	23 AULCHENKO	87B ND	$e^+ e^- \rightarrow K_S^0 K_L^0 \pi^0$

23 Using mass 1480 ± 40 MeV and total width 130 ± 60 MeV of BITYUKOV 87.

$\rho(1450)$ BRANCHING RATIOS

$\Gamma(\eta\rho)/\Gamma_{\text{total}}$

Γ_5/Γ

VALUE	DOCUMENT ID	TECN
<0.04	DONNACHIE	87B RVUE

$\Gamma(a_2(1320)\pi)/\Gamma_{\text{total}}$

Γ_6/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			

not seen

AMELIN 00 VES $37 \pi^- p \rightarrow \eta \pi^+ \pi^- n$

$\Gamma(\phi\pi)/\Gamma(\omega\pi)$

Γ_7/Γ_3

VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
>0.5	95	BITYUKOV	87 SPEC	0	$32.5 \pi^- p \rightarrow \phi \pi^0 n$

$\Gamma(\omega\pi)/\Gamma(4\pi)$

Γ_3/Γ_2

VALUE	DOCUMENT ID	TECN
<0.14	CLEGG	88 RVUE

$\Gamma(\eta\rho)/\Gamma(\omega\pi)$

Γ_5/Γ_3

VALUE	DOCUMENT ID	TECN	COMMENT
~ 0.24	24 DONNACHIE	91 RVUE	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
>2	FUKUI	91 SPEC	$8.95 \pi^- p \rightarrow \omega \pi^0 n$

$\Gamma(\omega\pi)/\Gamma_{\text{total}}$

Γ_3/Γ

VALUE	DOCUMENT ID	TECN
~ 0.21	CLEGG	94 RVUE

$\Gamma(\pi\pi)/\Gamma(\omega\pi)$

VALUE	DOCUMENT ID	TECN
~ 0.32	CLEGG	94 RVUE

Γ_1/Γ_3

$\Gamma(\phi\pi)/\Gamma_{\text{total}}$

VALUE	DOCUMENT ID	TECN	COMMENT
<0.01	24 DONNACHIE	91 RVUE	

• • • We do not use the following data for averages, fits, limits, etc. • • •

not seen

ABELE 97H CBAR $\bar{p}p \rightarrow K_L^0 K_S^0 \pi^0 \pi^0$

Γ_7/Γ

$\Gamma(K\bar{K})/\Gamma(\omega\pi)$

VALUE	DOCUMENT ID	TECN
<0.08	24 DONNACHIE	91 RVUE

Γ_8/Γ_3

24 Using data from BISELLO 91B, DOLINSKY 86 and ALBRECHT 87L.

p(1450) REFERENCES

AMELIN	00	NP B668 83	D. Amelin <i>et al.</i>	(VES Collab.)
ABELE	99C	PL B450 275	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	99D	PL B468 178	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
BERTIN	98	PR D57 55	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ABELE	97	PL B391 191	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	97H	PL B415 280	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ACHASOV	97	PR D55 2663	N.N. Achasov <i>et al.</i>	(NOVM)
BARATE	97M	ZPHY C76 15	R. Barate <i>et al.</i>	(ALEPH Collab.)
BERTIN	97C	PL B408 476	A. Bertin <i>et al.</i>	(OBELIX Collab.)
BERTIN	97D	PL B414 220	A. Bertin <i>et al.</i>	(OBELIX Collab.)
CLEGG	94	ZPHY C62 455	A.B. Clegg, A. Donnachie	(LANC, MCHS)
BISELLO	91B	NP B21 111 (suppl)	D. Bisello	(DM2 Collab.)
DONNACHIE	91	ZPHY C51 689	A. Donnachie, A.B. Clegg	(MCHS, LANC)
FUKUI	91	PL B257 241	S. Fukui <i>et al.</i>	(SUGI, NAGO, KEK, KYOT+)
ARMSTRONG	89E	PL B228 536	T.A. Armstrong, M. Benayoun	(ATHU, BARI, BIRM+)
BISELLO	89	PL B220 321	D. Bisello <i>et al.</i>	(DM2 Collab.)
DUBNICKA	89	JPG 15 1349	S. Dubnicka <i>et al.</i>	(JINR, SLOV)
ANTONELLI	88	PL B212 133	A. Antonelli <i>et al.</i>	(DM2 Collab.)
CLEGG	88	ZPHY C40 313	A.B. Clegg, A. Donnachie	(MCHS, LANC)
DIEKMAN	88	PRPL 159 101	B. Diekmann	(BONN)
FUKUI	88	PL B202 441	S. Fukui <i>et al.</i>	(SUGI, NAGO, KEK, KYOT+)
ALBRECHT	87L	PL B185 223	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
AULCHENKO	87B	JETPL 45 145	V.M. Aulchenko <i>et al.</i>	(NOVO)
		Translated from ZETFP 45 118.		
BITYUKOV	87	PL B188 383	S.I. Bityukov <i>et al.</i>	(SERP)
DONNACHIE	87B	ZPHY C34 257	A. Donnachie, A.B. Clegg	(MCHS, LANC)
DOLINSKY	86	PL B174 453	S.I. Dolinsky <i>et al.</i>	(NOVO)
KURDADZE	83	JETPL 37 733	L.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from ZETFP 37 613.		
ASTON	80C	PL 92B 211	D. Aston	(BONN, CERN, EPOL, GLAS, LANC+)
BARBER	80C	ZPHY C4 169	D.P. Barber <i>et al.</i>	(DARE, LANC, SHEF)

OTHER RELATED PAPERS

BELOZEROVA	98	PPN 29 63	T.S. Belozerova, V.K. Henner	
		Translated from FECAY 29 148.		
ABELE	97H	PL B415 280	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
BARNES	97	PR D55 4157	T. Barnes <i>et al.</i>	(ORNL, RAL, MCHS)
CLOSE	97C	PR D56 1584	F.E. Close <i>et al.</i>	(RAL, MCHS)
URHEIM	97	NPBPS 55C 359	J. Urheim	(CLEO Collab.)
ACHASOV	96B	PAN 59 1262	N.N. Achasov, G.N. Shestakov	(NOVM)
		Translated from YAF 59 1319.		
MURADOV	94	PAN 57 864	R.K. Muradov	(BAKU)
LANDSBERG	92	SJNP 55 1051		(SERP)
		Translated from YAF 55 1896.		

BRAU	88	PR D37 2379	J.E. Brau <i>et al.</i>	
ASTON	87	NP B292 693	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
KURDADZE	86	JETPL 43 643	L.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from ZETFP 43 497.		
BARKOV	85	NP B256 365	L.M. Barkov <i>et al.</i>	(NOVO)
BISELLO	85	LAL 85-15	D. Bisello <i>et al.</i>	(PADO, LALO, CLER+)
ABE	84B	PRL 53 751	K. Abe <i>et al.</i>	
ATKINSON	84C	NP B243 1	M. Atkinson <i>et al.</i>	(BONN, CERN, GLAS+)
CORDIER	82	PL 109B 129	Å. Cordier <i>et al.</i>	(LALO)
KILLIAN	80	PR D21 3005	T.J. Killian <i>et al.</i>	(CORN)
COSME	76	PL 63B 352	G. Cosme <i>et al.</i>	(ORSAY)
BINGHAM	72B	PL 41B 635	H.H. Bingham <i>et al.</i>	(LBL, UCB, SLAC)
FRENKIEL	72	NP B47 61	P. Frenkiel <i>et al.</i>	(CDEF, CERN)
LAYSSAC	71	NC 6A 134	J. Layssac, F.M. Renard	(MONP)