

X(3250)

$I^G(J^{PC}) = ?^?(???)$

OMITTED FROM SUMMARY TABLE

Narrow peak observed in several final states with hidden strangeness
 $(\Lambda \bar{p} K^+, \Lambda \bar{p} K^+ \pi^\pm, K^0_S p \bar{p} K^\pm)$. Needs confirmation.

X(3250) MASS

3-BODY DECAYS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
3250 $\pm 8 \pm 20$	ALEEV 93	BIS2	$X(3250) \rightarrow \Lambda \bar{p} K^+$
3265 $\pm 7 \pm 20$	ALEEV 93	BIS2	$X(3250) \rightarrow \bar{\Lambda} p K^-$

4-BODY DECAYS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
3245 $\pm 8 \pm 20$	ALEEV 93	BIS2	$X(3250) \rightarrow \Lambda \bar{p} K^+ \pi^\pm$
3250 $\pm 9 \pm 20$	ALEEV 93	BIS2	$X(3250) \rightarrow \bar{\Lambda} p K^- \pi^\mp$
3270 $\pm 8 \pm 20$	ALEEV 93	BIS2	$X(3250) \rightarrow K^0_S p \bar{p} K^\pm$

X(3250) WIDTH

3-BODY DECAYS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
45 ± 18	ALEEV 93	BIS2	$X(3250) \rightarrow \Lambda \bar{p} K^+$
40 ± 18	ALEEV 93	BIS2	$X(3250) \rightarrow \bar{\Lambda} p K^-$

4-BODY DECAYS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
25 ± 11	ALEEV 93	BIS2	$X(3250) \rightarrow \Lambda \bar{p} K^+ \pi^\pm$
50 ± 20	ALEEV 93	BIS2	$X(3250) \rightarrow \bar{\Lambda} p K^- \pi^\mp$
25 ± 11	ALEEV 93	BIS2	$X(3250) \rightarrow K^0_S p \bar{p} K^\pm$

X(3250) DECAY MODES

Mode

Γ_1	$\Lambda \bar{p} K^+$
Γ_2	$\Lambda \bar{p} K^+ \pi^\pm$
Γ_3	$K^0_S p \bar{p} K^\pm$

X(3250) REFERENCES

ALEEV 93 PAN 56 1358 Translated from YAF 56 100. A.N. Aleev *et al.* (BIS-2 Collab.)