

# a<sub>0</sub>(980)


$$I^G(J^{PC}) = 1^-(0^{++})$$

See our minireview on scalar mesons under f<sub>0</sub>(1370). (See the index for the page number.)

## a<sub>0</sub>(980) MASS

VALUE (MeV)  
**984.7 ± 1.3 OUR AVERAGE**

DOCUMENT ID  
Includes data from the 2 datablocks that follow this one. Error includes scale factor of 1.6. See the ideogram below.



## a<sub>0</sub>(980) MASS

### ηπ FINAL STATE ONLY

VALUE (MeV)   EVTS   DOCUMENT ID   TECN   CHG   COMMENT  
The data in this block is included in the average printed for a previous datablock.

**985.1 ± 1.4 OUR AVERAGE** Error includes scale factor of 1.6. See the ideogram below.

975 ± 7      BARBERIS      00H      450 pp → p<sub>f</sub> η π<sup>0</sup> p<sub>s</sub>      **I**

988	$\pm 8$		BARBERIS	00H	450 $pp \rightarrow \Delta_f^{++} \eta \pi^- p_s$
993.1	$\pm 2.1$		<sup>1</sup> TEIGE	99 E852	18.3 $\pi^- p \rightarrow \eta \pi^+ \pi^- n$
975	$\pm 15$		BERTIN	98B OBLX	0.0 $\bar{p} p \rightarrow K^\pm K_S^0 \pi^\mp$
984.45	$\pm 1.23 \pm 0.34$		AMSLER	94C CBAR	0.0 $\bar{p} p \rightarrow \omega \eta \pi^0$
982	$\pm 2$		<sup>2</sup> AMSLER	92 CBAR	0.0 $\bar{p} p \rightarrow \eta \eta \pi^0$
984	$\pm 4$	1040	<sup>2</sup> ARMSTRONG	91B OMEG $\pm$	300 $pp \rightarrow pp \eta \pi^+ \pi^-$
976	$\pm 6$		ATKINSON	84E OMEG $\pm$	25–55 $\gamma p \rightarrow \eta \pi n$
986	$\pm 3$	500	<sup>3</sup> EVANGELISTA	81 OMEG $\pm$	12 $\pi^- p \rightarrow \eta \pi^+ \pi^- \pi^- p$
990	$\pm 7$	145	<sup>3</sup> GURTU	79 HBC $\pm$	4.2 $K^- p \rightarrow \Lambda \eta 2\pi$
977	$\pm 7$		GRASSLER	77 HBC $-$	16 $\pi^\mp p \rightarrow p \eta 3\pi$
972	$\pm 10$	150	DEFOIX	72 HBC $\pm$	0.7 $\bar{p} p \rightarrow 7\pi$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
995	$+52$ $-10$	36	<sup>4</sup> ACHASOV	00F SND	$e^+ e^- \rightarrow \eta \pi^0 \gamma$
994	$+33$ $-8$	36	<sup>5</sup> ACHASOV	00F SND	$e^+ e^- \rightarrow \eta \pi^0 \gamma$
$\sim 1055$			<sup>6</sup> OLLER	99 RVUE	$\eta \pi, K \bar{K}$
$\sim 1009.2$			<sup>6</sup> OLLER	99B RVUE	$\pi \pi \rightarrow \pi \pi, K \bar{K}$
988	$\pm 6$		<sup>6</sup> ANISOVICH	98B RVUE	Compilation
987			TORNQVIST	96 RVUE	$\pi \pi \rightarrow \pi \pi, K \bar{K}, K \pi,$ $\eta \pi$
991			JANSSEN	95 RVUE	$\eta \pi \rightarrow \eta \pi, K \bar{K}, K \pi,$ $\eta \pi$
980	$\pm 11$	47	CONFORTO	78 OSPK $-$	4.5 $\pi^- p \rightarrow p X^-$
978	$\pm 16$	50	CORDEN	78 OMEG $\pm$	12–15 $\pi^- p \rightarrow n \eta 2\pi$
989	$\pm 4$	70	WELLS	75 HBC $-$	3.1–6 $K^- p \rightarrow \Lambda \eta 2\pi$
970	$\pm 15$	20	BARNES	69C HBC $-$	4–5 $K^- p \rightarrow \Lambda \eta 2\pi$
980	$\pm 10$		CAMPBELL	69 DBC $\pm$	2.7 $\pi^+ d$
980	$\pm 10$	15	MILLER	69B HBC $-$	4.5 $K^- N \rightarrow \eta \pi \Lambda$
980	$\pm 10$	30	AMMAR	68 HBC $\pm$	5.5 $K^- p \rightarrow \Lambda \eta 2\pi$

<sup>1</sup> Breit-Wigner fit, average between  $a_0^\pm$  and  $a_0^0$ . The fit favors a slightly heavier  $a_0^\pm$ .


<sup>2</sup> From a single Breit-Wigner fit.

<sup>3</sup> From  $f_1(1285)$  decay.

<sup>4</sup> Supersedes ACHASOV 98B. Using the model of ACHASOV 89.

<sup>5</sup> Supersedes ACHASOV 98B. Using the model of JAFFE 77.

<sup>6</sup> T-matrix pole.



$\eta\pi$  FINAL STATE ONLY

**$K\bar{K}$  ONLY**

VALUE (MeV)    EVTS    DOCUMENT ID    TECN    CHG    COMMENT

The data in this block is included in the average printed for a previous datablock.

**980.8 ± 2.7 OUR AVERAGE**

982 ± 3		<sup>7</sup> ABELE	98 CBAR	0.0 $\bar{p}p \rightarrow K_L^0 K^\pm \pi^\mp$
976 ± 6	316	DEBILLY	80 HBC ±	1.2-2 $\bar{p}p \rightarrow f_1(1285)\omega$

• • • We do not use the following data for averages, fits, limits, etc. • • •

~ 1053		<sup>8</sup> OLLER	99C RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
1016 ± 10	100	<sup>9</sup> ASTIER	67 HBC ±	0.0 $\bar{p}p$
1003.3 ± 7.0	143	<sup>10</sup> ROSENFELD	65 RVUE ±	

<sup>7</sup> T-matrix pole on sheet II, the pole on sheet III is at 1006-i49 MeV.

<sup>8</sup> T-matrix pole.

<sup>9</sup> ASTIER 67 includes data of BARLOW 67, CONFORTO 67, ARMENTEROS 65.

<sup>10</sup> Plus systematic errors.

**$a_0(980)$  WIDTH**

VALUE (MeV)    EVTS    DOCUMENT ID    TECN    CHG    COMMENT

**50 to 100 OUR ESTIMATE** Width determination very model dependent. Peak width in  $\eta\pi$  is about 60 MeV, but decay width can be much larger.

• • • We do not use the following data for averages, fits, limits, etc. • • •

72 ± 16		BARBERIS	00H	450 $pp \rightarrow \rho_f \eta \pi^0 p_S$
---------	--	----------	-----	--

61	$\pm 19$		BARBERIS	00H	450 $pp \rightarrow$
					$\Delta_f^{++} \eta \pi^- p_S$
~ 42			<sup>11</sup> OLLER	99 RVUE	$\eta \pi, K \bar{K}$
~ 112			<sup>11</sup> OLLER	99B RVUE	$\pi \pi \rightarrow \eta \pi, K \bar{K}$
71	$\pm 7$		TEIGE	99 E852	$18.3 \pi^- p \rightarrow \eta \pi^+ \pi^- n$
92	$\pm 20$		<sup>11</sup> ANISOVICH	98B RVUE	Compilation
65	$\pm 10$		BERTIN	98B OBLX	$0.0 \bar{p} p \rightarrow K^\pm K_S \pi^\mp$
~ 100			TORNQVIST	96 RVUE	$\pi \pi \rightarrow \pi \pi, K \bar{K}, K \pi,$
					$\eta \pi$
202			JANSSEN	95 RVUE	$\eta \pi \rightarrow \eta \pi, K \bar{K}, K \pi,$
					$\eta \pi$
54.12	$\pm 0.34 \pm 0.12$		AMSLER	94C CBAR	$0.0 \bar{p} p \rightarrow \omega \eta \pi^0$
54	$\pm 10$		AMSLER	92 CBAR	$0.0 \bar{p} p \rightarrow \eta \eta \pi^0$
95	$\pm 14$	1040	<sup>12</sup> ARMSTRONG	91B OMEG $\pm$	$300 pp \rightarrow pp \eta \pi^+ \pi^-$
62	$\pm 15$	500	<sup>13</sup> EVANGELISTA	81 OMEG $\pm$	$12 \pi^- p \rightarrow$
					$\eta \pi^+ \pi^- \pi^- p$
60	$\pm 20$	145	<sup>13</sup> GURTU	79 HBC $\pm$	$4.2 K^- p \rightarrow \Lambda \eta 2\pi$
60	$+50$ $-30$	47	CONFORTO	78 OSPK $-$	$4.5 \pi^- p \rightarrow p X^-$
86.0	$+60.0$ $-50.0$	50	CORDEN	78 OMEG $\pm$	$12-15 \pi^- p \rightarrow n \eta 2\pi$
44	$\pm 22$		GRASSLER	77 HBC $-$	$16 \pi^\mp p \rightarrow p \eta 3\pi$
80	to 300		<sup>14</sup> FLATTE	76 RVUE $-$	$4.2 K^- p \rightarrow \Lambda \eta 2\pi$
16.0	$+25.0$ $-16.0$	70	WELLS	75 HBC $-$	$3.1-6 K^- p \rightarrow \Lambda \eta 2\pi$
30	$\pm 5$	150	DEFOIX	72 HBC $\pm$	$0.7 \bar{p} p \rightarrow 7\pi$
40	$\pm 15$		CAMPBELL	69 DBC $\pm$	$2.7 \pi^+ d$
60	$\pm 30$	15	MILLER	69B HBC $-$	$4.5 K^- N \rightarrow \eta \pi \Lambda$
80	$\pm 30$	30	AMMAR	68 HBC $\pm$	$5.5 K^- p \rightarrow \Lambda \eta 2\pi$

<sup>11</sup> T-matrix pole.

<sup>12</sup> From a single Breit-Wigner fit.

<sup>13</sup> From  $f_1(1285)$  decay.

<sup>14</sup> Using a two-channel resonance parametrization of GAY 76B data.

### **$K \bar{K}$ ONLY**

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<b>92 <math>\pm</math> 8</b>		<sup>15</sup> ABELE	98 CBAR		$0.0 \bar{p} p \rightarrow K_L^0 K^\pm \pi^\mp$

• • • We do not use the following data for averages, fits, limits, etc. • • •

~ 24		<sup>16</sup> OLLER	99C RVUE		$\pi \pi \rightarrow \pi \pi, K \bar{K}$
~ 25	100	<sup>17</sup> ASTIER	67 HBC $\pm$		
57 $\pm$ 13	143	<sup>18</sup> ROSENFELD	65 RVUE $\pm$		

<sup>15</sup> T-matrix pole on sheet II, the pole on sheet III is at 1006-i49 MeV.

<sup>16</sup> T-matrix pole.

<sup>17</sup> ASTIER 67 includes data of BARLOW 67, CONFORTO 67, ARMENTEROS 65.

<sup>18</sup> Plus systematic errors.

## $a_0(980)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $\eta\pi$	dominant
$\Gamma_2$ $K\bar{K}$	seen
$\Gamma_3$ $\rho\pi$	
$\Gamma_4$ $\gamma\gamma$	seen
$\Gamma_5$ $e^+e^-$	

## $a_0(980)$ PARTIAL WIDTHS

$\Gamma(\gamma\gamma)$	$\Gamma_4$
<u>VALUE (keV)</u>	<u>DOCUMENT ID</u> <u>TECN</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●	
$0.30 \pm 0.10$	<sup>19</sup> AMSLER    98    RVUE
<sup>19</sup> Using $\Gamma_{\gamma\gamma} B(a_0(980) \rightarrow \eta\pi) = 0.24 \pm 0.08$ keV.	

## $a_0(980)$ $\Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(\eta\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$	$\Gamma_1\Gamma_4/\Gamma$
<u>VALUE (keV)</u>	<u>EVTS</u> <u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
<b><math>0.24^{+0.08}_{-0.07}</math> OUR AVERAGE</b>	
$0.28 \pm 0.04 \pm 0.10$	44    OEST    90    JADE $e^+e^- \rightarrow e^+e^-\pi^0\eta$
$0.19 \pm 0.07^{+0.10}_{-0.07}$	ANTREASYAN 86    CBAL $e^+e^- \rightarrow e^+e^-\pi^0\eta$
$\Gamma(\eta\pi) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$	$\Gamma_1\Gamma_5/\Gamma$
<u>VALUE (eV)</u>	<u>CL%</u> <u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
<b>&lt;1.5</b>	90    VOROBYEV    88    ND $e^+e^- \rightarrow \pi^0\eta$

## $a_0(980)$ BRANCHING RATIOS

$\Gamma(K\bar{K})/\Gamma(\eta\pi)$	$\Gamma_2/\Gamma_1$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>CHG</u> <u>COMMENT</u>
<b><math>0.177 \pm 0.024</math> OUR AVERAGE</b> Error includes scale factor of 1.2.	
$0.23 \pm 0.05$	<sup>20</sup> ABELE    98    CBAR $0.0 \bar{p}p \rightarrow K_L^0 K^\pm \pi^\mp$
$0.166 \pm 0.01 \pm 0.02$	<sup>21</sup> BARBERIS    98C    OMEG $450 p p \rightarrow p_f f_1(1285) p_s$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●	
~ 0.60	OLLER    99B    RVUE $\pi\pi \rightarrow \eta\pi, K\bar{K}$
$1.16 \pm 0.18$	<sup>22</sup> BUGG    94    RVUE $\bar{p}p \rightarrow \eta\eta\pi^0$
$0.7 \pm 0.3$	<sup>21</sup> CORDEN    78    OMEG $12-15 \pi^- p \rightarrow n\eta 2\pi$
$0.25 \pm 0.08$	<sup>21</sup> DEFOIX    72    HBC $\pm$ $0.7 \bar{p} \rightarrow 7\pi$

<sup>20</sup> Using  $\pi^0\pi^0\eta$  from AMSLER 94D.

<sup>21</sup> From the decay of  $f_1(1285)$ .

<sup>22</sup> BUGG 94 uses AMSLER 94C data. This is a ratio of couplings.

$$\frac{\Gamma(\rho\pi)}{\Gamma(\eta\pi)}$$

$\rho\pi$  forbidden.

 $\Gamma_3/\Gamma_1$ 

VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
-------	-----	-------------	------	-----	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.25	70	AMMAR	70	HBC	$\pm$ 4.1,5.5 $K^- p \rightarrow \Lambda\eta 2\pi$
-------	----	-------	----	-----	--

 **$a_0(980)$  REFERENCES**

ACHASOV	00F	PL B479 53	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
BARBERIS	00H	PL B488 225	D. Barberis <i>et al.</i>	(WA 102 Collab.)
OLLER	99	PR D60 099906	J.A. Oller <i>et al.</i>	
OLLER	99B	NP A652 407	J.A. Oller, E. Oset	
OLLER	99C	PR D60 074023	J.A. Oller, E. Oset	
TEIGE	99	PR D59 012001	S. Teige <i>et al.</i>	(BNL-852 Collab.)
ABELE	98	PR D57 3860	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ACHASOV	98B	PL B438 441	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
AMSLER	98	RMP 70 1293	C. Amsler	
ANISOVICH	98B	UFN 41 419	V.V. Anisovich <i>et al.</i>	
BARBERIS	98C	PL B440 225	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BERTIN	98B	PL B434 180	A. Bertin <i>et al.</i>	(OBELIX Collab.)
TORNQVIST	96	PRL 76 1575	N.A. Tornqvist, M. Roos	(HELS)
JANSSSEN	95	PR D52 2690	G. Janssen <i>et al.</i>	(STON, ADLD, JULI)
AMSLER	94C	PL B327 425	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	94D	PL B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
BUGG	94	PR D50 4412	D.V. Bugg <i>et al.</i>	(LOQM)
AMSLER	92	PL B291 347	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ARMSTRONG	91B	ZPHY C52 389	T.A. Armstrong <i>et al.</i>	(ATHU, BARI, BIRM+)
OEST	90	ZPHY C47 343	T. Oest <i>et al.</i>	(JADE Collab.)
ACHASOV	89	NP B315 465	N.N. Achasov, V.N. Ivanchenko	
VOROBYEV	88	SJNP 48 273	P.V. Vorobiev <i>et al.</i>	(NOVO)
ANTREASYAN	86	PR D33 1847	D. Antreasyan <i>et al.</i>	(Crystal Ball Collab.)
ATKINSON	84E	PL 138B 459	M. Atkinson <i>et al.</i>	(BONN, CERN, GLAS+)
EVANGELISTA	81	NP B178 197	C. Evangelista <i>et al.</i>	(BARI, BONN, CERN+)
DEBILLY	80	NP B176 1	L. de Billy <i>et al.</i>	(CURIN, LAUS, NEUC+)
GURTU	79	NP B151 181	A. Gurtu <i>et al.</i>	(CERN, ZEEM, NIJM, OXF)
CONFORTO	78	LNC 23 419	B. Conforto <i>et al.</i>	(RHEL, TNT0, CHIC+)
CORDEN	78	NP B144 253	M.J. Corden <i>et al.</i>	(BIRM, RHEL, TELA+)
GRASSLER	77	NP B121 189	H. Grassler <i>et al.</i>	(AACH3, BERL, BONN+)
JAFFE	77	PR D15 267,281	R. Jaffe	(MIT)
FLATTE	76	PL 63B 224	S.M. Flatte	(CERN)
GAY	76B	PL 63B 220	J.B. Gay <i>et al.</i>	(CERN, AMST, NIJM) JP
WELLS	75	NP B101 333	J. Wells <i>et al.</i>	(OXF)
DEFOIX	72	NP B44 125	C. Defoix <i>et al.</i>	(CDEF, CERN)
AMMAR	70	PR D2 430	R. Ammar <i>et al.</i>	(KANS, NWES, ANL, WISC)
BARNES	69C	PRL 23 610	V.E. Barnes <i>et al.</i>	(BNL, SYRA)
CAMPBELL	69	PRL 22 1204	J.H. Campbell <i>et al.</i>	(PURD)
MILLER	69B	PL 29B 255	D.H. Miller <i>et al.</i>	(PURD)
Also	69	PR 188 2011	W.L. Yen <i>et al.</i>	(PURD)
AMMAR	68	PRL 21 1832	R. Ammar <i>et al.</i>	(NWES, ANL)
ASTIER	67	PL 25B 294	A. Astier <i>et al.</i>	(CDEF, CERN, IRAD)
Includes data of BARLOW 67, CONFORTO 67, and ARMENTEROS 65.				
BARLOW	67	NC 50A 701	J. Barlow <i>et al.</i>	(CERN, CDEF, IRAD, LIVP)
CONFORTO	67	NP B3 469	G. Conforto <i>et al.</i>	(CERN, CDEF, IPNP+)
ARMENTEROS	65	PL 17 344	R. Armenteros <i>et al.</i>	(CERN, CDEF)
ROSENFELD	65	Oxford Conf. 58	A.H. Rosenfeld	(LRL)

## OTHER RELATED PAPERS

ANISOVICH	99D	PL B452 180	A.V. Anisovich <i>et al.</i>	
Also	99F	NP A651 253	A.V. Anisovich <i>et al.</i>	
MARCO	99	PL B470 20	E. Marco <i>et al.</i>	
ACHASOV	98J	SPU 41 1149	N.N. Achasov	
ACHASOV	97C	PR D56 4084	N.N. Achasov <i>et al.</i>	
ACHASOV	97D	PR D56 203	N.N. Achasov <i>et al.</i>	
ACHASOV	97E	IJMP A12 5019	N.N. Achasov <i>et al.</i>	
AMSLER	94D	PL B333 277	C. AMSLER <i>et al.</i>	(Crystal Barrel Collab.)
TORNQVIST	90	NPBPS 21 196	N.A. Tornqvist	(HELS)
WEINSTEIN	89	UTPT 89 03	J. Weinstein, N. Isgur	(TNTO)
ACHASOV	88B	ZPHY C41 309	N.N. Achasov, G.N. Shestakov	(NOVM)
BEVEREN	86	ZPHY C30 615	E. van Beveren <i>et al.</i>	(NIJM, BIEL)
WEINSTEIN	83B	PR D27 588	J. Weinstein, N. Isgur	(TNTO)
TORNQVIST	82	PRL 49 624	N.A. Tornqvist	(HELS)
BRAMON	80	PL 93B 65	A. Bramon, E. Masso	(BARC)
TURKOT	63	Siena Conf. 1 661	F. Turkot <i>et al.</i>	(BNL, PITT)