$a_0(980)$

$I^G(J^{PC}) = 1^-(0^{++})$

See our minireview on scalar mesons under $f_0(600)$. (See the index for the page number.)

$a_0(980)$ MASS

VALUE (MeV)	DOCUMENT ID
984.7±1.2 OUR AVERAGE Includes data from the 2 datablocks that follow this one. Error includes scale factor of 1.5. See the ideogram below.	



$a_0(980)$ MASS

$\eta\pi$ FINAL STATE ONLY

VALUE (MeV)	EVTS	DOCUMENT ID		TECN	CHG	COMMENT
The data in this block is included in the average printed for a previous datablock.						
985.1 ± 1.3 OUR AVERAGE Error includes scale factor of 1.5. See the ideogram below.						
985 ± 4 ±6	318	ACHARD	02B	L3		183–209 $e^+e^- \to e^+e^-\eta\pi^+\pi^-$
975 ± 7		BARBERIS	00H			450 $pp \to p_f\eta\pi^0 p_s$
988 ± 8		BARBERIS	00H			450 $pp \to \Delta_f^{++}\eta\pi^- p_s$
993.1 ± 2.1		[1] TEIGE	99	E852		18.3 $\pi^- p \to \eta\pi^+\pi^- n$

975	±15			BERTIN	98B	OBLX	0.0 $\overline{p}p \to K^{\pm} K_s \pi^{\mp}$
984.45	± 1.23	±0.34		AMSLER	94C	CBAR	0.0 $\overline{p}p \to \omega\eta\pi^0$
982	± 2		[2]	AMSLER	92	CBAR	0.0 $\overline{p}p \to \eta\eta\pi^0$
984	± 4	1040	[2]	ARMSTRONG	91B	OMEG ±	300 $pp \to pp\eta\pi^+\pi^-$
976	± 6			ATKINSON	84E	OMEG ±	25–55 $\gamma p \to \eta\pi n$
986	± 3	500	[3]	EVANGELISTA	81	OMEG ±	12 $\pi^- p \to \eta\pi^+\pi^-\pi^- p$
990	± 7	145	[3]	GURTU	79	HBC ±	4.2 $K^- p \to \Lambda\eta 2\pi$
977	± 7			GRASSLER	77	HBC –	16 $\pi^{\mp} p \to p\eta 3\pi$
972	±10	150		DEFOIX	72	HBC ±	0.7 $\overline{p}p \to 7\pi$

• • • We do not use the following data for averages, fits, limits, etc. • • •

995	$^{+52}_{-10}$	36	[4]	ACHASOV	00F	SND	$e^+e^- \to \eta\pi^0\gamma$
994	$^{+33}_{-8}$	36	[5]	ACHASOV	00F	SND	$e^+e^- \to \eta\pi^0\gamma$
∼ 1055			[6]	OLLER	99	RVUE	$\eta\pi$, $K\overline{K}$
∼ 1009.2			[6]	OLLER	99B	RVUE	$\pi\pi \to \pi\pi$, $K\overline{K}$
988	± 6		[6]	ANISOVICH	98B	RVUE	Compilation
987				TORNQVIST	96	RVUE	$\pi\pi \to \pi\pi$, $K\overline{K}$, $K\pi$, $\eta\pi$
991				JANSSEN	95	RVUE	$\eta\pi \to \eta\pi$, $K\overline{K}$, $K\pi$, $\eta\pi$
980	±11	47		CONFORTO	78	OSPK –	4.5 $\pi^- p \to pX^-$
978	±16	50		CORDEN	78	OMEG ±	12–15 $\pi^- p \to n\eta 2\pi$
989	± 4	70		WELLS	75	HBC –	3.1–6 $K^- p \to \Lambda\eta 2\pi$
970	±15	20		BARNES	69C	HBC –	4–5 $K^- p \to \Lambda\eta 2\pi$
980	±10			CAMPBELL	69	DBC ±	2.7 $\pi^+ d$
980	±10	15		MILLER	69B	HBC –	4.5 $K^- N \to \eta\pi\Lambda$
980	±10	30		AMMAR	68	HBC ±	5.5 $K^- p \to \Lambda\eta 2\pi$

[1] Breit-Wigner fit, average between $a_0^{\pm}$ and a_0^0. The fit favors a slightly heavier $a_0^{\pm}$.

[2] From a single Breit-Wigner fit.

[3] From $f_1(1285)$ decay.

[4] Supersedes ACHASOV 98B. Using the model of ACHASOV 89.

[5] Supersedes ACHASOV 98B. Using the model of JAFFE 77.

[6] T-matrix pole.



$\eta\pi$ FINAL STATE ONLY

$K\overline{K}$ ONLY

VALUE (MeV)	EVTS	DOCUMENT ID		TECN	CHG	COMMENT
The data in this block is included in the average printed for a previous datablock.						
980.8± 2.7 OUR AVERAGE						
982 ± 3		[7] ABELE	98	CBAR		0.0 $\overline{p}p \to K^0_L K^\pm \pi^\mp$
976 ± 6	316	DEBILLY	80	HBC	±	1.2–2 $\overline{p}p \to f_1(1285)\omega$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
~ 1053		[8] OLLER	99C	RVUE		$\pi\pi \to \pi\pi$, $K\overline{K}$
1016 ±10	100	[9] ASTIER	67	HBC	±	0.0 $\overline{p}p$
1003.3± 7.0	143	[10] ROSENFELD	65	RVUE	±	

[7] T-matrix pole on sheet II, the pole on sheet III is at 1006-i49 MeV.
[8] T-matrix pole.
[9] ASTIER 67 includes data of BARLOW 67, CONFORTO 67, ARMENTEROS 65.
[10] Plus systematic errors.

$a_0(980)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID		TECN	CHG	COMMENT
50 to 100 OUR ESTIMATE Width determination very model dependent. Peak width in $\eta\pi$ is about 60 MeV, but decay width can be much larger.						
• • • We do not use the following data for averages, fits, limits, etc. • • •						
50 ± 13 ± 4	318	ACHARD	02B	L3		183–209 $e^+e^- \to e^+e^-\eta\pi^+\pi^-$
72 ± 16		BARBERIS	00H			450 $pp \to p_f\eta\pi^0 p_s$
61 ± 19		BARBERIS	00H			450 $pp \to \Delta_f^{++}\eta\pi^- p_s$
$\sim$ 42		[11] OLLER	99	RVUE		$\eta\pi$, $K\overline{K}$
$\sim$ 112		[11] OLLER	99B	RVUE		$\pi\pi \to \eta\pi$, $K\overline{K}$
71 $\pm$ 7		TEIGE	99	E852		18.3 $\pi^- p \to \eta\pi^+\pi^- n$
92 ± 20		[11] ANISOVICH	98B	RVUE		Compilation
65 ± 10		BERTIN	98B	OBLX		0.0 $\overline{p}p \to K^\pm K_s \pi^\mp$
$\sim$ 100		TORNQVIST	96	RVUE		$\pi\pi \to \pi\pi$, $K\overline{K}$, $K\pi$, $\eta\pi$
202		JANSSEN	95	RVUE		$\eta\pi \to \eta\pi$, $K\overline{K}$, $K\pi$, $\eta\pi$
54.12 $\pm$ 0.34 $\pm$ 0.12		AMSLER	94C	CBAR		0.0 $\overline{p}p \to \omega\eta\pi^0$
54 ± 10		[12] AMSLER	92	CBAR		0.0 $\overline{p}p \to \eta\eta\pi^0$
95 ± 14	1040	[12] ARMSTRONG	91B	OMEG	$\pm$	300 $pp \to pp\eta\pi^+\pi^-$
62 ± 15	500	[13] EVANGELISTA	81	OMEG	$\pm$	12 $\pi^- p \to \eta\pi^+\pi^-\pi^- p$
60 ± 20	145	[13] GURTU	79	HBC	$\pm$	4.2 $K^- p \to \Lambda\eta 2\pi$
60 $^{+50}_{-30}$	47	CONFORTO	78	OSPK	$-$	4.5 $\pi^- p \to pX^-$
86.0 $^{+60.0}_{-50.0}$	50	CORDEN	78	OMEG	$\pm$	12–15 $\pi^- p \to n\eta 2\pi$
44 ± 22		GRASSLER	77	HBC	$-$	16 $\pi^\mp p \to p\eta 3\pi$
80 to 300		[14] FLATTE	76	RVUE	$-$	4.2 $K^- p \to \Lambda\eta 2\pi$
16.0 $^{+25.0}_{-16.0}$	70	WELLS	75	HBC	$-$	3.1–6 $K^- p \to \Lambda\eta 2\pi$
30 $\pm$ 5	150	DEFOIX	72	HBC	$\pm$	0.7 $\overline{p}p \to 7\pi$
40 ± 15		CAMPBELL	69	DBC	$\pm$	2.7 $\pi^+ d$
60 ± 30	15	MILLER	69B	HBC	$-$	4.5 $K^- N \to \eta\pi\Lambda$
80 ± 30	30	AMMAR	68	HBC	$\pm$	5.5 $K^- p \to \Lambda\eta 2\pi$

[11] T-matrix pole.
[12] From a single Breit-Wigner fit.
[13] From $f_1(1285)$ decay.
[14] Using a two-channel resonance parametrization of GAY 76B data.

$K\overline{K}$ ONLY

VALUE (MeV)	EVTS	DOCUMENT ID		TECN	CHG	COMMENT
92± 8		[15] ABELE	98	CBAR		0.0 $\overline{p}p \to K^0_L K^\pm \pi^\mp$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
~ 24		[16] OLLER	99C	RVUE		$\pi\pi \to \pi\pi$, $K\overline{K}$
~ 25	100	[17] ASTIER	67	HBC	±	
57±13	143	[18] ROSENFELD	65	RVUE	±	

[15] T-matrix pole on sheet II, the pole on sheet III is at 1006-i49 MeV.
[16] T-matrix pole.
[17] ASTIER 67 includes data of BARLOW 67, CONFORTO 67, ARMENTEROS 65.
[18] Plus systematic errors.

$a_0(980)$ DECAY MODES

	Mode	Fraction (Γ_i/Γ)
Γ_1	$\eta\pi$	dominant
Γ_2	$K\overline{K}$	seen
Γ_3	$\rho\pi$	
Γ_4	$\gamma\gamma$	seen
Γ_5	e^+e^-	

$a_0(980)$ PARTIAL WIDTHS

$\Gamma(\gamma\gamma)$ — Γ_4

VALUE (keV)	DOCUMENT ID		TECN
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.30±0.10	[19] AMSLER	98	RVUE

[19] Using $\Gamma_{\gamma\gamma}B(a0(980) \to \eta\pi)$ =0.24 ± 0.08 keV.

$a_0(980)$ $\Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(\eta\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ — $\Gamma_1\Gamma_4/\Gamma$

VALUE (keV)	EVTS	DOCUMENT ID		TECN	COMMENT
$0.24^{+0.08}_{-0.07}$ OUR AVERAGE					
0.28±0.04±0.10	44	OEST	90	JADE	$e^+e^- \to e^+e^-\pi^0\eta$
$0.19\pm0.07^{+0.10}_{-0.07}$		ANTREASYAN	86	CBAL	$e^+e^- \to e^+e^-\pi^0\eta$

$\Gamma(\eta\pi) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ — $\Gamma_1\Gamma_5/\Gamma$

VALUE (eV)	CL%	DOCUMENT ID		TECN	COMMENT
<1.5	90	VOROBYEV	88	ND	$e^+e^- \to \pi^0\eta$

$a_0(980)$ BRANCHING RATIOS

$\Gamma(K\overline{K})/\Gamma(\eta\pi)$ — Γ_2/Γ_1

VALUE	DOCUMENT ID		TECN	CHG	COMMENT
0.183±0.024 OUR NEW AVERAGE Error includes scale factor of 1.2. [0.177 ± 0.024 OUR 2002 AVERAGE Scale factor = 1.2]					
0.57 ±0.16	[20] BARGIOTTI	03	OBLX		$\overline{p}p$
0.23 ±0.05	[21] ABELE	98	CBAR		0.0 $\overline{p}p \to K^0_L K^\pm \pi^\mp$
0.166±0.01 ±0.02	[22] BARBERIS	98C	OMEG		450 $pp \to p_f f_1(1285) p_s$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
~ 0.60	OLLER	99B	RVUE		$\pi\pi \to \eta\pi$, $K\overline{K}$
1.16 ±0.18	[23] BUGG	94	RVUE		$\overline{p}p \to \eta\eta\pi^0$
0.7 ±0.3	[22] CORDEN	78	OMEG		12–15 $\pi^- p \to n\eta 2\pi$
0.25 ±0.08	[22] DEFOIX	72	HBC	±	0.7 $\overline{p} \to 7\pi$

$\Gamma(\rho\pi)/\Gamma(\eta\pi)$ — Γ_3/Γ_1

$\rho\pi$ forbidden.

VALUE	CL%	DOCUMENT ID		TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<0.25	70	AMMAR	70	HBC	±	4.1,5.5 $K^- p \to \Lambda\eta 2\pi$

[20] Coupled channel analysis of $\pi^+\pi^-\pi^0$, $K^+K^-\pi^0$, and $K^\pm K^0_S \pi^\mp$.

[21] Using $\pi^0\pi^0\eta$ from AMSLER 94D.

[22] From the decay of $f_1(1285)$.

[23] BUGG 94 uses AMSLER 94C data. This is a ratio of couplings.

$a_0(980)$ REFERENCES

BARGIOTTI	03	EPJ C26 371	M. Bargiotti et al.	(OBELIX Collab.)
ACHARD	02B	PL B526 269	P. Achard et al.	(L3 Collab.)
ACHASOV	00F	PL B479 53	M.N. Achasov et al.	(Novosibirsk SND Collab.)
BARBERIS	00H	PL B488 225	D. Barberis et al.	(WA 102 Collab.)
OLLER	99	PR D60 099906 (erratum)	J.A. Oller et al.	
OLLER	99B	NP A652 407 (erratum)	J.A. Oller, E. Oset	
OLLER	99C	PR D60 074023	J.A. Oller, E. Oset	
TEIGE	99	PR D59 012001	S. Teige et al.	(BNL-852 Collab.)
ABELE	98	PR D57 3860	A. Abele et al.	(Crystal Barrel Collab.)
ACHASOV	98B	PL B438 441	M.N. Achasov et al.	(Novosibirsk SND Collab.)
AMSLER	98	RMP 70 1293	C. Amsler	
ANISOVICH	98B	UFN 41 419	V.V. Anisovich et al.	
BARBERIS	98C	PL B440 225	D. Barberis et al.	(WA 102 Collab.)
BERTIN	98B	PL B434 180	A. Bertin et al.	(OBELIX Collab.)
TORNQVIST	96	PRL 76 1575	N.A. Tornqvist, M. Roos	(HELS)
JANSSEN	95	PR D52 2690	G. Janssen et al.	(STON, ADLD, JULI)
AMSLER	94C	PL B327 425	C. Amsler et al.	(Crystal Barrel Collab.)
AMSLER	94D	PL B333 277	C. Amsler et al.	(Crystal Barrel Collab.)
BUGG	94	PR D50 4412	D.V. Bugg et al.	(LOQM)
AMSLER	92	PL B291 347	C. Amsler et al.	(Crystal Barrel Collab.)
ARMSTRONG	91B	ZPHY C52 389	T.A. Armstrong et al.	(ATHU, BARI, BIRM+)
OEST	90	ZPHY C47 343	T. Oest et al.	(JADE Collab.)
ACHASOV	89	NP B315 465	N.N. Achasov, V.N. Ivanchenko	
VOROBYEV	88	SJNP 48 273 Translated from YAF 48 436.	P.V. Vorobiev et al.	(NOVO)

ANTREASYAN	86	PR D33 1847	D. Antreasyan *et al.*	(Crystal Ball Collab.)
ATKINSON	84E	PL 138B 459	M. Atkinson *et al.*	(BONN, CERN, GLAS+)
EVANGELISTA	81	NP B178 197	C. Evangelista *et al.*	(BARI, BONN, CERN+)
DEBILLY	80	NP B176 1	L. de Billy *et al.*	(CURIN, LAUS, NEUC+)
GURTU	79	NP B151 181	A. Gurtu *et al.*	(CERN, ZEEM, NIJM, OXF)
CONFORTO	78	LNC 23 419	B. Conforto *et al.*	(RHEL, TNTO, CHIC+)
CORDEN	78	NP B144 253	M.J. Corden *et al.*	(BIRM, RHEL, TELA+)
GRASSLER	77	NP B121 189	H. Grassler *et al.*	(AACH3, BERL, BONN+)
JAFFE	77	PR D15 267,281	R. Jaffe	(MIT)
FLATTE	76	PL 63B 224	S.M. Flatte	(CERN)
GAY	76B	PL 63B 220	J.B. Gay *et al.*	(CERN, AMST, NIJM) JP
WELLS	75	NP B101 333	J. Wells *et al.*	(OXF)
DEFOIX	72	NP B44 125	C. Defoix *et al.*	(CDEF, CERN)
AMMAR	70	PR D2 430	R. Ammar *et al.*	(KANS, NWES, ANL, WISC)
BARNES	69C	PRL 23 610	V.E. Barnes *et al.*	(BNL, SYRA)
CAMPBELL	69	PRL 22 1204	J.H. Campbell *et al.*	(PURD)
MILLER	69B	PL 29B 255	D.H. Miller *et al.*	(PURD)
Also	69	PR 188 2011	W.L. Yen *et al.*	(PURD)
AMMAR	68	PRL 21 1832	R. Ammar *et al.*	(NWES, ANL)
ASTIER	67	PL 25B 294	A. Astier *et al.*	(CDEF, CERN, IRAD)
Includes data of BARLOW 67, CONFORTO 67, and ARMENTEROS 65.				
BARLOW	67	NC 50A 701	J. Barlow *et al.*	(CERN, CDEF, IRAD, LIVP)
CONFORTO	67	NP B3 469	G. Conforto *et al.*	(CERN, CDEF, IPNP+)
ARMENTEROS	65	PL 17 344	R. Armenteros *et al.*	(CERN, CDEF)
ROSENFELD	65	Oxford Conf. 58	A.H. Rosenfeld	(LRL)

OTHER RELATED PAPERS

ACHASOV	02G	PL B534 83	N.N Achasov, A.V. Kiselev	
ACHASOV	02I	PAN 65 546	N.N. Achasov	
		Translated from YAF 65 573.		
ACHASOV	02K	PAN 65 1528	N.N. Achasov *et al.*	
		Translated from YAF 65 1566.		
BLACK	02	PRL 88 181603	D. Black, M. Harada, J. Schechter	
BOGLIONE	02	PR D65 114010	M. Boglione, M.R. Pennington	
FURMAN	02	PL B538 266	A. Furman, L. Lesniak	
ACHASOV	01F	PR D63 094007	N.N. Achasov *et al.*	(Novosibirsk SND Collab.)
ANISOVICH	01H	EPJ A12 103	A.V. Anisovich, V.V. Anisovich, V.A. Nikonov	
CLOSE	01	PL B515 13	F.E. Close, A. Kirk	
ANISOVICH	99D	PL B452 180	A.V. Anisovich *et al.*	
Also	99F	NP A651 253	A.V. Anisovich *et al.*	
MARCO	99	PL B470 20	E. Marco *et al.*	
ACHASOV	98J	SPU 41 1149	N.N. Achasov	
ACHASOV	97E	IJMP A12 5019	N.N. Achasov *et al.*	
AMSLER	94D	PL B333 277	C. Amsler *et al.*	(Crystal Barrel Collab.)
TORNQVIST	90	NPBPS 21 196	N.A. Tornqvist	(HELS)
WEINSTEIN	89	UTPT 89 03	J. Weinstein, N. Isgur	(TNTO)
ACHASOV	88B	ZPHY C41 309	N.N. Achasov, G.N. Shestakov	(NOVM)
BEVEREN	86	ZPHY C30 615	E. van Beveren *et al.*	(NIJM, BIEL)
WEINSTEIN	83B	PR D27 588	J. Weinstein, N. Isgur	(TNTO)
TORNQVIST	82	PRL 49 624	N.A. Tornqvist	(HELS)
BRAMON	80	PL 93B 65	A. Bramon, E. Masso	(BARC)
TURKOT	63	Siena Conf. 1 661	F. Turkot *et al.*	(BNL, PITT)