Citation: K. Hagiwara *et al.* (Particle Data Group), Phys. Rev. D **66**, 010001 (2002) and 2003 partial update for edition 2004 (URL: http://pdg.lbl.gov)

$J/\psi(1S)$

$I^G(J^{PC}) = 0^-(1^{--})$

$J/\psi(1S)$ MASS

VALUE (MeV)	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
3096.87±0.04 OUR AVERAGE					
3096.89±0.09	502	[1] ARTAMONOV	00	OLYA	$e^+e^- \to$ hadrons
3096.87±0.03±0.03		ARMSTRONG	93B	E760	$\overline{p}p \to e^+e^-$
3096.95±0.1 ±0.3	193	BAGLIN	87	SPEC	$\overline{p}p \to e^+e^-X$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
3097.5 ±0.3		GRIBUSHIN	96	FMPS	515 π^- Be $\to 2\mu X$
3098.4 ±2.0	38k	LEMOIGNE	82	GOLI	190 π^- Be $\to 2\mu$
3096.93±0.09	502	[2] ZHOLENTZ	80	REDE	e^+e^-
3097.0 ±1		[3] BRANDELIK	79C	DASP	e^+e^-

[1] Reanalysis of ZHOLENTZ 80 using new electron mass (COHEN 87) and radiative corrections (KURAEV 85).

[2] Superseded by ARTAMONOV 00.

[3] From a simultaneous fit to e^+e^-, $\mu^+\mu^-$ and hadronic channels assuming $\Gamma(e^+e^-) = \Gamma(\mu^+\mu^-)$.

$J/\psi(1S)$ WIDTH

VALUE (keV)	*DOCUMENT ID*		*TECN*	*COMMENT*
87 ± 5 OUR AVERAGE				
84.4± 8.9	BAI	95B	BES	e^+e^-
99 ±12 ±6	ARMSTRONG	93B	E760	$\overline{p}p \to e^+e^-$
$85.5^{+\ 6.1}_{-\ 5.8}$	[4] HSUEH	92	RVUE	See Υ mini-review

[4] Using data from COFFMAN 92, BALDINI-CELIO 75, BOYARSKI 75, ESPOSITO 75B, BRANDELIK 79C.

$J/\psi(1S)$ DECAY MODES

	Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1	hadrons	(87.7 ±0.5) %	
Γ_2	virtual $\gamma \to$ hadrons	(17.0 ±2.0) %	
Γ_3	e^+e^-	(5.93±0.10) %	
Γ_4	$\mu^+\mu^-$	(5.88±0.10) %	

Decays involving hadronic resonances

Γ_5	$\rho\pi$		(1.27 ± 0.09) %	
Γ_6	$\rho^0\pi^0$		(4.2 ± 0.5) × 10^{-3}	
Γ_7	$a_2(1320)\rho$		(1.09 ± 0.22) %	
Γ_8	$\omega\pi^+\pi^+\pi^-\pi^-$		(8.5 ± 3.4) × 10^{-3}	
Γ_9	$\omega\pi^+\pi^-$		(7.2 ± 1.0) × 10^{-3}	
Γ_{10}	$\omega f_2(1270)$		(4.3 ± 0.6) × 10^{-3}	
Γ_{11}	$K^*(892)^0\overline{K}_2^*(1430)^0$ + c.c.		(6.7 ± 2.6) × 10^{-3}	
Γ_{12}	$\omega K^*(892)\overline{K}$ + c.c.		(5.3 ± 2.0) × 10^{-3}	
Γ_{13}	$K^+\overline{K}^*(892)^-$ + c.c.		(5.0 ± 0.4) × 10^{-3}	
Γ_{14}	$K^0\overline{K}^*(892)^0$ + c.c.		(4.2 ± 0.4) × 10^{-3}	
Γ_{15}	$K_1(1400)^\pm K^\mp$		(3.8 ± 1.4) × 10^{-3}	
Γ_{16}	$\omega\pi^0\pi^0$		(3.4 ± 0.8) × 10^{-3}	
Γ_{17}	$b_1(1235)^\pm\pi^\mp$	[a]	(3.0 ± 0.5) × 10^{-3}	
Γ_{18}	$\omega K^\pm K_S^0\pi^\mp$	[a]	(2.9 ± 0.7) × 10^{-3}	
Γ_{19}	$b_1(1235)^0\pi^0$		(2.3 ± 0.6) × 10^{-3}	
Γ_{20}	$\phi K^*(892)\overline{K}$ + c.c.		(2.04 ± 0.28) × 10^{-3}	
Γ_{21}	$\omega K\overline{K}$		(1.9 ± 0.4) × 10^{-3}	
Γ_{22}	$\omega f_0(1710) \rightarrow \omega K\overline{K}$		(4.8 ± 1.1) × 10^{-4}	
Γ_{23}	$\phi 2(\pi^+\pi^-)$		(1.60 ± 0.32) × 10^{-3}	
Γ_{24}	$\Delta(1232)^{++}\overline{p}\pi^-$		(1.6 ± 0.5) × 10^{-3}	
Γ_{25}	$\omega\eta$		(1.58 ± 0.16) × 10^{-3}	
Γ_{26}	$\phi K\overline{K}$		(1.48 ± 0.22) × 10^{-3}	
Γ_{27}	$\phi f_0(1710) \rightarrow \phi K\overline{K}$		(3.6 ± 0.6) × 10^{-4}	
Γ_{28}	$p\overline{p}\omega$		(1.30 ± 0.25) × 10^{-3}	S=1.3
Γ_{29}	$\Delta(1232)^{++}\overline{\Delta}(1232)^{--}$		(1.10 ± 0.29) × 10^{-3}	
Γ_{30}	$\Sigma(1385)^-\overline{\Sigma}(1385)^+$ (or c.c.)	[a]	(1.03 ± 0.13) × 10^{-3}	
Γ_{31}	$p\overline{p}\eta'(958)$		(9 ± 4) × 10^{-4}	S=1.7
Γ_{32}	$\phi f_2'(1525)$		(8 ± 4) × 10^{-4}	S=2.7
Γ_{33}	$\phi\pi^+\pi^-$		(8.0 ± 1.2) × 10^{-4}	
Γ_{34}	$\phi K^\pm K_S^0\pi^\mp$	[a]	(7.2 ± 0.9) × 10^{-4}	
Γ_{35}	$\omega f_1(1420)$		(6.8 ± 2.4) × 10^{-4}	
Γ_{36}	$\phi\eta$		(6.5 ± 0.7) × 10^{-4}	
Γ_{37}	$\Xi(1530)^-\overline{\Xi}^+$		(5.9 ± 1.5) × 10^{-4}	
Γ_{38}	$pK^-\overline{\Sigma}(1385)^0$		(5.1 ± 3.2) × 10^{-4}	
Γ_{39}	$\omega\pi^0$		(4.2 ± 0.6) × 10^{-4}	S=1.4
Γ_{40}	$\phi\eta'(958)$		(3.3 ± 0.4) × 10^{-4}	
Γ_{41}	$\phi f_0(980)$		(3.2 ± 0.9) × 10^{-4}	S=1.9
Γ_{42}	$\Xi(1530)^0\overline{\Xi}^0$		(3.2 ± 1.4) × 10^{-4}	
Γ_{43}	$\Sigma(1385)^-\overline{\Sigma}^+$ (or c.c.)	[a]	(3.1 ± 0.5) × 10^{-4}	
Γ_{44}	$\phi f_1(1285)$		(2.6 ± 0.5) × 10^{-4}	S=1.1
Γ_{45}	$\rho\eta$		(1.93 ± 0.23) × 10^{-4}	
Γ_{46}	$\omega\eta'(958)$		(1.67 ± 0.25) × 10^{-4}	
Γ_{47}	$\omega f_0(980)$		(1.4 ± 0.5) × 10^{-4}	

Γ_{48}	$\rho\eta'(958)$		$(\ 1.05\pm0.18)\times10^{-4}$		
Γ_{49}	$p\overline{p}\phi$		$(\ 4.5\ \pm1.5\ )\times10^{-5}$		
Γ_{50}	$a_2(1320)^{\pm}\pi^{\mp}$	[a]	$<\ 4.3$	$\times10^{-3}$	CL=90%
Γ_{51}	$K\overline{K}_2^*(1430)+$ c.c.		$<\ 4.0$	$\times10^{-3}$	CL=90%
Γ_{52}	$K_1(1270)^{\pm}K^{\mp}$		$<\ 3.0$	$\times10^{-3}$	CL=90%
Γ_{53}	$K_2^*(1430)^0\overline{K}_2^*(1430)^0$		$<\ 2.9$	$\times10^{-3}$	CL=90%
Γ_{54}	$K^*(892)^0\overline{K}^*(892)^0$		$<\ 5$	$\times10^{-4}$	CL=90%
Γ_{55}	$\phi f_2(1270)$		$<\ 3.7$	$\times10^{-4}$	CL=90%
Γ_{56}	$p\overline{p}\rho$		$<\ 3.1$	$\times10^{-4}$	CL=90%
Γ_{57}	$\phi\eta(1440)\rightarrow\ \phi\eta\pi\pi$		$<\ 2.5$	$\times10^{-4}$	CL=90%
Γ_{58}	$\omega f_2'(1525)$		$<\ 2.2$	$\times10^{-4}$	CL=90%
Γ_{59}	$\Sigma(1385)^0\overline{\Lambda}$		$<\ 2$	$\times10^{-4}$	CL=90%
Γ_{60}	$\Delta(1232)^+\overline{p}$		$<\ 1$	$\times10^{-4}$	CL=90%
Γ_{61}	$\Sigma^0\overline{\Lambda}$		$<\ 9$	$\times10^{-5}$	CL=90%
Γ_{62}	$\phi\pi^0$		$<\ 6.8$	$\times10^{-6}$	CL=90%

Decays into stable hadrons

Γ_{63}	$2(\pi^+\pi^-)\pi^0$		$(\ 3.37\pm0.26)$ %		
Γ_{64}	$3(\pi^+\pi^-)\pi^0$		$(\ 2.9\ \pm0.6\ )$ %		
Γ_{65}	$\pi^+\pi^-\pi^0$		$(\ 1.50\pm0.20)$ %		
Γ_{66}	$\pi^+\pi^-\pi^0K^+K^-$		$(\ 1.20\pm0.30)$ %		
Γ_{67}	$4(\pi^+\pi^-)\pi^0$		$(\ 9.0\ \pm3.0\ )\times10^{-3}$		
Γ_{68}	$\pi^+\pi^-K^+K^-$		$(\ 7.2\ \pm2.3\ )\times10^{-3}$		
Γ_{69}	$K\overline{K}\pi$		$(\ 6.1\ \pm1.0\ )\times10^{-3}$		
Γ_{70}	$p\overline{p}\pi^+\pi^-$		$(\ 6.0\ \pm0.5\ )\times10^{-3}$		S=1.3
Γ_{71}	$2(\pi^+\pi^-)$		$(\ 4.0\ \pm1.0\ )\times10^{-3}$		
Γ_{72}	$3(\pi^+\pi^-)$		$(\ 4.0\ \pm2.0\ )\times10^{-3}$		
Γ_{73}	$n\overline{n}\pi^+\pi^-$		$(\ 4\ \ \pm4\ \ )\times10^{-3}$		
Γ_{74}	$\Sigma^0\overline{\Sigma}^0$		$(\ 1.27\pm0.17)\times10^{-3}$		
Γ_{75}	$2(\pi^+\pi^-)K^+K^-$		$(\ 3.1\ \pm1.3\ )\times10^{-3}$		
Γ_{76}	$p\overline{p}\pi^+\pi^-\pi^0$	[b]	$(\ 2.3\ \pm0.9\ )\times10^{-3}$		S=1.9
Γ_{77}	$p\overline{p}$		$(\ 2.12\pm0.10)\times10^{-3}$		
Γ_{78}	$p\overline{p}\eta$		$(\ 2.09\pm0.18)\times10^{-3}$		
Γ_{79}	$p\overline{n}\pi^-$		$(\ 2.00\pm0.10)\times10^{-3}$		
Γ_{80}	$n\overline{n}$		$(\ 2.2\ \pm0.4\ )\times10^{-3}$		
Γ_{81}	$\Xi\overline{\Xi}$		$(\ 1.8\ \pm0.4\ )\times10^{-3}$		S=1.8
Γ_{82}	$\Lambda\overline{\Lambda}$		$(\ 1.30\pm0.12)\times10^{-3}$		S=1.1
Γ_{83}	$p\overline{p}\pi^0$		$(\ 1.09\pm0.09)\times10^{-3}$		
Γ_{84}	$\Lambda\overline{\Sigma}^-\pi^+$ (or c.c.)	[a]	$(\ 1.06\pm0.12)\times10^{-3}$		
Γ_{85}	$pK^-\overline{\Lambda}$		$(\ 8.9\ \pm1.6\ )\times10^{-4}$		
Γ_{86}	$2(K^+K^-)$		$(\ 7.0\ \pm3.0\ )\times10^{-4}$		
Γ_{87}	$pK^-\overline{\Sigma}^0$		$(\ 2.9\ \pm0.8\ )\times10^{-4}$		
Γ_{88}	K^+K^-		$(\ 2.37\pm0.31)\times10^{-4}$		
Γ_{89}	$\Lambda\overline{\Lambda}\pi^0$		$(\ 2.2\ \pm0.6\ )\times10^{-4}$		

Γ_{90}	$\pi^+\pi^-$		$(\ 1.47\pm0.23)\times10^{-4}$		
Γ_{91}	$K^0_S K^0_L$		$(\ 1.08\pm0.14)\times10^{-4}$		
Γ_{92}	$\Lambda\overline{\Sigma}+$ c.c.		$<\ 1.5$	$\times10^{-4}$	CL=90%
Γ_{93}	$K^0_S K^0_S$		$<\ 5.2$	$\times10^{-6}$	CL=90%

Radiative decays

Γ_{94}	$\gamma\eta_c(1S)$		$(\ 1.3\ \pm0.4\ )$ %		
Γ_{95}	$\gamma\pi^+\pi^-2\pi^0$		$(\ 8.3\ \pm3.1\ )\times10^{-3}$		
Γ_{96}	$\gamma\eta\pi\pi$		$(\ 6.1\ \pm1.0\ )\times10^{-3}$		
Γ_{97}	$\gamma\eta(1440)\to\ \gamma K\overline{K}\pi$	[c]	$(\ 9.7\ \pm1.7\ )\times10^{-4}$		
Γ_{98}	$\gamma\eta(1440)\to\ \gamma\gamma\rho^0$		$(\ 6.4\ \pm1.4\ )\times10^{-5}$		
Γ_{99}	$\gamma\eta(1440)\to\ \gamma\eta\pi^+\pi^-$		$(\ 3.0\ \pm0.5\ )\times10^{-4}$		
Γ_{100}	$\gamma\rho\rho$		$(\ 4.5\ \pm0.8\ )\times10^{-3}$		
Γ_{101}	$\gamma\eta_2(1870)\to\ \gamma\pi^+\pi^-$		$(\ 6.2\ \pm2.4\ )\times10^{-4}$		
Γ_{102}	$\gamma\eta'(958)$		$(\ 4.31\pm0.30)\times10^{-3}$		
Γ_{103}	$\gamma2\pi^+2\pi^-$		$(\ 2.8\ \pm0.5\ )\times10^{-3}$		S=1.9
Γ_{104}	$\gamma K^+K^-\pi^+\pi^-$		$(\ 2.1\ \pm0.6\ )\times10^{-3}$		
Γ_{105}	$\gamma f_4(2050)$		$(\ 2.7\ \pm0.7\ )\times10^{-3}$		
Γ_{106}	$\gamma\omega\omega$		$(\ 1.59\pm0.33)\times10^{-3}$		
Γ_{107}	$\gamma\eta(1440)\to\ \gamma\rho^0\rho^0$		$(\ 1.7\ \pm0.4\ )\times10^{-3}$		S=1.3
Γ_{108}	$\gamma f_2(1270)$		$(\ 1.38\pm0.14)\times10^{-3}$		
Γ_{109}	$\gamma f_0(1710)\to\ \gamma K\overline{K}$		$(\ 8.5\ ^{+1.2}_{-0.9}\ )\times10^{-4}$		S=1.2
Γ_{110}	$\gamma f_0(1710)\to\ \gamma\pi\pi$				
Γ_{111}	$\gamma\eta$		$(\ 8.6\ \pm0.8\ )\times10^{-4}$		
Γ_{112}	$\gamma f_1(1420)\to\ \gamma K\overline{K}\pi$		$(\ 7.9\ \pm1.3\ )\times10^{-4}$		
Γ_{113}	$\gamma f_1(1285)$		$(\ 6.1\ \pm0.8\ )\times10^{-4}$		
Γ_{114}	$\gamma f_1(1510)\to\ \gamma\eta\pi^+\pi^-$		$(\ 4.5\ \pm1.2\ )\times10^{-4}$		
Γ_{115}	$\gamma f_2'(1525)$		$(\ 4.7\ ^{+0.7}_{-0.5}\ )\times10^{-4}$		
Γ_{116}	$\gamma f_2(1950)\to$ $\gamma K^*(892)\overline{K}^*(892)$		$(\ 7.0\ \pm2.2\ )\times10^{-4}$		
Γ_{117}	$\gamma K^*(892)\overline{K}^*(892)$		$(\ 4.0\ \pm1.3\ )\times10^{-3}$		
Γ_{118}	$\gamma\phi\phi$		$(\ 4.0\ \pm1.2\ )\times10^{-4}$		S=2.1
Γ_{119}	$\gamma p\overline{p}$		$(\ 3.8\ \pm1.0\ )\times10^{-4}$		
Γ_{120}	$\gamma\eta(2225)$		$(\ 2.9\ \pm0.6\ )\times10^{-4}$		
Γ_{121}	$\gamma\eta(1760)\to\ \gamma\rho^0\rho^0$		$(\ 1.3\ \pm0.9\ )\times10^{-4}$		
Γ_{122}	$\gamma(K\overline{K}\pi)_{\ J^PC=0-+}$		$(\ 7\ \ \pm4\ \ )\times10^{-4}$		S=2.1
Γ_{123}	$\gamma\pi^0$		$(\ 3.9\ \pm1.3\ )\times10^{-5}$		
Γ_{124}	$\gamma p\overline{p}\pi^+\pi^-$		$<\ 7.9$	$\times10^{-4}$	CL=90%
Γ_{125}	$\gamma\gamma$		$<\ 5$	$\times10^{-4}$	CL=90%
Γ_{126}	$\gamma\Lambda\overline{\Lambda}$		$<\ 1.3$	$\times10^{-4}$	CL=90%
Γ_{127}	3γ		$<\ 5.5$	$\times10^{-5}$	CL=90%
Γ_{128}	$\gamma f_0(2200)$				
Γ_{129}	$\gamma f_J(2220)$		$>\ 2.50$	$\times10^{-3}$	CL=99.9%

Γ_{130}	$\gamma f_J(2220) \rightarrow \gamma\pi\pi$	$(8 \pm 4) \times 10^{-5}$
Γ_{131}	$\gamma f_J(2220) \rightarrow \gamma K\overline{K}$	$(8.1 \pm 3.0) \times 10^{-5}$
Γ_{132}	$\gamma f_J(2220) \rightarrow \gamma p\overline{p}$	$(1.5 \pm 0.8) \times 10^{-5}$
Γ_{133}	$\gamma f_0(1500)$	$< (5.7 \pm 0.8) \times 10^{-4}$
Γ_{134}	$\gamma e^+ e^-$	$(8.8 \pm 1.4) \times 10^{-3}$

[a] The value is for the sum of the charge states or particle/antiparticle states indicated.

[b] Includes $p\overline{p}\pi^+\pi^-\gamma$ and excludes $p\overline{p}\eta$, $p\overline{p}\omega$, $p\overline{p}\eta'$.

[c] See the "Note on the $\eta(1440)$" in the $\eta(1440)$ Particle Listings.

$J/\psi(1S)$ PARTIAL WIDTHS

Γ(hadrons) Γ_1

VALUE (keV)	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
74.1 ± 8.1	BAI	95B	BES	$e^+ e^-$
59 ±24	BALDINI-...	75	FRAG	$e^+ e^-$
59 ±14	BOYARSKI	75	MRK1	$e^+ e^-$
50 ±25	ESPOSITO	75B	FRAM	$e^+ e^-$

Γ(virtual $\gamma \rightarrow$ hadrons) Γ_2

VALUE (keV)	DOCUMENT ID		TECN	COMMENT
12 ±2	[5] BOYARSKI	75	MRK1	$e^+ e^-$

[5] Included in Γ(hadrons).

$\Gamma(e^+ e^-)$ Γ_3

VALUE (keV)	DOCUMENT ID		TECN	COMMENT
5.14±0.31 OUR NEW EVALUATION [5.26 ± 0.37 keV OUR 2002 EVALUATION]				
• • • We do not use the following data for averages, fits, limits, etc. • • •				
5.14±0.39	BAI	95B	BES	$e^+ e^-$
$5.36^{+0.29}_{-0.28}$	[6] HSUEH	92	RVUE	See Υ mini-review
4.72±0.35	ALEXANDER	89	RVUE	See Υ mini-review
4.4 ±0.6	[6] BRANDELIK	79C	DASP	$e^+ e^-$
4.6 ±0.8	[7] BALDINI-...	75	FRAG	$e^+ e^-$
4.8 ±0.6	BOYARSKI	75	MRK1	$e^+ e^-$
4.6 ±1.0	ESPOSITO	75B	FRAM	$e^+ e^-$

[6] From a simultaneous fit to $e^+ e^-$, $\mu^+ \mu^-$, and hadronic channels assuming $\Gamma(e^+ e^-) = \Gamma(\mu^+ \mu^-)$.

[7] Assuming equal partial widths for $e^+ e^-$ and $\mu^+ \mu^-$.

$\Gamma(\mu^+ \mu^-)$ Γ_4

VALUE (keV)	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
5.13±0.52	BAI	95B	BES	$e^+ e^-$
4.8 ±0.6	BOYARSKI	75	MRK1	$e^+ e^-$
5 ±1	ESPOSITO	75B	FRAM	$e^+ e^-$

$\Gamma(\gamma\gamma)$ Γ_{125}

VALUE (eV)	CL%	DOCUMENT ID		TECN	COMMENT
<5.4	90	BRANDELIK	79C	DASP	e^+e^-

$J/\psi(1S)$ $\Gamma(i)\Gamma(e^+e^-)/\Gamma(\text{total})$

This combination of a partial width with the partial width into e^+e^- and with the total width is obtained from the integrated cross section into channel$_i$ in the e^+e^- annihilation.

$\Gamma(\text{hadrons}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_1\Gamma_3/\Gamma$

VALUE (keV)	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
4 ±0.8	[8] BALDINI-...	75	FRAG	e^+e^-
3.9±0.8	[8] ESPOSITO	75B	FRAM	e^+e^-

$\Gamma(e^+e^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_3\Gamma_3/\Gamma$

VALUE (keV)	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.35±0.02	BRANDELIK	79C	DASP	e^+e^-
0.32±0.07	[8] BALDINI-...	75	FRAG	e^+e^-
0.34±0.09	[8] ESPOSITO	75B	FRAM	e^+e^-
0.36±0.10	[8] FORD	75	SPEC	e^+e^-

$\Gamma(\mu^+\mu^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_4\Gamma_3/\Gamma$

VALUE (keV)	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.51±0.09	DASP	75	DASP	e^+e^-
0.38±0.05	[8] ESPOSITO	75B	FRAM	e^+e^-

$\Gamma(p\bar{p}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{77}\Gamma_3/\Gamma$

VALUE (eV)	DOCUMENT ID		TECN	COMMENT
9.7±1.7	[9] ARMSTRONG	93B	E760	$\bar{p}p \to e^+e^-$

[8] Data redundant with branching ratios or partial widths above.
[9] Using $\Gamma_{\text{total}} = 85.5^{+6.1}_{-5.8}$ MeV.

$J/\psi(1S)$ BRANCHING RATIOS

For the first four branching ratios, see also the partial widths, and (partial widths) $\times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ above.

$\Gamma(\text{hadrons})/\Gamma_{\text{total}}$ Γ_1/Γ

VALUE	DOCUMENT ID		TECN	COMMENT
0.877±0.005 OUR AVERAGE				
0.878±0.005	BAI	95B	BES	e^+e^-
0.86 ±0.02	BOYARSKI	75	MRK1	e^+e^-

$\Gamma(\text{virtual}\,\gamma \to \text{hadrons})/\Gamma_{\text{total}}$ Γ_2/Γ

VALUE		DOCUMENT ID		TECN	COMMENT
0.17 ±0.02	[10]	BOYARSKI	75	MRK1	$e^+ e^-$

[10] Included in $\Gamma(\text{hadrons})/\Gamma_{\text{total}}$.

$\Gamma(e^+ e^-)/\Gamma_{\text{total}}$ Γ_3/Γ

VALUE	DOCUMENT ID		TECN	COMMENT
0.0593±0.0010 OUR AVERAGE				
0.0590±0.0005±0.0010	BAI	98D	BES	$\psi(2S) \to J/\psi\,\pi^+\pi^-$
0.0609±0.0033	BAI	95B	BES	$e^+ e^-$
0.0592±0.0015±0.0020	COFFMAN	92	MRK3	$\psi(2S) \to J/\psi\,\pi^+\pi^-$
0.069 ±0.009	BOYARSKI	75	MRK1	$e^+ e^-$

$\Gamma(\mu^+ \mu^-)/\Gamma_{\text{total}}$ Γ_4/Γ

VALUE	DOCUMENT ID		TECN	COMMENT
0.0588±0.0010 OUR AVERAGE				
0.0584±0.0006±0.0010	BAI	98D	BES	$\psi(2S) \to J/\psi\,\pi^+\pi^-$
0.0608±0.0033	BAI	95B	BES	$e^+ e^-$
0.0590±0.0015±0.0019	COFFMAN	92	MRK3	$\psi(2S) \to J/\psi\,\pi^+\pi^-$
0.069 ±0.009	BOYARSKI	75	MRK1	$e^+ e^-$

$\Gamma(e^+ e^-)/\Gamma(\mu^+ \mu^-)$ Γ_3/Γ_4

VALUE	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.00±0.07	BAI	95B	BES	$e^+ e^-$
1.00±0.05	BOYARSKI	75	MRK1	$e^+ e^-$
0.91±0.15	ESPOSITO	75B	FRAM	$e^+ e^-$
0.93±0.10	FORD	75	SPEC	$e^+ e^-$

HADRONIC DECAYS

$\Gamma(\rho\pi)/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.0127±0.0009 OUR AVERAGE					
0.0121±0.0020		BAI	96D	BES	$e^+ e^- \to \rho\pi$
0.0142±0.0001±0.0019		COFFMAN	88	MRK3	$e^+ e^-$
0.013 ±0.003	150	FRANKLIN	83	MRK2	$e^+ e^-$
0.016 ±0.004	183	ALEXANDER	78	PLUT	$e^+ e^-$
0.0133±0.0021		BRANDELIK	78B	DASP	$e^+ e^-$
0.010 ±0.002	543	BARTEL	76	CNTR	$e^+ e^-$
0.013 ±0.003	153	JEAN-MARIE	76	MRK1	$e^+ e^-$

$\Gamma(\rho^0\pi^0)/\Gamma(\rho\pi)$ Γ_6/Γ_5

VALUE	DOCUMENT ID		TECN	COMMENT
0.328±0.005±0.027	COFFMAN	88	MRK3	$e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.35 ±0.08	ALEXANDER	78	PLUT	$e^+ e^-$
0.32 ±0.08	BRANDELIK	78B	DASP	$e^+ e^-$
0.39 ±0.11	BARTEL	76	CNTR	$e^+ e^-$
0.37 ±0.09	JEAN-MARIE	76	MRK1	$e^+ e^-$

$\Gamma(a_2(1320)\rho)/\Gamma_{total}$ Γ_7/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
10.9±2.2 OUR AVERAGE					
11.7±0.7±2.5	7584	AUGUSTIN	89	DM2	$J/\psi \to \rho^0 \rho^\pm \pi^\mp$
8.4±4.5	36	VANNUCCI	77	MRK1	$e^+ e^- \to 2(\pi^+ \pi^-)\pi^0$

$\Gamma(\omega\pi^+\pi^+\pi^-\pi^-)/\Gamma_{total}$ Γ_8/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
85±34	140	VANNUCCI	77	MRK1	$e^+ e^- \to 3(\pi^+ \pi^-)\pi^0$

$\Gamma(\omega\pi^+\pi^-)/\Gamma_{total}$ Γ_9/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
7.2±1.0 OUR AVERAGE					
7.0±1.6	18058	AUGUSTIN	89	DM2	$J/\psi \to 2(\pi^+ \pi^-)\pi^0$
7.8±1.6	215	BURMESTER	77D	PLUT	$e^+ e^-$
6.8±1.9	348	VANNUCCI	77	MRK1	$e^+ e^- \to 2(\pi^+ \pi^-)\pi^0$

$\Gamma(\omega\pi^+\pi^-)/\Gamma(2(\pi^+\pi^-)\pi^0)$ Γ_9/Γ_{63}

VALUE	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.3	[11] JEAN-MARIE	76	MRK1	$e^+ e^-$

[11] Final state $(\pi^+\pi^-)\pi^0$ under the assumption that $\pi\pi$ is isospin 0.

$\Gamma(K^*(892)^0 \overline{K}_2^*(1430)^0 + \text{c.c.})/\Gamma_{total}$ Γ_{11}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
67±26	40	VANNUCCI	77	MRK1	$e^+ e^- \to \pi^+ \pi^- K^+ K^-$

$\Gamma(\omega K^*(892)\overline{K} + \text{c.c.})/\Gamma_{total}$ Γ_{12}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
53±14±14	530± 140	BECKER	87	MRK3	$e^+ e^-$ → hadrons

$\Gamma(\omega f_2(1270))/\Gamma_{total}$ Γ_{10}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
4.3±0.6 OUR AVERAGE					
4.3±0.2±0.6	5860	AUGUSTIN	89	DM2	$e^+ e^-$
4.0±1.6	70	BURMESTER	77D	PLUT	$e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1.9±0.8	81	VANNUCCI	77	MRK1	$e^+ e^- \to 2(\pi^+ \pi^-)\pi^0$

$\Gamma(K^+\overline{K}^*(892)^- + \text{c.c.})/\Gamma_{total}$ Γ_{13}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
5.0 ±0.4 OUR AVERAGE					
4.57±0.17±0.70	2285	JOUSSET	90	DM2	$J/\psi \to$ hadrons
5.26±0.13±0.53		COFFMAN	88	MRK3	$J/\psi \to K^\pm K_S^0 \pi^\mp$, $K^+ K^- \pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.6 ±0.6	24	FRANKLIN	83	MRK2	$J/\psi \rightarrow K^+ K^- \pi^0$
3.2 ±0.6	48	VANNUCCI	77	MRK1	$J/\psi \rightarrow K^\pm K_S^0 \pi^\mp$
4.1 ±1.2	39	BRAUNSCH...	76	DASP	$J/\psi \rightarrow K^\pm X$

$\Gamma(K^0 \overline{K}^*(892)^0 + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{14}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
4.2 ±0.4 OUR AVERAGE					
3.96±0.15±0.60	1192	JOUSSET	90	DM2	$J/\psi \rightarrow$ hadrons
4.33±0.12±0.45		COFFMAN	88	MRK3	$J/\psi \rightarrow K^\pm K_S^0 \pi^\mp$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.7 ±0.6	45	VANNUCCI	77	MRK1	$J/\psi \rightarrow K^\pm K_S^0 \pi^\mp$

$\Gamma(K^0 \overline{K}^*(892)^0 + \text{c.c.})/\Gamma(K^+ \overline{K}^*(892)^- + \text{c.c.})$ Γ_{14}/Γ_{13}

VALUE	DOCUMENT ID		TECN	COMMENT
0.82±0.05±0.09	COFFMAN	88	MRK3	$J/\psi \rightarrow K\overline{K}^*(892)+\text{c.c.}$

$\Gamma(K_1(1400)^\pm K^\mp)/\Gamma_{\text{total}}$ Γ_{15}/Γ

VALUE (units 10^{-3})	DOCUMENT ID		TECN	COMMENT
3.8±0.8±1.2	[12] BAI	99C	BES	$e^+ e^-$

[12] Assuming B($K_1(1400) \rightarrow K^* \pi$)=0.94 ± 0.06

$\Gamma(\omega \pi^0 \pi^0)/\Gamma_{\text{total}}$ Γ_{16}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
3.4±0.3±0.7	509	AUGUSTIN	89	DM2	$J/\psi \rightarrow \pi^+ \pi^- 3\pi^0$

$\Gamma(b_1(1235)^\pm \pi^\mp)/\Gamma_{\text{total}}$ Γ_{17}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
30±5 OUR AVERAGE					
31±6	4600	AUGUSTIN	89	DM2	$J/\psi \rightarrow 2(\pi^+ \pi^-)\pi^0$
29±7	87	BURMESTER	77D	PLUT	$e^+ e^-$

$\Gamma(\omega K^\pm K_S^0 \pi^\mp)/\Gamma_{\text{total}}$ Γ_{18}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
29.5±1.4±7.0	879± 41	BECKER	87	MRK3	$e^+ e^- \rightarrow$ hadrons

$\Gamma(b_1(1235)^0 \pi^0)/\Gamma_{\text{total}}$ Γ_{19}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
23±3±5	229	AUGUSTIN	89	DM2	$e^+ e^-$

$\Gamma(\phi K^*(892)\overline{K} + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{20}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
20.4±2.8 OUR AVERAGE					
20.7±2.4±3.0		FALVARD	88	DM2	$J/\psi \rightarrow$ hadrons
20 ±3 ±3	155± 20	BECKER	87	MRK3	$e^+ e^- \rightarrow$ hadrons

$\Gamma(\omega K\overline{K})/\Gamma_{total}$ Γ_{21}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
19 ± 4 OUR AVERAGE					
19.8± 2.1±3.9		[13] FALVARD	88	DM2	$J/\psi \to$ hadrons
16 ±10	22	FELDMAN	77	MRK1	e^+e^-

[13] Addition of ωK^+K^- and $\omega K^0\overline{K}^0$ branching ratios.

$\Gamma(\omega f_0(1710) \to \omega K\overline{K})/\Gamma_{total}$ Γ_{22}/Γ

VALUE (units 10^{-4})	DOCUMENT ID		TECN	COMMENT
4.8±1.1±0.3	[14,15] FALVARD	88	DM2	$J/\psi \to$ hadrons

[14] Includes unknown branching fraction $f_0(1710) \to K\overline{K}$.
[15] Addition of $f_0(1710) \to K^+K^-$ and $f_0(1710) \to K^0\overline{K}^0$ branching ratios.

$\Gamma(\phi 2(\pi^+\pi^-))/\Gamma_{total}$ Γ_{23}/Γ

VALUE (units 10^{-4})	DOCUMENT ID		TECN	COMMENT
16.0±1.0±3.0	FALVARD	88	DM2	$J/\psi \to$ hadrons

$\Gamma(\Delta(1232)^{++}\overline{p}\pi^-)/\Gamma_{total}$ Γ_{24}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
1.58±0.23±0.40	332	EATON	84	MRK2	e^+e^-

$\Gamma(\omega\eta)/\Gamma_{total}$ Γ_{25}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
1.58±0.16 OUR AVERAGE					
1.43±0.10±0.21	378	JOUSSET	90	DM2	$J/\psi \to$ hadrons
1.71±0.08±0.20		COFFMAN	88	MRK3	$e^+e^- \to 3\pi\eta$

$\Gamma(\phi K\overline{K})/\Gamma_{total}$ Γ_{26}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
14.8±2.2 OUR AVERAGE					
14.6±0.8±2.1		[16] FALVARD	88	DM2	$J/\psi \to$ hadrons
18 ±8	14	FELDMAN	77	MRK1	e^+e^-

[16] Addition of ϕK^+K^- and $\phi K^0\overline{K}^0$ branching ratios.

$\Gamma(\phi f_0(1710) \to \phi K\overline{K})/\Gamma_{total}$ Γ_{27}/Γ

VALUE (units 10^{-4})	DOCUMENT ID		TECN	COMMENT
3.6±0.2±0.6	[17,18] FALVARD	88	DM2	$J/\psi \to$ hadrons

[17] Including interference with $f_2'(1525)$.
[18] Includes unknown branching fraction $f_0(1710) \to K\overline{K}$.

$\Gamma(p\overline{p}\omega)/\Gamma_{total}$ Γ_{28}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
1.30±0.25 OUR AVERAGE Error includes scale factor of 1.3.					
1.10±0.17±0.18	486	EATON	84	MRK2	e^+e^-
1.6 ±0.3	77	PERUZZI	78	MRK1	e^+e^-

$\Gamma(\Delta(1232)^{++}\overline{\Delta}(1232)^{--})/\Gamma_{total}$ Γ_{29}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
1.10±0.09±0.28	233	EATON	84	MRK2	e^+e^-

$\Gamma(\Sigma(1385)^-\overline{\Sigma}(1385)^+ (\text{or c.c.}))/\Gamma_{total}$ Γ_{30}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
1.03±0.13 OUR AVERAGE					
1.00±0.04±0.21	631±25	HENRARD	87	DM2	$e^+e^- \to \Sigma^{*-}$
1.19±0.04±0.25	754±27	HENRARD	87	DM2	$e^+e^- \to \Sigma^{*+}$
0.86±0.18±0.22	56	EATON	84	MRK2	$e^+e^- \to \Sigma^{*-}$
1.03±0.24±0.25	68	EATON	84	MRK2	$e^+e^- \to \Sigma^{*+}$

$\Gamma(p\overline{p}\eta'(958))/\Gamma_{total}$ Γ_{31}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
0.9 ±0.4 OUR AVERAGE Error includes scale factor of 1.7.					
0.68±0.23±0.17	19	EATON	84	MRK2	e^+e^-
1.8 ±0.6	19	PERUZZI	78	MRK1	e^+e^-

$\Gamma(\phi f_2'(1525))/\Gamma_{total}$ Γ_{32}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
8 ±4 OUR AVERAGE Error includes scale factor of 2.7.					
12.3±0.6±2.0	[19,20]	FALVARD	88	DM2	$J/\psi \to$ hadrons
4.8±1.8	46 [19]	GIDAL	81	MRK2	$J/\psi \to K^+K^-K^+K^-$

[19] Re-evaluated using $B(f_2'(1525) \to K\overline{K}) = 0.713$.

[20] Including interference with $f_0(1710)$.

$\Gamma(\phi\pi^+\pi^-)/\Gamma_{total}$ Γ_{33}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
0.80±0.12 OUR AVERAGE					
0.78±0.03±0.12		FALVARD	88	DM2	$J/\psi \to$ hadrons
2.1 ±0.9	23	FELDMAN	77	MRK1	e^+e^-

$\Gamma(\phi K^\pm K_S^0 \pi^\mp)/\Gamma_{total}$ Γ_{34}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
7.2±0.9 OUR AVERAGE					
7.4±0.9±1.1		FALVARD	88	DM2	$J/\psi \to$ hadrons
7 ±0.6±1.0	163±15	BECKER	87	MRK3	$e^+e^- \to$ hadrons

$\Gamma(\omega f_1(1420))/\Gamma_{total}$ Γ_{35}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
$\mathbf{6.8^{+1.9}_{-1.6}\pm 1.7}$	111^{+31}_{-26}	BECKER	87	MRK3	$e^+e^- \to$ hadrons

$\Gamma(\phi\eta)/\Gamma_{total}$ — Γ_{36}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
0.65 ±0.07 OUR AVERAGE					
0.64 ±0.04 ±0.11	346	JOUSSET	90	DM2	$J/\psi \to$ hadrons
0.661±0.045±0.078		COFFMAN	88	MRK3	$e^+e^- \to K^+K^-\eta$

$\Gamma(\Xi(1530)^-\overline{\Xi}^+)/\Gamma_{total}$ — Γ_{37}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
0.59±0.09±0.12	75 ± 11	HENRARD	87	DM2	e^+e^-

$\Gamma(pK^-\overline{\Sigma}(1385)^0)/\Gamma_{total}$ — Γ_{38}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
0.51±0.26±0.18	89	EATON	84	MRK2	e^+e^-

$\Gamma(\omega\pi^0)/\Gamma_{total}$ — Γ_{39}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
0.42 ±0.06 OUR AVERAGE	Error includes scale factor of 1.4.				
0.360±0.028±0.054	222	JOUSSET	90	DM2	$J/\psi \to$ hadrons
0.482±0.019±0.064		COFFMAN	88	MRK3	$e^+e^- \to \pi^0\pi^+\pi^-\pi^0$

$\Gamma(\phi\eta'(958))/\Gamma_{total}$ — Γ_{40}/Γ

VALUE (units 10^{-3})	CL%	EVTS	DOCUMENT ID		TECN	COMMENT
0.33 ±0.04 OUR AVERAGE						
0.41 ±0.03 ±0.08		167	JOUSSET	90	DM2	$J/\psi \to$ hadrons
0.308±0.034±0.036			COFFMAN	88	MRK3	$e^+e^- \to K^+K^-\eta'$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<1.3	90		VANNUCCI	77	MRK1	e^+e^-

$\Gamma(\phi f_0(980))/\Gamma_{total}$ — Γ_{41}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
3.2±0.9 OUR AVERAGE	Error includes scale factor of 1.9.				
4.6±0.4±0.8		[21] FALVARD	88	DM2	$J/\psi \to$ hadrons
2.6±0.6	50	[21] GIDAL	81	MRK2	$J/\psi \to K^+K^-K^+K^-$

[21] Assuming B($f_0(980) \to \pi\pi$) = 0.78.

$\Gamma(\Xi(1530)^0\overline{\Xi}^0)/\Gamma_{total}$ — Γ_{42}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
0.32±0.12±0.07	24 ± 9	HENRARD	87	DM2	e^+e^-

$\Gamma(\Sigma(1385)^- \overline{\Sigma}^+ (\text{or c.c.}))/\Gamma_{\text{total}}$ Γ_{43}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
0.31±0.05 OUR AVERAGE					
0.30±0.03±0.07	74 ± 8	HENRARD	87	DM2	$e^+ e^- \to \Sigma^{*-}$
0.34±0.04±0.07	77 ± 9	HENRARD	87	DM2	$e^+ e^- \to \Sigma^{*+}$
0.29±0.11±0.10	26	EATON	84	MRK2	$e^+ e^- \to \Sigma^{*-}$
0.31±0.11±0.11	28	EATON	84	MRK2	$e^+ e^- \to \Sigma^{*+}$

$\Gamma(\phi f_1(1285))/\Gamma_{\text{total}}$ Γ_{44}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
2.6±0.5 OUR AVERAGE Error includes scale factor of 1.1.					
3.2±0.6±0.4		JOUSSET	90	DM2	$J/\psi \to \phi 2(\pi^+ \pi^-)$
2.1±0.5±0.4	25	[22] JOUSSET	90	DM2	$J/\psi \to \phi \eta \pi^+ \pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.6±0.2±0.1	16 ± 6	BECKER	87	MRK3	$J/\psi \to \phi K \overline{K} \pi$

[22] We attrribute to the $f_1(1285)$ the signal observed in the $\pi^+ \pi^- \eta$ invariant mass distribution at 1297 Mev.

$\Gamma(\rho\eta)/\Gamma_{\text{total}}$ Γ_{45}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
0.193±0.023 OUR AVERAGE					
0.194±0.017±0.029	299	JOUSSET	90	DM2	$J/\psi \to$ hadrons
0.193±0.013±0.029		COFFMAN	88	MRK3	$e^+ e^- \to \pi^+ \pi^- \eta$

$\Gamma(\omega\eta'(958))/\Gamma_{\text{total}}$ Γ_{46}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
0.167±0.025 OUR AVERAGE					
$0.18\ ^{+0.10}_{-0.08}\ \pm 0.03$	6	JOUSSET	90	DM2	$J/\psi \to$ hadrons
0.166±0.017±0.019		COFFMAN	88	MRK3	$e^+ e^- \to 3\pi\eta'$

$\Gamma(\omega f_0(980))/\Gamma_{\text{total}}$ Γ_{47}/Γ

VALUE (units 10^{-4})	DOCUMENT ID		TECN	COMMENT
1.41±0.27±0.47	[23] AUGUSTIN	89	DM2	$J/\psi \to 2(\pi^+ \pi^-)\pi^0$

[23] Assuming B($f_0(980) \to \pi\pi$) = 0.78.

$\Gamma(\rho\eta'(958))/\Gamma_{\text{total}}$ Γ_{48}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
0.105±0.018 OUR AVERAGE					
0.083±0.030±0.012	19	JOUSSET	90	DM2	$J/\psi \to$ hadrons
0.114±0.014±0.016		COFFMAN	88	MRK3	$J/\psi \to \pi^+ \pi^- \eta'$

$\Gamma(p\overline{p}\phi)/\Gamma_{\text{total}}$ Γ_{49}/Γ

VALUE (units 10^{-4})	DOCUMENT ID		TECN	COMMENT
0.45±0.13±0.07	FALVARD	88	DM2	$J/\psi \to$ hadrons

$\Gamma(a_2(1320)^{\pm}\pi^{\mp})/\Gamma_{total}$ — Γ_{50}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<43	90	BRAUNSCH...	76	DASP	e^+e^-

$\Gamma(K\overline{K}_2^*(1430)+\text{c.c.})/\Gamma_{total}$ — Γ_{51}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<40	90	VANNUCCI	77	MRK1	$e^+e^- \rightarrow K^0\overline{K}_2^{*0}$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<66	90	BRAUNSCH...	76	DASP	$e^+e^- \rightarrow K^{\pm}\overline{K}_2^{*\mp}$

$\Gamma(K_1(1270)^{\pm}K^{\mp})/\Gamma_{total}$ — Γ_{52}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID		TECN	COMMENT
<3.0	90	[24] BAI	99C	BES	e^+e^-

[24] Assuming B($K_1(1270) \rightarrow K\rho$)=0.42 ± 0.06

$\Gamma(K_2^*(1430)^0\overline{K}_2^*(1430)^0)/\Gamma_{total}$ — Γ_{53}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<29	90	VANNUCCI	77	MRK1	$e^+e^- \rightarrow \pi^+\pi^- K^+K^-$

$\Gamma(K^*(892)^0\overline{K}^*(892)^0)/\Gamma_{total}$ — Γ_{54}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<5	90	VANNUCCI	77	MRK1	$e^+e^- \rightarrow \pi^+\pi^- K^+K^-$

$\Gamma(\phi f_2(1270))/\Gamma_{total}$ — Γ_{55}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<3.7	90	VANNUCCI	77	MRK1	$e^+e^- \rightarrow \pi^+\pi^- K^+K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<4.5	90	FALVARD	88	DM2	$J/\psi \rightarrow$ hadrons

$\Gamma(p\overline{p}\rho)/\Gamma_{total}$ — Γ_{56}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID		TECN	COMMENT
<0.31	90	EATON	84	MRK2	$e^+e^- \rightarrow$ hadronsγ

$\Gamma(\phi\eta(1440) \rightarrow \phi\eta\pi\pi)/\Gamma_{total}$ — Γ_{57}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<2.5	90	[25] FALVARD	88	DM2	$J/\psi \rightarrow$ hadrons

[25] Includes unknown branching fraction $\eta(1440) \rightarrow \eta\pi\pi$.

$\Gamma(\omega f_2'(1525))/\Gamma_{total}$ — Γ_{58}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<2.2	90	[26] VANNUCCI	77	MRK1	$e^+e^- \rightarrow \pi^+\pi^-\pi^0 K^+K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<2.8	90	[26] FALVARD	88	DM2	$J/\psi \rightarrow$ hadrons

[26] Re-evaluated assuming B($f_2'(1525) \rightarrow K\overline{K}$) = 0.713.

$\Gamma(\Sigma(1385)^0\overline{\Lambda})/\Gamma_{total}$ Γ_{59}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID		TECN	COMMENT
<0.2	90	HENRARD	87	DM2	e^+e^-

$\Gamma(\Delta(1232)^+\overline{p})/\Gamma_{total}$ Γ_{60}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID		TECN	COMMENT
<0.1	90	HENRARD	87	DM2	e^+e^-

$\Gamma(\Sigma^0\overline{\Lambda})/\Gamma_{total}$ Γ_{61}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<0.9	90	HENRARD	87	DM2	e^+e^-

$\Gamma(\phi\pi^0)/\Gamma_{total}$ Γ_{62}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<0.068	90	COFFMAN	88	MRK3	$e^+e^- \to K^+K^-\pi^0$

$\Gamma(2(\pi^+\pi^-)\pi^0)/\Gamma_{total}$ Γ_{63}/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.0337±0.0026 OUR AVERAGE					
0.0325±0.0049	46055	AUGUSTIN	89	DM2	$J/\psi \to 2(\pi^+\pi^-)\pi^0$
0.0317±0.0042	147	FRANKLIN	83	MRK2	$e^+e^- \to$ hadrons
0.0364±0.0052	1500	BURMESTER	77D	PLUT	e^+e^-
0.04 ±0.01	675	JEAN-MARIE	76	MRK1	e^+e^-

$\Gamma(3(\pi^+\pi^-)\pi^0)/\Gamma_{total}$ Γ_{64}/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.029±0.006 OUR AVERAGE					
0.028±0.009	11	FRANKLIN	83	MRK2	$e^+e^- \to$ hadrons
0.029±0.007	181	JEAN-MARIE	76	MRK1	e^+e^-

$\Gamma(\pi^+\pi^-\pi^0)/\Gamma_{total}$ Γ_{65}/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.015 ±0.002	168	FRANKLIN	83	MRK2	e^+e^-

$\Gamma(\pi^+\pi^-\pi^0K^+K^-)/\Gamma_{total}$ Γ_{66}/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.012 ±0.003	309	VANNUCCI	77	MRK1	e^+e^-

$\Gamma(4(\pi^+\pi^-)\pi^0)/\Gamma_{total}$ Γ_{67}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
90±30	13	JEAN-MARIE	76	MRK1	e^+e^-

$\Gamma(\pi^+\pi^-K^+K^-)/\Gamma_{total}$ Γ_{68}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
72±23	205	VANNUCCI	77	MRK1	e^+e^-

$\Gamma(K\overline{K}\pi)/\Gamma_{total}$ Γ_{69}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
61 ±10 OUR AVERAGE					
55.2±12.0	25	FRANKLIN	83	MRK2	$e^+e^- \rightarrow K^+K^-\pi^0$
78.0±21.0	126	VANNUCCI	77	MRK1	$e^+e^- \rightarrow K^0_S K^\pm\pi^\mp$

$\Gamma(p\overline{p}\pi^+\pi^-)/\Gamma_{total}$ Γ_{70}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
6.0 ±0.5 OUR AVERAGE Error includes scale factor of 1.3. See the ideogram below.					
6.46±0.17±0.43	1435	EATON	84	MRK2	e^+e^-
3.8 ±1.6	48	BESCH	81	BONA	e^+e^-
5.5 ±0.6	533	PERUZZI	78	MRK1	e^+e^-



$\Gamma(p\overline{p}\pi^+\pi^-)/\Gamma_{total}$ (units 10^{-3})

$\Gamma(2(\pi^+\pi^-))/\Gamma_{total}$ Γ_{71}/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.004 ±0.001	76	JEAN-MARIE	76	MRK1	e^+e^-

$\Gamma(3(\pi^+\pi^-))/\Gamma_{total}$ Γ_{72}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
40±20	32	JEAN-MARIE	76	MRK1	e^+e^-

$\Gamma(n\overline{n}\pi^+\pi^-)/\Gamma_{total}$ Γ_{73}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
3.8±3.6	5	BESCH	81	BONA	e^+e^-

$\Gamma(\Sigma^0\overline{\Sigma}^0)/\Gamma_{total}$ Γ_{74}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
1.27±0.17 OUR AVERAGE					
1.06±0.04±0.23	884±30	PALLIN	87	DM2	$e^+e^- \to \Sigma^0\overline{\Sigma}^0$
1.58±0.16±0.25	90	EATON	84	MRK2	$e^+e^- \to \Sigma^0\overline{\Sigma}^0$
1.3 ±0.4	52	PERUZZI	78	MRK1	$e^+e^- \to \Sigma^0\overline{\Sigma}^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
2.4 ±2.6	3	BESCH	81	BONA	$e^+e^- \to \Sigma^+\overline{\Sigma}^-$

$\Gamma(2(\pi^+\pi^-)K^+K^-)/\Gamma_{total}$ Γ_{75}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
31±13	30	VANNUCCI	77	MRK1	e^+e^-

$\Gamma(p\overline{p}\pi^+\pi^-\pi^0)/\Gamma_{total}$ Γ_{76}/Γ

Including $p\overline{p}\pi^+\pi^-\gamma$ and excluding ω, η, η'

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
2.3 ±0.9 OUR AVERAGE Error includes scale factor of 1.9.					
3.36±0.65±0.28	364	EATON	84	MRK2	e^+e^-
1.6 ±0.6	39	PERUZZI	78	MRK1	e^+e^-

$\Gamma(p\overline{p})/\Gamma_{total}$ Γ_{77}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
2.12±0.10 OUR AVERAGE					
1.97±0.22	99	BALDINI	98	FENI	e^+e^-
1.91±0.04±0.30		PALLIN	87	DM2	e^+e^-
2.16±0.07±0.15	1420	EATON	84	MRK2	e^+e^-
2.5 ±0.4	133	BRANDELIK	79C	DASP	e^+e^-
2.0 ±0.5		BESCH	78	BONA	e^+e^-
2.2 ±0.2	331	[27] PERUZZI	78	MRK1	e^+e^-
• • • We do not use the following data for averages, fits, limits, etc. • • •					
2.0 ±0.3	48	ANTONELLI	93	SPEC	e^+e^-

[27] Assuming angular distribution $(1+\cos^2\theta)$.

$\Gamma(p\overline{p}\eta)/\Gamma_{total}$ Γ_{78}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
2.09±0.18 OUR AVERAGE					
2.03±0.13±0.15	826	EATON	84	MRK2	e^+e^-
2.5 ±1.2		BRANDELIK	79C	DASP	e^+e^-
2.3 ±0.4	197	PERUZZI	78	MRK1	e^+e^-

$\Gamma(p\overline{n}\pi^-)/\Gamma_{total}$ Γ_{79}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
2.00±0.10 OUR AVERAGE					
2.02±0.07±0.16	1288	EATON	84	MRK2	$e^+e^- \to p\pi^-$
1.93±0.07±0.16	1191	EATON	84	MRK2	$e^+e^- \to \overline{p}\pi^+$
1.7 ±0.7	32	BESCH	81	BONA	$e^+e^- \to p\pi^-$
1.6 ±1.2	5	BESCH	81	BONA	$e^+e^- \to \overline{p}\pi^+$
2.16±0.29	194	PERUZZI	78	MRK1	$e^+e^- \to p\pi^-$
2.04±0.27	204	PERUZZI	78	MRK1	$e^+e^- \to \overline{p}\pi^+$

$\Gamma(\Xi\overline{\Xi})/\Gamma_{\text{total}}$ Γ_{81}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
1.8 ±0.4 OUR AVERAGE	Error includes scale factor of 1.8. See the ideogram below.				
1.40±0.12±0.24	132±11	HENRARD	87	DM2	$e^+e^- \to \Xi^-\overline{\Xi}^+$
2.28±0.16±0.40	194	EATON	84	MRK2	$e^+e^- \to \Xi^-\overline{\Xi}^+$
3.2 ±0.8	71	PERUZZI	78	MRK1	e^+e^-



$\Gamma(\Xi\overline{\Xi})/\Gamma_{\text{total}}$ (units 10^{-3})

$\Gamma(n\overline{n})/\Gamma_{\text{total}}$ Γ_{80}/Γ

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
0.22 ±0.04 OUR AVERAGE					
0.231±0.049	79	BALDINI	98	FENI	e^+e^-
0.18 ±0.09		BESCH	78	BONA	e^+e^-
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.190±0.055	40	ANTONELLI	93	SPEC	e^+e^-

$\Gamma(\Lambda\overline{\Lambda})/\Gamma_{\text{total}}$ Γ_{82}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
1.30±0.12 OUR AVERAGE	Error includes scale factor of 1.1.				
1.08±0.06±0.24	631	BAI	98G	BES	e^+e^-
1.38±0.05±0.20	1847	PALLIN	87	DM2	e^+e^-
1.58±0.08±0.19	365	EATON	84	MRK2	e^+e^-
2.6 ±1.6	5	BESCH	81	BONA	e^+e^-
1.1 ±0.2	196	PERUZZI	78	MRK1	e^+e^-

$\Gamma(p\bar{p}\pi^0)/\Gamma_{total}$ Γ_{83}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
1.09±0.09 OUR AVERAGE					
1.13±0.09±0.09	685	EATON	84	MRK2	e^+e^-
1.4 ±0.4		BRANDELIK	79C	DASP	e^+e^-
1.00±0.15	109	PERUZZI	78	MRK1	e^+e^-

$\Gamma(\Lambda\overline{\Sigma}^-\pi^+ \text{(or c.c.)})/\Gamma_{total}$ Γ_{84}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
1.06±0.12 OUR AVERAGE					
0.90±0.06±0.16	225±15	HENRARD	87	DM2	$e^+e^- \to \Lambda\overline{\Sigma}^+\pi^-$
1.11±0.06±0.20	342±18	HENRARD	87	DM2	$e^+e^- \to \Lambda\overline{\Sigma}^-\pi^+$
1.53±0.17±0.38	135	EATON	84	MRK2	$e^+e^- \to \Lambda\overline{\Sigma}^+\pi^-$
1.38±0.21±0.35	118	EATON	84	MRK2	$e^+e^- \to \Lambda\overline{\Sigma}^-\pi^+$

$\Gamma(pK^-\overline{\Lambda})/\Gamma_{total}$ Γ_{85}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
0.89±0.07±0.14	307	EATON	84	MRK2	e^+e^-

$\Gamma(2(K^+K^-))/\Gamma_{total}$ Γ_{86}/Γ

VALUE (units 10^{-4})	DOCUMENT ID		TECN	COMMENT
7 ±3	VANNUCCI	77	MRK1	e^+e^-

$\Gamma(pK^-\overline{\Sigma}^0)/\Gamma_{total}$ Γ_{87}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
0.29±0.06±0.05	90	EATON	84	MRK2	e^+e^-

$\Gamma(K^+K^-)/\Gamma_{total}$ Γ_{88}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
2.37±0.31 OUR AVERAGE					
2.39±0.24±0.22	107	BALTRUSAIT...85D		MRK3	e^+e^-
2.2 ±0.9	6	BRANDELIK	79C	DASP	e^+e^-

$\Gamma(\Lambda\overline{\Lambda}\pi^0)/\Gamma_{total}$ Γ_{89}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
0.22±0.06 OUR AVERAGE					
0.23±0.07±0.08	11	BAI	98G	BES	e^+e^-
0.22±0.05±0.05	19 ± 4	HENRARD	87	DM2	e^+e^-

$\Gamma(\pi^+\pi^-)/\Gamma_{total}$ Γ_{90}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
1.47±0.23 OUR AVERAGE					
1.58±0.20±0.15	84	BALTRUSAIT...85D		MRK3	e^+e^-
1.0 ±0.5	5	BRANDELIK	78B	DASP	e^+e^-
1.6 ±1.6	1	VANNUCCI	77	MRK1	e^+e^-

$\Gamma(K^0_S K^0_L)/\Gamma_{total}$ Γ_{91}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
1.08±0.14 OUR AVERAGE					
1.18±0.12±0.18		JOUSSET	90	DM2	$J/\psi \to$ hadrons
1.01±0.16±0.09	74	BALTRUSAIT...85D		MRK3	$e^+ e^-$

$\Gamma(\Lambda\overline{\Sigma} + \text{c.c.})/\Gamma_{total}$ Γ_{92}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID		TECN	COMMENT
<0.15	90	PERUZZI	78	MRK1	$e^+ e^- \to \Lambda X$

$\Gamma(K^0_S K^0_S)/\Gamma_{total}$ Γ_{93}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<0.052	90	[28] BALTRUSAIT...85C		MRK3	$e^+ e^-$

[28] Forbidden by *CP*.

RADIATIVE DECAYS

$\Gamma(\gamma\eta_c(1S))/\Gamma_{total}$ Γ_{94}/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.0127±0.0036		GAISER	86	CBAL	$J/\psi \to \gamma X$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
seen	16	BALTRUSAIT...84		MRK3	$J/\psi \to 2\phi\gamma$

$\Gamma(\gamma\pi^+\pi^- 2\pi^0)/\Gamma_{total}$ Γ_{95}/Γ

VALUE (units 10^{-3})	DOCUMENT ID		TECN	COMMENT
8.3±0.2±3.1	[29] BALTRUSAIT...86B		MRK3	$J/\psi \to 4\pi\gamma$

[29] 4π mass less than 2.0 GeV.

$\Gamma(\gamma\eta\pi\pi)/\Gamma_{total}$ Γ_{96}/Γ

VALUE (units 10^{-3})	DOCUMENT ID		TECN	COMMENT
6.1 ±1.0 OUR AVERAGE				
5.85±0.3±1.05	[30] EDWARDS	83B	CBAL	$J/\psi \to \eta\pi^+\pi^-$
7.8 ±1.2±2.4	[30] EDWARDS	83B	CBAL	$J/\psi \to \eta 2\pi^0$

[30] Broad enhancement at 1700 MeV.

$\Gamma(\gamma\eta(1440) \to \gamma K\overline{K}\pi)/\Gamma_{total}$ Γ_{97}/Γ

VALUE (units 10^{-3})	DOCUMENT ID		TECN	COMMENT
0.97±0.17 OUR AVERAGE				
1.66±0.1 ±0.58	[31,32] BAI	00D	BES	$J/\psi \to \gamma K^\pm K^0_S \pi^\mp$
0.83±0.13±0.18	[33,34] AUGUSTIN	92	DM2	$J/\psi \to \gamma K\overline{K}\pi$
$1.03^{+0.21}_{-0.18}{}^{+0.26}_{-0.19}$	[33,35] BAI	90C	MRK3	$J/\psi \to \gamma K^0_S K^\pm \pi^\mp$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.78±0.21±0.33	[33,36] AUGUSTIN	92	DM2	$J/\psi \to \gamma K\overline{K}\pi$
3.8 ±0.3 ±0.6	[33] AUGUSTIN	90	DM2	$J/\psi \to \gamma K\overline{K}\pi$
$0.66^{+0.17}_{-0.16}{}^{+0.24}_{-0.15}$	[33,37] BAI	90C	MRK3	$J/\psi \to \gamma K^0_S K^\pm \pi^\mp$
4.0 ±0.7 ±1.0	[33] EDWARDS	82E	CBAL	$J/\psi \to K^+ K^- \pi^0 \gamma$
4.3 ±1.7	[33,38] SCHARRE	80	MRK2	$e^+ e^-$

[31] Interference with the $J/\psi(1S)$ radiative transition to the broad $K\overline{K}\pi$ pseudoscalar state around 1800 is $(0.15 \pm 0.01 \pm 0.05) \times 10^{-3}$.
[32] Interference with $J/\psi \to \gamma f_1(1420)$ is $(-0.03 \pm 0.01 \pm 0.01) \times 10^{-3}$.
[33] Includes unknown branching fraction $\eta(1440) \to K\overline{K}\pi$.
[34] From fit to the $K^*(892)K$ 0^{-+} partial wave.
[35] From $K^*(890)K$ final state.
[36] From fit to the $a_0(980)\pi$ 0^{-+} partial wave.
[37] From $a_0(980)\pi$ final state.
[38] Corrected for spin-zero hypothesis for $\eta(1440)$.

$\Gamma(\gamma\eta(1440) \to \gamma\gamma\rho^0)/\Gamma_{total}$ Γ_{98}/Γ

VALUE (units 10^{-5})	DOCUMENT ID		TECN	COMMENT
6.4±1.2±0.7	[39] COFFMAN	90	MRK3	$J/\psi \to \gamma\gamma\pi^+\pi^-$

[39] Includes unknown branching fraction $\eta(1440) \to \gamma\rho^0$.

$\Gamma(\gamma\eta(1440) \to \gamma\eta\pi^+\pi^-)/\Gamma_{total}$ Γ_{99}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
3.0 ±0.5 OUR AVERAGE					
2.6 ±0.7 ±0.4		BAI	99	BES	$J/\psi \to \gamma\eta\pi^+\pi^-$
3.38±0.33±0.64		[40] BOLTON	92B	MRK3	$J/\psi \to \gamma\eta\pi^+\pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
7.0 ±0.6 ±1.1	261	[41] AUGUSTIN	90	DM2	$J/\psi \to \gamma\eta\pi^+\pi^-$

[40] Via $a_0(980)\pi$.
[41] Includes unknown branching fraction to $\eta\pi^+\pi^-$.

$\Gamma(\gamma\rho\rho)/\Gamma_{total}$ Γ_{100}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID		TECN	COMMENT
4.5 ±0.8 OUR AVERAGE					
4.7 ±0.3 ±0.9		[42] BALTRUSAIT...	86B	MRK3	$J/\psi \to 4\pi\gamma$
3.75±1.05±1.20		[43] BURKE	82	MRK2	$J/\psi \to 4\pi\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.09	90	[44] BISELLO	89B		$J/\psi \to 4\pi\gamma$

[42] 4π mass less than 2.0 GeV.
[43] 4π mass less than 2.0 GeV, $2\rho^0$ corrected to 2ρ by factor of 3.
[44] 4π mass in the range 2.0–25 GeV.

$\Gamma(\gamma\eta_2(1870) \to \gamma\pi^+\pi^-)/\Gamma_{total}$ Γ_{101}/Γ

VALUE (units 10^{-4})	DOCUMENT ID		TECN	COMMENT
6.2±2.2±0.9	BAI	99	BES	$J/\psi \to \gamma\eta\pi^+\pi^-$

$\Gamma(\gamma\eta'(958))/\Gamma_{total}$ Γ_{102}/Γ

VALUE (units 10^{-3})	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
4.31±0.30 OUR AVERAGE					
4.50±0.14±0.53		BOLTON	92B	MRK3	$J/\psi \to \gamma\pi^+\pi^-\eta,\ \eta \to \gamma\gamma$
4.30±0.31±0.71		BOLTON	92B	MRK3	$J/\psi \to \gamma\pi^+\pi^-\eta,\ \eta \to \pi^+\pi^-\pi^0$
4.04±0.16±0.85	622	AUGUSTIN	90	DM2	$J/\psi \to \gamma\eta\pi^+\pi^-$
4.39±0.09±0.66	2420	AUGUSTIN	90	DM2	$J/\psi \to \gamma\gamma\pi^+\pi^-$
4.1 ±0.3 ±0.6		BLOOM	83	CBAL	$e^+e^- \to 3\gamma +$ hadronsγ
• • • We do not use the following data for averages, fits, limits, etc. • • •					
2.9 ±1.1	6	BRANDELIK	79C	DASP	$e^+e^- \to 3\gamma$
2.4 ±0.7	57	BARTEL	76	CNTR	$e^+e^- \to 2\gamma\rho$

$\Gamma(\gamma 2\pi^+ 2\pi^-)/\Gamma_{total}$ Γ_{103}/Γ

VALUE (units 10^{-3})		*DOCUMENT ID*		*TECN*	*COMMENT*
2.8 ±0.5 OUR AVERAGE Error includes scale factor of 1.9. See the ideogram below.					
4.32±0.14±0.73	[45]	BISELLO	89B	DM2	$J/\psi \to 4\pi\gamma$
2.08±0.13±0.35	[46]	BISELLO	89B	DM2	$J/\psi \to 4\pi\gamma$
3.05±0.08±0.45	[46]	BALTRUSAIT...	86B	MRK3	$J/\psi \to 4\pi\gamma$
4.85±0.45±1.20	[47]	BURKE	82	MRK2	e^+e^-

[45] 4π mass less than 3.0 GeV.
[46] 4π mass less than 2.0 GeV.
[47] 4π mass less than 2.5 GeV.



$\Gamma(\gamma 2\pi^+ 2\pi^-)/\Gamma_{total}$ (units 10^{-3})

$\Gamma(\gamma K^+ K^- \pi^+ \pi^-)/\Gamma_{total}$ Γ_{104}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
2.1±0.1±0.6	1516	BAI	00B	BES	$J/\psi \to \gamma K^+ K^0 \pi^+ \pi^-$

$\Gamma(\gamma f_4(2050))/\Gamma_{total}$ Γ_{105}/Γ

VALUE (units 10^{-3})	DOCUMENT ID		TECN	COMMENT
2.7±0.5±0.5	[48] BALTRUSAIT...87		MRK3	$J/\psi \to \gamma \pi^+ \pi^-$

[48] Assuming branching fraction $f_4(2050) \to \pi\pi/$ total = 0.167.

$\Gamma(\gamma\omega\omega)/\Gamma_{total}$ Γ_{106}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
1.59±0.33 OUR AVERAGE					
1.41±0.2 ±0.42	120±17	BISELLO	87	SPEC	$e^+ e^-$, hadronsγ
1.76±0.09±0.45		BALTRUSAIT...85C		MRK3	$e^+ e^- \to$ hadronsγ

$\Gamma(\gamma\eta(1440) \to \gamma\rho^0\rho^0)/\Gamma_{total}$ Γ_{107}/Γ

VALUE (units 10^{-3})	DOCUMENT ID		TECN	COMMENT
1.7 ±0.4 OUR AVERAGE Error includes scale factor of 1.3.				
2.1 ±0.4	BUGG	95	MRK3	$J/\psi \to \gamma \pi^+ \pi^- \pi^+ \pi^-$
1.36±0.38	[49,50] BISELLO	89B	DM2	$J/\psi \to 4\pi\gamma$

[49] Estimated by us from various fits.
[50] Includes unknown branching fraction to $\rho^0\rho^0$.

$\Gamma(\gamma f_2(1270))/\Gamma_{total}$ Γ_{108}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	CHG	COMMENT
1.38±0.14 OUR AVERAGE						
1.33±0.05±0.20		[51] AUGUSTIN	87	DM2		$J/\psi \to \gamma \pi^+ \pi^-$
1.36±0.09±0.23		[51] BALTRUSAIT...87		MRK3		$J/\psi \to \gamma \pi^+ \pi^-$
1.48±0.25±0.30	178	EDWARDS	82B	CBAL		$e^+ e^- \to 2\pi^0\gamma$
2.0 ±0.7	35	ALEXANDER	78	PLUT	0	$e^+ e^-$
1.2 ±0.6	30	[52] BRANDELIK	78B	DASP		$e^+ e^- \to \pi^+ \pi^- \gamma$

[51] Estimated using B($f_2(1270) \to \pi\pi$)=0.843 ± 0.012. The errors do not contain the uncertainty in the $f_2(1270)$ decay.
[52] Restated by us to take account of spread of E1, M2, E3 transitions.

$\Gamma(\gamma f_0(1710) \to \gamma K\overline{K})/\Gamma_{total}$ Γ_{109}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
$\mathbf{8.5^{+1.2}_{-0.9}}$ **OUR AVERAGE** Error includes scale factor of 1.2.					
$5.0\pm0.8^{+1.8}_{-0.4}$		[53,54] BAI	96C	BES	$J/\psi \to \gamma K^+ K^-$
9.2±1.4±1.4		[54] AUGUSTIN	88	DM2	$J/\psi \to \gamma K^+ K^-$
10.4±1.2±1.6		[54] AUGUSTIN	88	DM2	$J/\psi \to \gamma K^0_S K^0_S$
9.6±1.2±1.8		[54] BALTRUSAIT...87		MRK3	$J/\psi \to \gamma K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$1.6 \pm 0.2 ^{+0.6}_{-0.2}$		[54,55] BAI	96C	BES	$J/\psi \rightarrow \gamma K^+ K^-$
< 0.8	90	[56] BISELLO	89B		$J/\psi \rightarrow 4\pi\gamma$
$1.6 \pm 0.4 \pm 0.3$		[57] BALTRUSAIT...	87	MRK3	$J/\psi \rightarrow \gamma \pi^+ \pi^-$
3.8 ± 1.6		[58] EDWARDS	82D	CBAL	$e^+ e^- \rightarrow \eta\eta\gamma$

[53] Assuming $J^P = 2^+$ for $f_0(1710)$.
[54] Includes unknown branching fraction to $K^+ K^-$ or $K^0_S K^0_S$. We have multiplied $K^+ K^-$ measurement by 2, and $K^0_S K^0_S$ by 4 to obtain $K\overline{K}$ result.
[55] Assuming $J^P = 0^+$ for $f_0(1710)$.
[56] Includes unknown branching fraction to $\rho^0 \rho^0$.
[57] Includes unknown branching fraction to $\pi^+ \pi^-$.
[58] Includes unknown branching fraction to $\eta\eta$.

$\Gamma(\gamma f_0(1710) \rightarrow \gamma\pi\pi)/\Gamma_{total}$ Γ_{110}/Γ

VALUE (units 10^{-4})	*DOCUMENT ID*		*TECN*	*COMMENT*
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$2.5 \pm 1.6 \pm 0.8$	BAI	98H	BES	$J/\psi \rightarrow \gamma \pi^0 \pi^0$

$\Gamma(\gamma\eta)/\Gamma_{total}$ Γ_{111}/Γ

VALUE (units 10^{-3})	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
0.86 ± 0.08 OUR AVERAGE					
$0.88 \pm 0.08 \pm 0.11$		BLOOM	83	CBAL	$e^+ e^-$
0.82 ± 0.10		BRANDELIK	79C	DASP	$e^+ e^-$
1.3 ± 0.4	21	BARTEL	77	CNTR	$e^+ e^-$

$\Gamma(\gamma f_1(1420) \rightarrow \gamma K\overline{K}\pi)/\Gamma_{total}$ Γ_{112}/Γ

VALUE (units 10^{-3})	*DOCUMENT ID*		*TECN*	*COMMENT*
0.79 ± 0.13 OUR AVERAGE				
$0.68 \pm 0.04 \pm 0.24$	BAI	00D	BES	$J/\psi \rightarrow \gamma K^\pm K^0_S \pi^\mp$
$0.76 \pm 0.15 \pm 0.21$	[59,60] AUGUSTIN	92	DM2	$J/\psi \rightarrow \gamma K\overline{K}\pi$
$0.87 \pm 0.14 ^{+0.14}_{-0.11}$	[59] BAI	90C	MRK3	$J/\psi \rightarrow \gamma K^0_S K^\pm \pi^\mp$

[59] Included unknown branching fraction $f_1(1420) \rightarrow K\overline{K}\pi$.
[60] From fit to the $K^*(892)K$ 1^{++} partial wave.

$\Gamma(\gamma f_1(1285))/\Gamma_{total}$ Γ_{113}/Γ

VALUE (units 10^{-3})	*DOCUMENT ID*		*TECN*	*COMMENT*
0.61 ± 0.08 OUR AVERAGE				
$0.61 \pm 0.04 \pm 0.21$	[61] BAI	00D	BES	$J/\psi \rightarrow \gamma K^\pm K^0_S \pi^\mp$
$0.45 \pm 0.09 \pm 0.17$	[62] BAI	99	BES	$J/\psi \rightarrow \gamma \eta \pi^+ \pi^-$
$0.625 \pm 0.063 \pm 0.103$	[63] BOLTON	92	MRK3	$J/\psi \rightarrow \gamma f_1(1285)$
$0.70 \pm 0.08 \pm 0.16$	[64] BOLTON	92B	MRK3	$J/\psi \rightarrow \gamma \eta \pi^+ \pi^-$

[61] Assuming $\Gamma(f_1(1285) \to K\overline{K}\pi)/\Gamma_{\text{total}} = 0.09 \pm 0.04$.
[62] Assuming $\Gamma(f_1(1285) \to \eta\pi\pi)/\Gamma_{\text{total}} = 0.5 \pm 0.18$.
[63] Obtained summing the sequential decay channels
$B(J/\psi \to \gamma f_1(1285), f_1(1285) \to \pi\pi\pi\pi) = (1.44 \pm 0.39 \pm 0.27) \times 10^{-4}$;
$B(J/\psi \to \gamma f_1(1285), f_1(1285) \to a_0(980)\pi, a_0(980) \to \eta\pi) = (3.90 \pm 0.42 \pm 0.87) \times 10^{-4}$;
$B(J/\psi \to \gamma f_1(1285), f_1(1285) \to a_0(980)\pi, a_0(980) \to K\overline{K}) = (0.66 \pm 0.26 \pm 0.29) \times 10^{-4}$;
$B(J/\psi \to \gamma f_1(1285), f_1(1285) \to \gamma\rho^0) = (0.25 \pm 0.07 \pm 0.03) \times 10^{-4}$.
[64] Using $B(f_1(1285) \to a_0(980)\pi) = 0.37$, and including unknown branching ratio for $a_0(980) \to \eta\pi$.

$\Gamma(\gamma f_1(1510) \to \gamma\eta\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{114}/Γ

VALUE (units 10^{-4})	*DOCUMENT ID*		*TECN*	*COMMENT*
4.5±1.0±0.7	BAI	99	BES	$J/\psi \to \gamma\eta\pi^+\pi^-$

$\Gamma(\gamma f_2'(1525))/\Gamma_{\text{total}}$ Γ_{115}/Γ

VALUE (units 10^{-3})	*CL%*	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
$0.47^{+0.07}_{-0.05}$ OUR AVERAGE						
$0.36 \pm 0.04^{+0.14}_{-0.04}$			[65] BAI	96C	BES	$J/\psi \to \gamma K^+K^-$
$0.56 \pm 0.14 \pm 0.09$			[65] AUGUSTIN	88	DM2	$J/\psi \to \gamma K^+K^-$
$0.45 \pm 0.04 \pm 0.09$			[65] AUGUSTIN	88	DM2	$J/\psi \to \gamma K^0_S K^0_S$
$0.68 \pm 0.16 \pm 0.14$			[65] BALTRUSAIT..	87	MRK3	$J/\psi \to \gamma K^+K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<0.34	90	4	[66] BRANDELIK	79C	DASP	$e^+e^- \to \pi^+\pi^-\gamma$
<0.23	90	3	ALEXANDER	78	PLUT	$e^+e^- \to K^+K^-\gamma$

[65] Using $B(f_2'(1525) \to K\overline{K}) = 0.888$.
[66] Assuming isotropic production and decay of the $f_2'(1525)$ and isospin.

$\Gamma(\gamma f_2(1950) \to \gamma K^*(892)\overline{K}^*(892))/\Gamma_{\text{total}}$ Γ_{116}/Γ

VALUE (units 10^{-3})	*DOCUMENT ID*		*TECN*	*COMMENT*
0.7 ±0.1 ±0.2	BAI	00B	BES	$J/\psi \to \gamma K^+K^0\pi^+\pi^-$

$\Gamma(\gamma K^*(892)\overline{K}^*(892))/\Gamma_{\text{total}}$ Γ_{117}/Γ

VALUE (units 10^{-3})	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
4.0±0.3±1.3	320	[67] BAI	00B	BES	$J/\psi \to \gamma K^+K^0\pi^+\pi^-$

[67] Summed over all charges.

$\Gamma(\gamma\phi\phi)/\Gamma_{\text{total}}$ Γ_{118}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
4.0±1.2 OUR AVERAGE Error includes scale factor of 2.1. See the ideogram below.					
7.5±0.6±1.2	168	BAI	90B	MRK3	$J/\psi \to \gamma 4K$
3.4±0.8±0.6	33 ± 7	[68] BISELLO	90	DM2	$J/\psi \to \gamma K^+ K^- K^0_S K^0_L$
3.1±0.7±0.4		[68] BISELLO	86B	DM2	$J/\psi \to \gamma K^+ K^- K^+ K^-$

[68] $\phi\phi$ mass less than 2.9 GeV, η_c excluded.



$\Gamma(\gamma\phi\phi)/\Gamma_{\text{total}}$ (units 10^{-4})

$\Gamma(\gamma p\overline{p})/\Gamma_{\text{total}}$ Γ_{119}/Γ

VALUE (units 10^{-3})	CL%	EVTS	DOCUMENT ID		TECN	COMMENT
0.38±0.07±0.07		49	EATON	84	MRK2	e^+e^-
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<0.11	90		PERUZZI	78	MRK1	e^+e^-

$\Gamma(\gamma\eta(2225))/\Gamma_{\text{total}}$ Γ_{120}/Γ

VALUE (units 10^{-3})	DOCUMENT ID		TECN	COMMENT
0.29±0.06 OUR AVERAGE				
0.33±0.08±0.05	[69] BAI	90B	MRK3	$J/\psi \to \gamma K^+ K^- K^+ K^-$
0.27±0.06±0.06	[69] BAI	90B	MRK3	$J/\psi \to \gamma K^+ K^- K^0_S K^0_L$
$0.24^{+0.15}_{-0.10}$	[70,71] BISELLO	89B	DM2	$J/\psi \to 4\pi\gamma$

[69] Includes unknown branching fraction to $\phi\phi$.
[70] Estimated by us from various fits.
[71] Includes unknown branching fraction to $\rho^0\rho^0$.

$\Gamma(\gamma\eta(1760) \to \gamma\rho^0\rho^0)/\Gamma_{total}$ Γ_{121}/Γ

VALUE (units 10^{-3})		DOCUMENT ID		TECN	COMMENT
0.13±0.09	[72,73]	BISELLO	89B	DM2	$J/\psi \to 4\pi\gamma$

[72] Estimated by us from various fits.
[73] Includes unknown branching fraction to $\rho^0\rho^0$.

$\Gamma(\gamma(K\overline{K}\pi)_{J^PC=0^{-+}})/\Gamma_{total}$ Γ_{122}/Γ

VALUE (units 10^{-3})		DOCUMENT ID		TECN	COMMENT
0.7 ±0.4 OUR AVERAGE	Error includes scale factor of 2.1.				
0.58±0.03±0.20	[74]	BAI	00D	BES	$J/\psi \to \gamma K^\pm K_S^0 \pi^\mp$
2.1 ±0.1 ±0.7	[75]	BAI	00D	BES	$J/\psi \to \gamma K^\pm K_S^0 \pi^\mp$

[74] For a broad structure around 1800 MeV.
[75] For a broad structure around 2040 MeV.

$\Gamma(\gamma\pi^0)/\Gamma_{total}$ Γ_{123}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
0.039±0.013 OUR AVERAGE					
0.036±0.011±0.007		BLOOM	83	CBAL	e^+e^-
0.073±0.047	10	BRANDELIK	79C	DASP	e^+e^-

$\Gamma(\gamma p\overline{p}\pi^+\pi^-)/\Gamma_{total}$ Γ_{124}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID		TECN	COMMENT
<0.79	90	EATON	84	MRK2	e^+e^-

$\Gamma(\gamma\gamma)/\Gamma_{total}$ Γ_{125}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID		TECN	COMMENT
<0.5	90	BARTEL	77	CNTR	e^+e^-

$\Gamma(\gamma\Lambda\overline{\Lambda})/\Gamma_{total}$ Γ_{126}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID		TECN	COMMENT
<0.13	90	HENRARD	87	DM2	e^+e^-
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.16	90	BAI	98G	BES	e^+e^-

$\Gamma(3\gamma)/\Gamma_{total}$ Γ_{127}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID		TECN	COMMENT
<0.055	90	PARTRIDGE	80	CBAL	e^+e^-

$\Gamma(\gamma f_0(2200))/\Gamma_{total}$ Γ_{128}/Γ

VALUE (units 10^{-4})	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.5	[76] AUGUSTIN	88	DM2	$J/\psi \to \gamma K_S^0 K_S^0$

[76] Includes unknown branching fraction to $K_S^0 K_S^0$.

$\Gamma(\gamma f_J(2220))/\Gamma_{total}$ Γ_{129}/Γ

VALUE (units 10^{-5})	CL%	EVTS	DOCUMENT ID		TECN	COMMENT
>250	99.9		[77] HASAN	96	SPEC	$\overline{p}p \to \pi^+\pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
>300			[78] BAI	96B	BES	$e^+e^- \to \gamma\overline{p}p,\ K\overline{K}$
< 2.3	95		[79] AUGUSTIN	88	DM2	$J/\psi \to \gamma K^+K^-$
< 1.6	95		[79] AUGUSTIN	88	DM2	$J/\psi \to \gamma K^0_S K^0_S$
$12.4^{+6.4}_{-5.2}\pm2.8$		23	[79] BALTRUSAIT..	86D	MRK3	$J/\psi \to \gamma K^0_S K^0_S$
$8.4^{+3.4}_{-2.8}\pm1.6$		93	[79] BALTRUSAIT..	86D	MRK3	$J/\psi \to \gamma K^+K^-$

[77] Using BAI 96B.
[78] Using BARNES 93.
[79] Includes unknown branching fraction to K^+K^- or $K^0_S K^0_S$.

$\Gamma(\gamma f_J(2220) \to \gamma\pi\pi)/\Gamma_{total}$ Γ_{130}/Γ

VALUE (units 10^{-4})	DOCUMENT ID		TECN	COMMENT
0.84±0.26±0.30	BAI	96B	BES	$e^+e^- \to J/\psi \to \gamma\pi^+\pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.4 ±0.8 ±0.4	BAI	98H	BES	$J/\psi \to \gamma\pi^0\pi^0$

$\Gamma(\gamma f_J(2220) \to \gamma K\overline{K})/\Gamma_{total}$ Γ_{131}/Γ

VALUE (units 10^{-5})	DOCUMENT ID		TECN	COMMENT
8.1±3.0 OUR AVERAGE				
6.6±2.9±2.4	BAI	96B	BES	$e^+e^- \to J/\psi \to \gamma K^+K^-$
10.8±4.0±3.2	BAI	96B	BES	$e^+e^- \to J/\psi \to \gamma K^0_S K^0_S$

$\Gamma(\gamma f_J(2220) \to \gamma p\overline{p})/\Gamma_{total}$ Γ_{132}/Γ

VALUE (units 10^{-5})	DOCUMENT ID		TECN	COMMENT
1.5±0.6±0.5	BAI	96B	BES	$e^+e^- \to J/\psi \to \gamma p\overline{p}$

$\Gamma(\gamma f_0(1500))/\Gamma_{total}$ Γ_{133}/Γ

VALUE (units 10^{-4})		DOCUMENT ID		TECN	COMMENT
>5.7±0.8	[80,81]	BUGG	95	MRK3	$J/\psi \to \gamma\pi^+\pi^-\pi^+\pi^-$

[80] Including unknown branching ratio for $f_0(1500) \to \pi^+\pi^-\pi^+\pi^-$.
[81] Assuming that $f_0(1500)$ decays only to two S-wave dipions.

$\Gamma(\gamma e^+ e^-)/\Gamma_{\text{total}}$ Γ_{134}/Γ

VALUE (units 10^{-3})	*DOCUMENT ID*	*TECN*	*COMMENT*
8.8±1.3±0.4	[82] ARMSTRONG 96	E760	$\overline{p}p \rightarrow e^+ e^- \gamma$

[82] For $E_\gamma > 100$ MeV.

$J/\psi(1S)$ REFERENCES

ARTAMONOV	00	PL B474 427	A.S. Artamonov *et al.*	
BAI	00B	PL B472 200	J.Z. Bai *et al.*	(BES Collab.)
BAI	00D	PL B476 25	J.Z. Bai *et al.*	(BES Collab.)
BAI	99	PL B446 356	J.Z. Bai *et al.*	(BES Collab.)
BAI	99C	PRL 83 1918	J.Z. Bai *et al.*	(BES Collab.)
BAI	98D	PR D58 092006	J.Z. Bai *et al.*	(BES Collab.)
BAI	98G	PL B424 213	J.Z. Bai *et al.*	(BES Collab.)
BAI	98H	PRL 81 1179	J.Z. Bai *et al.*	(BES Collab.)
BALDINI	98	PL B444 111	R. Baldini *et al.*	(FENICE Collab.)
ARMSTRONG	96	PR D54 7067	T.A. Armstrong *et al.*	(E760 Collab.)
BAI	96B	PRL 76 3502	J.Z. Bai *et al.*	(BES Collab.)
BAI	96C	PRL 77 3959	J.Z. Bai *et al.*	(BES Collab.)
BAI	96D	PR D54 1221	J.Z. Bai *et al.*	(BES Collab.)
GRIBUSHIN	96	PR D53 4723	A. Gribushin *et al.*	(E672 Collab., E706 Collab.)
HASAN	96	PL B388 376	A. Hasan, D.V. Bugg	(BRUN, LOQM)
BAI	95B	PL B355 374	J.Z. Bai *et al.*	(BES Collab.)
BUGG	95	PL B353 378	D.V. Bugg *et al.*	(LOQM, PNPI, WASH)
ANTONELLI	93	PL B301 317	A. Antonelli *et al.*	(FENICE Collab.)
ARMSTRONG	93B	PR D47 772	T.A. Armstrong *et al.*	(FNAL E760 Collab.)
BARNES	93	PL B309 469	P.D. Barnes, P. Birien, W.H. Breunlich	
AUGUSTIN	92	PR D46 1951	J.E. Augustin, G. Cosme	(DM2 Collab.)
BOLTON	92	PL B278 495	T. Bolton *et al.*	(Mark III Collab.)
BOLTON	92B	PRL 69 1328	T. Bolton *et al.*	(Mark III Collab.)
COFFMAN	92	PRL 68 282	D.M. Coffman *et al.*	(Mark III Collab.)
HSUEH	92	PR D45 R2181	S. Hsueh, S. Palestini	(FNAL, TORI)
AUGUSTIN	90	PR D42 10	J.E. Augustin *et al.*	(DM2 Collab.)
BAI	90B	PRL 65 1309	Z. Bai *et al.*	(Mark III Collab.)
BAI	90C	PRL 65 2507	Z. Bai *et al.*	(Mark III Collab.)
BISELLO	90	PL B241 617	D. Bisello *et al.*	(DM2 Collab.)
COFFMAN	90	PR D41 1410	D.M. Coffman *et al.*	(Mark III Collab.)
JOUSSET	90	PR D41 1389	J. Jousset *et al.*	(DM2 Collab.)
ALEXANDER	89	NP B320 45	J.P. Alexander *et al.*	(LBL, MICH, SLAC)
AUGUSTIN	89	NP B320 1	J.E. Augustin, G. Cosme	(DM2 Collab.)
BISELLO	89B	PR D39 701	G. Busetto *et al.*	(DM2 Collab.)
AUGUSTIN	88	PRL 60 2238	J.E. Augustin *et al.*	(DM2 Collab.)
COFFMAN	88	PR D38 2695	D.M. Coffman *et al.*	(Mark III Collab.)
FALVARD	88	PR D38 2706	A. Falvard *et al.*	(CLER, FRAS, LALO+)
AUGUSTIN	87	ZPHY C36 369	J.E. Augustin *et al.*	(LALO, CLER, FRAS+)
BAGLIN	87	NP B286 592	C. Baglin *et al.*	(LAPP, CERN, GENO, LYON+)
BALTRUSAIT...	87	PR D35 2077	R.M. Baltrusaitis *et al.*	(Mark III Collab.)
BECKER	87	PRL 59 186	J.J. Becker *et al.*	(Mark III Collab.)
BISELLO	87	PL B192 239	D. Bisello *et al.*	(PADO, CLER, FRAS+)
COHEN	87	RMP 59 1121	E.R. Cohen, B.N. Taylor	(RISC, NBS)
HENRARD	87	NP B292 670	P. Henrard *et al.*	(CLER, FRAS, LALO+)
PALLIN	87	NP B292 653	D. Pallin *et al.*	(CLER, FRAS, LALO, PADO)
BALTRUSAIT...	86B	PR D33 1222	R.M. Baltrusaitis *et al.*	(Mark III Collab.)
BALTRUSAIT...	86D	PRL 56 107	R.M. Baltrusaitis	(CIT, UCSC, ILL, SLAC+)
BISELLO	86B	PL B179 294	D. Bisello *et al.*	(DM2 Collab.)
GAISER	86	PR D34 711	J. Gaiser *et al.*	(Crystal Ball Collab.)
BALTRUSAIT...	85C	PRL 55 1723	R.M. Baltrusaitis *et al.*	(CIT, UCSC+)
BALTRUSAIT...	85D	PR D32 566	R.M. Baltrusaitis *et al.*	(CIT, UCSC+)
KURAEV	85	SJNP 41 466	E.A. Kuraev, V.S. Fadin	(NOVO)
		Translated from YAF 41 733.		
BALTRUSAIT...	84	PRL 52 2126	R.M. Baltrusaitis *et al.*	(CIT, UCSC+)
EATON	84	PR D29 804	M.W. Eaton *et al.*	(LBL, SLAC)
BLOOM	83	ARNS 33 143	E.D. Bloom, C. Peck	(SLAC, CIT)
EDWARDS	83B	PRL 51 859	C. Edwards *et al.*	(CIT, HARV, PRIN+)
FRANKLIN	83	PRL 51 963	M.E.B. Franklin *et al.*	(LBL, SLAC)
BURKE	82	PRL 49 632	D.L. Burke *et al.*	(LBL, SLAC)

EDWARDS	82B	PR D25 3065	C. Edwards *et al.*	(CIT, HARV, PRIN+)	
EDWARDS	82D	PRL 48 458	C. Edwards *et al.*	(CIT, HARV, PRIN+)	
Also	83	ARNS 33 143	E.D. Bloom, C. Peck	(SLAC, CIT)	
EDWARDS	82E	PRL 49 259	C. Edwards *et al.*	(CIT, HARV, PRIN+)	
LEMOIGNE	82	PL 113B 509	Y. Lemoigne *et al.*	(SACL, LOIC, SHMP+)	
BESCH	81	ZPHY C8 1	H.J. Besch *et al.*	(BONN, DESY, MANZ)	
GIDAL	81	PL 107B 153	G. Gidal *et al.*	(SLAC, LBL)	
PARTRIDGE	80	PRL 44 712	R. Partridge *et al.*	(CIT, HARV, PRIN+)	
SCHARRE	80	PL 97B 329	D.L. Scharre *et al.*	(SLAC, LBL)	
ZHOLENTZ	80	PL 96B 214	A.A. Zholents *et al.*	(NOVO)	
Also	81	SJNP 34 814	A.A. Zholents *et al.*	(NOVO)	
		Translated from YAF 34 1471.			
BRANDELIK	79C	ZPHY C1 233	R. Brandelik *et al.*	(DASP Collab.)	
ALEXANDER	78	PL 72B 493	G. Alexander *et al.*	(DESY, HAMB, SIEG+)	
BESCH	78	PL 78B 347	H.J. Besch *et al.*	(BONN, DESY, MANZ)	
BRANDELIK	78B	PL 74B 292	R. Brandelik *et al.*	(DASP Collab.)	
PERUZZI	78	PR D17 2901	I. Peruzzi *et al.*	(SLAC, LBL)	
BARTEL	77	PL 66B 489	W. Bartel *et al.*	(DESY, HEIDP)	
BURMESTER	77D	PL 72B 135	J. Burmester *et al.*	(DESY, HAMB, SIEG+)	
FELDMAN	77	PRPL 33C 285	G.J. Feldman, M.L. Perl	(LBL, SLAC)	
VANNUCCI	77	PR D15 1814	F. Vannucci *et al.*	(SLAC, LBL)	
BARTEL	76	PL 64B 483	W. Bartel *et al.*	(DESY, HEIDP)	
BRAUNSCH...	76	PL 63B 487	W. Braunschweig *et al.*	(DASP Collab.)	
JEAN-MARIE	76	PRL 36 291	B. Jean-Marie *et al.*	(SLAC, LBL)	IG
BALDINI-...	75	PL 58B 471	R. Baldini-Celio *et al.*	(FRAS, ROMA)	
BOYARSKI	75	PRL 34 1357	A.M. Boyarski *et al.*	(SLAC, LBL)	JPC
DASP	75	PL 56B 491	W. Braunschweig *et al.*	(DASP Collab.)	
ESPOSITO	75B	LNC 14 73	B. Esposito *et al.*	(FRAS, NAPL, PADO+)	
FORD	75	PRL 34 604	R.L. Ford *et al.*	(SLAC, PENN)	

OTHER RELATED PAPERS

BAI	01B	PL B510 75	J.Z. Bai *et al.*	(BEPC BES Collab.)
BUGG	99	PL B458 511	D.V. Bugg *et al.*	
CHEN	98	PRL 80 5060	Y.Q. Chen, E. Braaten	
SUZUKI	98	PR D57 5717	M. Suzuki	
HOU	97	PR D55 6952	W.-S. Hou	
BARATE	83	PL 121B 449	R. Barate *et al.*	(SACL, LOIC, SHMP, IND)
ABRAMS	74	PRL 33 1453	G.S. Abrams *et al.*	(LBL, SLAC)
ASH	74	LNC 11 705	W.W. Ash *et al.*	(FRAS, UMD, NAPL, PADO+)
AUBERT	74	PRL 33 1404	J.J. Aubert *et al.*	(MIT, BNL)
AUGUSTIN	74	PRL 33 1406	J.E. Augustin *et al.*	(SLAC, LBL)
BACCI	74	PRL 33 1408	C. Bacci *et al.*	(FRAS)
Also	74B	PRL 33 1649 (erratum)	C. Bacci	
BALDINI-...	74	LNC 11 711	R. Baldini-Celio *et al.*	(FRAS, ROMA)
BARBIELLINI	74	LNC 11 718	G. Barbiellini *et al.*	(FRAS, NAPL, PISA+)
BRAUNSCH...	74	PL 53B 393	W. Braunschweig *et al.*	(DASP Collab.)
CHRISTENS...	70	PRL 25 1523	J.C. Christenson *et al.*	(COLU, BNL, CERN)