$\eta_c(1S)$

$I^G(J^{PC}) = 0^+(0^{-+})$

$\eta_c(1S)$ MASS

VALUE (MeV)	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
2979.8± 1.2 OUR AVERAGE		Error includes scale factor of 1.6. See the ideogram below.			
2970 ± 5 ± 6	501	[1] ABE	07	BELL	$e^+e^- \to J/\psi(c\overline{c})$
2971 ± 3 $^{+2}_{-1}$	195	WU	06	BELL	$B^+ \to p\overline{p}K^+$
2974 ± 7 $^{+2}_{-1}$	20	WU	06	BELL	$B^+ \to \Lambda\overline{\Lambda}K^+$
2981.8± 1.3± 1.5	592	ASNER	04	CLEO	$\gamma\gamma \to \eta_c \to K^0_S K^\pm\pi^\mp$
2982.5± 1.1± 0.9	2547 ± 90	AUBERT	04D	BABR	$\gamma\gamma \to \eta_c(1S) \to K\overline{K}\pi$
2984.1± 2.1± 1.0	190	[2] AMBROGIANI	03	E835	$\overline{p}p \to \eta_c \to \gamma\gamma$
2977.5± 1.0± 1.2		[3] BAI	03	BES	$J/\psi \to \gamma\eta_c$
2979.6± 2.3± 1.6	182 ± 25	FANG	03	BELL	$B \to \eta_c K$
2976.3± 2.3± 1.2		[4,5,6] BAI	00F	BES	$J/\psi \to \gamma\eta_c$ and $\psi(2S) \to \gamma\eta_c$
2969 ± 4 ± 4	80	BAI	90B	MRK3	$J/\psi \to \gamma K^+K^-K^+K^-$
2984 ± 2.3± 4.0		GAISER	86	CBAL	$J/\psi \to \gamma X$, $\psi(2S) \to \gamma X$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
2982 ± 5	273 ± 43	[7] AUBERT	06E	BABR	$B^\pm \to K^\pm X_{c\overline{c}}$
2976.6± 2.9± 1.3	140	[4,5] BAI	00F	BES	$J/\psi \to \gamma\eta_c$
2980.4± 2.3± 0.6		[8] BRANDENB...	00B	CLE2	$\gamma\gamma \to \eta_c \to K^\pm K^0_S \pi^\mp$
2975.8± 3.9± 1.2		[4,5] BAI	99B	BES	Sup. by BAI 00F
2999 ± 8	25	ABREU	98O	DLPH	$e^+e^- \to e^+e^-$ +hadrons
2988.3 $^{+3.3}_{-3.1}$		ARMSTRONG	95F	E760	$\overline{p}p \to \gamma\gamma$
2974.4± 1.9		[4] BISELLO	91	DM2	$J/\psi \to \eta_c\gamma$
2956 ±12 ±12		BAI	90B	MRK3	$J/\psi \to \gamma K^+K^-K^0_S K^0_L$
2982.6 $^{+2.7}_{-2.3}$	12	BAGLIN	87B	SPEC	$\overline{p}p \to \gamma\gamma$
2980.2± 1.6		[4] BALTRUSAIT..	86	MRK3	$J/\psi \to \eta_c\gamma$
2976 ± 8		[9] BALTRUSAIT..	84	MRK3	$J/\psi \to 2\phi\gamma$
2982 ± 8	18	[10] HIMEL	80B	MRK2	e^+e^-
2980 ± 9		[10] PARTRIDGE	80B	CBAL	e^+e^-

[1] From a fit of the J/ψ recoil mass spectrum. Supersedes ABE,K 02 and ABE 04G.

[2] Using mass of $\psi(2S) = 3686.00$ MeV.

[3] From a simultaneous fit of five decay modes of the η_c.

[4] Average of several decay modes.

[5] Using an η_c width of 13.2 MeV.

[6] Weighted average of the $\psi(2S)$ and $J/\psi(1S)$ samples.

[7] From the fit of the kaon momentum spectrum. Systematic errors not evaluated.
[8] Superseded by ASNER 04.
[9] $\eta_c \rightarrow \phi\phi$.
[10] Mass adjusted by us to correspond to $J/\psi(1S)$ mass = 3097 MeV.



$\eta_c(1S)$ WIDTH

VALUE (MeV)	*CL%*	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
26.5± 3.5 OUR AVERAGE Error includes scale factor of 2.1. See the ideogram below.						
$48 \ ^{+\ 8}_{-\ 7} \pm 5$		195	WU	06	BELL	$B^+ \rightarrow p\overline{p}K^+$
$40 \pm 19 \pm 5$		20	WU	06	BELL	$B^+ \rightarrow \Lambda\overline{\Lambda}K^+$
$24.8 \pm 3.4 \pm 3.5$		592	ASNER	04	CLEO	$\gamma\gamma \rightarrow \eta_c \rightarrow K^0_S K^\pm \pi^\mp$
$34.3 \pm 2.3 \pm 0.9$		2547 ± 90	AUBERT	04D	BABR	$\gamma\gamma \rightarrow \eta_c(1S) \rightarrow K\overline{K}\pi$
$20.4^{+\ 7.7}_{-\ 6.7} \pm 2.0$		190	AMBROGIANI	03	E835	$\overline{p}p \rightarrow \eta_c \rightarrow \gamma\gamma$
$17.0 \pm 3.7 \pm 7.4$			[11] BAI	03	BES	$J/\psi \rightarrow \gamma\eta_c$
$29 \pm 8 \pm 6$		182 ± 25	FANG	03	BELL	$B \rightarrow \eta_c K$
$11.0 \pm 8.1 \pm 4.1$			[12] BAI	00F	BES	$J/\psi \rightarrow \gamma\eta_c$ and $\psi(2S) \rightarrow \gamma\eta_c$
$23.9^{+12.6}_{-\ 7.1}$			ARMSTRONG	95F	E760	$\overline{p}p \rightarrow \gamma\gamma$

$7.0^{+\ 7.5}_{-\ 7.0}$		12	BAGLIN	87B	SPEC	$\overline{p}p \rightarrow \gamma\gamma$	
$10.1^{+33.0}_{-\ 8.2}$		23	[13] BALTRUSAIT...	86	MRK3	$J/\psi \rightarrow \gamma p\overline{p}$	
11.5 ± 4.5			GAISER	86	CBAL	$J/\psi \rightarrow \gamma$X, $\psi(2S) \rightarrow \gamma$X	

• • • We do not use the following data for averages, fits, limits, etc. • • •

$27.0 \pm 5.8 \pm 1.4$		[14] BRANDENB...	00B	CLE2	$\gamma\gamma \rightarrow \eta_c \rightarrow K^{\pm}K^0_S\pi^{\mp}$	
< 40	90	18	HIMEL	80B	MRK2	e^+e^-
< 20	90		PARTRIDGE	80B	CBAL	e^+e^-

[11] From a simultaneous fit of five decay modes of the η_c.

[12] From a fit to the 4-prong invariant mass in $\psi(2S) \rightarrow \gamma\eta_c$ and $J/\psi(1S) \rightarrow \gamma\eta_c$ decays.

[13] Positive and negative errors correspond to 90% confidence level.

[14] Superseded by ASNER 04.



$\eta_c(1S)$ WIDTH

$\eta_c(1S)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Confidence level

Decays involving hadronic resonances

Γ_1	$\eta'(958)\pi\pi$	(4.1	± 1.7)	%	
Γ_2	$\rho\rho$	(2.0	± 0.7)	%	
Γ_3	$K^*(892)^0 K^-\pi^+ +$ c.c.	(2.0	± 0.7)	%	
Γ_4	$K^*(892)\overline{K}^*(892)$	(9.2	± 3.4)	$\times 10^{-3}$	
Γ_5	$K^{*0}\overline{K}^{*0}\pi^+\pi^-$	(1.5	± 0.8)	%	
Γ_6	$\phi K^+ K^-$	(2.9	± 1.4)	$\times 10^{-3}$	
Γ_7	$\phi\phi$	(2.7	± 0.9)	$\times 10^{-3}$	
Γ_8	$\phi 2(\pi^+\pi^-)$	$<$ 4.7		$\times 10^{-3}$	90%
Γ_9	$a_0(980)\pi$	$<$ 2		%	90%
Γ_{10}	$a_2(1320)\pi$	$<$ 2		%	90%
Γ_{11}	$K^*(892)\overline{K} +$ c.c.	$<$ 1.28		%	90%
Γ_{12}	$f_2(1270)\eta$	$<$ 1.1		%	90%
Γ_{13}	$\omega\omega$	$<$ 3.1		$\times 10^{-3}$	90%
Γ_{14}	$\omega\phi$	$<$ 1.7		$\times 10^{-3}$	90%
Γ_{15}	$f_2(1270) f_2(1270)$	(1.0	$^{+0.4}_{-0.5}$)	%	

Decays into stable hadrons

Γ_{16}	$K\overline{K}\pi$	(7.0	± 1.2)	%	
Γ_{17}	$\eta\pi\pi$	(4.9	± 1.8)	%	
Γ_{18}	$\pi^+\pi^- K^+ K^-$	(1.5	± 0.6)	%	
Γ_{19}	$K^+ K^- 2(\pi^+\pi^-)$	(10	± 4)	$\times 10^{-3}$	
Γ_{20}	$2(K^+ K^-)$	(1.5	± 0.7)	$\times 10^{-3}$	
Γ_{21}	$2(\pi^+\pi^-)$	(1.20	± 0.30)	%	
Γ_{22}	$3(\pi^+\pi^-)$	(2.0	± 0.7)	%	
Γ_{23}	$p\overline{p}$	(1.3	± 0.4)	$\times 10^{-3}$	
Γ_{24}	$\Lambda\overline{\Lambda}$	(1.04	± 0.31)	$\times 10^{-3}$	
Γ_{25}	$K\overline{K}\eta$	$<$ 3.1		%	90%
Γ_{26}	$\pi^+\pi^- p\overline{p}$	$<$ 1.2		%	90%

Radiative decays

Γ_{27}	$\gamma\gamma$	(2.7	± 0.9)	$\times 10^{-4}$	

Charge conjugation (C), Parity (P), Lepton family number (LF) violating modes

Γ_{28}	$\pi^+\pi^-$	P,CP	$<$ 8.7		$\times 10^{-4}$	90%
Γ_{29}	$\pi^0\pi^0$	P,CP	$<$ 5.6		$\times 10^{-4}$	90%
Γ_{30}	$K^+ K^-$	P,CP	$<$ 7.6		$\times 10^{-4}$	90%
Γ_{31}	$K^0_S K^0_S$	P,CP	$<$ 4.2		$\times 10^{-4}$	90%

$\eta_c(1S)$ PARTIAL WIDTHS

$\Gamma(\gamma\gamma)$ Γ_{27}

VALUE (keV)	EVTS	DOCUMENT ID		TECN	COMMENT
7.2± 0.7± 2.0 OUR EVALUATION Error includes scale factor of 1.3. Treating systematic errors as correlated.					
$6.7^{+\ 0.9}_{-\ 0.8}$ OUR AVERAGE					
5.5± 1.2± 1.8	157 ± 33	[15] KUO	05	BELL	$\gamma\gamma \to p\overline{p}$
7.4± 0.4± 2.3		[16] ASNER	04	CLEO	$\gamma\gamma \to \eta_c \to K^0_S K^\pm \pi^\mp$
13.9± 2.0± 3.0	41	[17] ABDALLAH	03J	DLPH	$\gamma\gamma \to \eta_c$
$3.8^{+\ 1.1+\ 1.9}_{-\ 1.0-\ 1.0}$	190	[18] AMBROGIANI	03	E835	$\overline{p}p \to \eta_c \to \gamma\gamma$
6.9± 1.7± 2.1	76	[19] ACCIARRI	99T	L3	$e^+e^- \to e^+e^-\eta_c$
27 ±16 ±10	5	[16] SHIRAI	98	AMY	58 e^+e^-
$6.7^{+\ 2.4}_{-\ 1.7}$± 2.3		[15] ARMSTRONG	95F	E760	$\overline{p}p \to \gamma\gamma$
11.3± 4.2		[20] ALBRECHT	94H	ARG	$e^+e^- \to e^+e^-\eta_c$
$5.9^{+\ 2.1}_{-\ 1.8}$± 1.9		[18] CHEN	90B	CLEO	$e^+e^- \to e^+e^-\eta_c$
$6.4^{+\ 5.0}_{-\ 3.4}$		[21] AIHARA	88D	TPC	$e^+e^- \to e^+e^-X$
$4.3^{+\ 3.4}_{-\ 3.7}$± 2.4		[15] BAGLIN	87B	SPEC	$\overline{p}p \to \gamma\gamma$
28 ±15		[16,22] BERGER	86	PLUT	$\gamma\gamma \to K\overline{K}\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
5.2± 1.2	273 ± 43	[23,24] AUBERT	06E	BABR	$B^\pm \to K^\pm X_{c\overline{c}}$
7.6± 0.8± 2.3		[16,25] BRANDENB...	00B	CLE2	$\gamma\gamma \to \eta_c \to K^\pm K^0_S \pi^\mp$
8.0± 2.3± 2.4	17	[26] ADRIANI	93N	L3	$e^+e^- \to e^+e^-\eta_c$

[15] Normalized to $B(\eta_c \to p\overline{p}) = (1.3 \pm 0.4) \times 10^{-3}$.

[16] Normalized to $B(\eta_c \to K^\pm K^0_S \pi^\mp)$.

[17] Average of $K^0_S K^\pm \pi^\mp$, $\pi^+\pi^- K^+ K^-$, and $2(K^+K^-)$ decay modes.

[18] Normalized to the sum of $B(\eta_c \to K^\pm K^0_S \pi^\mp)$, $B(\eta_c \to K^+K^-\pi^+\pi^-)$, and $B(\eta_c \to 2\pi^+2\pi^-)$.

[19] Normalized to the sum of 9 branching ratios.

[20] Normalized to the sum of $B(\eta_c \to K^\pm K^0_S \pi^\mp)$, $B(\eta_c \to \phi\phi)$, $B(\eta_c \to K^+K^-\pi^+\pi^-)$, and $B(\eta_c \to 2\pi^+2\pi^-)$.

[21] Normalized to the sum of $B(\eta_c \to K^\pm K^0_S \pi^\mp)$, $B(\eta_c \to 2K^+2K^-)$, $B(\eta_c \to K^+K^-\pi^+\pi^-)$, and $B(\eta_c \to 2\pi^+2\pi^-)$.

[22] Re-evaluated by AIHARA 88D.

[23] Calculated by us using $\Gamma(\eta_c \to K\overline{K}\pi) \times \Gamma(\eta_c \to \gamma\gamma) / \Gamma = 0.44 \pm 0.05$ keV from PDG 06 and $B(\eta_c \to K\overline{K}\pi) = (8.5 \pm 1.8)\%$ from AUBERT 06E.

[24] Systematic errors not evaluated.

[25] Superseded by ASNER 04.

[26] Superseded by ACCIARRI 99T.

$\eta_c(1S)$ Γ(i)Γ($\gamma\gamma$)/Γ(total)

$\Gamma(K\overline{K}\pi) \times \Gamma(\gamma\gamma)/\Gamma_{total}$ $\Gamma_{16}\Gamma_{27}/\Gamma$

VALUE (keV)	CL%	EVTS	DOCUMENT ID		TECN	COMMENT
0.44 ±0.05 OUR AVERAGE			Error includes scale factor of 1.4. See the ideogram below.			
0.407±0.022±0.028			[27,28] ASNER	04	CLEO	$\gamma\gamma \to \eta_c \to K^0_S K^\pm \pi^\mp$
0.60 ±0.12 ±0.09		41	[28,29] ABDALLAH	03J	DLPH	$\gamma\gamma \to K^0_S K^\pm \pi^\mp$
1.47 ±0.87 ±0.27			[28] SHIRAI	98	AMY	$\gamma\gamma \to \eta_c \to K^\pm K^0_S \pi^\mp$
0.84 ±0.21			[28] ALBRECHT	94H	ARG	$\gamma\gamma \to K^\pm K^0_S \pi^\mp$
0.60 $^{+0.23}_{-0.20}$			[28] CHEN	90B	CLEO	$\gamma\gamma \to \eta_c K^\pm K^0_S \pi^\mp$
1.06 ±0.41 ±0.27		11	[28] BRAUNSCH...	89	TASS	$\gamma\gamma \to K\overline{K}\pi$
1.5 $^{+0.60}_{-0.45}$ ±0.3		7	[28] BERGER	86	PLUT	$\gamma\gamma \to K\overline{K}\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
0.418±0.044±0.022			[28,30] BRANDENB...	00B	CLE2	$\gamma\gamma \to \eta_c \to K^\pm K^0_S \pi^\mp$
<0.63	95		[28] BEHREND	89	CELL	$\gamma\gamma \to K^0_S K^\pm \pi^\mp$
<4.4	95		ALTHOFF	85B	TASS	$\gamma\gamma \to K\overline{K}\pi$



$\Gamma(K\overline{K}\pi) \times \Gamma(\gamma\gamma)/\Gamma_{total}$ $\Gamma_{16}\Gamma_{27}/\Gamma$

$\Gamma(\pi^+\pi^- K^+ K^-) \times \Gamma(\gamma\gamma)/\Gamma_{total}$ $\Gamma_{18}\Gamma_{27}/\Gamma$

VALUE (keV)	EVTS	DOCUMENT ID		TECN	COMMENT
0.21±0.07 OUR AVERAGE					
0.28±0.10±0.06	42	[31] ABDALLAH	03J	DLPH	$\gamma\gamma \to \pi^+\pi^- K^+ K^-$
0.17±0.08±0.02	13.9±6.6	ALBRECHT	94H	ARG	$\gamma\gamma \to \pi^+\pi^- K^+ K^-$

$\Gamma(2(K^+K^-)) \times \Gamma(\gamma\gamma)/\Gamma_{total}$ $\Gamma_{20}\Gamma_{27}/\Gamma$

VALUE (keV)	EVTS	DOCUMENT ID		TECN	COMMENT
0.28 ±0.07 OUR AVERAGE					
0.35 ±0.09 ±0.06	46	[32] ABDALLAH	03J	DLPH	$\gamma\gamma \to 2(K^+K^-)$
0.231±0.090±0.023	9.1 ± 3.3	[33] ALBRECHT	94H	ARG	$\gamma\gamma \to 2(K^+K^-)$

$\Gamma(2(\pi^+\pi^-)) \times \Gamma(\gamma\gamma)/\Gamma_{total}$ $\Gamma_{21}\Gamma_{27}/\Gamma$

VALUE (keV)	EVTS	DOCUMENT ID		TECN	COMMENT
0.18±0.07±0.02	21.4±8.6	ALBRECHT	94H	ARG	$\gamma\gamma \to 2(\pi^+\pi^-)$

$\Gamma(p\overline{p}) \times \Gamma(\gamma\gamma)/\Gamma_{total}$ $\Gamma_{23}\Gamma_{27}/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID		TECN	COMMENT
6.2 $^{+1.1}_{-1.0}$ OUR AVERAGE Error includes scale factor of 1.1.					
7.20±1.53$^{+0.67}_{-0.75}$	157 ± 33	[34] KUO	05	BELL	$\gamma\gamma \to p\overline{p}$
4.6 $^{+1.3}_{-1.1}$ ±0.4	190	[34] AMBROGIANI	03	E835	$\overline{p}p \to \gamma\gamma$
8.1 $^{+2.9}_{-2.0}$		[34] ARMSTRONG	95F	E760	$\overline{p}p \to \gamma\gamma$

[27] Calculated by us from the value reported in ASNER 04 that assumes B($\eta_c \to K\overline{K}\pi$) = 5.5 ± 1.7%

[28] We have multiplied $K^\pm K^0_S \pi^\mp$ measurement by 3 to obtain $K\overline{K}\pi$.

[29] Calculated by us from the value reported in ABDALLAH 03J, which uses B($\eta_c \to K^0_S K^\pm \pi^\mp$) = (1.5 ± 0.4)%.

[30] Superseded by ASNER 04.

[31] Calculated by us from the value reported in ABDALLAH 03J, which uses B($\eta_c \to \pi^+\pi^- K^+ K^-$) = (2.0 ± 0.7)%.

[32] Calculated by us from the value reported in ABDALLAH 03J, which uses B($\eta_c \to$) 2(K^+K^-) = (2.1 ± 1.2)%.

[33] Incudes all topological modes except $\eta_c \to \phi\phi$.

[34] Not independent from the $\Gamma_{\gamma\gamma}$ reported by the same experiment.

$\eta_c(1S)$ BRANCHING RATIOS

HADRONIC DECAYS

$\Gamma(\eta'(958)\pi\pi)/\Gamma_{total}$ Γ_1/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.041±0.017	14	[35] BALTRUSAIT...86		MRK3	$J/\psi \to \eta_c\gamma$

$\Gamma(\rho\rho)/\Gamma_{\text{total}}$ Γ_2/Γ

VALUE (units 10^{-3})	CL%	EVTS	DOCUMENT ID		TECN	COMMENT
20 ± 7 OUR EVALUATION			(Treating systematicerrors as correlated.)			
18 ± 5 OUR AVERAGE						
12.6± 3.8±5.1		72	[35] ABLIKIM	05L	BES2	$J/\psi \to \pi^+\pi^-\pi^+\pi^-\gamma$
26.0± 2.4±8.8		113	[35] BISELLO	91	DM2	$J/\psi \to \gamma\rho^0\rho^0$
23.6±10.6±8.2		32	[35] BISELLO	91	DM2	$J/\psi \to \gamma\rho^+\rho^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<14	90		[35] BALTRUSAIT..86		MRK3	$J/\psi \to \eta_c\gamma$

$\Gamma(K^*(892)^0 K^-\pi^+ + \text{c.c.})/\Gamma_{\text{total}}$ Γ_3/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.02±0.007	63	[35] BALTRUSAIT..86		MRK3	$J/\psi \to \eta_c\gamma$

$\Gamma(K^*(892)\overline{K}^*(892))/\Gamma_{\text{total}}$ Γ_4/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
92±34 OUR EVALUATION		(Treating systematicerrors as correlated.)			
91±26 OUR AVERAGE					
108±25±44	60	[35] ABLIKIM	05L	BES2	$J/\psi \to K^+K^-\pi^+\pi^-\gamma$
82±28±27	14	[35] BISELLO	91	DM2	$e^+e^- \to \gamma K^+K^-\pi^+\pi^-$
90±50	9	[35] BALTRUSAIT..86		MRK3	$J/\psi \to \eta_c\gamma$

$\Gamma(K^{*0}\overline{K}^{*0}\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
150.±63.±43.	45	[36] ABLIKIM	06A	BES2	$J/\psi \to K^{*0}\overline{K}^{*0}\pi^+\pi^-\gamma$

$\Gamma(\phi K^+K^-)/\Gamma_{\text{total}}$ Γ_6/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
$\mathbf{2.9^{+0.9}_{-0.8}\pm1.1}$	$14.1^{+4.4}_{-3.7}$	[37] HUANG	03	BELL	$B^+ \to (\phi K^+K^-)\ K^+$

$\Gamma(\phi\phi)/\Gamma_{\text{total}}$ Γ_7/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
27 ± 9 OUR EVALUATION		(Treating systematic errors as correlated.)			
27 ± 5 OUR AVERAGE					
25.3± 5.1± 9.1	72	[35] ABLIKIM	05L	BES2	$J/\psi \to K^+K^-K^+K^-\gamma$
26 ± 9	357 ± 64	[35] BAI	04	BES	$J/\psi \to \gamma K^+K^-K^+K^-$
$18\ ^{+\ 8}_{-\ 6}\ \pm\ 7$	$7.0^{+3.0}_{-2.3}$	[37] HUANG	03	BELL	$B^+ \to (\phi\phi)\ K^+$
31 ± 7 ±10	19	[35] BISELLO	91	DM2	$J/\psi \to \gamma K^+K^-K^+K^-$
$30\ ^{+18}_{-12}$ ±10	5	[35] BISELLO	91	DM2	$J/\psi \to \gamma K^+K^-K^0_SK^0_L$
74 ±18 ±24	80	[35] BAI	90B	MRK3	$J/\psi \to \gamma K^+K^-K^+K^-$
67 ±21 ±24		[35] BAI	90B	MRK3	$J/\psi \to \gamma K^+K^-K^0_SK^0_L$

$\Gamma(\phi 2(\pi^+\pi^-))/\Gamma_{total}$ Γ_8/Γ

VALUE (units 10^{-4})	CL%		DOCUMENT ID		TECN	COMMENT
<50	90	[38]	ABLIKIM	06A	BES2	$J/\psi \to \phi 2(\pi^+\pi^-)\gamma$

$\Gamma(a_0(980)\pi)/\Gamma_{total}$ Γ_9/Γ

VALUE	CL%		DOCUMENT ID		TECN	COMMENT
<0.02	90	[35,39]	BALTRUSAIT...86		MRK3	$J/\psi \to \eta_c\gamma$

$\Gamma(a_2(1320)\pi)/\Gamma_{total}$ Γ_{10}/Γ

VALUE	CL%		DOCUMENT ID		TECN	COMMENT
<0.02	90	[35]	BALTRUSAIT...86		MRK3	$J/\psi \to \eta_c\gamma$

$\Gamma(K^*(892)\overline{K}+\text{c.c.})/\Gamma_{total}$ Γ_{11}/Γ

VALUE	CL%		DOCUMENT ID		TECN	COMMENT
<0.0128	90		BISELLO	91	DM2	$J/\psi \to \gamma K^0_S K^\pm\pi^\mp$
<0.0132	90	[35]	BISELLO	91	DM2	$J/\psi \to \gamma K^+K^-\pi^0$

$\Gamma(f_2(1270)\eta)/\Gamma_{total}$ Γ_{12}/Γ

VALUE	CL%		DOCUMENT ID		TECN	COMMENT
<0.011	90	[35]	BALTRUSAIT...86		MRK3	$J/\psi \to \eta_c\gamma$

$\Gamma(\omega\omega)/\Gamma_{total}$ Γ_{13}/Γ

VALUE	CL%		DOCUMENT ID		TECN	COMMENT
<0.0031	90	[35]	BALTRUSAIT...86		MRK3	$J/\psi \to \eta_c\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<0.0063	90	[35]	ABLIKIM	05L	BES2	$J/\psi \to \pi^+\pi^-\pi^0\pi^+\pi^-\pi^0\gamma$
<0.0063		[35]	BISELLO	91	DM2	$J/\psi \to \gamma\omega\omega$

$\Gamma(\omega\phi)/\Gamma_{total}$ Γ_{14}/Γ

VALUE	CL%		DOCUMENT ID		TECN	COMMENT
<0.0017	90	[35]	ABLIKIM	05L	BES2	$J/\psi \to \pi^+\pi^-\pi^0 K^+K^-\gamma$

$\Gamma(f_2(1270)f_2(1270))/\Gamma_{total}$ Γ_{15}/Γ

VALUE (units 10^{-2})	EVTS		DOCUMENT ID		TECN	COMMENT
$\mathbf{1.02^{+0.33}_{-0.39}\pm0.29}$	91.2 ± 19.8	[40]	ABLIKIM	04M	BES	$J/\psi \to \gamma 2\pi^+2\pi^-$

$\Gamma(K\overline{K}\pi)/\Gamma_{total}$ Γ_{16}/Γ

VALUE (units 10^{-2})	CL%	EVTS		DOCUMENT ID		TECN	COMMENT
7.0 ±1.2 OUR EVALUATION (Treating systematic errors as correlated.)							
6.1 ±0.8 OUR AVERAGE							
8.5 ±1.8			[41]	AUBERT	06E	BABR	$B^\pm \to K^\pm X_{c\overline{c}}$
5.1 ±2.1		609 ± 71	[35]	BAI	04	BES	$J/\psi \to \gamma K^\pm\pi^\mp K^0_S$
6.90±1.42±1.32		33	[35]	BISELLO	91	DM2	$J/\psi \to \gamma K^+K^-\pi^0$

$5.43 \pm 0.94 \pm 0.94$	68	[35] BISELLO	91	DM2	$J/\psi \to \gamma K^{\pm}\pi^{\mp}K^0_S$	
4.8 ± 1.7	95	[35,42] BALTRUSAIT..	86	MRK3	$J/\psi \to \eta_c\gamma$	
$16.1\ ^{+9.2}_{-7.3}$		[43] HIMEL	80B	MRK2	$\psi(2S) \to \eta_c\gamma$	

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 10.7	90	[35] PARTRIDGE	80B	CBAL	$J/\psi \to \eta_c\gamma$

$\Gamma(\phi\phi)/\Gamma(K\overline{K}\pi)$ Γ_7/Γ_{16}

VALUE	DOCUMENT ID		TECN	COMMENT
$0.055 \pm 0.014 \pm 0.005$	AUBERT,B	04B	BABR	$B^{\pm} \to K^{\pm}\eta_c$

$\Gamma(\eta\pi\pi)/\Gamma_{\text{total}}$ Γ_{17}/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.049 ± 0.018 OUR EVALUATION					
0.047 ± 0.015 OUR AVERAGE					
0.054 ± 0.020	75	[35] BALTRUSAIT..	86	MRK3	$J/\psi \to \eta_c\gamma$
$0.037 \pm 0.013 \pm 0.020$	18	[35] PARTRIDGE	80B	CBAL	$J/\psi \to \eta\pi^+\pi^-\gamma$

$\Gamma(\pi^+\pi^- K^+ K^-)/\Gamma_{\text{total}}$ Γ_{18}/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.015 ± 0.006 OUR EVALUATION					
0.0142 ± 0.0033 OUR AVERAGE					
0.012 ± 0.004	413 ± 54	[35] BAI	04	BES	$J/\psi \to \gamma K^+K^-\pi^+\pi^-$
0.021 ± 0.007	110	[35] BALTRUSAIT..	86	MRK3	$J/\psi \to \eta_c\gamma$
$0.014\ ^{+0.022}_{-0.009}$		[43] HIMEL	80B	MRK2	$\psi(2S) \to \eta_c\gamma$

$\Gamma(K^+K^-2(\pi^+\pi^-))/\Gamma_{\text{total}}$ Γ_{19}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
$95. \pm 31. \pm 27.$	100	[44] ABLIKIM	06A	BES2	$J/\psi \to K^+K^-2(\pi^+\pi^-)\gamma$

$\Gamma(2(K^+K^-))/\Gamma_{\text{total}}$ Γ_{20}/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.0015 ± 0.0007 OUR AVERAGE					
$0.0014\ ^{+0.0005}_{-0.0004} \pm 0.0006$	$14.5\ ^{+4.6}_{-3.0}$	[37] HUANG	03	BELL	$B^+ \to 2(K^+K^-)K^+$
$0.021 \pm 0.010 \pm 0.006$		[45] ALBRECHT	94H	ARG	$\gamma\gamma \to K^+K^-K^+K^-$

$\Gamma(2(K^+K^-))/\Gamma(K\overline{K}\pi)$ Γ_{20}/Γ_{16}

VALUE	DOCUMENT ID		TECN	COMMENT
$0.023 \pm 0.007 \pm 0.006$	AUBERT,B	04B	BABR	$B^{\pm} \to K^{\pm}\eta_c$

$\Gamma(2(\pi^+\pi^-))/\Gamma_{total}$ Γ_{21}/Γ

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
1.2 ±0.3 OUR EVALUATION					
1.15±0.26 OUR AVERAGE					
1.0 ±0.5	542 ± 75	[35] BAI	04	BES	$J/\psi \to \gamma\, 2(\pi^+\pi^-)$
1.05±0.17±0.34	137	[35] BISELLO	91	DM2	$J/\psi \to \gamma 2\pi^+ 2\pi^-$
1.3 ±0.6	25	[35] BALTRUSAIT...	86	MRK3	$J/\psi \to \eta_c\gamma$
$2.0\ ^{+1.5}_{-1.0}$		[43] HIMEL	80B	MRK2	$\psi(2S) \to \eta_c\gamma$

$\Gamma(3(\pi^+\pi^-))/\Gamma_{total}$ Γ_{22}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
204.±45.±58.	479	[46] ABLIKIM	06A	BES2	$J/\psi \to 3(\pi^+\pi^-)\gamma$

$\Gamma(p\overline{p})/\Gamma_{total}$ Γ_{23}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
13 ± 4 OUR EVALUATION		(Treating systematic errors as correlated.)			
14.0± 2.2 OUR AVERAGE					
$15.5^{+\ 2.1}_{-\ 2.5}\pm 2.1$	195	[47] WU	06	BELL	$B^+ \to p\overline{p}K^+$
15 ± 6	213 ± 33	[35] BAI	04	BES	$J/\psi \to \gamma p\overline{p}$
10 ± 3 ±4	18	[35] BISELLO	91	DM2	$J/\psi \to \gamma p\overline{p}$
11 ± 6	23	[35] BALTRUSAIT...	86	MRK3	$J/\psi \to \eta_c\gamma$
$29\ ^{+29}_{-15}$		[43] HIMEL	80B	MRK2	$\psi(2S) \to \eta_c\gamma$

$\Gamma(p\overline{p}) \times \Gamma(\phi\phi)/\Gamma^2_{total}$ $\Gamma_{23}\Gamma_7/\Gamma^2$

VALUE (units 10^{-5})	DOCUMENT ID		TECN	COMMENT
$\mathbf{4.0^{+3.5}_{-3.2}}$	BAGLIN	89	SPEC	$\overline{p}p \to K^+K^-K^+K^-$

$\Gamma(\Lambda\overline{\Lambda})/\Gamma_{total}$ Γ_{24}/Γ

VALUE (units 10^{-4})	CL%	EVTS	DOCUMENT ID		TECN	COMMENT
$\mathbf{10.4^{+2.9}_{-2.7}\pm 1.4}$		20	[48] WU	06	BELL	$B^+ \to \Lambda\overline{\Lambda}K^+$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<20	90		[35] BISELLO	91	DM2	$e^+e^- \to \gamma\Lambda\overline{\Lambda}$

$\Gamma(\Lambda\overline{\Lambda})/\Gamma(p\overline{p})$ Γ_{24}/Γ_{23}

VALUE	DOCUMENT ID		TECN	COMMENT
$\mathbf{0.67^{+0.19}_{-0.16}\pm 0.12}$	[49] WU	06	BELL	$B^+ \to p\overline{p}K^+$, $\Lambda\overline{\Lambda}K^+$

$\Gamma(K\overline{K}\eta)/\Gamma_{total}$ Γ_{25}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.031	90	[35] BALTRUSAIT...	86	MRK3	$J/\psi \to \eta_c\gamma$

$\Gamma(\pi^+\pi^- p\overline{p})/\Gamma_{\text{total}}$ Γ_{26}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.012	90	HIMEL	80B	MRK2	$\psi(2S) \to \eta_c\gamma$

[35] The quoted branching ratios use $B(J/\psi(1S) \to \gamma\eta_c(1S)) = 0.0127 \pm 0.0036$. Where relevant, the error in this branching ratio is treated as a common systematic in computing averages.

[36] ABLIKIM 06A reports $[B(\eta_c(1S) \to K^{*0}\overline{K}^{*0}\pi^+\pi^-) \times B(J/\psi(1S) \to \gamma\eta_c(1S))] = (1.91 \pm 0.64 \pm 0.48) \times 10^{-4}$. We divide by our best value $B(J/\psi(1S) \to \gamma\eta_c(1S)) = (1.3 \pm 0.4) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

[37] Using $B(B^+ \to \eta_c K^+) = (1.25 \pm 0.12^{+0.10}_{-0.12}) \times 10^{-3}$ from FANG 03 and $B(\eta_c \to K\overline{K}\pi) = (5.5 \pm 1.7) \times 10^{-2}$.

[38] ABLIKIM 06A reports $[B(\eta_c(1S) \to \phi 2(\pi^+\pi^-)) \times B(J/\psi(1S) \to \gamma\eta_c(1S))] < 0.603 \times 10^{-4}$. We divide by our best value $B(J/\psi(1S) \to \gamma\eta_c(1S)) = 0.013$.

[39] We are assuming $B(a_0(980) \to \eta\pi) > 0.5$.

[40] ABLIKIM 04M reports $[B(\eta_c(1S) \to f_2(1270) f_2(1270)) \times B(J/\psi(1S) \to \gamma\eta_c(1S))] = (1.3 \pm 0.3^{+0.3}_{-0.4}) \times 10^{-4}$. We divide by our best value $B(J/\psi(1S) \to \gamma\eta_c(1S)) = (1.3 \pm 0.4) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

[41] Determined from the ratio of $B(B^\pm \to K^\pm\eta_c)\, B(\eta_c \to K\overline{K}\pi) = (7.4 \pm 0.5 \pm 0.7) \times 10^{-5}$ reported in AUBERT,B 04B and $B(B^\pm \to K^\pm\eta_c) = (8.7 \pm 1.5) \times 10^{-3}$ reported in AUBERT 06E.

[42] Average from $K^+K^-\pi^0$ and $K^\pm K^0_S\pi^\mp$ decay channels.

[43] Estimated using $B(\psi(2S) \to \gamma\eta_c(1S)) = 0.0028 \pm 0.0006$.

[44] ABLIKIM 06A reports $[B(\eta_c(1S) \to K^+K^-2(\pi^+\pi^-)) \times B(J/\psi(1S) \to \gamma\eta_c(1S))] = (1.21 \pm 0.32 \pm 0.24) \times 10^{-4}$. We divide by our best value $B(J/\psi(1S) \to \gamma\eta_c(1S)) = (1.3 \pm 0.4) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

[45] Normalized to the sum of $B(\eta_c \to K^\pm K^0_S\pi^\mp)$, $B(\eta_c \to \phi\phi)$, $B(\eta_c \to K^+K^-\pi^+\pi^-)$, and $B(\eta_c \to 2\pi^+2\pi^-)$.

[46] ABLIKIM 06A reports $[B(\eta_c(1S) \to 3(\pi^+\pi^-)) \times B(J/\psi(1S) \to \gamma\eta_c(1S))] = (2.59 \pm 0.32 \pm 0.47) \times 10^{-4}$. We divide by our best value $B(J/\psi(1S) \to \gamma\eta_c(1S)) = (1.3 \pm 0.4) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

[47] WU 06 reports $[B(\eta_c(1S) \to p\overline{p}) \times B(B^+ \to \eta_c K^+)] = (1.42 \pm 0.11^{+0.16}_{-0.20}) \times 10^{-6}$. We divide by our best value $B(B^+ \to \eta_c K^+) = (9.1 \pm 1.3) \times 10^{-4}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

[48] WU 06 reports $[B(\eta_c(1S) \to \Lambda\overline{\Lambda}) \times B(B^+ \to \eta_c K^+)] = (0.95^{+0.25+0.08}_{-0.22-0.11}) \times 10^{-6}$. We divide by our best value $B(B^+ \to \eta_c K^+) = (9.1 \pm 1.3) \times 10^{-4}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

[49] Not independent from other $\eta_c \to \Lambda\overline{\Lambda}$, $p\overline{p}$ branching ratios reported by WU 06.

RADIATIVE DECAYS

$\Gamma(\gamma\gamma)/\Gamma_{total}$ Γ_{27}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$2.80^{+0.67}_{-0.58}\pm1.0$		[50] ARMSTRONG	95F	E760	$\overline{p}p \to \gamma\gamma$
< 9	90	[51] BISELLO	91	DM2	$J/\psi \to \gamma\gamma\gamma$
$6\ ^{+4}_{-3}\ \pm4$		[50] BAGLIN	87B	SPEC	$\overline{p}p \to \gamma\gamma$
<18	90	[52] BLOOM	83	CBAL	$J/\psi \to \eta_c\gamma$

[50] Not independent from the values of the total and two-photon width quoted by the same experiment.

[51] The quoted branching ratios use $B(J/\psi(1S) \to \gamma\eta_c(1S)) = 0.0127 \pm 0.0036$. Where relevant, the error in this branching ratio is treated as a common systematic in computing averages.

[52] Using $B(J/\psi(1S) \to \gamma\eta_c(1S)) = 0.0127 \pm 0.0036$.

$\Gamma(p\overline{p}) \times \Gamma(\gamma\gamma)/\Gamma^2_{total}$ $\Gamma_{23}\Gamma_{27}/\Gamma^2$

VALUE (units 10^{-6})	EVTS	DOCUMENT ID		TECN	COMMENT
0.26 ±0.05 OUR AVERAGE		Error includes scale factor of 1.4.			
$0.224^{+0.038}_{-0.037}\pm0.020$	190	AMBROGIANI	03	E835	$\overline{p}p \to \eta_c \to \gamma\gamma$
$0.336^{+0.080}_{-0.070}$		ARMSTRONG	95F	E760	$\overline{p}p \to \gamma\gamma$
$0.68\ ^{+0.42}_{-0.31}$	12	BAGLIN	87B	SPEC	$\overline{p}p \to \gamma\gamma$

Charge conjugation (C), Parity (P), Lepton family number (LF) violating modes

$\Gamma(\pi^+\pi^-)/\Gamma_{total}$ Γ_{28}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID		TECN	COMMENT
<90	90	[53] ABLIKIM	06B	BES2	$J/\psi \to \pi^+\pi^-\gamma$

[53] ABLIKIM 06B reports $[B(\eta_c(1S) \to \pi^+\pi^-) \times B(J/\psi(1S) \to \gamma\eta_c(1S))] = < 1.1 \times 10^{-5}$. We divide by our best value $B(J/\psi(1S) \to \gamma\eta_c(1S)) = 0.013$.

$\Gamma(\pi^0\pi^0)/\Gamma_{total}$ Γ_{29}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID		TECN	COMMENT
<60	90	[54] ABLIKIM	06B	BES2	$J/\psi \to \pi^0\pi^0\gamma$

[54] ABLIKIM 06B reports $[B(\eta_c(1S) \to \pi^0\pi^0) \times B(J/\psi(1S) \to \gamma\eta_c(1S))] = < 0.71 \times 10^{-5}$. We divide by our best value $B(J/\psi(1S) \to \gamma\eta_c(1S)) = 0.013$.

$\Gamma(K^+K^-)/\Gamma_{total}$ Γ_{30}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID		TECN	COMMENT
<80	90	[55] ABLIKIM	06B	BES2	$J/\psi \to K^+K^-\gamma$

[55] ABLIKIM 06B reports $[B(\eta_c(1S) \to K^+K^-) \times B(J/\psi(1S) \to \gamma\eta_c(1S))] = < 0.96 \times 10^{-5}$. We divide by our best value $B(J/\psi(1S) \to \gamma\eta_c(1S)) = 0.013$.

$\Gamma(K^0_S K^0_S)/\Gamma_{total}$ Γ_{31}/Γ

VALUE (units 10^{-5})	*CL%*	*DOCUMENT ID*		*TECN*	*COMMENT*
<40	90	[56] ABLIKIM	06B	BES2	$J/\psi \rightarrow K^0_S K^0_S \gamma$

[56] ABLIKIM 06B reports $[B(\eta_c(1S) \rightarrow K^0_S K^0_S) \times B(J/\psi(1S) \rightarrow \gamma\eta_c(1S))] = < 0.53 \times 10^{-5}$. We divide by our best value $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = 0.013$.

$\eta_c(1S)$ REFERENCES

ABE	07	PRL 98 082001	K. Abe *et al.*	(BELLE Collab.)
ABLIKIM	06A	PL B633 19	M. Ablikim *et al.*	(BES Collab.)
ABLIKIM	06B	EPJ C45 337	M. Ablikim *et al.*	(BES Collab.)
AUBERT	06E	PRL 96 052002	B. Aubert *et al.*	(BABAR Collab.)
PDG	06	JPG 33 1	W.-M. Yao *et al.*	(PDG Collab.)
WU	06	PRL 97 162003	C.-H. Wu *et al.*	(BELLE Collab.)
ABLIKIM	05L	PR D72 072005	M. Ablikim *et al.*	(BES Collab.)
KUO	05	PL B621 41	C.C. Kuo *et al.*	(BELLE Collab.)
ABE	04G	PR D70 071102	K. Abe *et al.*	(BELLE Collab.)
ABLIKIM	04M	PR D70 112008	M. Ablikim *et al.*	(BES Collab.)
ASNER	04	PRL 92 142001	D.M. Asner *et al.*	(CLEO Collab.)
AUBERT	04D	PRL 92 142002	B. Aubert *et al.*	(BABAR Collab.)
AUBERT,B	04B	PR D70 011101R	B. Aubert *et al.*	(BABAR Collab.)
BAI	04	PL B578 16	J.Z. Bai *et al.*	(BES Collab.)
ABDALLAH	03J	EPJ C31 481	J. Abdallah *et al.*	(DELPHI Collab.)
AMBROGIANI	03	PL B566 45	M. Ambrogiani *et al.*	(FNAL E835 Collab.)
BAI	03	PL B555 174	J.Z. Bai *et al.*	(BES Collab.)
FANG	03	PRL 90 071801	F. Fang *et al.*	(BELLE Collab.)
HUANG	03	PRL 91 241802	H.-C. Huang *et al.*	(BELLE Collab.)
ABE,K	02	PRL 89 142001	K. Abe *et al.*	(BELLE Collab.)
BAI	00F	PR D62 072001	J.Z. Bai *et al.*	(BES Collab.)
BRANDENB...	00B	PRL 85 3095	G. Brandenburg *et al.*	(CLEO Collab.)
ACCIARRI	99T	PL B461 155	M. Acciarri *et al.*	(L3 Collab.)
BAI	99B	PR D60 072001	J.Z. Bai *et al.*	(BES Collab.)
ABREU	98O	PL B441 479	P. Abreu *et al.*	(DELPHI Collab.)
SHIRAI	98	PL B424 405	M. Shirai *et al.*	(AMY Collab.)
ARMSTRONG	95F	PR D52 4839	T.A. Armstrong *et al.*	(FNAL, FERR, GENO+)
ALBRECHT	94H	PL B338 390	H. Albrecht *et al.*	(ARGUS Collab.)
ADRIANI	93N	PL B318 575	O. Adriani *et al.*	(L3 Collab.)
BISELLO	91	NP B350 1	D. Bisello *et al.*	(DM2 Collab.)
BAI	90B	PRL 65 1309	Z. Bai *et al.*	(Mark III Collab.)
CHEN	90B	PL B243 169	W.Y. Chen *et al.*	(CLEO Collab.)
BAGLIN	89	PL B231 557	C. Baglin, S. Baird, G. Bassompierre	(R704 Collab.)
BEHREND	89	ZPHY C42 367	H.J. Behrend *et al.*	(CELLO Collab.)
BRAUNSCH...	89	ZPHY C41 533	W. Braunschweig *et al.*	(TASSO Collab.)
AIHARA	88D	PRL 60 2355	H. Aihara *et al.*	(TPC Collab.)
BAGLIN	87B	PL B187 191	C. Baglin *et al.*	(R704 Collab.)
BALTRUSAIT...	86	PR D33 629	R.M. Baltrusaitis *et al.*	(Mark III Collab.)
BERGER	86	PL 167B 120	C. Berger *et al.*	(PLUTO Collab.)
GAISER	86	PR D34 711	J. Gaiser *et al.*	(Crystal Ball Collab.)
ALTHOFF	85B	ZPHY C29 189	M. Althoff *et al.*	(TASSO Collab.)
BALTRUSAIT...	84	PRL 52 2126	R.M. Baltrusaitis *et al.*	(CIT, UCSC+) JP
BLOOM	83	ARNS 33 143	E.D. Bloom, C. Peck	(SLAC, CIT)
HIMEL	80B	PRL 45 1146	T.M. Himel *et al.*	(SLAC, LBL, UCB)
PARTRIDGE	80B	PRL 45 1150	R. Partridge *et al.*	(CIT, HARV, PRIN+)

OTHER RELATED PAPERS

ARMSTRONG	89	PL B221 216	T.A. Armstrong *et al.*	(CERN, CDEF, BIRM+)