

$\Sigma(1660) P_{11}$  $I(J^P) = 1(\frac{1}{2}^+)$  Status: \*\*\*

For results published before 1974 (they are now obsolete), see our 1982 edition Physics Letters **111B** 1 (1982).

 **$\Sigma(1660)$  MASS**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1630 to 1690 (<math>\approx 1660</math>) OUR ESTIMATE</b>			
1665.1 $\pm$ 11.2	<sup>1</sup> KOISO	85	DPWA $K^- p \rightarrow \Sigma \pi$
1670 $\pm$ 10	GOPAL	80	DPWA $\bar{K} N \rightarrow \bar{K} N$
1679 $\pm$ 10	ALSTON-...	78	DPWA $\bar{K} N \rightarrow \bar{K} N$
1676 $\pm$ 15	GOPAL	77	DPWA $\bar{K} N$ multichannel
1668 $\pm$ 25	VANHORN	75	DPWA $K^- p \rightarrow \Lambda \pi^0$
1670 $\pm$ 20	KANE	74	DPWA $K^- p \rightarrow \Sigma \pi$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1565 or 1597	<sup>2</sup> MARTIN	77	DPWA $\bar{K} N$ multichannel
1660 $\pm$ 30	<sup>3</sup> BAILLON	75	IPWA $\bar{K} N \rightarrow \Lambda \pi$
1671 $\pm$ 2	<sup>4</sup> PONTE	75	DPWA $K^- p \rightarrow \Lambda \pi^0$

 **$\Sigma(1660)$  WIDTH**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>40 to 200 (<math>\approx 100</math>) OUR ESTIMATE</b>			
81.5 $\pm$ 22.2	<sup>1</sup> KOISO	85	DPWA $K^- p \rightarrow \Sigma \pi$
152 $\pm$ 20	GOPAL	80	DPWA $\bar{K} N \rightarrow \bar{K} N$
38 $\pm$ 10	ALSTON-...	78	DPWA $\bar{K} N \rightarrow \bar{K} N$
120 $\pm$ 20	GOPAL	77	DPWA $\bar{K} N$ multichannel
230 $\begin{smallmatrix} +165 \\ -60 \end{smallmatrix}$	VANHORN	75	DPWA $K^- p \rightarrow \Lambda \pi^0$
250 $\pm$ 110	KANE	74	DPWA $K^- p \rightarrow \Sigma \pi$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
202 or 217	<sup>2</sup> MARTIN	77	DPWA $\bar{K} N$ multichannel
80 $\pm$ 40	<sup>3</sup> BAILLON	75	IPWA $\bar{K} N \rightarrow \Lambda \pi$
81 $\pm$ 10	<sup>4</sup> PONTE	75	DPWA $K^- p \rightarrow \Lambda \pi^0$

 **$\Sigma(1660)$  DECAY MODES**

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\bar{K}$	10–30 %
$\Gamma_2$ $\Lambda\pi$	seen
$\Gamma_3$ $\Sigma\pi$	seen

## $\Sigma(1660)$ BRANCHING RATIOS

See "Sign conventions for resonance couplings" in the Note on  $\Lambda$  and  $\Sigma$  Resonances.

$\Gamma(N\bar{K})/\Gamma_{\text{total}}$				$\Gamma_1/\Gamma$
VALUE	DOCUMENT ID	TECN	COMMENT	
<b>0.1 to 0.3 OUR ESTIMATE</b>				
$0.12 \pm 0.03$	GOPAL	80	DPWA	$\bar{K}N \rightarrow \bar{K}N$
$0.10 \pm 0.05$	ALSTON-...	78	DPWA	$\bar{K}N \rightarrow \bar{K}N$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$< 0.04$	GOPAL	77	DPWA	See GOPAL 80
$0.27$ or $0.29$	<sup>2</sup> MARTIN	77	DPWA	$\bar{K}N$ multichannel

$(\Gamma_i \Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1660) \rightarrow \Lambda\pi$				$(\Gamma_1 \Gamma_2)^{1/2}/\Gamma$
VALUE	DOCUMENT ID	TECN	COMMENT	
$< 0.04$	GOPAL	77	DPWA	$\bar{K}N$ multichannel
$0.12^{+0.12}_{-0.04}$	VANHORN	75	DPWA	$K^- p \rightarrow \Lambda\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$-0.10$ or $-0.11$	<sup>2</sup> MARTIN	77	DPWA	$\bar{K}N$ multichannel
$-0.04 \pm 0.02$	<sup>3</sup> BAILLON	75	IPWA	$\bar{K}N \rightarrow \Lambda\pi$
$+0.16 \pm 0.01$	<sup>4</sup> PONTE	75	DPWA	$K^- p \rightarrow \Lambda\pi^0$

$(\Gamma_i \Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1660) \rightarrow \Sigma\pi$				$(\Gamma_1 \Gamma_3)^{1/2}/\Gamma$
VALUE	DOCUMENT ID	TECN	COMMENT	
$-0.13 \pm 0.04$	<sup>1</sup> KOISO	85	DPWA	$K^- p \rightarrow \Sigma\pi$
$-0.16 \pm 0.03$	GOPAL	77	DPWA	$\bar{K}N$ multichannel
$-0.11 \pm 0.01$	KANE	74	DPWA	$K^- p \rightarrow \Sigma\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$-0.34$ or $-0.37$	<sup>2</sup> MARTIN	77	DPWA	$\bar{K}N$ multichannel
not seen	HEPP	76B	DPWA	$K^- N \rightarrow \Sigma\pi$

## $\Sigma(1660)$ FOOTNOTES

<sup>1</sup> The evidence of KOISO 85 is weak.<sup>2</sup> The two MARTIN 77 values are from a T-matrix pole and from a Breit-Wigner fit.<sup>3</sup> From solution 1 of BAILLON 75; not present in solution 2.<sup>4</sup> From solution 2 of PONTE 75; not present in solution 1.

## $\Sigma(1660)$ REFERENCES

KOISO	85	NP A433 619	H. Koiso <i>et al.</i>	(TOKY, MASA)
PDG	82	PL 111B 1	M. Roos <i>et al.</i>	(HELS, CIT, CERN)
GOPAL	80	Toronto Conf. 159	G.P. Gopal	(RHEL) IJP
ALSTON-...	78	PR D18 182	M. Alston-Garnjost <i>et al.</i>	(LBL, MTHO+) IJP
Also		PRL 38 1007	M. Alston-Garnjost <i>et al.</i>	(LBL, MTHO+) IJP
GOPAL	77	NP B119 362	G.P. Gopal <i>et al.</i>	(LOIC, RHEL) IJP
MARTIN	77	NP B127 349	B.R. Martin, M.K. Pidcock, R.G. Moorhouse	(LOUC+) IJP
Also		NP B126 266	B.R. Martin, M.K. Pidcock	(LOUC)
Also		NP B126 285	B.R. Martin, M.K. Pidcock	(LOUC) IJP

HEPP	76B	PL 65B 487	V. Hepp <i>et al.</i>	(CERN, HEIDH, MPIM) IJP
BAILLON	75	NP B94 39	P.H. Baillon, P.J. Litchfield	(CERN, RHEL) IJP
PONTE	75	PR D12 2597	R.A. Ponte <i>et al.</i>	(MASA, TENN, UCR) IJP
VANHORN	75	NP B87 145	A.J. van Horn	(LBL) IJP
Also		NP B87 157	A.J. van Horn	(LBL) IJP
KANE	74	LBL-2452	D.F. Kane	(LBL) IJP

---