

$D^*(2010)^\pm$

$$I(J^P) = \frac{1}{2}(1^-)$$

I, J, P need confirmation.

$D^*(2010)^\pm$ MASS

The fit includes $D^\pm, D^0, D_s^\pm, D^{*\pm}, D^{*0},$ and $D_s^{*\pm}$ mass and mass difference measurements.

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
2010.27 ± 0.17 OUR FIT	Error includes scale factor of 1.1.			
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
2008 ± 3	¹ GOLDHABER 77	MRK1	±	$e^+ e^-$
2008.6 ± 1.0	² PERUZZI 77	LGW	±	$e^+ e^-$
¹ From simultaneous fit to $D^*(2010)^+, D^*(2007)^0, D^+,$ and D^0 ; not independent of FELDMAN 77B mass difference below.				
² PERUZZI 77 mass not independent of FELDMAN 77B mass difference below and PERUZZI 77 D^0 mass value.				

$m_{D^*(2010)^+} - m_{D^+}$

The fit includes $D^\pm, D^0, D_s^\pm, D^{*\pm}, D^{*0},$ and $D_s^{*\pm}$ mass and mass difference measurements.

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
140.64 ± 0.10 OUR FIT	Error includes scale factor of 1.1.			
140.64 ± 0.08 ± 0.06	620	BORTOLETTO92B	CLE2	$e^+ e^- \rightarrow$ hadrons

$m_{D^*(2010)^+} - m_{D^0}$

The fit includes $D^\pm, D^0, D_s^\pm, D^{*\pm}, D^{*0},$ and $D_s^{*\pm}$ mass and mass difference measurements.

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
145.421 ± 0.010 OUR FIT	Error includes scale factor of 1.1.			
145.421 ± 0.010 OUR AVERAGE				
145.412 ± 0.002 ± 0.012		ANASTASSOV 02	CLE2	$D^{*\pm} \rightarrow D^0 \pi^\pm \rightarrow (K \pi) \pi^\pm$
145.54 ± 0.08	611	³ ADINOLFI 99	BEAT	$D^{*\pm} \rightarrow D^0 \pi^\pm$
145.45 ± 0.02		³ BREITWEG 99	ZEUS	$D^{*\pm} \rightarrow D^0 \pi^\pm \rightarrow (K \pi) \pi^\pm$
145.42 ± 0.05		³ BREITWEG 99	ZEUS	$D^{*\pm} \rightarrow D^0 \pi^\pm \rightarrow (K^- 3\pi) \pi^\pm$
145.5 ± 0.15	103	⁴ ADLOFF 97B	H1	$D^{*\pm} \rightarrow D^0 \pi^\pm$
145.44 ± 0.08	152	⁴ BREITWEG 97	ZEUS	$D^{*\pm} \rightarrow D^0 \pi^\pm,$ $D^0 \rightarrow K^- 3\pi$
145.42 ± 0.11	199	⁴ BREITWEG 97	ZEUS	$D^{*\pm} \rightarrow D^0 \pi^\pm,$ $D^0 \rightarrow K^- \pi^+$
145.4 ± 0.2	48	⁴ DERRICK 95	ZEUS	$D^{*\pm} \rightarrow D^0 \pi^\pm$

145.39 ±0.06 ±0.03		BARLAG	92B	ACCM	π^- 230 GeV
145.5 ±0.2	115	⁴ ALEXANDER	91B	OPAL	$D^{*\pm} \rightarrow D^0 \pi^\pm$
145.30 ±0.06		⁴ DECAMP	91J	ALEP	$D^{*\pm} \rightarrow D^0 \pi^\pm$
145.40 ±0.05 ±0.10		ABACHI	88B	HRS	$D^{*\pm} \rightarrow D^0 \pi^\pm$
145.46 ±0.07 ±0.03		ALBRECHT	85F	ARG	$D^{*\pm} \rightarrow D^0 \pi^\pm$
145.5 ±0.3	28	BAILEY	83	SPEC	$D^{*\pm} \rightarrow D^0 \pi^\pm$
145.5 ±0.3	60	FITCH	81	SPEC	$\pi^- A$
145.3 ±0.5	30	FELDMAN	77B	MRK1	$D^{*+} \rightarrow D^0 \pi^+$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
145.44 ±0.09	122	⁴ BREITWEG	97B	ZEUS	$D^{*\pm} \rightarrow D^0 \pi^\pm,$ $D^0 \rightarrow K^- \pi^+$
145.8 ±1.5	16	AHLEN	83	HRS	$D^{*+} \rightarrow D^0 \pi^+$
145.1 ±1.8	12	BAILEY	83	SPEC	$D^{*\pm} \rightarrow D^0 \pi^\pm$
145.1 ±0.5	14	BAILEY	83	SPEC	$D^{*\pm} \rightarrow D^0 \pi^\pm$
145.5 ±0.5	14	YELTON	82	MRK2	$29 e^+ e^- \rightarrow$ $K^- \pi^+$
~ 145.5		AVERY	80	SPEC	γA
145.2 ±0.6	2	BLIETSCHAU	79	BEBC	νp
³ Statistical errors only.					
⁴ Systematic error not evaluated.					

$m_{D^*(2010)^+} - m_{D^*(2007)^0}$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2.6 ± 1.8	⁵ PERUZZI	77	LGW $e^+ e^-$
⁵ Not independent of FELDMAN 77B mass difference above, PERUZZI 77 D^0 mass, and GOLDHABER 77 $D^*(2007)^0$ mass.			

$D^*(2010)^\pm$ WIDTH

VALUE (keV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
96 ± 4 ± 22			ANASTASSOV 02	CLE2	$D^{*\pm} \rightarrow D^0 \pi^\pm \rightarrow$ $(K \pi) \pi^\pm$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<131	90	110	BARLAG	92B	ACCM π^- 230 GeV

$D^*(2010)^\pm$ DECAY MODES

$D^*(2010)^-$ modes are charge conjugates of the modes below.

Mode	Fraction (Γ_i/Γ)
Γ_1 $D^0 \pi^+$	(67.7 ± 0.5) %
Γ_2 $D^+ \pi^0$	(30.7 ± 0.5) %
Γ_3 $D^+ \gamma$	(1.6 ± 0.4) %

CONSTRAINED FIT INFORMATION

An overall fit to 3 branching ratios uses 6 measurements and one constraint to determine 3 parameters. The overall fit has a $\chi^2 = 0.3$ for 4 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_2	-62	
x_3	-43	-44
	x_1	x_2

$D^*(2010)^+$ BRANCHING RATIOS

$\Gamma(D^0 \pi^+) / \Gamma_{\text{total}}$ Γ_1 / Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.677 ± 0.005 OUR FIT			
0.677 ± 0.006 OUR AVERAGE			
0.6759 ± 0.0029 ± 0.0064	^{6,7,8} BARTELT	98 CLE2	$e^+ e^-$
0.688 ± 0.024 ± 0.013	ALBRECHT	95F ARG	$e^+ e^- \rightarrow$ hadrons
0.681 ± 0.010 ± 0.013	⁶ BUTLER	92 CLE2	$e^+ e^- \rightarrow$ hadrons
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.57 ± 0.04 ± 0.04	ADLER	88D MRK3	$e^+ e^-$
0.44 ± 0.10	COLES	82 MRK2	$e^+ e^-$
0.6 ± 0.15	⁸ GOLDHABER	77 MRK1	$e^+ e^-$

$\Gamma(D^+ \pi^0) / \Gamma_{\text{total}}$ Γ_2 / Γ

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.307 ± 0.005 OUR FIT				
0.3073 ± 0.0013 ± 0.0062				
	^{6,7,8}	BARTELT	98 CLE2	$e^+ e^-$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.312 ± 0.011 ± 0.008	1404	ALBRECHT	95F ARG	$e^+ e^- \rightarrow$ hadrons
0.308 ± 0.004 ± 0.008	410	⁶ BUTLER	92 CLE2	$e^+ e^- \rightarrow$ hadrons
0.26 ± 0.02 ± 0.02		ADLER	88D MRK3	$e^+ e^-$
0.34 ± 0.07		COLES	82 MRK2	$e^+ e^-$

$\Gamma(D^+ \gamma) / \Gamma_{\text{total}}$ Γ_3 / Γ

<u>VALUE</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.016 ± 0.004 OUR FIT					
0.016 ± 0.005 OUR AVERAGE					
0.0168 ± 0.0042 ± 0.0029			^{6,7} BARTELT	98 CLE2	$e^+ e^-$
0.011 ± 0.014 ± 0.016	12		⁶ BUTLER	92 CLE2	$e^+ e^- \rightarrow$ hadrons

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.052	90	ALBRECHT	95F ARG	$e^+e^- \rightarrow$ hadrons
0.17 ±0.05 ±0.05		ADLER	88D MRK3	e^+e^-
0.22 ±0.12		⁹ COLES	82 MRK2	e^+e^-

⁶ The branching ratios are not independent, they have been constrained by the authors to sum to 100%.

⁷ Systematic error includes theoretical error on the prediction of the ratio of hadronic modes.

⁸ Assuming that isospin is conserved in the decay.

⁹ Not independent of $\Gamma(D^0\pi^+)/\Gamma_{\text{total}}$ and $\Gamma(D^+\pi^0)/\Gamma_{\text{total}}$ measurement.

$D^*(2010)^\pm$ REFERENCES

ANASTASSOV 02	PR D65 032003	A. Anastassov <i>et al.</i>	(CLEO Collab.)
ADINOLFI 99	NP B547 3	M. Adinolfi <i>et al.</i>	(Beatrice Collab.)
BREITWEG 99	EPJ C6 67	J. Breitweg <i>et al.</i>	(ZEUS Collab.)
BARTELT 98	PRL 80 3919	J. Bartelt <i>et al.</i>	(CLEO II Collab.)
ADLOFF 97B	ZPHY C72 593	C. Adloff <i>et al.</i>	(H1 Collab.)
BREITWEG 97	PL B401 192	J. Breitweg <i>et al.</i>	(ZEUS Collab.)
BREITWEG 97B	PL B407 402	J. Breitweg <i>et al.</i>	(ZEUS Collab.)
ALBRECHT 95F	ZPHY C66 63	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
DERRICK 95	PL B349 225	M. Derrick <i>et al.</i>	(ZEUS Collab.)
BARLAG 92B	PL B278 480	S. Barlag <i>et al.</i>	(ACCMOR Collab.)
BORTOLETTO 92B	PRL 69 2046	D. Bortoletto <i>et al.</i>	(CLEO Collab.)
BUTLER 92	PRL 69 2041	F. Butler <i>et al.</i>	(CLEO Collab.)
ALEXANDER 91B	PL B262 341	G. Alexander <i>et al.</i>	(OPAL Collab.)
DECAMP 91J	PL B266 218	D. Decamp <i>et al.</i>	(ALEPH Collab.)
ABACHI 88B	PL B212 533	S. Abachi <i>et al.</i>	(ANL, IND, MICH, PURD+)
ADLER 88D	PL B208 152	J. Adler <i>et al.</i>	(Mark III Collab.)
ALBRECHT 85F	PL 150B 235	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
AHLEN 83	PRL 51 1147	S.P. Ahlen <i>et al.</i>	(ANL, IND, LBL+)
BAILEY 83	PL 132B 230	R. Bailey <i>et al.</i>	(AMST, BRIS, CERN, CRAC+)
COLES 82	PR D26 2190	M.W. Coles <i>et al.</i>	(LBL, SLAC)
YELTON 82	PRL 49 430	J.M. Yelton <i>et al.</i>	(SLAC, LBL, UCB+)
FITCH 81	PRL 46 761	V.L. Fitch <i>et al.</i>	(PRIN, SACL, TORI+)
AVERY 80	PRL 44 1309	P. Avery <i>et al.</i>	(ILL, FNAL, COLU)
BLIETSCHAU 79	PL 86B 108	J. Blietschau <i>et al.</i>	(AACH3, BONN, CERN+)
FELDMAN 77B	PRL 38 1313	G.J. Feldman <i>et al.</i>	(Mark I Collab.)
GOLDHABER 77	PL 69B 503	G. Goldhaber <i>et al.</i>	(Mark I Collab.)
PERUZZI 77	PRL 39 1301	I. Peruzzi <i>et al.</i>	(LGW Collab.)

OTHER RELATED PAPERS

AHMED 01	PRL 87 251801	S. Ahmed <i>et al.</i>	(CLEO Collab.)
SEMENOV 99	SPU 42 847	S.V. Semenov	
	Translated from UFN 42 937.		
NUSSINOV 98	PL B418 383	S. Nussinov	
KAMAL 92	PL B284 421	A.N. Kamal, Q.P. Xu	(ALBE)
ALTHOFF 83C	PL 126B 493	M. Althoff <i>et al.</i>	(TASSO Collab.)
BEBEK 82	PRL 49 610	C. Bebek <i>et al.</i>	(HARV, OSU, ROCH, RUTG+)
TRILLING 81	PRPL 75 57	G.H. Trilling	(LBL, UCB)
PERUZZI 76	PRL 37 569	I. Peruzzi <i>et al.</i>	(Mark I Collab.)