

$\pi_1(1400)$

$I^G(J^{PC}) = 1^-(1^-+)$

See also the mini-review under non- $q\bar{q}$ candidates in PDG 06, Journal of Physics, G **33** 1 (2006).

$\pi_1(1400)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
1354 ± 25 OUR AVERAGE	Error includes scale factor of 1.8. See the ideogram below.				
1257 ± 20	± 25	ADAMS 07B	B852	18	$\pi^- p \rightarrow \eta \pi^0 n$
1384 ± 20	± 35	SALVINI 04	OBLX		$\bar{p} p \rightarrow 2\pi^+ 2\pi^-$
1360 ± 25		ABELE 99	CBAR	0.0	$\bar{p} p \rightarrow \pi^0 \pi^0 \eta$
1400 ± 20	± 20	ABELE 98B	CBAR	0.0	$\bar{p} n \rightarrow \pi^- \pi^0 \eta$
1370 ± 16	+ 50 - 30	1 THOMPSON 97	MPS	18	$\pi^- p \rightarrow \eta \pi^- p$


• • • We do not use the following data for averages, fits, limits, etc. • • •

1323.1 ± 4.6	2 AOYAGI	93	BKEI	$\pi^- p \rightarrow \eta \pi^- p$
1406 ± 20	3 ALDE	88B	GAM4 0	100 $\pi^- p \rightarrow \eta \pi^0 n$

¹ Natural parity exchange, questioned by DZIERBA 03.

² Unnatural parity exchange.

³ Seen in the P_0 -wave intensity of the $\eta \pi^0$ system, unnatural parity exchange.



$\pi_1(1400)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
330 ± 35 OUR AVERAGE					
354 ± 64	± 58	ADAMS	07B	B852	18 $\pi^- p \rightarrow \eta\pi^0 n$
378 ± 50	± 50	SALVINI	04	OBLX	$\bar{p}p \rightarrow 2\pi^+ 2\pi^-$
220 ± 90		ABELE	99	CBAR	0.0 $\bar{p}p \rightarrow \pi^0\pi^0\eta$
310 ± 50	± 50	ABELE	98B	CBAR	0.0 $\bar{p}n \rightarrow \pi^-\pi^0\eta$
385 ± 40	± 65	4 THOMPSON	97	MPS	18 $\pi^- p \rightarrow \eta\pi^- p$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
143.2 ± 12.5		5 AOYAGI	93	BKEI	$\pi^- p \rightarrow \eta\pi^- p$
180 ± 20		6 ALDE	88B	GAM4 0	100 $\pi^- p \rightarrow \eta\pi^0 n$
4 Resolution is not unfolded, natural parity exchange, questioned by DZIERBA 03.					
5 Unnatural parity exchange.					
6 Seen in the P_0 -wave intensity of the $\eta\pi^0$ system, unnatural parity exchange.					

$\pi_1(1400)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \eta\pi^0$	seen
$\Gamma_2 \eta\pi^-$	seen
$\Gamma_3 \eta'\pi$	

$\pi_1(1400)$ BRANCHING RATIOS

$\Gamma(\eta\pi^0)/\Gamma_{\text{total}}$	Γ_1/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>CHG</u> <u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •	
not seen	PROKOSHKIN 95B GAM4 100 $\pi^- p \rightarrow \eta\pi^0 n$
not seen	7 BUGG 94 RVUE $\bar{p}p \rightarrow \eta 2\pi^0$
not seen	8 APEL 81 NICE 0 40 $\pi^- p \rightarrow \eta\pi^0 n$

7 Using Crystal Barrel data.

8 A general fit allowing S , D , and P waves (including $m=0$) is not done because of limited statistics.

$\Gamma(\eta\pi^-)/\Gamma_{\text{total}}$	Γ_2/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •	
possibly seen	BELADIDZE 93 VES $37\pi^- N \rightarrow \eta\pi^- N$

$\Gamma(\eta'\pi)/\Gamma(\eta\pi^0)$	Γ_3/Γ_1
<u>VALUE</u> <u>CL%</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •	
<0.80 95	BOUTEMEUR 90 GAM4 100 $\pi^- p \rightarrow 4\gamma n$

$\pi_1(1400)$ REFERENCES

ADAMS	07B	PL B657 27	G.S. Adams <i>et al.</i>	(BNL E852 Collab.)
PDG	06	JPG 33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)
SALVINI	04	EPJ C35 21	P. Salvini <i>et al.</i>	(OBELIX Collab.)
DZIERBA	03	PR D67 094015	A.R. Dzierba <i>et al.</i>	
ABELE	99	PL B446 349	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	98B	PL B423 175	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
THOMPSON	97	PRL 79 1630	D.R. Thompson <i>et al.</i>	(BNL E852 Collab.)
PROKOSHKIN	95B	PAN 58 606	Y.D. Prokoshkin, S.A. Sadovsky	(SERP)
		Translated from YAF 58 662.		
BUGG	94	PR D50 4412	D.V. Bugg <i>et al.</i>	(LOQM)
AOYAGI	93	PL B314 246	H. Aoyagi <i>et al.</i>	(BKEI Collab.)
BELADIDZE	93	PL B313 276	G.M. Beladidze <i>et al.</i>	(VES Collab.)
BOUTEMEUR	90	Hadron 89 Conf. p 119	M. Boutemeur, M. Poulet	(SERP, BELG, LANL+)
ALDE	88B	PL B205 397	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP) IGJPC
APEL	81	NP B193 269	W.D. Apel <i>et al.</i>	(SERP, CERN)