

$f_0(600)$   
or  $\sigma$

$I^G(J^{PC}) = 0^+(0^{++})$

A REVIEW GOES HERE – Check our WWW List of Reviews

### **$f_0(600)$ T-MATRIX POLE $\sqrt{s}$**

Note that  $\Gamma \approx 2 \operatorname{Im}(\sqrt{s}_{\text{pole}})$ .

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>(400–1200)–<math>i</math>(250–500) OUR ESTIMATE</b>			
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
$(455 \pm 6 \pm 31) - i(556 \pm 12 \pm 68)$	1 CAPRINI 08 RVUE Compilation		
$(463 \pm 6 \pm 31) - i(518 \pm 12 \pm 66)$	2 CAPRINI 08 RVUE Compilation		
$(552 \pm 84) - i(232 \pm 81)$	3 ABLIKIM 07A BES2 $\psi(2S) \rightarrow \pi^+ \pi^- J/\psi$		
$(466 \pm 18) - i(223 \pm 28)$	4 BONVICINI 07 CLEO $D^+ \rightarrow \pi^- \pi^+ \pi^+$		
$(472 \pm 30) - i(271 \pm 30)$	5 BUGG 07A RVUE Compilation		
$(484 \pm 17) - i(255 \pm 10)$	GARCIA-MAR..07 RVUE $Ke4$		
$(441 \pm 16) - i(272 \pm 9)$	6 CAPRINI 06 RVUE $\pi\pi \rightarrow \pi\pi$		
$(470 \pm 50) - i(285 \pm 25)$	7 ZHOU 05 RVUE		
$(541 \pm 39) - i(252 \pm 42)$	8 ABLIKIM 04A BES2 $J/\psi \rightarrow \omega \pi^+ \pi^-$		
$(528 \pm 32) - i(207 \pm 23)$	9 GALLEGOS 04 RVUE Compilation		
$(440 \pm 8) - i(212 \pm 15)$	10 PELAEZ 04A RVUE $\pi\pi \rightarrow \pi\pi$		
$(533 \pm 25) - i(247 \pm 25)$	11 BUGG 03 RVUE		
532 – $i$ 272	BLACK 01 RVUE $\pi^0 \pi^0 \rightarrow \pi^0 \pi^0$		
$(470 \pm 30) - i(295 \pm 20)$	6 COLANGELO 01 RVUE $\pi\pi \rightarrow \pi\pi$		
$(535 \pm 48) - i(155 \pm 76)$	12 ISHIDA 01 $\gamma(3S) \rightarrow \gamma \pi\pi$		
$610 \pm 14 - i620 \pm 26$	13 SUROVTSEV 01 RVUE $\pi\pi \rightarrow \pi\pi, K\bar{K}$		
$(558 \pm 34) - i(196 \pm 41)$	ISHIDA 00B $p\bar{p} \rightarrow \pi^0 \pi^0 \pi^0$		
445 – $i$ 235	HANNAH 99 RVUE $\pi$ scalar form factor		
$(523 \pm 12) - i(259 \pm 7)$	KAMINSKI 99 RVUE $\pi\pi \rightarrow \pi\pi, K\bar{K}, \sigma\sigma$		
442 – $i$ 227	OLLER 99 RVUE $\pi\pi \rightarrow \pi\pi, K\bar{K}$		
469 – $i$ 203	OLLER 99B RVUE $\pi\pi \rightarrow \pi\pi, K\bar{K}$		
445 – $i$ 221	OLLER 99C RVUE $\pi\pi \rightarrow \pi\pi, K\bar{K}, \eta\eta$		
$(1530 \pm 90) - i(560 \pm 40)$	ANISOVICH 98B RVUE Compilation		
420 – $i$ 212	LOCHER 98 RVUE $\pi\pi \rightarrow \pi\pi, K\bar{K}$		
$(602 \pm 26) - i(196 \pm 27)$	14 ISHIDA 97 $\pi\pi \rightarrow \pi\pi$		
$(537 \pm 20) - i(250 \pm 17)$	15 KAMINSKI 97B RVUE $\pi\pi \rightarrow \pi\pi, K\bar{K}, 4\pi$		
470 – $i$ 250	16,17 TORNQVIST 96 RVUE $\pi\pi \rightarrow \pi\pi, K\bar{K}, K\pi, \eta\pi$		
$\sim (1100 - i300)$	AMSLER 95B CBAR $\bar{p}p \rightarrow 3\pi^0$		
400 – $i$ 500	17,18 AMSLER 95D CBAR $\bar{p}p \rightarrow 3\pi^0$		
1100 – $i$ 137	17,19 AMSLER 95D CBAR $\bar{p}p \rightarrow 3\pi^0$		
387 – $i$ 305	17,20 JANSEN 95 RVUE $\pi\pi \rightarrow \pi\pi, K\bar{K}$		
525 – $i$ 269	21 ACHASOV 94 RVUE $\pi\pi \rightarrow \pi\pi$		
$(506 \pm 10) - i(247 \pm 3)$	KAMINSKI 94 RVUE $\pi\pi \rightarrow \pi\pi, K\bar{K}$		

370 – <i>i</i> 356	22 ZOU	94B RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
408 – <i>i</i> 342	17,22 ZOU	93 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
870 – <i>i</i> 370	17,23 AU	87 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
470 – <i>i</i> 208	24 VANBEVEREN 86	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, \eta\eta,$
(750 ± 50) – <i>i</i> (450 ± 50)	25 ESTABROOKS 79	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
(660 ± 100) – <i>i</i> (320 ± 70)	PROTOPOP... 73	HBC	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
650 – <i>i</i> 370	26 BASDEVANT 72	RVUE	$\pi\pi \rightarrow \pi\pi$

<sup>1</sup> From the  $K_{e4}$  data of BATLEY 08A and  $\pi N \rightarrow \pi\pi N$  data of HYAMS 73.

<sup>2</sup> From the  $K_{e4}$  data of BATLEY 08A and  $\pi N \rightarrow \pi\pi N$  data of PROTOPOPESCU 73, GRAYER 74, and ESTABROOKS 74.

<sup>3</sup> From a mean of three different  $f_0(600)$  parameterizations. Uses 40k events.

<sup>4</sup> From an isobar model using 2.6k events.

<sup>5</sup> Reanalysis of ABLIKIM 04A, PISLAK 01, and HYAMS 73 data.

<sup>6</sup> From the solution of the Roy equation (ROY 71) for the isoscalar S-wave and using a phase-shift analysis of HYAMS 73 and PROTOPOPESCU 73 data.

<sup>7</sup> Reanalysis of the data from PROTOPOPESCU 73, ESTABROOKS 74, GRAYER 74, ROSSELET 77, PISLAK 03, and AKHMETSHIN 04.

<sup>8</sup> From a mean of six different analyses and  $f_0(600)$  parameterizations.

<sup>9</sup> Using data on  $\psi(2S) \rightarrow J/\psi\pi\pi$  from BAI 00E and on  $\Upsilon(nS) \rightarrow \Upsilon(mS)\pi\pi$  from BUTLER 94B and ALEXANDER 98.

<sup>10</sup> Reanalysis of data from PROTOPOPESCU 73, ESTABROOKS 74, GRAYER 74, and COHEN 80 in the unitarized ChPT model.

<sup>11</sup> From a combined analysis of HYAMS 73, AUGUSTIN 89, AITALA 01B, and PISLAK 01.

<sup>12</sup> A similar analysis (KOMADA 01) finds  $(580^{+79}_{-30}) - i(190^{+107}_{-49})$  MeV.

<sup>13</sup> Coupled channel reanalysis of BATON 70, BENSINGER 71, BAILLON 72, HYAMS 73, HYAMS 75, ROSSELET 77, COHEN 80, and ETKIN 82B using the uniformizing variable.

<sup>14</sup> Reanalysis of data from HYAMS 73, GRAYER 74, SRINIVASAN 75, and ROSSELET 77 using the interfering amplitude method.

<sup>15</sup> Average and spread of 4 variants (“up” and “down”) of KAMINSKI 97B 3-channel model.

<sup>16</sup> Uses data from BEIER 72B, OCHS 73, HYAMS 73, GRAYER 74, ROSSELET 77, CASON 83, ASTON 88, and ARMSTRONG 91B. Coupled channel analysis with flavor symmetry and all light two-pseudoscalars systems.

<sup>17</sup> Demonstrates explicitly that  $f_0(600)$  and  $f_0(1370)$  are two different poles.

<sup>18</sup> Coupled channel analysis of  $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta\eta$  and  $\pi^0\pi^0\eta$  on sheet II.

<sup>19</sup> Coupled channel analysis of  $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta\eta$  and  $\pi^0\pi^0\eta$  on sheet III.

<sup>20</sup> Analysis of data from FALVARD 88.

<sup>21</sup> Analysis of data from OCHS 73, ESTABROOKS 75, ROSSELET 77, and MUKHIN 80.

<sup>22</sup> Analysis of data from OCHS 73, GRAYER 74, and ROSSELET 77.

<sup>23</sup> Analysis of data from OCHS 73, GRAYER 74, BECKER 79, and CASON 83.

<sup>24</sup> Coupled-channel analysis using data from PROTOPOPESCU 73, HYAMS 73, HYAMS 75, GRAYER 74, ESTABROOKS 74, ESTABROOKS 75, FROGGATT 77, CORDEN 79, BISWAS 81.

<sup>25</sup> Analysis of data from APEL 73, GRAYER 74, CASON 76, PAWLICKI 77. Includes spread and errors of 4 solutions.

<sup>26</sup> Analysis of data from BATON 70, BENSINGER 71, COLTON 71, BAILLON 72, PROTOPOPESCU 73, and WALKER 67.

## $f_0(600)$ BREIT-WIGNER MASS OR K-MATRIX POLE PARAMETERS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

### (400–1200) OUR ESTIMATE

513 ± 32      <sup>27</sup> MURAMATSU 02      CLEO       $e^+ e^- \approx 10$  GeV

• • • We do not use the following data for averages, fits, limits, etc. • • •

$478^{+24}_{-23} \pm 17$	AITALA	01B E791	$D^+ \rightarrow \pi^- \pi^+ \pi^+$
$563^{+58}_{-29}$	<sup>28</sup> ISHIDA	01	$\gamma(3S) \rightarrow \gamma \pi \pi$
555	<sup>29</sup> ASNER	00	$\tau^- \rightarrow \pi^- \pi^0 \pi^0 \nu_\tau$
$540 \pm 36$	ISHIDA	00B	$p\bar{p} \rightarrow \pi^0 \pi^0 \pi^0$
$750 \pm 4$	ALEKSEEV	99	SPEC $1.78 \pi^- p_{\text{polar}} \rightarrow \pi^- \pi^+ n$
$744 \pm 5$	ALEKSEEV	98	SPEC $1.78 \pi^- p_{\text{polar}} \rightarrow \pi^- \pi^+ n$
$759 \pm 5$	<sup>30</sup> TROYAN	98	$5.2 np \rightarrow np\pi^+\pi^-$
$780 \pm 30$	ALDE	97	GAM2 $450 pp \rightarrow pp\pi^0\pi^0$
$585 \pm 20$	<sup>31</sup> ISHIDA	97	$\pi\pi \rightarrow \pi\pi$
$761 \pm 12$	<sup>32</sup> SVEC	96	RVUE $6-17 \pi N_{\text{polar}} \rightarrow \pi^+ \pi^- N$
$\sim 860$	<sup>33,34</sup> TORNQVIST	96	RVUE $\pi\pi \rightarrow \pi\pi, K\bar{K}, K\pi, \eta\pi$
$1165 \pm 50$	<sup>35,36</sup> ANISOVICH	95	RVUE $\pi^- p \rightarrow \pi^0 \pi^0 n,$ $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0, \pi^0 \pi^0 \eta, \pi^0 \eta\eta$
$\sim 1000$	<sup>37</sup> ACHASOV	94	RVUE $\pi\pi \rightarrow \pi\pi$
$414 \pm 20$	<sup>32</sup> AUGUSTIN	89	DM2

<sup>27</sup> Statistical uncertainty only.

<sup>28</sup> A similar analysis (KOMADA 01) finds  $526^{+48}_{-37}$  MeV.

<sup>29</sup> From the best fit of the Dalitz plot.

<sup>30</sup>  $6\sigma$  effect, no PWA.

<sup>31</sup> Reanalysis of data from HYAMS 73, GRAYER 74, SRINIVASAN 75, and ROSSELET 77 using the interfering amplitude method.

<sup>32</sup> Breit-Wigner fit to S-wave intensity measured in  $\pi N \rightarrow \pi^- \pi^+ N$  on polarized targets. The fit does not include  $f_0(980)$ .

<sup>33</sup> Uses data from ASTON 88, OCHS 73, HYAMS 73, ARMSTRONG 91B, GRAYER 74, CASON 83, ROSSELET 77, and BEIER 72B. Coupled channel analysis with flavor symmetry and all light two-pseudoscalars systems.

<sup>34</sup> Also observed by ASNER 00 in  $\tau^- \rightarrow \pi^- \pi^0 \pi^0 \nu_\tau$  decays.

<sup>35</sup> Uses  $\pi^0 \pi^0$  data from ANISOVICH 94, AMSLER 94D, and ALDE 95B,  $\pi^+ \pi^-$  data from OCHS 73, GRAYER 74 and ROSSELET 77, and  $\eta\eta$  data from ANISOVICH 94.

<sup>36</sup> The pole is on Sheet III. Demonstrates explicitly that  $f_0(600)$  and  $f_0(1370)$  are two different poles.

<sup>37</sup> Analysis of data from OCHS 73, ESTABROOKS 75, ROSSELET 77, and MUKHIN 80.

## $f_0(600)$ BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>(600–1000) OUR ESTIMATE</b>			
$335 \pm 67$	<sup>38</sup> MURAMATSU 02	CLEO $e^+ e^- \approx 10$ GeV	
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$324^{+42}_{-40} \pm 21$	AITALA	01B E791	$D^+ \rightarrow \pi^- \pi^+ \pi^+$
$372^{+229}_{-95}$	<sup>39</sup> ISHIDA	01	$\gamma(3S) \rightarrow \gamma \pi \pi$
540	<sup>40</sup> ASNER	00	$\tau^- \rightarrow \pi^- \pi^0 \pi^0 \nu_\tau$
$372 \pm 80$	ISHIDA	00B	$p\bar{p} \rightarrow \pi^0 \pi^0 \pi^0$
$119 \pm 13$	ALEKSEEV	99	SPEC $1.78 \pi^- p_{\text{polar}} \rightarrow \pi^- \pi^+ n$
$77 \pm 22$	ALEKSEEV	98	SPEC $1.78 \pi^- p_{\text{polar}} \rightarrow \pi^- \pi^+ n$
$35 \pm 12$	<sup>41</sup> TROYAN	98	$5.2 np \rightarrow np\pi^+\pi^-$

$780 \pm 60$	ALDE	97	GAM2	$450 \text{ } pp \rightarrow pp\pi^0\pi^0$
$385 \pm 70$	<sup>42</sup> ISHIDA	97		$\pi\pi \rightarrow \pi\pi$
$290 \pm 54$	<sup>43</sup> SVEC	96	RVUE	$6\text{--}17 \text{ } \pi N_{\text{polar}} \rightarrow \pi^+\pi^-N$
$\sim 880$	<sup>44,45</sup> TORNQVIST	96	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, K\pi, \eta\pi$
$460 \pm 40$	<sup>46,47</sup> ANISOVICH	95	RVUE	$\pi^- p \rightarrow \pi^0\pi^0 n, \bar{p}p \rightarrow \pi^0\pi^0\pi^0, \pi^0\pi^0\eta, \pi^0\eta\eta$
$\sim 3200$	<sup>48</sup> ACHASOV	94	RVUE	$\pi\pi \rightarrow \pi\pi$
$494 \pm 58$	<sup>43</sup> AUGUSTIN	89	DM2	

<sup>38</sup> Statistical uncertainty only.

<sup>39</sup> A similar analysis (KOMADA 01) finds  $301^{+145}_{-100}$  MeV.

<sup>40</sup> From the best fit of the Dalitz plot.

<sup>41</sup>  $6\sigma$  effect, no PWA.

<sup>42</sup> Reanalysis of data from HYAMS 73, GRAYER 74, SRINIVASAN 75, and ROSSELET 77 using the interfering amplitude method.

<sup>43</sup> Breit-Wigner fit to S-wave intensity measured in  $\pi N \rightarrow \pi^-\pi^+N$  on polarized targets. The fit does not include  $f_0(980)$ .

<sup>44</sup> Uses data from ASTON 88, OCHS 73, HYAMS 73, ARMSTRONG 91B, GRAYER 74, CASON 83, ROSSELET 77, and BEIER 72B. Coupled channel analysis with flavor symmetry and all light two-pseudoscalars systems.

<sup>45</sup> Also observed by ASNER 00 in  $\tau^- \rightarrow \pi^-\pi^0\pi^0\nu_\tau$  decays.

<sup>46</sup> Uses  $\pi^0\pi^0$  data from ANISOVICH 94, AMSLER 94D, and ALDE 95B,  $\pi^+\pi^-$  data from OCHS 73, GRAYER 74 and ROSSELET 77, and  $\eta\eta$  data from ANISOVICH 94.

<sup>47</sup> The pole is on Sheet III. Demonstrates explicitly that  $f_0(600)$  and  $f_0(1370)$  are two different poles.

<sup>48</sup> Analysis of data from OCHS 73, ESTABROOKS 75, ROSSELET 77, and MUKHIN 80.

## $f_0(600)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 \quad \pi\pi$	dominant
$\Gamma_2 \quad \gamma\gamma$	seen

## $f_0(600)$ PARTIAL WIDTHS

$\Gamma(\gamma\gamma)$		$\Gamma_2$
<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>		
1.2 $\pm$ 0.4	<sup>49</sup> BERNABEU 08	RVUE
3.9 $\pm$ 0.6	<sup>50</sup> MENNESSIER 08	RVUE $\gamma\gamma \rightarrow \pi^+\pi^-, \pi^0\pi^0$
4.1 $\pm$ 0.3	<sup>51</sup> PENNINGTON 06	RVUE $\gamma\gamma \rightarrow \pi^0\pi^0$
3.8 $\pm$ 1.5	<sup>52,53</sup> BOGLIONE 99	RVUE $\gamma\gamma \rightarrow \pi^+\pi^-, \pi^0\pi^0$
5.4 $\pm$ 2.3	<sup>52</sup> MORGAN 90	RVUE $\gamma\gamma \rightarrow \pi^+\pi^-, \pi^0\pi^0$
10 $\pm$ 6	COURAU 86	DM1 $e^+e^- \rightarrow \pi^+\pi^-e^+e^-$
<b>49</b> Using $p, n$ polarizabilities from PDG 06 and fitting to $\pi\pi$ phase motion from GARCIA-MARTIN 07 and $\sigma$ -poles from GARCIA-MARTIN 07 and CAPRINI 06.		
<b>50</b> Using an analytic K-matrix model.		
<b>51</b> Using unitarity and the $\sigma$ pole position from CAPRINI 06.		
<b>52</b> This width could equally well be assigned to the $f_0(1370)$ . The authors analyse data from BOYER 90 and MARSISKE 90 and report strong correlation with $\gamma\gamma$ width of $f_2(1270)$ .		
<b>53</b> Supersedes MORGAN 90.		

## **$f_0(600)$ REFERENCES**

BATLEY	08A	EPJ C54 411	J.R. Batley <i>et al.</i>	(CERN NA48/2 Collab.)
BERNABEU	08	PRL 100 241804	J. Bernabeu, J. Prades	(IFIC, GRAN)
CAPRINI	08	PR D77 114019	I. Caprini	
MENNESSIER	08	PL B665 205	G. Mennessier, S. Narison, W. Ochs	
ABLIKIM	07A	PL B645 19	M. Ablikim <i>et al.</i>	(BES Collab.)
BONVICINI	07	PR D76 012001	G. Bonvicini <i>et al.</i>	(CLEO Collab.)
BUGG	07A	JPG 34 151	D.V. Bugg <i>et al.</i>	
GARCIA-MAR...	07	PR D76 074034	R. Garcia-Martin, J.R. Pelaez, F.J. Yndurain	
CAPRINI	06	PRL 96 132001	I. Caprini, G. Colangelo, H. Leutwyler	(BCIP+)
PDG	06	JPG 33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)
PENNINGTON	06	PRL 97 011601	M.R. Pennington	
ZHOU	05	JHEP 0502 043	Z.Y. Zhou <i>et al.</i>	
ABLIKIM	04A	PL B598 149	M. Ablikim <i>et al.</i>	(BES Collab.)
AKHMETSHIN	04	PL B578 285	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
GALLEGOS	04	PR D69 074033	A. Gallegos <i>et al.</i>	
PELAEZ	04A	MPL A19 2879	J.R. Pelaez	
BUGG	03	PL B572 1	D.V. Bugg	
PISLAK	03	PR D67 072004	S. Pislak <i>et al.</i>	(BNL E865 Collab.)
MURAMATSU	02	PRL 89 251802	H. Muramatsu <i>et al.</i>	(CLEO Collab.)
Also		PRL 90 059901 (erratum)	H. Muramatsu <i>et al.</i>	(CLEO Collab.)
AITALA	01B	PRL 86 770	E.M. Aitala <i>et al.</i>	(FNAL E791 Collab.)
BLACK	01	PR D64 014031	D. Black <i>et al.</i>	
COLANGELO	01	NP B603 125	G. Colangelo, J. Gasser, H. Leutwyler	
ISHIDA	01	PL B518 47	M. Ishida <i>et al.</i>	
KOMADA	01	PL B508 31	T. Komada <i>et al.</i>	
PISLAK	01	PRL 87 221801	S. Pislak <i>et al.</i>	(BNL E865 Collab.)
Also		PR D67 072004	S. Pislak <i>et al.</i>	(BNL E865 Collab.)
SUROVTSEV	01	PR D63 054024	Y.S. Surovtsev, D. Krupa, M. Nagy	
ASNER	00	PR D61 012002	D.M. Asner <i>et al.</i>	(CLEO Collab.)
BAI	00E	PR D62 032002	J. Bai <i>et al.</i>	(BES Collab.)
ISHIDA	00B	PTP 104 203	M. Ishida <i>et al.</i>	
ALEKSEEV	99	NP B541 3	I.G. Alekseev <i>et al.</i>	
BOGLIONE	99	EPJ C9 11	M. Boglione, M.R. Pennington	
HANNAH	99	PR D60 017502	T. Hannah	
KAMINSKI	99	EPJ C9 141	R. Kaminski, L. Lesniak, B. Loiseau	(CRAC, PARIN)
OLLER	99	PR D60 099906 (erratum)	J.A. Oller <i>et al.</i>	
OLLER	99B	NP A652 407 (erratum)	J.A. Oller, E. Oset	
OLLER	99C	PR D60 074023	J.A. Oller, E. Oset	
ALEKSEEV	98	PAN 61 174	I.G. Alekseev <i>et al.</i>	
ALEXANDER	98	PR D58 052004	J.P. Alexander <i>et al.</i>	(CLEO Collab.)
ANISOVICH	98B	SPU 41 419	V.V. Anisovich <i>et al.</i>	
		Translated from UFN 168 481.		
LOCHER	98	EPJ C4 317	M.P. Locher <i>et al.</i>	(PSI)
TROYAN	98	JINR RC 5-91 33	Yu. Troyan <i>et al.</i>	
ALDE	97	PL B397 350	D.M. Alde <i>et al.</i>	(GAMS Collab.)
ISHIDA	97	PTP 98 1005	S. Ishida <i>et al.</i>	(TOKY, MIYA, KEK)
KAMINSKI	97B	PL B413 130	R. Kaminski, L. Lesniak, B. Loiseau	(CRAC, IPN)
Also		PTP 95 745	S. Ishida <i>et al.</i>	(TOKY, MIYA, KEK)
SVEC	96	PR D53 2343	M. Svec	(MCGI)
TORNQVIST	96	PRL 76 1575	N.A. Tornqvist, M. Roos	(HELS)
ALDE	95B	ZPHY C66 375	D.M. Alde <i>et al.</i>	(GAMS Collab.)
AMSLER	95B	PL B342 433	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95D	PL B355 425	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	95	PL B355 363	V.V. Anisovich <i>et al.</i>	(PNPI, SERP)
JANSSEN	95	PR D52 2690	G. Janssen <i>et al.</i>	(STON, ADLD, JULI)
ACHASOV	94	PR D49 5779	N.N. Achasov, G.N. Shestakov	(NOVM)
AMSLER	94D	PL B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	94	PL B323 233	V.V. Anisovich <i>et al.</i>	(Crystal Barrel Collab.)
BUTLER	94B	PR D49 40	F. Butler <i>et al.</i>	(CLEO Collab.)
KAMINSKI	94	PR D50 3145	R. Kaminski, L. Lesniak, J.P. Maillet	(CRAC+)
ZOU	94B	PR D50 591	B.S. Zou, D.V. Bugg	(LOQM)
ZOU	93	PR D48 R3948	B.S. Zou, D.V. Bugg	(LOQM)
ARMSTRONG	91B	ZPHY C52 389	T.A. Armstrong <i>et al.</i>	(ATHU, BARI, BIRM+)
BOYER	90	PR D42 1350	J. Boyer <i>et al.</i>	(Mark II Collab.)
MARSISKE	90	PR D41 3324	H. Marsiske <i>et al.</i>	(Crystal Ball Collab.)
MORGAN	90	ZPHY C48 623	D. Morgan, M.R. Pennington	(RAL, DURH)
AUGUSTIN	89	NP B320 1	J.E. Augustin, G. Cosme	(DM2 Collab.)
ASTON	88	NP B296 493	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)

FALVARD	88	PR D38 2706	A. Falvard <i>et al.</i>	(CLER, FRAS, LALO+)
AU	87	PR D35 1633	K.L. Au, D. Morgan, M.R. Pennington	(DURH, RAL)
COURAU	86	NP B271 1	A. Courau <i>et al.</i>	(CLER, LALO)
VANBEVEREN	86	ZPHY C30 615	E. van Beveren <i>et al.</i>	(NIJM, BIEL)
CASON	83	PR D28 1586	N.M. Cason <i>et al.</i>	(NDAM, ANL)
ETKIN	82B	PR D25 1786	A. Etkin <i>et al.</i>	(BNL, CUNY, TUFTS, VAND)
BISWAS	81	PRL 47 1378	N.N. Biswas <i>et al.</i>	(NDAM, ANL)
COHEN	80	PR D22 2595	D. Cohen <i>et al.</i>	(ANL) IJP
MUKHIN	80	JETPL 32 601	K.N. Mukhin <i>et al.</i>	(KIAE)
Translated from ZETFP 32 616.				
BECKER	79	NP B151 46	H. Becker <i>et al.</i>	(MPIM, CERN, ZEEM, CRAC)
CORDEN	79	NP B157 250	M.J. Corden <i>et al.</i>	(BIRM, RHEL, TELA+) JP
ESTABROOKS	79	PR D19 2678	P. Estabrooks	(CARL)
FROGGATT	77	NP B129 89	C.D. Froggatt, J.L. Petersen	(GLAS, NORD)
PAWICKI	77	PR D15 3196	A.J. Pawlicki <i>et al.</i>	(ANL) IJ
ROSSELET	77	PR D15 574	L. Rosselet <i>et al.</i>	(GEVA, SACL)
CASON	76	PRL 36 1485	N.M. Cason <i>et al.</i>	(NDAM, ANL) IJ
ESTABROOKS	75	NP B95 322	P.G. Estabrooks, A.D. Martin	(DURH)
HYAMS	75	NP B100 205	B.D. Hyams <i>et al.</i>	(CERN, MPIM)
SRINIVASAN	75	PR D12 681	V. Srinivasan <i>et al.</i>	(NDAM, ANL)
ESTABROOKS	74	NP B79 301	P.G. Estabrooks, A.D. Martin	(DURH)
GRAAYER	74	NP B75 189	G. Grayer <i>et al.</i>	(CERN, MPIM)
APEL	73	PL 41B 542	W.D. Apel <i>et al.</i>	(KARL, PISA)
HYAMS	73	NP B64 134	B.D. Hyams <i>et al.</i>	(CERN, MPIM)
OCHS	73	Thesis	W. Ochs	(MPIM, MUNI)
PROTOPOP...	73	PR D7 1279	S.D. Protopopescu <i>et al.</i>	(LBL)
BAILLON	72	PL 38B 555	P.H. Baillon <i>et al.</i>	(SLAC)
BASDEVANT	72	PL 41B 178	J.L. Basdevant, C.D. Froggatt, J.L. Petersen	(CERN)
BEIER	72B	PRL 29 511	E.W. Beier <i>et al.</i>	(PENN)
BENSINGER	71	PL 36B 134	J.R. Bensinger <i>et al.</i>	(WISC)
COLTON	71	PR D3 2028	E.P. Colton <i>et al.</i>	(LBL, FNAL, UCLA+)
ROY	71	PL 36B 353	S.M. Roy	
BATON	70	PL 33B 528	J.P. Baton, G. Laurens, J. Reignier	(SACL)
WALKER	67	RMP 39 695	W.D. Walker	(WISC)

---