

$\Delta(1700)$ D_{33} $I(J^P) = \frac{3}{2}(\frac{3}{2}^-)$ Status: ***

Most of the results published before 1975 were last included in our 1982 edition, Physics Letters **111B** 1 (1982). Some further obsolete results published before 1984 were last included in our 2006 edition, Journal of Physics, G **33** 1 (2006).

 $\Delta(1700)$ BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1670 to 1750 (≈ 1700) OUR ESTIMATE			
1695.0 \pm 1.3	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
1762 \pm 44	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$
1710 \pm 30	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
1680 \pm 70	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1790 \pm 30	HORN 08A	DPWA	Multichannel
1770 \pm 40	THOMA 08	DPWA	Multichannel
1687.9 \pm 2.5	ARNDT 04	DPWA	$\pi N \rightarrow \pi N, \eta N$
1678 \pm 1	PENNER 02C	DPWA	Multichannel
1732 \pm 23	VRANA 00	DPWA	Multichannel
1690 \pm 15	ARNDT 96	IPWA	$\gamma N \rightarrow \pi N$
1680	ARNDT 95	IPWA	$\pi N \rightarrow N\pi$
1655	LI 93	IPWA	$\gamma N \rightarrow \pi N$
1650	BARNHAM 80	IPWA	$\pi N \rightarrow N\pi\pi$
1718.4 $^{+13.1}_{-13.0}$	¹ CHEW 80	BPWA	$\pi^+ p \rightarrow \pi^+ p$
1600	² LONGACRE 77	IPWA	$\pi N \rightarrow N\pi\pi$
1680	³ LONGACRE 75	IPWA	$\pi N \rightarrow N\pi\pi$

 $\Delta(1700)$ BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
200 to 400 (≈ 300) OUR ESTIMATE			
375.5 \pm 7.0	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
600 \pm 250	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$
280 \pm 80	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
230 \pm 80	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
580 \pm 60	HORN 08A	DPWA	Multichannel
630 \pm 150	THOMA 08	DPWA	Multichannel
364.8 \pm 16.6	ARNDT 04	DPWA	$\pi N \rightarrow \pi N, \eta N$
606 \pm 15	PENNER 02C	DPWA	Multichannel
119 \pm 70	VRANA 00	DPWA	Multichannel
285 \pm 20	ARNDT 96	IPWA	$\gamma N \rightarrow \pi N$

272	ARNDT	95	DPWA	$\pi N \rightarrow N\pi$
348	LI	93	IPWA	$\gamma N \rightarrow \pi N$
160	BARNHAM	80	IPWA	$\pi N \rightarrow N\pi\pi$
193.3 ± 26.0	¹ CHEW	80	BPWA	$\pi^+ p \rightarrow \pi^+ p$
200	² LONGACRE	77	IPWA	$\pi N \rightarrow N\pi\pi$
240	³ LONGACRE	75	IPWA	$\pi N \rightarrow N\pi\pi$

$\Delta(1700)$ POLE POSITION

REAL PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1620 to 1680 (\approx 1650) OUR ESTIMATE			
1632	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1651	⁴ HOEHLER	93	SPED $\pi N \rightarrow \pi N$
1675 ± 25	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1640 ± 25	HORN	08A	DPWA Multichannel
1610 ± 35	THOMA	08	DPWA Multichannel
1617	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
1726	VRANA	00	DPWA Multichannel
1655	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
1646	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90
1681 or 1672	⁵ LONGACRE	78	IPWA $\pi N \rightarrow N\pi\pi$
1600 or 1594	² LONGACRE	77	IPWA $\pi N \rightarrow N\pi\pi$

-2xIMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
160 to 240 (\approx 200) OUR ESTIMATE			
253	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
159	⁴ HOEHLER	93	SPED $\pi N \rightarrow \pi N$
220 ± 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
325 ± 35	HORN	08A	DPWA Multichannel
320 ± 60	THOMA	08	DPWA Multichannel
226	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
118	VRANA	00	DPWA Multichannel
242	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
208	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90
245 or 241	⁵ LONGACRE	78	IPWA $\pi N \rightarrow N\pi\pi$
208 or 201	² LONGACRE	77	IPWA $\pi N \rightarrow N\pi\pi$

$\Delta(1700)$ ELASTIC POLE RESIDUE

MODULUS $|r|$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
18	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
10	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
13 ± 3	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
16	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
16	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
13	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90

PHASE θ

<i>VALUE</i> ($^{\circ}$)	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
-40	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
-20±25	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-47	ARNDT 04	DPWA	$\pi N \rightarrow \pi N, \eta N$
-12	ARNDT 95	DPWA	$\pi N \rightarrow N\pi$
-22	ARNDT 91	DPWA	$\pi N \rightarrow \pi N$ Soln SM90

 $\Delta(1700)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\pi$	10–20 %
$\Gamma_2 \Sigma K$	
$\Gamma_3 N\pi\pi$	80–90 %
$\Gamma_4 \Delta\pi$	30–60 %
$\Gamma_5 \Delta(1232)\pi$, <i>S</i> -wave	25–50 %
$\Gamma_6 \Delta(1232)\pi$, <i>D</i> -wave	1–7 %
$\Gamma_7 N\rho$	30–55 %
$\Gamma_8 N\rho$, <i>S</i> =1/2, <i>D</i> -wave	
$\Gamma_9 N\rho$, <i>S</i> =3/2, <i>S</i> -wave	5–20 %
$\Gamma_{10} N\rho$, <i>S</i> =3/2, <i>D</i> -wave	
$\Gamma_{11} N(1535)\pi$	
$\Gamma_{12} \Delta(1232)\eta$	
$\Gamma_{13} N\gamma$	0.12–0.26 %
$\Gamma_{14} N\gamma$, helicity=1/2	0.08–0.16 %
$\Gamma_{15} N\gamma$, helicity=3/2	0.025–0.12 %

 $\Delta(1700)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	Γ_1/Γ
<i>VALUE</i>	<i>DOCUMENT ID</i>
0.10 to 0.20 OUR ESTIMATE	
0.156±0.001	ARNDT 06 DPWA $\pi N \rightarrow \pi N, \eta N$
0.14 ± 0.06	MANLEY 92 IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$
0.12 ± 0.03	CUTKOSKY 80 IPWA $\pi N \rightarrow \pi N$
0.20 ± 0.03	HOEHLER 79 IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •	
0.20 ± 0.07	HORN 08A DPWA Multichannel
0.15 ± 0.08	THOMA 08 DPWA Multichannel
0.150±0.001	ARNDT 04 DPWA $\pi N \rightarrow \pi N, \eta N$
0.14 ± 0.01	PENNER 02C DPWA Multichannel
0.05 ± 0.01	VRANA 00 DPWA Multichannel
0.16	ARNDT 95 DPWA $\pi N \rightarrow N\pi$
0.16	¹ CHEW 80 BPWA $\pi^+ p \rightarrow \pi^+ p$

Note: Signs of couplings from $\pi N \rightarrow N\pi\pi$ analyses were changed in the 1986 edition to agree with the baryon-first convention; the overall phase ambiguity is resolved by choosing a negative sign for the $\Delta(1620)$ S_{31} coupling to $\Delta(1232)\pi$.

$$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}} \text{ in } N\pi \rightarrow \Delta(1700) \rightarrow \Delta(1232)\pi, S\text{-wave} \quad (\Gamma_1 \Gamma_5)^{1/2} / \Gamma$$

VALUE	DOCUMENT ID	TECN	COMMENT
+0.21 to +0.29 OUR ESTIMATE			
+0.32 ± 0.06	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$
+0.18 ± 0.04	BARNHAM 80	IPWA	$\pi N \rightarrow N\pi\pi$
+0.30	^{2,6} LONGACRE 77	IPWA	$\pi N \rightarrow N\pi\pi$
+0.24	³ LONGACRE 75	IPWA	$\pi N \rightarrow N\pi\pi$

$$\Gamma(\Delta(1232)\pi, S\text{-wave}) / \Gamma_{\text{total}} \quad \Gamma_5 / \Gamma$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.90 ± 0.02	VRANA 00	DPWA	Multichannel

$$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}} \text{ in } N\pi \rightarrow \Delta(1700) \rightarrow \Delta(1232)\pi, D\text{-wave} \quad (\Gamma_1 \Gamma_6)^{1/2} / \Gamma$$

VALUE	DOCUMENT ID	TECN	COMMENT
+0.05 to +0.11 OUR ESTIMATE			
+0.08 ± 0.03	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$
0.14 ± 0.04	BARNHAM 80	IPWA	$\pi N \rightarrow N\pi\pi$
+0.05	^{2,6} LONGACRE 77	IPWA	$\pi N \rightarrow N\pi\pi$
+0.10	³ LONGACRE 75	IPWA	$\pi N \rightarrow N\pi\pi$

$$\Gamma(\Delta(1232)\pi, D\text{-wave}) / \Gamma_{\text{total}} \quad \Gamma_6 / \Gamma$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.04 ± 0.01	VRANA 00	DPWA	Multichannel

$$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}} \text{ in } N\pi \rightarrow \Delta(1700) \rightarrow N\rho, S=1/2, D\text{-wave} \quad (\Gamma_1 \Gamma_8)^{1/2} / \Gamma$$

VALUE	DOCUMENT ID	TECN	COMMENT
+0.17 ± 0.05	BARNHAM 80	IPWA	$\pi N \rightarrow N\pi\pi$

$$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}} \text{ in } N\pi \rightarrow \Delta(1700) \rightarrow N\rho, S=3/2, S\text{-wave} \quad (\Gamma_1 \Gamma_9)^{1/2} / \Gamma$$

VALUE	DOCUMENT ID	TECN	COMMENT
±0.11 to ±0.19 OUR ESTIMATE			

+0.10 ± 0.03	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$
+0.04	^{2,6} LONGACRE 77	IPWA	$\pi N \rightarrow N\pi\pi$
-0.30	³ LONGACRE 75	IPWA	$\pi N \rightarrow N\pi\pi$

$$\Gamma(N\rho, S=3/2, S\text{-wave}) / \Gamma_{\text{total}} \quad \Gamma_9 / \Gamma$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.01 ± 0.01	VRANA 00	DPWA	Multichannel

$$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}} \text{ in } N\pi \rightarrow \Delta(1700) \rightarrow N\rho, S=3/2, D\text{-wave} \quad (\Gamma_1 \Gamma_{10})^{1/2} / \Gamma$$

VALUE	DOCUMENT ID	TECN	COMMENT
0.18 ± 0.07	BARNHAM 80	IPWA	$\pi N \rightarrow N\pi\pi$

$\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$ Γ_{11}/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.04±0.02	HORN	08A	DPWA Multichannel

 $\Gamma(\Delta(1232)\eta)/\Gamma_{\text{total}}$ Γ_{12}/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.02±0.01	HORN	08A	DPWA Multichannel

 $\Gamma(N(1535)\pi)/\Gamma(\Delta(1232)\eta)$ Γ_{11}/Γ_{12}

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.67	KASHEVAROV 09	CBAL	$\gamma p \rightarrow p\pi^0\eta$

 $\Delta(1700)$ PHOTON DECAY AMPLITUDES

Papers on γN amplitudes predating 1981 may be found in our 2006 edition,
Journal of Physics, G **33** 1 (2006).

 $\Delta(1700) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE (GeV$^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
+0.104±0.015 OUR ESTIMATE			
0.125±0.003	DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
0.090±0.025	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
0.111±0.017	CRAWFORD	83	IPWA $\gamma N \rightarrow \pi N$
0.089±0.033	AWAJI	81	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.160±0.040	HORN	08A	DPWA Multichannel
0.226	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
0.096	PENNER	02D	DPWA Multichannel
0.121±0.004	LI	93	IPWA $\gamma N \rightarrow \pi N$

 $\Delta(1700) \rightarrow N\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV$^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
+0.085±0.022 OUR ESTIMATE			
0.105±0.003	DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
0.097±0.020	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
0.107±0.015	CRAWFORD	83	IPWA $\gamma N \rightarrow \pi N$
0.060±0.015	AWAJI	81	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.150±0.030	HORN	08A	DPWA Multichannel
0.210	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
0.154	PENNER	02D	DPWA Multichannel
0.115±0.004	LI	93	IPWA $\gamma N \rightarrow \pi N$

$\Delta(1700)$ FOOTNOTES

- ¹ Problems with CHEW 80 are discussed in section 2.1.11 of HOEHLER 83.
² LONGACRE 77 pole positions are from a search for poles in the unitarized T-matrix; the first (second) value uses, in addition to $\pi N \rightarrow N\pi\pi$ data, elastic amplitudes from a Saclay (CERN) partial-wave analysis. The other LONGACRE 77 values are from eyeball fits with Breit-Wigner circles to the T-matrix amplitudes.
³ From method II of LONGACRE 75: eyeball fits with Breit-Wigner circles to the T-matrix amplitudes.
⁴ See HOEHLER 93 for a detailed discussion of the evidence for and the pole parameters of N and Δ resonances as determined from Argand diagrams of πN elastic partial-wave amplitudes and from plots of the speeds with which the amplitudes traverse the diagrams.
⁵ LONGACRE 78 values are from a search for poles in the unitarized T-matrix. The first (second) value uses, in addition to $\pi N \rightarrow N\pi\pi$ data, elastic amplitudes from a Saclay (CERN) partial-wave analysis.
⁶ LONGACRE 77 considers this coupling to be well determined.

$\Delta(1700)$ REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

KASHEVAROV	09	EPJ A42 141	V.L. Kashevarov <i>et al.</i>	(MAMI Crystal Ball/TAPS)
HORN	08A	EPJ A38 173	I. Horn <i>et al.</i>	(CB-ELSA Collab.)
Also		PRL 101 202002	I. Horn <i>et al.</i>	(CB-ELSA Collab.)
THOMA	08	PL B659 87	U. Thoma <i>et al.</i>	(CB-ELSA Collab.)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(Jefferson Lab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PDG	06	JPG 33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)
ARNDT	04	PR C69 035213	R.A. Arndt <i>et al.</i>	(GWU, TRIU)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman,, T.-S.H. Lee	(PITT+)
ARNDT	96	PR C53 430	R.A. Arndt, I.I. Strakovsky, R.L. Workman	(VPI)
ARNDT	95	PR C52 2120	R.A. Arndt <i>et al.</i>	(VPI, BRCO)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
LI	93	PR C47 2759	Z.J. Li <i>et al.</i>	(VPI)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KENT) IJP
Also		PR D30 904	D.M. Manley <i>et al.</i>	(VPI)
ARNDT	91	PR D43 2131	R.A. Arndt <i>et al.</i>	(VPI, TELE) IJP
CRAWFORD	83	NP B211 1	R.L. Crawford, W.T. Morton	(GLAS)
HOEHLER	83	Landolt-Bornstein 1/9B2	G. Hohler	(KARLT)
PDG	82	PL 111B 1	M. Roos <i>et al.</i>	(HELS, CIT, CERN)
AWAJI	81	Bonn Conf. 352	N. Awaji, R. Kajikawa	(NAGO)
Also		NP B197 365	K. Fujii <i>et al.</i>	(NAGO)
BARNHAM	80	NP B168 243	K.W.J. Barnham <i>et al.</i>	(LOIC)
CHEW	80	Toronto Conf. 123	D.M. Chew	(LBL) IJP
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
LONGACRE	78	PR D17 1795	R.S. Longacre <i>et al.</i>	(LBL, SLAC)
LONGACRE	77	NP B122 493	R.S. Longacre, J. Dolbeau	(SACL) IJP
Also		NP B108 365	J. Dolbeau <i>et al.</i>	(SACL) IJP
LONGACRE	75	PL 55B 415	R.S. Longacre <i>et al.</i>	(LBL, SLAC) IJP